





See for similar files: <http://www.ps.bam.de/LE30/10L/L30E05NP.PS/.PDF>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0


BAM registration: 20030101-LE30/10L/L30E05NP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output




www.ps.bam.de/LE30/10L/L30E15NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4w: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator *cmv0* setcmvcolor* (only)




Picture B5w: Script and Landolt-rings N, M, C and Y; PS operator *cmv0* setcmvcolor* (only)




Picture B6w: Landolt-rings W-C and W-M; PS operator *cmv0* setcmvcolor* (only)




Picture B7w: Landolt-rings W-Y and W-N; PS operator *cmv0* setcmvcolor* (only)




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps W-O, W-L, W-V and W-N; PS operator *cmv0* / 000n* setcmvcolor*



Picture D5w: Script and Landolt-rings N, O, L and V; PS operator *cmv0* / 000n* setcmvcolor*




Picture D6w: Landolt-rings W-O and W-L; PS operator *cmv0* / 000n* setcmvcolor*




Picture D7w: Landolt-rings W-V and W-N; PS operator *cmv0* / 000n* setcmvcolor*

input(TLS00): *cmyn* setcmvcolor*
output(TLS00): no change compared to input



BAM registration: 20030101-LE30/10L/L30E15NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output
BAM material: code=rha4ta


www.ps.bam.de/LE30/10L/L30E25NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps *N-C*, *N-M*, *N-Y* and *N-W*; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B5n: Script and Landolt-rings *W*, *M*, *C* and *Y*; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B6n: Landolt-rings *N-C* and *N-M*; Use of PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$



Picture B7n: Landolt-rings *N-Y* and *N-W*; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)



Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)



Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)




Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)

input(TLS00): $\text{cmy}n^* \text{setcmykcolor}$
output(TLS00): no change compared to input

BAM registration: 20030101-LE30/10L/L30E25NP.PS/.PDF
application for measurement of monitor ($Y_r=2.5$) and printer output
BAM material: code=rha4ta

www.ps.bam.de/LE30/10L/L30E35NP.PS/.PDF; start output


N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps N-C, N-M, N-Y and N-W; PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$



Picture B5n: Script and Landolt-rings W, M, C and Y; PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$




Picture B6n: Landolt-rings N-C and N-M; Use of PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$




Picture B7n: Landolt-rings N-Y and N-W; PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $cm\dot{y}0^* setcmykcolor$ (only)



Picture B5w: Script and Landolt-rings N, M, C and Y; PS operator $cm\dot{y}0^* setcmykcolor$ (only)



Picture B6w: Landolt-rings W-C and W-M; PS operator $cm\dot{y}0^* setcmykcolor$ (only)




Picture B7w: Landolt-rings W-Y and W-N; PS operator $cm\dot{y}0^* setcmykcolor$ (only)

input(TLS00): $cm\dot{y}n^* setcmykcolor$
output(TLS00): no change compared to input

BAM registration: 20030101-LE30/10L/L30E35NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output
BAM material: code=rha4ta


www.ps.bam.de/LE30/10L/L30E45NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture D4n: 16 equidistant steps N-O, N-L, N-V and N-W; PS operator $cm\dot{y}0^* setcmykcolor$ (only)




Picture D5n: Script and Landolt-rings W, O, L and V; PS operator $cm\dot{y}0^* setcmykcolor$ (only)




Picture D6n: Landolt-rings N-O and N-L; Use of PS operator $cm\dot{y}0^* setcmykcolor$ (only)




Picture D7n: Landolt-rings N-V and N-W; PS operator $cm\dot{y}0^* setcmykcolor$ (only)




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps W-O, W-L, W-V and W-N; PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$



Picture D5w: Script and Landolt-rings N, O, L and V; PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$



Picture D6w: Landolt-rings W-O and W-L; PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$



Picture D7w: Landolt-rings W-V and W-N; PS operator $cm\dot{y}0^* / 000n^* setcmykcolor$

input(TLS00): $cm\dot{y}n^* setcmykcolor$
output(TLS00): no change compared to input

BAM registration: 20030101-LE30/10L/L30E45NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output
BAM material: code=rha4ta