




See for similar files: <http://www.ps.bam.de/LE30/10L/L30E07NP.PS/.PDF>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0

BAM registration: 20030101-LE30/10L/L30E07NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output

BAM material: code=rha4ta



16 equidistant CIELAB steps: C-W, C-N, M-W, M-N, Y-W, Y-N, O-W, O-N, L-W, L-N, V-W, V-N, N-W (*cmy0**), W-N (*000n**) and 14 CIE-test colours (left)


Test chart LE30: 16 CIELAB steps of ISO/IEC 15775 input(TLS00): *cmyn* setcmykcolor*
Chromatic-White, Chromatic-Black, Black-White output(TLS00): *no change compared to input*

C M Y O L V


C M Y O L V

www.ps.bam.de/LE30/10L/L30E17NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


See for similar files: <http://www.ps.bam.de/LE30/LE30.HTM>
Information and Order: <http://www.ps.bam.de>
Version 2.0, io=0,0




Picture B4w: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator *cmv0* setcmkcolor* (only)



Picture B5w: Script and Landolt-rings N, M, C and Y; PS operator *cmv0* setcmkcolor* (only)




Picture B6w: Landolt-rings W-C and W-M; PS operator *cmv0* setcmkcolor* (only)




Picture B7w: Landolt-rings W-Y and W-N; PS operator *cmv0* setcmkcolor* (only)


Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps W-O, W-L, W-V and W-N; PS operator *cmv0* / 000n* setcmkcolor*



Picture D5w: Script and Landolt-rings N, O, L and V; PS operator *cmv0* / 000n* setcmkcolor*




Picture D6w: Landolt-rings W-O and W-L; PS operator *cmv0* / 000n* setcmkcolor*



Picture D7w: Landolt-rings W-V and W-N; PS operator *cmv0* / 000n* setcmkcolor*
input(TLS00): *cmyn* setcmkcolor*
output(TLS00): *no change compared to input*

BAM registration: 20030101-LE30/10L/L30E17NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output
BAM material: code=rha4ta


www.ps.bam.de/LE30/10L/L30E27NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps *N-C*, *N-M*, *N-Y* and *N-W*; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$



Picture B5n: Script and Landolt-rings *W*, *M*, *C* and *Y*; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B6n: Landolt-rings *N-C* and *N-M*; Use of PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$



Picture B7n: Landolt-rings *N-Y* and *N-W*; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)



Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)



Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)




Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator $\text{cmy0}^* \text{setcmykcolor}$ (only)

input(TLS00): $\text{cmy}n^* \text{setcmykcolor}$
output(TLS00): no change compared to input



BAM registration: 20030101-LE30/10L/L30E27NP.PS/.PDF
application for measurement of monitor ($Y_r=2.5$) and printer output
BAM material: code=rha4ta


www.ps.bam.de/LE30/10L/L30E37NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps *N-C*, *N-M*, *N-Y* and *N-W*; PS operator *cmy0* / 000n* setcmykcolor*




Picture B5n: Script and Landolt-rings *W*, *M*, *C* and *Y*; PS operator *cmy0* / 000n* setcmykcolor*




Picture B6n: Landolt-rings *N-C* and *N-M*; Use of PS operator *cmy0* / 000n* setcmykcolor*




Picture B7n: Landolt-rings *N-Y* and *N-W*; PS operator *cmy0* / 000n* setcmykcolor*




Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps *W-C*, *W-M*, *W-Y* and *W-N*; PS operator *cmy0* setcmykcolor* (only)



Picture B5w: Script and Landolt-rings *N*, *M*, *C* and *Y*; PS operator *cmy0* setcmykcolor* (only)



Picture B6w: Landolt-rings *W-C* and *W-M*; PS operator *cmy0* setcmykcolor* (only)



Picture B7w: Landolt-rings *W-Y* and *W-N*; PS operator *cmy0* setcmykcolor* (only)

input(TLS00): *cmy0* setcmykcolor*
output(TLS00): *no change compared to input*

BAM registration: 20030101-LE30/10L/L30E37NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output
BAM material: code=rha4ta


www.ps.bam.de/LE30/10L/L30E47NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture D4n: 16 equidistant steps $N-O$, $N-L$, $N-V$ and $N-W$; PS operator $cmY0^* setcmykcolor$ (only)





Picture D5n: Script and Landolt-rings W , O , L and V ; PS operator $cmY0^* setcmykcolor$ (only)




Picture D6n: Landolt-rings $N-O$ and $N-L$; Use of PS operator $cmY0^* setcmykcolor$ (only)




Picture D7n: Landolt-rings $N-V$ and $N-W$; PS operator $cmY0^* setcmykcolor$ (only)




Picture D4w: 16 equidistant steps $W-O$, $W-L$, $W-V$ and $W-N$; PS operator $cmY0^* / 000n^* setcmykcolor$




Picture D5w: Script and Landolt-rings N , O , L and V ; PS operator $cmY0^* / 000n^* setcmykcolor$



Picture D6w: Landolt-rings $W-O$ and $W-L$; PS operator $cmY0^* / 000n^* setcmykcolor$



Picture D7w: Landolt-rings $W-V$ and $W-N$; PS operator $cmY0^* / 000n^* setcmykcolor$



BAM registration: 20030101-LE30/10L/L30E47NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output
BAM material: code=rha4ta