www.ps.bam.de/LE34/10Q/Q34E00SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E00SP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.0 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E00SP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE34/ Form: 1/16, Serie: 1/1, Page: 1 Page: count: 1

www.ps.bam.de/LE34/10Q/Q34E01SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E01SP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.066 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E01SP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE34/ Form: 2/16, Serie: 1/1, Page: 2 Page: count: 2

www.ps.bam.de/LE34/10Q/Q34E02SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E02SP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.133 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E02SP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE34/ Form: 3/16, Serie: 1/1, Page: 3 Page: count: 3

www.ps.bam.de/LE34/10Q/Q34E03SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E03SP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.2 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E03SP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE34/ Form: 4/16, Serie: 1/1, Page: 4 Page: count: 4

www.ps.bam.de/LE34/10Q/Q34E04SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E04SP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.266 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E04SP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 5/16, Serie: 1/1, Page: 5 Page: count: 5

www.ps.bam.de/LE34/10Q/Q34E05SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E05SP.DAT in Distiller Startup (S) Directory



See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E05SP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 6/16, Serie: 1/1, Page: 6 Page: count: 6

LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.333 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.4 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E06SP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE34/ Form: 7/16, Serie: 1/1, Page: 7 Page: count: 7

www.ps.bam.de/LE34/10Q/Q34E07SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E07SP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.466 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E07SP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 8/16, Serie: 1/1, Page: 8 Page: count: 8

www.ps.bam.de/LE34/10Q/Q34E08SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E08SP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.533 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E08SP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 9/16, Serie: 1/1, Page: 9 Page: count: 9

www.ps.bam.de/LE34/10Q/Q34E09SP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E09SP.DAT in Distiller Startup (S) Directory



See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E09SP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 10/16,Serie: 1/1, Page: 10 Page: count: 10

LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.6 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

www.ps.bam.de/LE34/10Q/Q34E0ASP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E0ASP.DAT in Distiller Startup (S) Directory



See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E0ASP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 11/16,Serie: 1/1, Page: 11 Page: count: 11

LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.666 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

www.ps.bam.de/LE34/10Q/Q34E0BSP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E0BSP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.733 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E0BSP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 12/16,Serie: 1/1, Page: 12 Page: count: 12

www.ps.bam.de/LE34/10Q/Q34E0CSP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E0CSP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.8 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E0CSP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 13/16,Serie: 1/1, Page: 13 Page: count: 13

www.ps.bam.de/LE34/10Q/Q34E0DSP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E0DSP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.866 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E0DSP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 14/16,Serie: 1/1, Page: 14 Page: count: 14

www.ps.bam.de/LE34/10Q/Q34E0ESP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E0ESP.DAT in Distiller Startup (S) Directory



See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E0ESP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 15/16,Serie: 1/1, Page: 15 Page: count: 15

LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 0.933 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

www.ps.bam.de/LE34/10Q/Q34E0FSP.PS/.PDF;
S: Output Linearization (OL) data LE34/10Q/Q34E0FSP.DAT in Distiller Startup (S) Directory



LE340−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *g3** = *l3** = 1.0 = const.

BAM-test chart no. LE34; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE34/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1?

BAM registration: 20050501-LE34/10Q/Q34E0FSP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE34/ Form: 16/16,Serie: 1/1, Page: 16 Page: count: 16