




BAM registration: 20050101-ME01/10L/L01E00NP.PS/.PDF
application for properties of monochromatic printers

BAM material: code=rh4ta

/ME01/ Form: 1/9, Serie: 1/2, Page: 1 Page count: 1



input: 000x* setcmykcolor
output: 000x* setcmykcolor

www.ps.bam.de/ME01/10L/L01E00NP.PS/.PDF; ; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


Proposal editor: CEN CSH 99013-test chart no. 1N
Cross page: rectangles with 5% coverage; (x=1,00)








See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1














See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1






























































ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2




ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Proposal editor: CEN CSH 99013-test chart no. 3N


input: 000x* setcmykcolor

Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: 000x* setcmykcolor







ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1




ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2




ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray




ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray




ME000-3, Picture C31: 32 visual equidistant L*-grey steps; Use of the PS operator w* setgray, part 1




ME000-5, Picture C32: 32 visual equidistant L*-grey steps; Use of the PS operator w* setgray, part 2




ME010-7, Picture C3: 16 visual equidistant L*-grey steps; Use of the PS operator w* setgray




ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2



ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Light Page N

Light Page C

Light Page M

Light Page Y

Mean Page N

Mean Page C

Mean Page M

Mean Page Y

Dark Page N

Dark Page C

Dark Page M

Dark Page Y

Full Colour Page N

Full Colour Page C

Full Colour Page M


Full Colour Page Y

White Page W

White Page W

White Page W


White Page W




See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20050101-ME01/10L/L01E08NP.PS/.PDF BAM material: code=rh4ta
application for properties of monochromatic printers

/ME01/ Form: 9/9, Serie: 1/2, Page: 50 Page count: 50







See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20050101-ME01/10L/L01E08NP.PS/.PDF BAM material: code=rh4tia
application for properties of monochromatic printers

/ME01/ Form: 9/9, Serie: 1/2, Page: 52 Page count: 52





– See for similar files: <http://www.ps.bam.de/ME01/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

T


This is text. This is text. This is text. This is text. This is text.



T


This is text. This is text. This is text. This is text. This is text.










```
input: 0x00* setcmykcolor
output: 0x00* setcmykcolor
```














BAM registration: 20050101-ME01/10L/L01E00NP.PS/.PDF
application for properties of monochromatic printers

BAM material: code=rh4ta

/ME01/ Form: 1/9, Serie: 2/2, Page: 1 Page count: 61



input: 000x* setcmykcolor
output: 000x* setcmykcolor

www.ps.bam.de/ME01/10L/L01E00NP.PS/.PDF; ; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


Proposal editor: CEN CSH 99013-test chart no. 1N
Cross page: rectangles with 5% coverage; (x=1,00)







See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de>


Version 2.1, io=1,1










































































ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L*-gray steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L*-gray steps; Use of the PS operator w* setgray, part 2



ME010-7, Picture C3: 16 visual equidistant L*-gray steps; Use of the PS operator w* setgray


Proposal editor: CEN CSH 99013-test chart no. 3N

Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: 000x* setcmykcolor


input: 000x* setcmykcolor

Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: 000x* setcmykcolor





ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray



ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1

L^* / Y (absolute)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
No. and Hex2 code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052


ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIELAB}, r_{D_r}(\text{relative})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray




ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray




ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1




ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2



ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray



ME010-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray



ME011-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
L^* D_{xy} (relative)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1

L^* / Y (absolute)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
No. and Hex2 code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
L^* D_{xy} (relative)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052

ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
L^* D_{xy} (relative)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME010-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Light Page N

Light Page C

Light Page M

Light Page Y

Mean Page N

Mean Page C

Mean Page M

Mean Page Y

Dark Page N

Dark Page C

Dark Page M

Dark Page Y

Full Colour Page N

Full Colour Page C

Full Colour Page M


Full Colour Page Y


White Page W

White Page W


White Page W

White Page W






See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1




See for similar files: <http://www.ps.bam.de/ME01/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20050101-ME01/10L/L01E08NP.PS/.PDF BAM material: code=rh4tia
application for properties of monochromatic printers

/ME01/ Form: 9/9, Serie: 2/2, Page: 52 Page count: 112





BAM material: code=rha4ta

-See for similar files: <http://www.ps.bam.de/ME01/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

T

This is text This is text This is text This is text This is text

Proposal editor: CEN CSH 99013-test chart no. 10N
Text page; (x=1.00)

```
input: 000x* setcmykcolor
output: 000x* setcmykcolor
```



This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.


This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.


This is text. This is text. This is text. This is text. This is text. This is text.





T


This is text. This is text. This is text. This is text. This is text.












BAM registration: 20050101-ME01/10L/L01E0ANP
+ application for properties of monochromatic printers

BAM material: code=rha4ta

/ME01/ Form: 11/9, Serie: 2/2, Page: 59 Page count: 119

Page: count: 119



Proposal editor: CEN CSH 99013-test chart no. 11M
Cross page: 16 equally spaced steps of Fig. C3 according to

```
input: 0x00* setcmykcolor
output: 0x00* setcmykcolor
```

