




BAM registration: 20050101-ME02/10L/L02E00NP.PS/.PDF
application for properties of monochromatic printers

/ME02/ Form: 1/9, Serie: 1/2, Page: 1 Page count: 1



input: 000x* setcmykcolor
output: 000x* setcmykcolor

www.ps.bam.de/ME02/10L/L02E00NP.PS/.PDF; ; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


Proposal editor: CEN CSH 99013-test chart no. 1N
Cross page: rectangles with 5% coverage; (x=1,00)





See for similar files: <http://www.ps.bam.de/ME02/>
Technical information: <http://www.ps.bam.de>


Version 2.1, io=1,1




















ME020-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray




ME021-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray



ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1



ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2



ME020-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Proposal editor: CEN CSH 99013-test chart no. 3N

Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: 000x* setcmykcolor

input: 000x* setcmykcolor

Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: 000x* setcmykcolor


Light Page N


Mean Page N

Dark Page N

Full Colour Page N

White Page W






-See for similar files: <http://www.ps.bam.de/ME02/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

Proposal editor: CEN CSH 99013-test chart no. 10N
Text page; (x=1.00)

```
input: 000x* setcmykcolor
output: 000x* setcmykcolor
```








BAM registration: 20050101-ME02/10L/L02E00NP.PS/.PDF
application for properties of monochromatic printers

/ME02/ Form: 1/9, Serie: 2/2, Page: 1 Page count: 16



input: 000x* setcmykcolor
output: 000x* setcmykcolor

www.ps.bam.de/ME02/10L/L02E00NP.PS/.PDF; ; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


Proposal editor: CEN CSH 99013-test chart no. 1N
Cross page: rectangles with 5% coverage; (x=1,00)





See for similar files: <http://www.ps.bam.de/ME02/>
Technical information: <http://www.ps.bam.de>


Version 2.1, io=1,1


















ME020-2, Picture C5: Line raster under 45° (or 135°); Use of the PS operator w* setgray



ME021-1, Picture C6: Line raster under 90° (or 0°); Use of the PS operator w* setgray

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIELAB, r}$ D_r (relative)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Picture C31: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 1

L^* / Y (absolute)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
No. and Hex2 code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIELAB, r}$ D_r (relative)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052

ME000-5, Picture C32: 32 visual equidistant L^* -grey steps; Use of the PS operator w* setgray, part 2

L^* / Y (absolute)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
No. and Hex2 code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIELAB, r}$ D_r (relative)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME020-7, Picture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator w* setgray

Proposal editor: CEN CSH 99013-test chart no. 3N

Grafic page, Test chart no. 3 with grafic elements of ISO/IEC 15775:1999 output: 000x* setcmykcolor

input: 000x* setcmykcolor



Light Page N


Mean Page N


Dark Page N

Full Colour Page N

See for similar files: <http://www.ps.bam.de/ME02/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

White Page W





–See for similar files: <http://www.ps.bam.de/ME02/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

T

This is text. This is text. This is text. This is text. This is text.

