




See for similar files: <http://www.ps.bam.de/ME20/ME20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,4; iORS; oORS, CIELAB

BAM registration: 20050101-ME20/10L/L20E00FP.PS/.PDF BAM material: code=tha4ta
application for measurement of monitor (Yr=2.5) and printer output





9x9x9 colour cube and colour tinted grey scales, hue circle with maximum chromaticness and W-CMY, OLV-N

Test chart ME20: 9x9x9 colour cube and grey scales
Hue circle and colour series W-CMY, OLV-N


input(ORS18): *cmy** *setcmykcolor*
output(ORS18): *lab** *setcolor*







See for similar files: <http://www.ps.bam.de/ME20/ME20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,4; iORS; oORS, CIELAB

BAM registration: 20050101-ME20/10L/L20E01FP.PS/.PDF BAM material: code=tha4ta
application for measurement of monitor (Yr=2.5) and printer output




16 equidistant CIELAB steps: C-W, C-N, M-W, M-N, Y-W, Y-N, O-W, O-N, L-W, L-N, V-W, V-N, N-W (CMY), W-N and 14 CIE-test colours (left)



Colorimetric System *lab*tch*

triangle lightness t^*



See for similar files: <http://www.ps.bam.de/ME20/ME20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,4; iORS; oORS, CIELAB

BAM registration: 20050101-ME20/10L/L20E02FP.PS/.PDF BAM material: code=tha4ta
application for measurement of monitor (Yr=2.5) and printer output


Colorimetric System: *lab*tch*, 9 steps scales for red-green hue

Test chart ME20: Colorimetric System *lab*tch*
9 steps scales for red-green hue

input(ORS18): *cmy* setcmykcolor*
output(ORS18): *lab* setcolor*

Colorimetric System *lab*tch*

triangle lightness t^*



See for similar files: <http://www.ps.bam.de/ME20/ME20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,4; iORS; oORS, CIELAB

BAM registration: 20050101-ME20/10L/L20E03FP.PS/.PDF BAM material: code=tha4ta
application for measurement of monitor (Yr=2.5) and printer output