













































































MG010-2, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w* setgray



MG011-1, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w* setgray

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex2-Code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIE,LAB}, r_{D_r}$ (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Bild C31: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 1

L^* / Y (absolut)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
Nr. und Hex2-Code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIE,LAB}, r_{D_r}$ (relativ)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052


ME000-5, Bild C32: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 2

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex-Code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIE,LAB}, r_{D_r}$ (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


MG010-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray



Grafikseite, Prüfvorlage Nr. 3 mit grafischen Elementen von ISO/IEC 15775-1:2009



MG010-2, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w* setgray



MG011-1, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w* setgray

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex2-Code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME000-3, Bild C31: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 1

L^* / Y (absolut)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
Nr. und Hex2-Code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
L^* D_p (relativ)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052


ME000-5, Bild C32: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 2

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex-Code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

MG010-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray



MG010-2, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w* setgray



MG011-1, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w* setgray

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex2-Code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Bild C31: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 1

L^* / Y (absolut)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
Nr. und Hex2-Code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
L^* D_p (relativ)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052

ME000-5, Bild C32: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 2

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex-Code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

MG010-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray

Light Page N

Light Page C

Light Page M

Light Page Y

Mean Page N

Mean Page C

Mean Page M

Mean Page Y

Dark Page N

Dark Page C

Dark Page M

Dark Page Y

Full Colour Page N

Full Colour Page C

Full Colour Page M

Full Colour Page Y


White Page W

White Page W

White Page W


White Page W

1t 3t 5t 7t 9t Bt Dt Ft t=top; b=bottom; l=left; r=right




Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?

BAM-Registrierung: 20050101-MG01/10L/L01G08SP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern
/MG01/ Form: 99, Serie: 1/2, Seite: 50 Seitenzählung 50



Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?


BAM-Registrierung: 20050101-MG01/10L/L01G08SP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern
/MG01/ Form: 99, Serie: 1/2, Seite: 51 Seitenzählung 51



Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1?](http://www.ps.bam.de/Version%202.1,%20io=1,1?)

BAM-Registrierung: 20050101-MG01/10L/L01G08SP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern

/MG01/ Form: 99, Seite: 1/2, Seite: 52 Seitenzahl: 52



This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

t.

text.

s is text.

This is text.

xt. This is text.

s text. This is text.

is is text. This is text.

. This is text. This is text.

text. This is text. This is text.

s is text. This is text. This is text.

This is text. This is text. This is text.

xt. This is text. This is text. This is text.

s text. This is text. This is text. This is text.

is is text. This is text. This is text. This is text.

. This is text. This is text. This is text. This is text.

text. This is text. This is text. This is text. This is text.

s is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.



T

This is text. This is text. This is text. This is text. This is text.



This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.


This is text.

This is text.


This is text.




Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?





BAM-Registrierung: 20050101-MG01/10L/L01G0ASP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern
/MG01/ Form: 11/9 Serie: 1/2, Seite: 57 Seitenanzahl 57





Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?














































































MG010-2, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w* setgray



MG011-1, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w* setgray

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex2-Code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{D_r}$ $I^*_{D_r}$ (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME000-3, Bild C31: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 1

L^* / Y (absolut)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
Nr. und Hex2-Code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{D_r}$ $I^*_{D_r}$ (relativ)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052


ME000-5, Bild C32: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 2

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex-Code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{D_r}$ $I^*_{D_r}$ (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

MG010-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray



MG010-2, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w* setgray



MG011-1, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w* setgray

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex2-Code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
$I^*_{CIELAB, r}$ $D_p(\text{relativ})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME000-3, Bild C31: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 1

L^* / Y (absolut)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
Nr. und Hex2-Code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
$I^*_{CIELAB, r}$ $D_p(\text{relativ})$	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052


ME000-5, Bild C32: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 2

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex-Code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$I^*_{CIELAB, r}$ $D_p(\text{relativ})$	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

MG010-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray



MG010-2, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w* setgray



MG011-1, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w* setgray

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex2-Code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631


ME000-3, Bild C31: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 1

L^* / Y (absolut)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
Nr. und Hex2-Code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
L^* D_p (relativ)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052


ME000-5, Bild C32: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 2

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex-Code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

MG010-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray



MG010-2, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w* setgray



MG011-1, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w* setgray

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex2-Code	00,W	01,V	02,U	03,T	04,S	05,R	06,Q	07,P	08,O	09,N	10,M	11,L	12,J	13,I	14,H	15,G
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

ME000-3, Bild C31: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 1

L^* / Y (absolut)	57.9/25.9	60.4/28.6	62.9/31.5	65.4/34.6	67.9/37.8	70.4/41.3	72.9/45.0	75.4/48.9	77.9/53.0	80.4/57.4	82.9/62.0	85.4/66.8	87.9/71.8	90.4/77.1	92.9/82.7	95.4/88.5
Nr. und Hex2-Code	16,F	17,E	18,D	19,C	20,B	21,A	22,9	23,8	24,7	25,6	26,5	27,4	28,3	29,2	30,1	31,0
L^* D_p (relativ)	0.516 0.586	0.548 0.543	0.58 0.501	0.612 0.46	0.645 0.421	0.677 0.383	0.709 0.346	0.741 0.31	0.774 0.275	0.806 0.24	0.838 0.207	0.87 0.175	0.903 0.143	0.935 0.112	0.967 0.082	1.0 0.052

ME000-5, Bild C32: 32 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray, Teil 2

L^* / Y (absolut)	18.0/2.5	20.4/3.1	22.9/3.7	25.4/4.5	27.9/5.4	30.4/6.4	32.9/7.5	35.4/8.7	37.9/10.0	40.4/11.5	42.9/13.1	45.4/14.8	47.9/16.7	50.4/18.8	52.9/21.0	55.4/23.3
Nr. und Hex-Code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
L^* D_p (relativ)	0.0 1.598	0.032 1.506	0.064 1.42	0.096 1.339	0.129 1.263	0.161 1.191	0.193 1.123	0.225 1.058	0.258 0.996	0.29 0.937	0.322 0.881	0.354 0.827	0.387 0.775	0.419 0.725	0.451 0.677	0.483 0.631

MG010-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w* setgray

Light Page N

Light Page C

Light Page M

Light Page Y

Mean Page N

Mean Page C

Mean Page M

Mean Page Y

Dark Page N

Dark Page C

Dark Page M

Dark Page Y

Full Colour Page N

Full Colour Page C

Full Colour Page M

Full Colour Page Y

White Page W

White Page W

White Page W


Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?

BAM-Registrierung: 20050101-MG01/10L/L01G07SP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern

/MG01/ Form: 89, Serie: 2/2, Seite: 48 Seitenanzahl: 108


White Page W

1t 3t 5t 7t 9t Bt Dt Ft t=top; b=bottom; l=left; r=right




Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?

BAM-Registrierung: 20050101-MG01/10L/L01G08SP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern
/MG01/ Form: 99, Serie: 2/2, Seite: 50 Seitenzählung 110



Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?


BAM-Registrierung: 20050101-MG01/10L/L01G08SP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern
/MG01/ Form: 99, Serie: 2/2, Seite: 51 Seitenzählung 111



Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1?](http://www.ps.bam.de/Version%202.1,%20io=1,1?)

BAM-Registrierung: 20050101-MG01/10L/L01G08SP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern

/MG01/ Form: 99, Seite: 2/2, Seite: 52 Seitenzählung 112



This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

t.

text.

s is text.

This is text.

xt. This is text.

s text. This is text.

is is text. This is text.

. This is text. This is text.

text. This is text. This is text.

s is text. This is text. This is text.

This is text. This is text. This is text.

xt. This is text. This is text. This is text.

s text. This is text. This is text. This is text.

is is text. This is text. This is text. This is text.

. This is text. This is text. This is text. This is text.

text. This is text. This is text. This is text. This is text.

s is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.



This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.

This is text.


This is text.


This is text.

This is text.


This is text.








Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?



BAM-Registrierung: 20050101-MG01/10L/L01G0ASP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern
/MG01/ Form: 11/9 Serie: 2/2, Seite: 59 Seitenanzahl: 119

Siehe ähnliche Dateien: <http://www.ps.bam.de/MG01/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1?



BAM-Registrierung: 20050101-MG01/10L/L01G0ASP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Eigenschaften von monochromen Druckern
/MG01/ Form: 11/9 Serie: 2/2, Seite: 60 Seitenanzahl: 120