

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 38/360 = 0.105$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue O

LCH*Ma: 48 83 38

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 30/360 = 0.083$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue O

LCH*Ma: 57 77 30

olv*Ma: 1.0 0.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	56.71	67.03	38.7	77.4	30
Y_m	56.71	0.0	77.4	77.4	90
L_m	56.71	-67.02	38.7	77.4	150
C_m	56.71	-67.02	-38.69	77.4	210
V_m	56.71	0.0	-77.39	77.4	270
M_m	56.71	67.03	-38.69	77.4	330
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

triangle lightness t^*



%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$



NE220-7, 5 step scales for constant CIELAB hue 38/360 = 0.105 (left)

5 step scales for constant CIELAB hue 30/360 = 0.083 (right)

BAM-test chart NE22; Colorimetric systems ORS18 & SRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 96/360 = 0.268$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue Y

LCH*Ma: 90 92 96

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



NE220-7, 5 step scales for constant CIELAB hue 96/360 = 0.268 (left)

Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 90/360 = 0.25$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue Y

LCH*Ma: 57 77 90

olv*Ma: 1.0 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 100$


%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	56.71	67.03	38.7	77.4	30
Y_m	56.71	0.0	77.4	77.4	90
L_m	56.71	-67.02	38.7	77.4	150
C_m	56.71	-67.02	-38.69	77.4	210
V_m	56.71	0.0	-77.39	77.4	270
M_m	56.71	67.03	-38.69	77.4	330
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 90/360 = 0.25 (right)

BAM-test chart NE22; Colorimetric systems ORS18 & SRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 151/360 = 0.419$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue L

LCH*Ma: 51 72 151

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 150/360 = 0.417$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue L

LCH*Ma: 57 77 150

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	56.71	67.03	38.7	77.4	30
Y_m	56.71	0.0	77.4	77.4	90
L_m	56.71	-67.02	38.7	77.4	150
C_m	56.71	-67.02	-38.69	77.4	210
V_m	56.71	0.0	-77.39	77.4	270
M_m	56.71	67.03	-38.69	77.4	330
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

triangle lightness t^*

100

75

50

25

0

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 236/360 = 0.656$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue C

LCH*Ma: 59 54 236

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



NE220-7, 5 step scales for constant CIELAB hue 236/360 = 0.656 (left)

Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 210/360 = 0.583$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue C

LCH*Ma: 57 77 210

olv*Ma: 0.0 1.0 1.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 100$


%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	56.71	67.03	38.7	77.4	30
Y_m	56.71	0.0	77.4	77.4	90
L_m	56.71	-67.02	38.7	77.4	150
C_m	56.71	-67.02	-38.69	77.4	210
V_m	56.71	0.0	-77.39	77.4	270
M_m	56.71	67.03	-38.69	77.4	330
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 210/360 = 0.583 (right)

BAM-test chart NE22; Colorimetric systems ORS18 & SRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

output: *olv* setrgbcolor / w* setgray*

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue R

LCH*Ma: 48 75 25

olv*Ma: 1.0 0.0 0.32

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	-2.16	67.76	67.79	92
G_m	52.23	-42.25	11.76	43.87	164
B_m	30.57	1.15	-46.84	46.86	271



NE220-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 25/360 = 0.071$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue R

LCH*Ma: 57 74 25

olv*Ma: 1.0 0.0 0.09

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 100$


%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	56.71	67.03	38.7	77.4	30
Y_m	56.71	0.0	77.4	77.4	90
L_m	56.71	-67.02	38.7	77.4	150
C_m	56.71	-67.02	-38.69	77.4	210
V_m	56.71	0.0	-77.39	77.4	270
M_m	56.71	67.03	-38.69	77.4	330
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart NE22; Colorimetric systems ORS18 & SRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 86 88 92

olv*Ma: 1.0 0.9 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	-2.16	67.76	67.79	92
G_m	52.23	-42.25	11.76	43.87	164
B_m	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 92/360 = 0.256$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue J

LCH*Ma: 57 76 92

olv*Ma: 0.95 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	56.71	67.03	38.7	77.4	30
Y_m	56.71	0.0	77.4	77.4	90
L_m	56.71	-67.02	38.7	77.4	150
C_m	56.71	-67.02	-38.69	77.4	210
V_m	56.71	0.0	-77.39	77.4	270
M_m	56.71	67.03	-38.69	77.4	330
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

J_{CIE}

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 0,75$

$n^* = 1,00$

CIELAB chroma C^*_{ab}

NE220-7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)

5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart NE22; Colorimetric systems ORS18 & SRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 53 57 164

olv*Ma: 0.0 1.0 0.25

triangle lightness t^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	-2.16	67.76	67.79	92
G_m	52.23	-42.25	11.76	43.87	164
B_m	30.57	1.15	-46.84	46.86	271



NE220-7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 162/360 = 0.451$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue G

LCH*Ma: 57 70 162

olv*Ma: 0.0 1.0 0.22

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 100$


%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	56.71	67.03	38.7	77.4	30
Y_m	56.71	0.0	77.4	77.4	90
L_m	56.71	-67.02	38.7	77.4	150
C_m	56.71	-67.02	-38.69	77.4	210
V_m	56.71	0.0	-77.39	77.4	270
M_m	56.71	67.03	-38.69	77.4	330
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart NE22; Colorimetric systems ORS18 & SRS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

output: *olv** *setrgbcolor* / *w** *setgray*