

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 35/360 = 0.097$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue O

LCH*Ma: 53 87 35

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$

%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 38/360 = 0.105$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue O

LCH*Ma: 48 83 38

olv*Ma: 1.0 0.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271

blackness n^*

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 0,75$

$n^* = 1,00$

chromaticness c^*

CIELAB chroma C^*_{ab}

NE260-7, 5 step scales for constant CIELAB hue 35/360 = 0.097 (left)

5 step scales for constant CIELAB hue 38/360 = 0.105 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 103/360 = 0.287$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue Y

LCH*Ma: 93 87 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$

%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 96/360 = 0.268$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue Y

LCH*Ma: 90 92 96

olv*Ma: 1.0 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271

triangle lightness t^*

100

75

50

25

0

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

25

50

75

100

0

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 137/360 = 0.38$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue L

LCH*Ma: 84 108 137

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$


%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



NE260-7, 5 step scales for constant CIELAB hue 137/360 = 0.38 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 151/360 = 0.419$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue L

LCH*Ma: 51 72 151

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 196/360 = 0.546$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue C

LCH*Ma: 87 46 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$


%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



NE260-7, 5 step scales for constant CIELAB hue 196/360 = 0.546 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 236/360 = 0.656$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue C

LCH*Ma: 59 54 236

olv*Ma: 0.0 1.0 1.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIELAB hue 236/360 = 0.656 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 304/360 = 0.845$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue V

LCH*Ma: 35 115 304

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$

%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 305/360 = 0.847$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue V

LCH*Ma: 26 54 305

olv*Ma: 0.0 0.0 1.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$


$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



NE260-7, 5 step scales for constant CIELAB hue 304/360 = 0.845 (left)



5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 328/360 = 0.911$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue M

LCH*Ma: 59 105 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$


%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



NE260-7, 5 step scales for constant CIELAB hue 328/360 = 0.911 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 354/360 = 0.982$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue M

LCH*Ma: 48 76 354

olv*Ma: 1.0 0.0 1.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	-2.16	67.76	67.79	92
G_{CIE}	52.23	-42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIELAB hue 354/360 = 0.982 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 25/360 = 0.071$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue R

LCH*Ma: 54 82 25

olv*Ma: 1.0 0.0 0.14

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$

%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue R

LCH*Ma: 48 75 25

olv*Ma: 1.0 0.0 0.32

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	-2.16	67.76	67.79	92
G_m	52.23	-42.25	11.76	43.87	164
B_m	30.57	1.15	-46.84	46.86	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



NE260-7, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv^* \cdot setrgbcolor$

output: $olv^* \cdot setrgbcolor / w^* \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 92/360 = 0.256$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue J

LCH*Ma: 85 79 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$

%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue J

LCH*Ma: 86 88 92

olv*Ma: 1.0 0.9 0.0

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$


$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	-2.16	67.76	67.79	92
G_m	52.23	-42.25	11.76	43.87	164
B_m	30.57	1.15	-46.84	46.86	271



NE260-7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)



5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 162/360 = 0.451$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 86 60 162

olv*Ma: 0.0 1.0 0.64

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$


%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



NE260-7, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue G

LCH*Ma: 53 57 164

olv*Ma: 0.0 1.0 0.25

CIELAB lightness L^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	-2.16	67.76	67.79	92
G_m	52.23	-42.25	11.76	43.87	164
B_m	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$

Input: Colorimetric Television Luminous System TLS18

for hue $h^* = lab \cdot h = 272/360 = 0.755$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 65 48 272

olv*Ma: 0.0 0.58 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 118$


%Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	52.76	71.63	49.88	87.29	35
Y_m	92.74	-20.02	84.97	87.3	103
L_m	84.0	-78.98	73.94	108.2	137
C_m	87.14	-44.41	-13.11	46.32	196
V_m	35.47	64.92	-95.06	115.12	304
M_m	59.01	89.33	-55.67	105.26	328
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.74	27.99	65.07	25
J_m	81.26	-2.88	71.56	71.62	92
G_m	52.23	-42.41	13.6	44.55	162
B_m	30.57	1.41	-46.46	46.49	272



NE260-7, 5 step scales for constant CIE hue 272/360 = 0.755 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 271/360 = 0.754$


$LAB \cdot LCH$, $LAB \cdot NCH$

D65: hue B

LCH*Ma: 42 45 271

olv*Ma: 0.0 0.49 1.0

CIE LAB lightness L^*



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_m	47.94	65.39	50.52	82.63	38
Y_m	90.37	-10.26	91.75	92.32	96
L_m	50.9	-62.83	34.96	71.91	151
C_m	58.62	-30.34	-45.01	54.3	236
V_m	25.72	31.1	-44.4	54.22	305
M_m	48.13	75.28	-8.36	75.74	354
N_m	18.01	0.0	0.0	0.0	0
W_m	95.41	0.0	0.0	0.0	0
R_m	39.92	58.66	26.98	64.57	25
J_m	81.26	-2.16	67.76	67.79	92
G_m	52.23	-42.25	11.76	43.87	164
B_m	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIE hue 271/360 = 0.754 (right)

BAM-test chart NE26; Colorimetric systems TLS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: $olv \cdot setrgbcolor$

output: $olv \cdot setrgbcolor / w \cdot setgray$