

output: *no change compared to input*

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 90/360 = 0.25$

LAB*LCH, LAB*NCH

D65: hue Y

LCH*Ma: 57 77 90

olv*Ma: 1.0 1.0 0.0

CIELAB lightness L^*

% Gamut

$u^*_{rel} = 100$


% Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



NE370-7, 5 step scales for constant CIELAB hue 90/360 = 0.25 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 96/360 = 0.268$

LAB*LCH, LAB*NCH

D65: hue Y

LCH*Ma: 90 92 96

olv*Ma: 1.0 1.0 0.0

CIELAB lightness L^*

% Gamut

$u^*_{rel} = 93$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIELAB hue 96/360 = 0.268 (right)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 150/360 = 0.417$

LAB*LCH, LAB*NCH

D65: hue L

LCH*Ma: 57 77 150

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*

%Gamut

$u^*_{rel} = 100$


%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



NE370-7, 5 step scales for constant CIELAB hue 150/360 = 0.417 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 151/360 = 0.419$

LAB*LCH, LAB*NCH

D65: hue L

LCH*Ma: 51 72 151

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*

%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18


for hue $h^* = lab \cdot h = 210/360 = 0.583$

LAB*LCH, LAB*NCH

D65: hue C

LCH*Ma: 57 77 210

olv*Ma: 0.0 1.0 1.0



SRS18; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

CIELAB lightness L^*


%Gamut

$u_{rel}^* = 100$

%Regularity

$g_{H,rel}^* = 100$

$g_{C,rel}^* = 100$



NE370-7, 5 step scales for constant CIELAB hue 210/360 = 0.583 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab \cdot h = 236/360 = 0.656$

LAB*LCH, LAB*NCH

D65: hue C

LCH*Ma: 59 54 236

olv*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271

CIELAB lightness L^*


%Gamut

$u_{rel}^* = 93$

%Regularity

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 59$



5 step scales for constant CIELAB hue 236/360 = 0.656 (right)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 270/360 = 0.75$

LAB*LCH, LAB*NCH


D65: hue V

LCH*Ma: 57 77 270

olv*Ma: 0.0 0.0 1.0

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



CIELAB lightness L^*


%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$



NE370-7, 5 step scales for constant CIELAB hue 270/360 = 0.75 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 305/360 = 0.847$

LAB*LCH, LAB*NCH


D65: hue V

LCH*Ma: 26 54 305

olv*Ma: 0.0 0.0 1.0

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



CIELAB lightness L^*


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv* setrgbcolor

output: no change compared to input

output: *no change compared to input*

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 25/360 = 0.071$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 57 74 25

olv*Ma: 1.0 0.0 0.09

CIE LAB lightness L^*

% Gamut

$u^*_{rel} = 100$



% Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



NE370-7, 5 step scales for constant CIE LAB hue 25/360 = 0.071 (left)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 48 75 25

olv*Ma: 1.0 0.0 0.32

CIE LAB lightness L^*

% Gamut

$u^*_{rel} = 93$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIE LAB hue 25/360 = 0.069 (right)

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 92/360 = 0.256$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 57 76 92

olv*Ma: 0.95 1.0 0.0

CIELAB lightness L^*

%Gamut

$u^*_{rel} = 100$



%Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



NE370-7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 92/360 = 0.255$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 86 88 92

olv*Ma: 1.0 0.9 0.0

CIELAB lightness L^*

%Gamut

$u^*_{rel} = 93$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 162/360 = 0.451$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 57 70 162

olv*Ma: 0.0 1.0 0.22

CIE LAB lightness L^*

% Gamut

$u^*_{rel} = 100$



% Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$

SRS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



NE370-7, 5 step scales for constant CIE LAB hue 162/360 = 0.451 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 53 57 164

olv*Ma: 0.0 1.0 0.25

CIE LAB lightness L^*

% Gamut

$u^*_{rel} = 93$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIE LAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



5 step scales for constant CIE LAB hue 164/360 = 0.457 (right)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab \cdot h = 272/360 = 0.755$

LAB*LCH, LAB*NCH


D65: hue B

LCH*Ma: 57 76 272

olv*Ma: 0.03 0.0 1.0

SRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



CIELAB lightness L^*


% Gamut

$u^*_{rel} = 100$

% Regularity

$g^*_{H,rel} = 100$

$g^*_{C,rel} = 100$



NE370-7, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab \cdot h = 271/360 = 0.754$

LAB*LCH, LAB*NCH


D65: hue B

LCH*Ma: 42 45 271

olv*Ma: 0.0 0.49 1.0

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart NE37; Colorimetric systems SRS18 & ORS18

D65: Coordinate systems of 5 step colour scales for 10 hues

input: olv* setrgbcolor

output: no change compared to input