


Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 38/360 = 0.105$
 lab^*tc and lab^*nch

D65: hue O
LCH*Ma: 48 83 38
olv*Ma: 1.0 0.0 0.0


triangle lightness t^*



%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma} 47.94	65.39	50.52	82.63	38
Y _{Ma} 90.37	-10.26	91.75	92.32	96
L _{Ma} 50.9	-62.83	34.96	71.91	151
C _{Ma} 58.62	-30.34	-45.01	54.3	236
V _{Ma} 25.72	31.1	-44.4	54.22	305
M _{Ma} 48.13	75.28	-8.36	75.74	354
N _{Ma} 18.01	0.0	0.0	0.0	0
W _{Ma} 95.41	0.0	0.0	0.0	0
R _{CIE} 39.92	58.66	26.98	64.57	25
J _{CIE} 81.26	-2.16	67.76	67.79	92
G _{CIE} 52.23	-42.25	11.76	43.87	164
B _{CIE} 30.57	1.15	-46.84	46.86	271




Output: Colorimetric Standard Reflective System SRS18

for hue $h^* = lab^*h = 30/360 = 0.083$
 lab^*tc and lab^*nch

D65: hue O
LCH*Ma: 57 77 30
olv*Ma: 1.0 0.0 0.0


triangle lightness t^*



%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

SRS18; adapted (a) CIELAB data

$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma} 56.71	67.03	38.7	77.4	30
Y _{Ma} 56.71	0.0	77.4	77.4	90
L _{Ma} 56.71	-67.02	38.7	77.4	150
C _{Ma} 56.71	-67.02	-38.69	77.4	210
V _{Ma} 56.71	0.0	-77.39	77.4	270
M _{Ma} 56.71	67.03	-38.69	77.4	330
N _{Ma} 18.01	0.0	0.0	0.0	0
W _{Ma} 95.41	0.0	0.0	0.0	0
R _{CIE} 39.92	58.74	27.99	65.07	25
J _{CIE} 81.26	-2.88	71.56	71.62	92
G _{CIE} 52.23	-42.41	13.6	44.55	162
B _{CIE} 30.57	1.41	-46.46	46.49	272



NE620-7, 3 step scales for constant CIELAB hue 38/360 = 0.105 (left)

BAM-test chart NE62; Colorimetric systems ORS18 & SRS18
D65: 3 and 5 step colour scales for 10 hues

5 step scales for constant CIELAB hue 30/360 = 0.083 (right)

input: `olv*setrgbcolor`
output: `olv*setrgbcolor / w*setgray`