www.ps.bam.de/SE30/10S/S30E00F1.PS/.TXT; linearized output
F: Output Linearization (OL) data SE30/10S/S30E00F1.DAT in File (F)

Input: Colorimetric Offset Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

LAB*LCH, LAB*NCH

A: hue O

LCH*Ma: 48 83 38

olv*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.39	50.52	82.63	38
Y_{Ma}	90.37	−10.26	91.75	92.32	96
L_{Ma}	50.9	−62.83	34.96	71.91	151
C_{Ma}	58.62	−30.34	−45.01	54.3	236
V_{Ma}	25.72	31.1	−44.4	54.22	305
M_{Ma}	48.13	75.28	−8.36	75.74	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.57	25
J_{CIE}	81.26	−2.16	67.76	67.79	92
G_{CIE}	52.23	−42.25	11.76	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.86	271

CIELAB lightness *L*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Television Luminous System TLS00

for hue *h* = lab*h = 40/360 = 0.111*

LAB*LCH, LAB*NCH

A: hue O

LCH*Ma: 51 100 40

olv*Ma: 1.0 0.0 0.0



TLS00; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.5	76.92	64.55	100.42	40
Y_{Ma}	92.66	−20.69	90.75	93.08	103
L_{Ma}	83.63	−82.75	79.9	115.04	136
C_{Ma}	86.88	−46.16	−13.55	48.12	196
V_{Ma}	30.39	76.06	−103.59	128.52	306
M_{Ma}	57.3	94.35	−58.41	110.97	328
N_{Ma}	0.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	−2.88	71.56	71.62	92
G_{CIE}	52.23	−42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	−46.46	46.49	272

CIELAB lightness *L*

%Gamut

u^*_{rel} = 158

%Regularity

$g^*_{H,rel}$ = 20

$g^*_{C,rel}$ = 37



SE300−7, 5 step scales for constant CIELAB hue 38/360 = 0.105 (left)

5 step scales for constant CIELAB hue 40/360 = 0.111 (right)

BAM-test chart SE30; Colorimetric systems ORS18 & TLS00
A: Coordinate systems of 5 step colour scales for 10 hues

input: *cmy0* setcmykcolor*
output: *cmy0* / 000n* setcmykcolor*

See for similar files: http://www.ps.bam.de/SE30/
Technical information: http://www.ps.bam.de
Version 2.1, io=0,0, CIELAB

BAM registration: 20060101-SE30/10S/S30E00F1.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta

/SE30/ Form: 1/10, Serie: 1/1, Page: 1
Page: count: 1