

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 30/360 = 0.083$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 50 77 30

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 30/360 = 0.083$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 50 77 30

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 95.41 \ -0.97 \ 4.75$
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 1.0 \ 0.0 \ 0.0$
 $lab^*tch = 1.0 \ 0.0 \ -$
 $lab^*nch = 0.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$
 $lab^*tce = 1.0 \ 0.0 \ -$
 $lab^*nce = 0.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 56.71 \ -0.23 \ 2.14$
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.5 \ 0.0 \ 0.0$
 $lab^*tch = 0.5 \ 0.0 \ -$
 $lab^*nch = 0.5 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$
 $lab^*tce = 0.5 \ 0.0 \ -$
 $lab^*nce = 0.5 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

standard and adapted CIELAB
 $LAB^*LAB = 18.02 \ 0.5 \ -0.46$
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.0 \ 0.0 \ 0.0$
 $lab^*tch = 0.0 \ 0.0 \ -$
 $lab^*nch = 1.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$
 $lab^*tce = 0.0 \ 0.0 \ -$
 $lab^*nce = 1.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 0.5 \ 0.5 \ 1.0$
 $cmyn4^* = 0.0 \ 0.5 \ 0.5 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 72.52 \ 32.93 \ 22.4$
 $LAB^*LABa = 72.52 \ 33.47 \ 19.18$
 $LAB^*TCHa = 75.0 \ 38.58 \ 29.82$

relative CIELAB lab*
 $lab^*lab = 0.704 \ 0.434 \ 0.249$
 $lab^*tch = 0.75 \ 0.5 \ 0.083$
 $lab^*nch = 0.0 \ 0.5 \ 0.083$

relative Natural Colour (NC)
 $lab^*lrj = 0.704 \ 0.496 \ 0.06$
 $lab^*tce = 0.75 \ 0.5 \ 0.019$
 $lab^*nce = 0.0 \ 0.5 \ r07]$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 0.5 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 0.5 \ 0.5 \ 0.5$
 $cmyn4^* = 0.0 \ 0.5 \ 0.5 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 33.82 \ 33.67 \ 19.79$
 $LAB^*LABa = 33.82 \ 33.47 \ 19.18$
 $LAB^*TCHa = 25.01 \ 38.58 \ 29.82$

relative CIELAB lab*
 $lab^*lab = 0.204 \ 0.434 \ 0.249$
 $lab^*tch = 0.25 \ 0.5 \ 0.083$
 $lab^*nch = 0.5 \ 0.5 \ 0.083$

relative Natural Colour (NC)
 $lab^*lrj = 0.204 \ 0.496 \ 0.06$
 $lab^*tce = 0.25 \ 0.5 \ 0.019$
 $lab^*nce = 0.5 \ 0.5 \ r07]$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 0.0 \ 0.0 \ 1.0$
 $cmyn4^* = 0.0 \ 1.0 \ 1.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 49.63 \ 66.84 \ 40.03$
 $LAB^*LABa = 49.63 \ 66.95 \ 38.36$
 $LAB^*TCHa = 50.0 \ 77.16 \ 29.82$

relative CIELAB lab*
 $lab^*lab = 0.409 \ 0.867 \ 0.497$
 $lab^*tch = 0.5 \ 1.0 \ 0.083$
 $lab^*nch = 0.0 \ 1.0 \ 0.083$

relative Natural Colour (NC)
 $lab^*lrj = 0.409 \ 0.993 \ 0.119$
 $lab^*tce = 0.5 \ 1.0 \ 0.019$
 $lab^*nce = 0.0 \ 1.0 \ r07]$

$n^* = 0,00$

blackness n^*

0,25 0,50 $n^* = 0,50$ 0,75 1,00
chromaticness c^*

$n^* = 1,0$

TE040-7, 3 step scales for constant CIELAB hue 30/360 = 0.083 (left)

3 step scales for constant CIELAB hue 30/360 = 0.083 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 91 89 94

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 91 89 94

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 95.41 \ -0.97 \ 4.75$
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 1.0 \ 0.0 \ 0.0$
 $lab^*tch = 1.0 \ 0.0 \ -$
 $lab^*nch = 0.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$
 $lab^*tce = 1.0 \ 0.0 \ -$
 $lab^*nce = 0.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 56.71 \ -0.23 \ 2.14$
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.5 \ 0.0 \ 0.0$
 $lab^*tch = 0.5 \ 0.0 \ -$
 $lab^*nch = 0.5 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$
 $lab^*tce = 0.5 \ 0.0 \ -$
 $lab^*nce = 0.5 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

standard and adapted CIELAB
 $LAB^*LAB = 18.02 \ 0.5 \ -0.46$
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.0 \ 0.0 \ 0.0$
 $lab^*tch = 0.0 \ 0.0 \ -$
 $lab^*nch = 1.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$
 $lab^*tce = 0.0 \ 0.0 \ -$
 $lab^*nce = 1.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 0.5 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.5 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 93.05 \ -4.11 \ 48.97$
 $LAB^*LABa = 93.05 \ -3.17 \ 44.37$
 $LAB^*TCHa = 75.0 \ 44.48 \ 94.1$

relative CIELAB lab*
 $lab^*lab = 0.969 \ -0.035 \ 0.499$
 $lab^*tch = 0.75 \ 0.5 \ 0.261$
 $lab^*nch = 0.0 \ 0.5 \ 0.261$

relative Natural Colour (NC)
 $lab^*lrj = 0.969 \ -0.023 \ 0.499$
 $lab^*tce = 0.75 \ 0.5 \ 0.258$
 $lab^*nce = 0.0 \ 0.5 \ j03g$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 0.0 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 0.5 \ 0.5$
 $cmyn4^* = 0.0 \ 0.0 \ 0.5 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 54.35 \ -3.37 \ 46.36$
 $LAB^*LABa = 54.35 \ -3.17 \ 44.37$
 $LAB^*TCHa = 25.01 \ 44.48 \ 94.1$

relative CIELAB lab*
 $lab^*lab = 0.47 \ -0.035 \ 0.499$
 $lab^*tch = 0.25 \ 0.5 \ 0.261$
 $lab^*nch = 0.5 \ 0.5 \ 0.261$

relative Natural Colour (NC)
 $lab^*lrj = 0.47 \ -0.023 \ 0.499$
 $lab^*tce = 0.25 \ 0.5 \ 0.258$
 $lab^*nce = 0.5 \ 0.5 \ j03g$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 0.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 1.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 90.69 \ -7.25 \ 93.17$
 $LAB^*LABa = 90.69 \ -6.36 \ 88.73$
 $LAB^*TCHa = 50.0 \ 88.96 \ 94.1$

relative CIELAB lab*
 $lab^*lab = 0.939 \ -0.071 \ 0.997$
 $lab^*tch = 0.5 \ 1.0 \ 0.261$
 $lab^*nch = 0.0 \ 1.0 \ 0.261$

relative Natural Colour (NC)
 $lab^*lrj = 0.939 \ -0.048 \ 0.999$
 $lab^*tce = 0.5 \ 1.0 \ 0.258$
 $lab^*nce = 0.0 \ 1.0 \ j03g$

0,25 0,50 $n^* = 0,50$ 0,75 1,00
chromaticness c^*

blackness n^*

$n^* = 0,00$

$n^* = 1,0$

TE040-7, 3 step scales for constant CIELAB hue 94/360 = 0.261 (left)

3 step scales for constant CIELAB hue 94/360 = 0.261 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: $olv^* setrgbcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 172/360 = 0.479$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 52 70 172

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 172/360 = 0.479$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 52 70 172

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
olvi3* 1.0 1.0 1.0 (1.0)
cmyn3* 0.0 0.0 0.0 (0.0)
olvi4* 1.0 1.0 1.0 1.0
cmyn4* 0.0 0.0 0.0 0.0

standard and adapted CIELAB
LAB*LAB 95.41 -0.97 4.75
LAB*LABa 95.41 0.0 0.0
LAB*TCHa 99.99 0.01 -

relative CIELAB lab*
lab*lab 1.0 0.0 0.0
lab*tch 1.0 0.0 -
lab*nch 0.0 0.0 -

relative Natural Colour (NC)
lab*lrj 1.0 0.0 0.0
lab*tce 1.0 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.5 0.5 0.5 (1.0)
cmyn3* 0.5 0.5 0.5 (0.0)
olvi4* 1.0 1.0 1.0 0.5
cmyn4* 0.0 0.0 0.0 0.5

standard and adapted CIELAB
LAB*LAB 56.71 -0.23 2.14
LAB*LABa 56.71 0.0 0.0
LAB*TCHa 50.0 0.01 -

relative CIELAB lab*
lab*lab 0.5 0.0 0.0
lab*tch 0.5 0.0 -
lab*nch 0.5 0.0 -

relative Natural Colour (NC)
lab*lrj 0.5 0.0 0.0
lab*tce 0.5 0.0 -
lab*nce 0.5 0.0 -

relative Inform. Technology (IT)
olvi3* 0.0 0.0 0.0 (1.0)
cmyn3* 1.0 1.0 1.0 (0.0)
olvi4* 1.0 1.0 1.0 0.0
cmyn4* 0.0 0.0 0.0 1.0

standard and adapted CIELAB
LAB*LAB 18.02 0.5 -0.46
LAB*LABa 18.02 0.0 0.0
LAB*TCHa 0.01 0.01 -

relative CIELAB lab*
lab*lab 0.0 0.0 0.0
lab*tch 0.0 0.0 -
lab*nch 1.0 0.0 -

relative Natural Colour (NC)
lab*lrj 0.0 0.0 0.0
lab*tce 0.0 0.0 -
lab*nce 1.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.5 1.0 0.5 (1.0)
cmyn3* 0.5 0.0 0.5 (0.0)
olvi4* 0.5 1.0 0.5 1.0
cmyn4* 0.5 0.0 0.5 0.0

standard and adapted CIELAB
LAB*LAB 73.75 -35.42 8.02
LAB*LABa 73.75 -34.85 4.72
LAB*TCHa 75.0 35.18 172.29

relative CIELAB lab*
lab*lab 0.72 -0.494 0.067
lab*tch 0.75 0.5 0.479
lab*nch 0.0 0.5 0.479

relative Natural Colour (NC)
lab*lrj 0.72 -0.496 -0.056
lab*tce 0.75 0.5 0.518
lab*nce 0.0 0.5 g07b

relative Inform. Technology (IT)
olvi3* 0.0 0.5 0.0 (1.0)
cmyn3* 0.5 0.5 1.0 (0.0)
olvi4* 0.5 1.0 0.5 0.5
cmyn4* 0.5 0.0 0.5 0.5

standard and adapted CIELAB
LAB*LAB 35.06 -34.67 5.41
LAB*LABa 35.06 -34.85 4.72
LAB*TCHa 25.01 35.18 172.29

relative CIELAB lab*
lab*lab 0.22 -0.494 0.067
lab*tch 0.25 0.5 0.479
lab*nch 0.5 0.5 0.479

relative Natural Colour (NC)
lab*lrj 0.22 -0.496 -0.056
lab*tce 0.25 0.5 0.518
lab*nce 0.5 0.5 g07b

relative Inform. Technology (IT)
olvi3* 0.0 1.0 0.0 (1.0)
cmyn3* 1.0 0.0 1.0 (0.0)
olvi4* 0.0 1.0 0.0 1.0
cmyn4* 1.0 0.0 1.0 0.0

standard and adapted CIELAB
LAB*LAB 52.11 -69.86 11.28
LAB*LABa 52.11 -69.71 9.44
LAB*TCHa 50.0 70.36 172.29

relative CIELAB lab*
lab*lab 0.441 -0.99 0.134
lab*tch 0.5 1.0 0.479
lab*nch 0.0 1.0 0.479

relative Natural Colour (NC)
lab*lrj 0.441 -0.992 -0.114
lab*tce 0.5 1.0 0.518
lab*nce 0.0 1.0 g07b

TE040-7, 3 step scales for constant CIELAB hue 172/360 = 0.479 (left)

3 step scales for constant CIELAB hue 172/360 = 0.479 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 218/360 = 0.605$


lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 45 46 218

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 218/360 = 0.605$


lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 45 46 218

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 95.41 \ -0.97 \ 4.75$
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 1.0 \ 0.0 \ 0.0$
 $lab^*tch = 1.0 \ 0.0 \ -$
 $lab^*nch = 0.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$
 $lab^*tce = 1.0 \ 0.0 \ -$
 $lab^*nce = 0.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 56.71 \ -0.23 \ 2.14$
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.5 \ 0.0 \ 0.0$
 $lab^*tch = 0.5 \ 0.0 \ -$
 $lab^*nch = 0.5 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$
 $lab^*tce = 0.5 \ 0.0 \ -$
 $lab^*nce = 0.5 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

standard and adapted CIELAB
 $LAB^*LAB = 18.02 \ 0.5 \ -0.46$
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.0 \ 0.0 \ 0.0$
 $lab^*tch = 0.0 \ 0.0 \ -$
 $lab^*nch = 1.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$
 $lab^*tce = 0.0 \ 0.0 \ -$
 $lab^*nce = 1.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 0.5 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.5 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 70.21 \ -18.77 \ -11.17$
 $LAB^*LABa = 70.21 \ -18.27 \ -14.23$
 $LAB^*TCHa = 75.0 \ 23.17 \ 217.91$

relative CIELAB lab*
 $lab^*lab = 0.674 \ -0.393 \ -0.306$
 $lab^*tch = 0.75 \ 0.5 \ 0.605$
 $lab^*nch = 0.0 \ 0.5 \ 0.605$

relative Natural Colour (NC)
 $lab^*lrj = 0.674 \ -0.353 \ -0.352$
 $lab^*tce = 0.75 \ 0.5 \ 0.625$
 $lab^*nce = 0.0 \ 0.5 \ g49b$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 1.0 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 0.5 \ 1.0 \ 1.0 \ 0.5$
 $cmyn4^* = 0.5 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 31.52 \ -18.03 \ -13.78$
 $LAB^*LABa = 31.52 \ -18.27 \ -14.23$
 $LAB^*TCHa = 25.01 \ 23.17 \ 217.91$

relative CIELAB lab*
 $lab^*lab = 0.175 \ -0.393 \ -0.306$
 $lab^*tch = 0.25 \ 0.5 \ 0.605$
 $lab^*nch = 0.5 \ 0.5 \ 0.605$

relative Natural Colour (NC)
 $lab^*lrj = 0.175 \ -0.353 \ -0.352$
 $lab^*tce = 0.25 \ 0.5 \ 0.625$
 $lab^*nce = 0.5 \ 0.5 \ g49b$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 0.0 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 1.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 45.03 \ -36.57 \ -27.11$
 $LAB^*LABa = 45.03 \ -36.56 \ -28.47$
 $LAB^*TCHa = 50.0 \ 46.35 \ 217.91$

relative CIELAB lab*
 $lab^*lab = 0.349 \ -0.788 \ -0.613$
 $lab^*tch = 0.5 \ 1.0 \ 0.605$
 $lab^*nch = 0.0 \ 1.0 \ 0.605$

relative Natural Colour (NC)
 $lab^*lrj = 0.349 \ -0.706 \ -0.706$
 $lab^*tce = 0.5 \ 1.0 \ 0.625$
 $lab^*nce = 0.0 \ 1.0 \ g49b$

TE040-7, 3 step scales for constant CIELAB hue 218/360 = 0.605 (left)

3 step scales for constant CIELAB hue 218/360 = 0.605 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: $olv^* setrgbcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 290/360 = 0.806$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 37 67 290

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 290/360 = 0.806$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 37 67 290

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 95.41 \ -0.97 \ 4.75$
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 1.0 \ 0.0 \ 0.0$
 $lab^*tch = 1.0 \ 0.0 \ -$
 $lab^*nch = 0.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$
 $lab^*tce = 1.0 \ 0.0 \ -$
 $lab^*nce = 0.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 56.71 \ -0.23 \ 2.14$
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.5 \ 0.0 \ 0.0$
 $lab^*tch = 0.5 \ 0.0 \ -$
 $lab^*nch = 0.5 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$
 $lab^*tce = 0.5 \ 0.0 \ -$
 $lab^*nce = 0.5 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

standard and adapted CIELAB
 $LAB^*LAB = 18.02 \ 0.5 \ -0.46$
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.0 \ 0.0 \ 0.0$
 $lab^*tch = 0.0 \ 0.0 \ -$
 $lab^*nch = 1.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$
 $lab^*tce = 0.0 \ 0.0 \ -$
 $lab^*nce = 1.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 0.0 \ (0.0)$
 $olvi4^* = 0.5 \ 0.5 \ 1.0 \ 1.0$
 $cmyn4^* = 0.5 \ 0.5 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 66.03 \ 11.17 \ -28.74$
 $LAB^*LABa = 66.03 \ 11.59 \ -31.51$
 $LAB^*TCHa = 75.0 \ 33.59 \ 290.19$

relative CIELAB lab*
 $lab^*lab = 0.62 \ 0.173 \ -0.468$
 $lab^*tch = 0.75 \ 0.5 \ 0.806$
 $lab^*nch = 0.0 \ 0.5 \ 0.806$

relative Natural Colour (NC)
 $lab^*lrj = 0.62 \ 0.129 \ -0.482$
 $lab^*tce = 0.75 \ 0.5 \ 0.791$
 $lab^*nce = 0.0 \ 0.5 \ b16r$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 0.5 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 0.5 \ (0.0)$
 $olvi4^* = 0.5 \ 0.5 \ 1.0 \ 0.5$
 $cmyn4^* = 0.5 \ 0.5 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 27.34 \ 11.92 \ -31.35$
 $LAB^*LABa = 27.34 \ 11.59 \ -31.51$
 $LAB^*TCHa = 25.01 \ 33.59 \ 290.19$

relative CIELAB lab*
 $lab^*lab = 0.12 \ 0.173 \ -0.468$
 $lab^*tch = 0.25 \ 0.5 \ 0.806$
 $lab^*nch = 0.5 \ 0.5 \ 0.806$

relative Natural Colour (NC)
 $lab^*lrj = 0.12 \ 0.129 \ -0.482$
 $lab^*tce = 0.25 \ 0.5 \ 0.791$
 $lab^*nce = 0.5 \ 0.5 \ b16r$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 0.0 \ (0.0)$
 $olvi4^* = 0.0 \ 0.0 \ 1.0 \ 1.0$
 $cmyn4^* = 1.0 \ 1.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 36.65 \ 23.33 \ -62.24$
 $LAB^*LABa = 36.65 \ 23.18 \ -63.03$
 $LAB^*TCHa = 50.0 \ 67.17 \ 290.19$

relative CIELAB lab*
 $lab^*lab = 0.241 \ 0.345 \ -0.937$
 $lab^*tch = 0.5 \ 1.0 \ 0.806$
 $lab^*nch = 0.0 \ 1.0 \ 0.806$

relative Natural Colour (NC)
 $lab^*lrj = 0.241 \ 0.257 \ -0.965$
 $lab^*tce = 0.5 \ 1.0 \ 0.791$
 $lab^*nce = 0.0 \ 1.0 \ b16r$

See for similar files: <http://www.ps.bam.de/TE04/>
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1

BAM registration: 20060101-TE04/10S/S04E04NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems

TE04 Form: 5/10, Serie: 1/1, Page: 5

Page count: 5

BAM material: code=rh4ta

TE040-7, 3 step scales for constant CIELAB hue 290/360 = 0.806 (left)

3 step scales for constant CIELAB hue 290/360 = 0.806 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$


lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 35 72 322

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$


lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 35 72 322

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 95.41 \ -0.97 \ 4.75$
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 1.0 \ 0.0 \ 0.0$
 $lab^*tch = 1.0 \ 0.0 \ -$
 $lab^*nch = 0.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$
 $lab^*tce = 1.0 \ 0.0 \ -$
 $lab^*nce = 0.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 56.71 \ -0.23 \ 2.14$
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.5 \ 0.0 \ 0.0$
 $lab^*tch = 0.5 \ 0.0 \ -$
 $lab^*nch = 0.5 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$
 $lab^*tce = 0.5 \ 0.0 \ -$
 $lab^*nce = 0.5 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

standard and adapted CIELAB
 $LAB^*LAB = 18.02 \ 0.5 \ -0.46$
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.0 \ 0.0 \ 0.0$
 $lab^*tch = 0.0 \ 0.0 \ -$
 $lab^*nch = 1.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$
 $lab^*tce = 0.0 \ 0.0 \ -$
 $lab^*nce = 1.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 0.5 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.5 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 0.5 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.5 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 65.17 \ 28.18 \ -19.4$
 $LAB^*LABa = 65.17 \ 28.58 \ -22.12$
 $LAB^*TCHa = 75.0 \ 36.15 \ 322.25$

relative CIELAB lab*
 $lab^*lab = 0.609 \ 0.395 \ -0.305$
 $lab^*tch = 0.75 \ 0.5 \ 0.895$
 $lab^*nch = 0.0 \ 0.5 \ 0.895$

relative Natural Colour (NC)
 $lab^*lrj = 0.609 \ 0.324 \ -0.38$
 $lab^*tce = 0.75 \ 0.5 \ 0.862$
 $lab^*nce = 0.0 \ 0.5 \ b44r$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.0 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.5 \ 1.0 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 0.5 \ 1.0 \ 0.5$
 $cmyn4^* = 0.0 \ 0.5 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 26.48 \ 28.92 \ -22.01$
 $LAB^*LABa = 26.48 \ 28.58 \ -22.12$
 $LAB^*TCHa = 25.01 \ 36.15 \ 322.25$

relative CIELAB lab*
 $lab^*lab = 0.109 \ 0.395 \ -0.305$
 $lab^*tch = 0.25 \ 0.5 \ 0.895$
 $lab^*nch = 0.5 \ 0.5 \ 0.895$

relative Natural Colour (NC)
 $lab^*lrj = 0.109 \ 0.324 \ -0.38$
 $lab^*tce = 0.25 \ 0.5 \ 0.862$
 $lab^*nce = 0.5 \ 0.5 \ b44r$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 0.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 1.0 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 0.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 1.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 34.95 \ 57.34 \ -43.57$
 $LAB^*LABa = 34.95 \ 57.16 \ -44.25$
 $LAB^*TCHa = 50.0 \ 72.29 \ 322.25$

relative CIELAB lab*
 $lab^*lab = 0.219 \ 0.791 \ -0.611$
 $lab^*tch = 0.5 \ 1.0 \ 0.895$
 $lab^*nch = 0.0 \ 1.0 \ 0.895$

relative Natural Colour (NC)
 $lab^*lrj = 0.219 \ 0.648 \ -0.76$
 $lab^*tce = 0.5 \ 1.0 \ 0.862$
 $lab^*nce = 0.0 \ 1.0 \ b44r$

TE040-7, 3 step scales for constant CIELAB hue 322/360 = 0.895 (left)

3 step scales for constant CIELAB hue 322/360 = 0.895 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: $olv^* setrgbcolor$

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 25/360 = 0.069$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 48 73 25

olv*Ma: 1.0 0.0 0.1

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 25/360 = 0.069$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 48 73 25

olv*Ma: 1.0 0.0 0.1

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 1.0 \ 1.0 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.0 \ 0.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 1.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 95.41 \ -0.97 \ 4.75$
 $LAB^*LABa = 95.41 \ 0.0 \ 0.0$
 $LAB^*TCHa = 99.99 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 1.0 \ 0.0 \ 0.0$
 $lab^*tch = 1.0 \ 0.0 \ -$
 $lab^*nch = 0.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 1.0 \ 0.0 \ 0.0$
 $lab^*tce = 1.0 \ 0.0 \ -$
 $lab^*nce = 0.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.5 \ 0.5 \ (1.0)$
 $cmyn3^* = 0.5 \ 0.5 \ 0.5 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.5$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 56.71 \ -0.23 \ 2.14$
 $LAB^*LABa = 56.71 \ 0.0 \ 0.0$
 $LAB^*TCHa = 50.0 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.5 \ 0.0 \ 0.0$
 $lab^*tch = 0.5 \ 0.0 \ -$
 $lab^*nch = 0.5 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.5 \ 0.0 \ 0.0$
 $lab^*tce = 0.5 \ 0.0 \ -$
 $lab^*nce = 0.5 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 0.0 \ 0.0 \ 0.0 \ (1.0)$
 $cmyn3^* = 1.0 \ 1.0 \ 1.0 \ (0.0)$
 $olvi4^* = 1.0 \ 1.0 \ 1.0 \ 0.0$
 $cmyn4^* = 0.0 \ 0.0 \ 0.0 \ 1.0$

standard and adapted CIELAB
 $LAB^*LAB = 18.02 \ 0.5 \ -0.46$
 $LAB^*LABa = 18.02 \ 0.0 \ 0.0$
 $LAB^*TCHa = 0.01 \ 0.01 \ -$

relative CIELAB lab*
 $lab^*lab = 0.0 \ 0.0 \ 0.0$
 $lab^*tch = 0.0 \ 0.0 \ -$
 $lab^*nch = 1.0 \ 0.0 \ -$

relative Natural Colour (NC)
 $lab^*lrj = 0.0 \ 0.0 \ 0.0$
 $lab^*tce = 0.0 \ 0.0 \ -$
 $lab^*nce = 1.0 \ 0.0 \ -$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 0.5 \ 0.548 \ (1.0)$
 $cmyn3^* = 0.0 \ 0.5 \ 0.452 \ (0.0)$
 $olvi4^* = 1.0 \ 0.5 \ 0.549 \ 1.0$
 $cmyn4^* = 0.0 \ 0.5 \ 0.451 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 71.8 \ 32.47 \ 18.34$
 $LAB^*LABa = 71.8 \ 33.0 \ 15.17$
 $LAB^*TCHa = 75.0 \ 36.32 \ 24.7$

relative CIELAB lab*
 $lab^*lab = 0.695 \ 0.454 \ 0.209$
 $lab^*tch = 0.75 \ 0.5 \ 0.069$
 $lab^*nch = 0.0 \ 0.5 \ 0.069$

relative Natural Colour (NC)
 $lab^*lrj = 0.695 \ 0.5 \ 0.0$
 $lab^*tce = 0.75 \ 0.5 \ 1.0$
 $lab^*nce = 0.0 \ 0.5 \ 0.99r$

relative Inform. Technology (IT)
 $olvi3^* = 0.5 \ 0.0 \ 0.048 \ (1.0)$
 $cmyn3^* = 0.5 \ 1.0 \ 0.952 \ (0.0)$
 $olvi4^* = 1.0 \ 0.5 \ 0.548 \ 0.5$
 $cmyn4^* = 0.0 \ 0.5 \ 0.452 \ 0.5$

standard and adapted CIELAB
 $LAB^*LAB = 33.11 \ 33.21 \ 15.74$
 $LAB^*LABa = 33.11 \ 33.0 \ 15.18$
 $LAB^*TCHa = 25.01 \ 36.33 \ 24.71$

relative CIELAB lab*
 $lab^*lab = 0.195 \ 0.454 \ 0.209$
 $lab^*tch = 0.25 \ 0.5 \ 0.069$
 $lab^*nch = 0.5 \ 0.5 \ 0.069$

relative Natural Colour (NC)
 $lab^*lrj = 0.195 \ 0.5 \ 0.0$
 $lab^*tce = 0.25 \ 0.5 \ 0.0$
 $lab^*nce = 0.5 \ 0.5 \ 0.00j$

relative Inform. Technology (IT)
 $olvi3^* = 1.0 \ 0.0 \ 0.097 \ (1.0)$
 $cmyn3^* = 0.0 \ 1.0 \ 0.903 \ (0.0)$
 $olvi4^* = 1.0 \ 0.0 \ 0.097 \ 1.0$
 $cmyn4^* = 0.0 \ 1.0 \ 0.903 \ 0.0$

standard and adapted CIELAB
 $LAB^*LAB = 48.21 \ 65.92 \ 31.93$
 $LAB^*LABa = 48.21 \ 66.0 \ 30.36$
 $LAB^*TCHa = 50.0 \ 72.65 \ 24.7$

relative CIELAB lab*
 $lab^*lab = 0.39 \ 0.908 \ 0.418$
 $lab^*tch = 0.5 \ 1.0 \ 0.069$
 $lab^*nch = 0.0 \ 1.0 \ 0.069$

relative Natural Colour (NC)
 $lab^*lrj = 0.39 \ 1.0 \ 0.0$
 $lab^*tce = 0.5 \ 1.0 \ 0.0$
 $lab^*nce = 0.0 \ 1.0 \ 0.00j$

$n^* = 0,00$

blackness n^*

0,25 0,50 $n^* = 0,50$ 0,75 1,00

chromaticness c^*

$n^* = 1,0$

TE040-7, 3 step scales for constant CIELAB hue 25/360 = 0.069 (left)

3 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 89 86 92

olv*Ma: 1.0 0.95 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 89 86 92

olv*Ma: 1.0 0.95 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
olvi3* 1.0 1.0 1.0 (1.0)
cmyn3* 0.0 0.0 0.0 (0.0)
olvi4* 1.0 1.0 1.0 1.0
cmyn4* 0.0 0.0 0.0 0.0

standard and adapted CIELAB
LAB*LAB 95.41 -0.97 4.75
LAB*LABa 95.41 0.0 0.0
LAB*TCHa 99.99 0.01 -

relative CIELAB lab*
lab*lab 1.0 0.0 0.0
lab*tch 1.0 0.0 -
lab*nch 0.0 0.0 -

relative Natural Colour (NC)
lab*lrj 1.0 0.0 0.0
lab*tce 1.0 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.5 0.5 0.5 (1.0)
cmyn3* 0.5 0.5 0.5 (0.0)
olvi4* 1.0 1.0 1.0 0.5
cmyn4* 0.0 0.0 0.0 0.5

standard and adapted CIELAB
LAB*LAB 56.71 -0.23 2.14
LAB*LABa 56.71 0.0 0.0
LAB*TCHa 50.0 0.01 -

relative CIELAB lab*
lab*lab 0.5 0.0 0.0
lab*tch 0.5 0.0 -
lab*nch 0.5 0.0 -

relative Natural Colour (NC)
lab*lrj 0.5 0.0 0.0
lab*tce 0.5 0.0 -
lab*nce 0.5 0.0 -

relative Inform. Technology (IT)
olvi3* 0.0 0.0 0.0 (1.0)
cmyn3* 1.0 1.0 1.0 (0.0)
olvi4* 1.0 1.0 1.0 0.0
cmyn4* 0.0 0.0 0.0 1.0

standard and adapted CIELAB
LAB*LAB 18.02 0.5 -0.46
LAB*LABa 18.02 0.0 0.0
LAB*TCHa 0.01 0.01 -

relative CIELAB lab*
lab*lab 0.0 0.0 0.0
lab*tch 0.0 0.0 -
lab*nch 1.0 0.0 -

relative Natural Colour (NC)
lab*lrj 0.0 0.0 0.0
lab*tce 0.0 0.0 -
lab*nce 1.0 0.0 -

relative Inform. Technology (IT)
olvi3* 1.0 0.976 0.5 (1.0)
cmyn3* 0.0 0.024 0.5 (0.0)
olvi4* 1.0 0.976 0.5 1.0
cmyn4* 0.0 0.024 0.5 0.0

standard and adapted CIELAB
LAB*LAB 92.04 -2.3 47.67
LAB*LABa 92.04 -1.39 43.14
LAB*TCHa 75.0 43.16 91.85

relative CIELAB lab*
lab*lab 0.957 -0.015 0.5
lab*tch 0.75 0.5 0.255
lab*nch 0.0 0.5 0.255

relative Natural Colour (NC)
lab*lrj 0.957 0.0 0.5
lab*tce 0.75 0.5 0.25
lab*nce 0.0 0.5 j00g

relative Inform. Technology (IT)
olvi3* 0.5 0.476 0.0 (1.0)
cmyn3* 0.5 0.524 1.0 (0.0)
olvi4* 1.0 0.976 0.5 0.5
cmyn4* 0.0 0.024 0.5 0.5

standard and adapted CIELAB
LAB*LAB 53.35 -1.55 45.05
LAB*LABa 53.35 -1.38 43.13
LAB*TCHa 25.01 43.16 91.84

relative CIELAB lab*
lab*lab 0.457 -0.015 0.5
lab*tch 0.25 0.5 0.255
lab*nch 0.5 0.5 0.255

relative Natural Colour (NC)
lab*lrj 0.457 0.0 0.5
lab*tce 0.25 0.5 0.25
lab*nce 0.5 0.5 j99j

relative Inform. Technology (IT)
olvi3* 1.0 0.951 0.0 (1.0)
cmyn3* 0.0 0.049 1.0 (0.0)
olvi4* 1.0 0.951 0.0 1.0
cmyn4* 0.0 0.049 1.0 0.0

standard and adapted CIELAB
LAB*LAB 88.68 -3.62 90.58
LAB*LABa 88.68 -2.77 86.27
LAB*TCHa 50.0 86.32 91.85

relative CIELAB lab*
lab*lab 0.913 -0.031 0.999
lab*tch 0.5 1.0 0.255
lab*nch 0.0 1.0 0.255

relative Natural Colour (NC)
lab*lrj 0.913 0.0 1.0
lab*tce 0.5 1.0 0.25
lab*nce 0.0 1.0 j00g

0,25 0,50 0,75 1,00
chromaticness c^*

blackness n^*

$n^* = 1,0$

TE040-7, 3 step scales for constant CIELAB hue 92/360 = 0.255 (left)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

3 step scales for constant CIELAB hue 92/360 = 0.255 (right)

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 164/360 = 0.457$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 56 66 164

olv*Ma: 0.1 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 164/360 = 0.457$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 56 66 164

olv*Ma: 0.1 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
olvi3* 1.0 1.0 1.0 (1.0)
cmyn3* 0.0 0.0 0.0 (0.0)
olvi4* 1.0 1.0 1.0 1.0
cmyn4* 0.0 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 95.41 -0.97 4.75
LAB*LABa 95.41 0.0 0.0
LAB*TCHa 99.99 0.01 -

relative CIELAB lab*

lab*lab 1.0 0.0 0.0
lab*tch 1.0 0.0 -
lab*nch 0.0 0.0 -

relative Natural Colour (NC)

lab*lrj 1.0 0.0 0.0
lab*tce 1.0 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.5 0.5 0.5 (1.0)
cmyn3* 0.5 0.5 0.5 (0.0)
olvi4* 1.0 1.0 1.0 0.5
cmyn4* 0.0 0.0 0.0 0.5

standard and adapted CIELAB

LAB*LAB 56.71 -0.23 2.14
LAB*LABa 56.71 0.0 0.0
LAB*TCHa 50.0 0.01 -

relative CIELAB lab*

lab*lab 0.5 0.0 0.0
lab*tch 0.5 0.0 -
lab*nch 0.5 0.0 -

relative Natural Colour (NC)

lab*lrj 0.5 0.0 0.0
lab*tce 0.5 0.0 -
lab*nce 0.5 0.0 -

relative Inform. Technology (IT)
olvi3* 0.0 0.0 0.0 (1.0)
cmyn3* 1.0 1.0 1.0 (0.0)
olvi4* 1.0 1.0 1.0 0.0
cmyn4* 0.0 0.0 0.0 1.0

standard and adapted CIELAB

LAB*LAB 18.02 0.5 -0.46
LAB*LABa 18.02 0.0 0.0
LAB*TCHa 0.01 0.01 -

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*tch 0.0 0.0 -
lab*nch 1.0 0.0 -

relative Natural Colour (NC)

lab*lrj 0.0 0.0 0.0
lab*tce 0.0 0.0 -
lab*nce 1.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.551 1.0 0.5 (1.0)
cmyn3* 0.449 0.0 0.5 (0.0)
olvi4* 0.551 1.0 0.5 1.0
cmyn4* 0.449 0.0 0.5 0.0

standard and adapted CIELAB

LAB*LAB 75.74 -32.2 12.22
LAB*LABa 75.74 -31.6 8.79
LAB*TCHa 75.0 32.81 164.46

relative CIELAB lab*

lab*lab 0.746 -0.481 0.134
lab*tch 0.75 0.5 0.457
lab*nch 0.0 0.5 0.457

relative Natural Colour (NC)

lab*lrj 0.746 -0.499 0.0
lab*tce 0.75 0.5 0.5
lab*nce 0.0 0.5 0.99g

relative Inform. Technology (IT)
olvi3* 0.051 0.5 0.0 (1.0)
cmyn3* 0.949 0.5 1.0 (0.0)
olvi4* 0.551 1.0 0.5 0.5
cmyn4* 0.449 0.0 0.5 0.5

standard and adapted CIELAB

LAB*LAB 37.04 -31.47 9.6
LAB*LABa 37.04 -31.6 8.78
LAB*TCHa 25.01 32.81 164.47

relative CIELAB lab*

lab*lab 0.246 -0.481 0.134
lab*tch 0.25 0.5 0.457
lab*nch 0.5 0.5 0.457

relative Natural Colour (NC)

lab*lrj 0.246 -0.499 0.0
lab*tce 0.25 0.5 0.5
lab*nce 0.5 0.5 g00b

relative Inform. Technology (IT)
olvi3* 0.103 1.0 0.0 (1.0)
cmyn3* 0.897 0.0 1.0 (0.0)
olvi4* 0.103 1.0 0.0 1.0
cmyn4* 0.897 0.0 1.0 0.0

standard and adapted CIELAB

LAB*LAB 56.07 -63.44 19.68
LAB*LABa 56.07 -63.21 17.58
LAB*TCHa 50.0 65.62 164.46

relative CIELAB lab*

lab*lab 0.492 -0.962 0.268
lab*tch 0.5 1.0 0.457
lab*nch 0.0 1.0 0.457

relative Natural Colour (NC)

lab*lrj 0.492 -0.999 0.0
lab*tce 0.5 1.0 0.5
lab*nce 0.0 1.0 g00b

0,25 0,50 $n^* = 0,50$ 0,75 1,00
chromaticness c^*

blackness n^*

$n^* = 0,00$

$n^* = 1,0$

TE040-7, 3 step scales for constant CIELAB hue 164/360 = 0.457 (left)

3 step scales for constant CIELAB hue 164/360 = 0.457 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: olv* setrgbcolor

output: no change compared to input

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 271/360 = 0.754$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 40 50 271

olv*Ma: 0.0 0.37 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 271/360 = 0.754$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 40 50 271

olv*Ma: 0.0 0.37 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

relative Inform. Technology (IT)
olvi3* 1.0 1.0 1.0 (1.0)
cmyn3* 0.0 0.0 0.0 (0.0)
olvi4* 1.0 1.0 1.0 1.0
cmyn4* 0.0 0.0 0.0 0.0

standard and adapted CIELAB
LAB*LAB 95.41 -0.97 4.75
LAB*LABa 95.41 0.0 0.0
LAB*TCHa 99.99 0.01 -

relative CIELAB lab*
lab*lab 1.0 0.0 0.0
lab*tch 1.0 0.0 -
lab*nch 0.0 0.0 -

relative Natural Colour (NC)
lab*lrj 1.0 0.0 0.0
lab*tce 1.0 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.5 0.5 0.5 (1.0)
cmyn3* 0.5 0.5 0.5 (0.0)
olvi4* 1.0 1.0 1.0 0.5
cmyn4* 0.0 0.0 0.0 0.5

standard and adapted CIELAB
LAB*LAB 56.71 -0.23 2.14
LAB*LABa 56.71 0.0 0.0
LAB*TCHa 50.0 0.01 -

relative CIELAB lab*
lab*lab 0.5 0.0 0.0
lab*tch 0.5 0.0 -
lab*nch 0.5 0.0 -

relative Natural Colour (NC)
lab*lrj 0.5 0.0 0.0
lab*tce 0.5 0.0 -
lab*nce 0.5 0.0 -

relative Inform. Technology (IT)
olvi3* 0.0 0.0 0.0 (1.0)
cmyn3* 1.0 1.0 1.0 (0.0)
olvi4* 1.0 1.0 1.0 0.0
cmyn4* 0.0 0.0 0.0 1.0

standard and adapted CIELAB
LAB*LAB 18.02 0.5 -0.46
LAB*LABa 18.02 0.0 0.0
LAB*TCHa 0.01 0.01 -

relative CIELAB lab*
lab*lab 0.0 0.0 0.0
lab*tch 0.0 0.0 -
lab*nch 1.0 0.0 -

relative Natural Colour (NC)
lab*lrj 0.0 0.0 0.0
lab*tce 0.0 0.0 -
lab*nce 1.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.5 0.684 1.0 (1.0)
cmyn3* 0.5 0.316 0.0 (0.0)
olvi4* 0.5 0.684 1.0 1.0
cmyn4* 0.5 0.316 0.0 0.0

standard and adapted CIELAB
LAB*LAB 67.57 0.17 -22.28
LAB*LABa 67.57 0.61 -25.16
LAB*TCHa 75.0 25.18 271.4

relative CIELAB lab*
lab*lab 0.64 0.012 -0.499
lab*tch 0.75 0.5 0.754
lab*nch 0.0 0.5 0.754

relative Natural Colour (NC)
lab*lrj 0.64 0.0 -0.499
lab*tce 0.75 0.5 0.75
lab*nce 0.0 0.5 g99b

relative Inform. Technology (IT)
olvi3* 0.0 0.184 0.5 (1.0)
cmyn3* 1.0 0.816 0.5 (0.0)
olvi4* 0.5 0.684 1.0 0.5
cmyn4* 0.5 0.316 0.0 0.5

standard and adapted CIELAB
LAB*LAB 28.87 0.92 -24.9
LAB*LABa 28.87 0.62 -25.16
LAB*TCHa 25.01 25.18 271.41

relative CIELAB lab*
lab*lab 0.14 0.012 -0.499
lab*tch 0.25 0.5 0.754
lab*nch 0.5 0.5 0.754

relative Natural Colour (NC)
lab*lrj 0.14 0.0 -0.499
lab*tce 0.25 0.5 0.75
lab*nce 0.5 0.5 b00r

relative Inform. Technology (IT)
olvi3* 0.0 0.367 1.0 (1.0)
cmyn3* 1.0 0.633 0.0 (0.0)
olvi4* 0.0 0.367 1.0 1.0
cmyn4* 1.0 0.633 0.0 0.0

standard and adapted CIELAB
LAB*LAB 39.73 1.32 -49.33
LAB*LABa 39.73 1.23 -50.34
LAB*TCHa 50.0 50.36 271.41

relative CIELAB lab*
lab*lab 0.281 0.025 -0.998
lab*tch 0.5 1.0 0.754
lab*nch 0.0 1.0 0.754

relative Natural Colour (NC)
lab*lrj 0.281 0.0 -0.999
lab*tce 0.5 1.0 0.75
lab*nce 0.0 1.0 b00r

$n^* = 0,00$

blackness n^*

0,25 0,50 $n^* = 0,50$ 0,75 1,00

chromaticness c^*

$n^* = 1,0$

TE040-7, 3 step scales for constant CIELAB hue 271/360 = 0.754 (left)

3 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart TE04; Colorimetric systems MRS18 & MRS18

D65: 3 step colour scales and coordinate data for 10 hues

input: olv* setrgbcolor

output: no change compared to input