

Input: Colorimetric Reflective System ORS18


for hue $h^* = lab \cdot h = 38/360 = 0.105$

LAB*LCH, LAB*NCH

D65: hue O

LCH*Ma: 48 83 38

olv*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



TE310-7, 5 step scales for constant CIELAB hue 38/360 = 0.105 (left)

Output: Colorimetric Reflective System MRS18a


for hue $h^* = lab \cdot h = 31/360 = 0.086$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 50 78 31

olv*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



5 step scales for constant CIELAB hue 31/360 = 0.086 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray

Input: Colorimetric Reflective System ORS18


for hue $h^* = lab \cdot h = 96/360 = 0.268$

LAB*LCH, LAB*NCH

D65: hue Y

LCH*Ma: 90 92 96

olv*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



TE310-7, 5 step scales for constant CIELAB hue 96/360 = 0.268 (left)

Output: Colorimetric Reflective System MRS18a


for hue $h^* = lab \cdot h = 94/360 = 0.262$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 91 93 94

olv*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



5 step scales for constant CIELAB hue 94/360 = 0.262 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab \cdot h = 151/360 = 0.419$

LAB*LCH, LAB*NCH

D65: hue L

LCH*Ma: 51 72 151

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



TE310-7, 5 step scales for constant CIELAB hue 151/360 = 0.419 (left)

Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab \cdot h = 171/360 = 0.475$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 52 71 171

olv*Ma: 0.0 1.0 0.0

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity


$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272



5 step scales for constant CIELAB hue 171/360 = 0.475 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray



Input: Colorimetric Reflective System ORS18


for hue $h^* = lab \cdot h = 236/360 = 0.656$

LAB*LCH, LAB*NCH

D65: hue C

LCH*Ma: 59 54 236

olv*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



TE310-7, 5 step scales for constant CIELAB hue 236/360 = 0.656 (left)

Output: Colorimetric Reflective System MRS18a


for hue $h^* = lab \cdot h = 217/360 = 0.601$

LAB*LCH, LAB*NCH

D65: hue G50B

LCH*Ma: 45 46 217

olv*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$




5 step scales for constant CIELAB hue 217/360 = 0.601 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray





Input: Colorimetric Reflective System ORS18


for hue $h^* = lab \cdot h = 305/360 = 0.847$

LAB*LCH, LAB*NCH

D65: hue V

LCH*Ma: 26 54 305

olv*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*


% Gamut

$u_{rel}^* = 93$

% Regularity

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 59$



TE310-7, 5 step scales for constant CIELAB hue 305/360 = 0.847 (left)

Output: Colorimetric Reflective System MRS18a


for hue $h^* = lab \cdot h = 290/360 = 0.807$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 37 66 290

olv*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272

CIELAB lightness L^*


% Gamut

$u_{rel}^* = 92$


% Regularity

$g_{H,rel}^* = 42$

$g_{C,rel}^* = 49$



5 step scales for constant CIELAB hue 290/360 = 0.807 (right)



Input: Colorimetric Reflective System ORS18


for hue $h^* = lab \cdot h = 354/360 = 0.982$

LAB*LCH, LAB*NCH

D65: hue M

LCH*Ma: 48 76 354

olv*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



TE310-7, 5 step scales for constant CIELAB hue 354/360 = 0.982 (left)

Output: Colorimetric Reflective System MRS18a


for hue $h^* = lab \cdot h = 323/360 = 0.896$

LAB*LCH, LAB*NCH

D65: hue B50R

LCH*Ma: 35 72 323

olv*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



5 step scales for constant CIELAB hue 323/360 = 0.896 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab \cdot h = 25/360 = 0.069$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 48 75 25

olv*Ma: 1.0 0.0 0.32

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



TE310-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab \cdot h = 25/360 = 0.071$

LAB*LCH, LAB*NCH

D65: hue R

LCH*Ma: 48 73 25

olv*Ma: 1.0 0.0 0.1

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity


$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272



5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray

Input: Colorimetric Reflective System ORS18


for hue $h^* = lab \cdot h = 92/360 = 0.255$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 86 88 92

olv*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



TE310-7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)

Output: Colorimetric Reflective System MRS18a


for hue $h^* = lab \cdot h = 92/360 = 0.256$

LAB*LCH, LAB*NCH

D65: hue J

LCH*Ma: 89 91 92

olv*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab \cdot h = 164/360 = 0.457$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 53 57 164

olv*Ma: 0.0 1.0 0.25

CIELAB lightness L^*

% Gamut

$u^*_{rel} = 93$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab \cdot h = 162/360 = 0.451$

LAB*LCH, LAB*NCH

D65: hue G

LCH*Ma: 56 66 162

olv*Ma: 0.11 1.0 0.0

CIELAB lightness L^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$

MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272



TE310-7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 271/360 = 0.754$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 42 45 271

olv*Ma: 0.0 0.49 1.0

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 93$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.37	50.52	82.62	38
Y _{Ma}	90.37	-10.27	91.77	92.34	96
L _{Ma}	50.9	-62.79	34.95	71.87	151
C _{Ma}	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.56	25
J _{CIE}	81.26	-2.17	67.76	67.79	92
G _{CIE}	52.23	-42.26	11.75	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.87	271



TE310-7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 272/360 = 0.755$

LAB*LCH, LAB*NCH

D65: hue B

LCH*Ma: 40 49 272

olv*Ma: 0.0 0.36 1.0

CIELAB lightness L^*


% Gamut

$u^*_{rel} = 92$

% Regularity


$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{Ma}	49.63	66.8	40.02	77.87	31
J _{Ma}	90.7	-7.27	93.19	93.48	94
G _{Ma}	52.11	-69.93	11.26	70.85	171
G50B _{Ma}	45.03	-36.65	-27.13	45.61	217
B _{Ma}	36.65	23.26	-62.27	66.49	290
B50R _{Ma}	34.94	57.27	-43.6	71.99	323
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.67	27.97	64.99	25
J _{CIE}	81.26	-2.91	71.56	71.62	92
G _{CIE}	52.23	-42.47	13.58	44.6	162
B _{CIE}	30.57	1.33	-46.48	46.51	272



5 step scales for constant CIELAB hue 272/360 = 0.755 (right)

BAM-test chart TE31; Colorimetric systems ORS18 & MRS18a input: olv* setrgbcolor

D65: Coordinate systems of 5 step colour scales for 10 hues

output: olv* setrgbcolor / w* setgray