



C

M

M

Y

O

L

V


**Input: Colorimetric Reflective System MRS18**for hue  $h^* = lab^*h = 30/360 = 0.083$  $lab^*tch$  and  $lab^*nch$ 

D65: hue R




LCH\*Ma: 50 77 30

rgb\*Ma: 1.0 0.0 0.0


triangle lightness




%Gamut  
 $u^*_{rel} = 91$

**MRS18; adapted (a) CIELAB data**

	$L^* = L^*_a$	$a^*_{a}$	$b^*_{a}$	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.56	25
J <sub>CIE</sub>	81.26	-2.17	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.26	11.75	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.87	271



%Regularity  
 $g^*_{H,rel} = 41$   
 $g^*_{C,rel} = 52$



chromaticness  $c^*$



$n^* = 1,0$   
TE450-7, 5 step scales for constant CIELAB hue 30/360 = 0.083 (left)

BAM-test chart TE45; Colorimetric systems ORS18 & ORS18  
D65: 5 step colour scales and coordinate data for 10 hues


**Output: Colorimetric Reflective System ORS18**for hue  $h^* = lab^*h = 38/360 = 0.105$  $lab^*tch$  and  $lab^*nch$ 

D65: hue O


LCH\*Ma: 48 83 38

rgb\*Ma: 1.0 0.0 0.0

triangle lightness



%Gamut  
 $u^*_{rel} = 93$



$n^* = 0,00$

$0,00$

$0,25$

$0,50$

$0,75$

$1,00$

chromaticness  $c^*$


$n^* = 1,0$

5 step scales for constant CIELAB hue 38/360 = 0.105 (right)

input:  $olv^* setrgbcolor$   
output: Startup (S) data dependend

**ORS18; adapted (a) CIELAB data**

	$L^* = L^*_a$	$a^*_{a}$	$b^*_{a}$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.56	25
J <sub>CIE</sub>	81.26	-2.17	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.26	11.75	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.87	271



$n^* = 0,00$

$0,00$

$0,25$


$0,50$

$0,75$

$1,00$

chromaticness  $c^*$

$n^* = 1,0$



$n^* = 0,00$

$0,00$

$0,25$

$0,50$

$0,75$

$1,00$

chromaticness  $c^*$

$n^* = 1,0$

BAM registration: 20060101-TE45/10L/L45E00SP.PS/.PDF  
application for evaluation and measurement of printer or monitor systems

/TE45/ Form: I/O, Serie: 1/1, Page: 1

Page: count: 1

C

V

C

O

L

M

Y

Y

M

O


O



L

M

C

C




**Input: Colorimetric Reflective System MRS18**for hue  $h^* = lab^*h = 172/360 = 0.479$  $lab^*tch$  and  $lab^*nch$ 

D65: hue G

LCH\*Ma: 52 70 172

rgb\*Ma: 0.0 1.0 0.0

triangle lightness




**MRS18; adapted (a) CIELAB data**

	$L^*$	$a^*$	$b^*$	$C^*$	$h^*$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

1,00



%Gamut

 $u^*_{rel} = 91$  $n^* = 0,00$  $n^* = 0,25$  $n^* = 0,50$  $n^* = 0,75$  $n^* = 1,00$ chromaticness  $c^*$  $n^* = 1,00$ 

0,25

0,50

0,75

1,00

 $n^* = 1,00$  $n^* = 0,00$  $n^* = 0,25$  $n^* = 0,50$  $n^* = 0,75$ 

1,00

chromaticness  $c^*$ See for similar files: <http://www.ps.bam.de/TE45/>

Technical information:

<http://www.ps.bam.de>

Version 2.1, io=1,1?


**Output: Colorimetric Reflective System ORS18**for hue  $h^* = lab^*h = 151/360 = 0.419$  $lab^*tch$  and  $lab^*nch$ 

D65: hue L

LCH\*Ma: 51 72 151

rgb\*Ma: 0.0 1.0 0.0

triangle lightness

**ORS18; adapted (a) CIELAB data**

	$L^*$	$a^*$	$b^*$	$C^*$	$h^*$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

 $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

%Regularity

 $g^*_{H,rel} = 41$  $g^*_{C,rel} = 52$ 

%Regularity

 $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

%Regularity

 $g^*_{H,rel} = 41$  $g^*_{C,rel} = 52$ 

%Regularity

 $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

%Regularity

 $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

/TE45/

Form: 3/10

Serie: 1/1

Page: 3

Page: count: 3

/TE45/

Form: 3/10



Serie: 1/1


Page: 3

Page: count: 3

TE450-7, 5 step scales for constant CIELAB hue 172/360 = 0.479 (left)

5 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart TE45; Colorimetric systems ORS18 & ORS18  
D65: 5 step colour scales and coordinate data for 10 huesinput:  $olv^*$  setrgbcolor  
output: Startup (S) data dependend



C

M

M

Y

O

L

V

C

M

M

Y

O

L

V


**Input: Colorimetric Reflective System MRS18**for hue  $h^* = lab^*h = 218/360 = 0.605$  $lab^*tch$  and  $lab^*nch$ 

D65: hue G50B

LCH\*Ma: 45 46 218

rgb\*Ma: 0.0 1.0 1.0

triangle lightness


**MRS18; adapted (a) CIELAB data**

	$L^*$ = $L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

1,00



%Gamut


 $u^*_{rel} = 91$ **%Regularity** $g^*_{H,rel} = 41$  $g^*_{C,rel} = 52$ **Output: Colorimetric Reflective System ORS18**for hue  $h^* = lab^*h = 236/360 = 0.656$  $lab^*tch$  and  $lab^*nch$ 

D65: hue C




LCH\*Ma: 59 54 236

rgb\*Ma: 0.0 1.0 1.0

triangle lightness

**ORS18; adapted (a) CIELAB data**

	$L^*$ = $L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

**%Regularity** $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$  $n^* = 0,00$  $n^* = 0,25$  $n^* = 0,50$  $n^* = 1,00$  $n^* = 1,0$ chromaticness  $c^*$ blackness  $n^*$  $n^* = 0,00$  $n^* = 0,25$  $n^* = 0,50$  $n^* = 1,00$  $n^* = 1,0$ chromaticness  $c^*$ 

TE450-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

BAM-test chart TE45; Colorimetric systems ORS18 &amp; ORS18

D65: 5 step colour scales and coordinate data for 10 hues

5 step scales for constant CIELAB hue 236/360 = 0.656 (right)


input:  $olv^* setrgbcolor$   
output: Startup (S) data dependendBAM registration: 20060101-TE45/10L/L45E03SP.PS/.PDF  
application for evaluation and measurement of printer or monitor systems

/TE45/ Form: 4/0, Serie: 1/1, Page: 4

Page: count: 4

C

C


**Input: Colorimetric Reflective System MRS18**for hue  $h^* = lab^*h = 290/360 = 0.806$  $lab^*tch$  and  $lab^*nch$ 

D65: hue B


LCH\*Ma: 37 67 290

rgb\*Ma: 0.0 0.0 1.0

triangle lightness

**MRS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271





**%Regularity** $g^*_{H,rel} = 41$  $g^*_{C,rel} = 52$ **Output: Colorimetric Reflective System ORS18**for hue  $h^* = lab^*h = 305/360 = 0.847$  $lab^*tch$  and  $lab^*nch$ 

D65: hue V

LCH\*Ma: 26 54 305

rgb\*Ma: 0.0 0.0 1.0

triangle lightness

**%Regularity** $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

TE450-7, 5 step scales for constant CIELAB hue 290/360 = 0.806 (left)

BAM-test chart TE45; Colorimetric systems ORS18 & ORS18  
D65: 5 step colour scales and coordinate data for 10 hues

5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

input:  $olv^* setrgbcolor$   
output: Startup (S) data dependend



C

M

M

Y

O

L

V

**Input: Colorimetric Reflective System MRS18**  
for hue  $h^* = lab^*h = 322/360 = 0.895$


 $lab^*tch$  and  $lab^*nch$ 

D65: hue B50R

LCH\*Ma: 35 72 322

rgb\*Ma: 1.0 0.0 1.0


triangle lightness

**MRS18; adapted (a) CIELAB data**

	$L^*$	$a^*$	$b^*$	$C^*$	$h^*$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

See for similar files: <http://www.ps.bam.de/TE45/>Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1?



TE450-7, 5 step scales for constant CIELAB hue 322/360 = 0.895 (left)

**BAM-test chart TE45; Colorimetric systems ORS18 & ORS18**  
D65: 5 step colour scales and coordinate data for 10 hues

**Output: Colorimetric Reflective System ORS18**for hue  $h^* = lab^*h = 354/360 = 0.982$  $lab^*tch$  and  $lab^*nch$ 

C

M

Y

O

L












V

D65: hue M










LCH\*Ma: 48 76 354

rgb\*Ma: 1.0 0.0 1.0

triangle lightness

**ORS18; adapted (a) CIELAB data**

	$L^*$	$a^*$	$b^*$	$C^*$	$h^*$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

**ORS18; adapted (a) CIELAB data**

	$L^*$	$a^*$	$b^*$	$C^*$	$h^*$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271




**Input: Colorimetric Reflective System MRS18**for hue  $h^* = lab^*h = 25/360 = 0.069$  $lab^*tch$  and  $lab^*nch$ 

D65: hue R

LCH\*Ma: 48 73 25

rgb\*Ma: 1.0 0.0 0.1



triangle lightness

**MRS18; adapted (a) CIELAB data**

	$L^* = L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

1,00

%Gamut


 $u^*_{rel} = 91$ **%Regularity** $g^*_{H,rel} = 41$  $g^*_{C,rel} = 52$ **Output: Colorimetric Reflective System ORS18**for hue  $h^* = lab^*h = 25/360 = 0.069$  $lab^*tch$  and  $lab^*nch$ 

D65: hue R

LCH\*Ma: 48 75 25



rgb\*Ma: 1.0 0.0 0.32

triangle lightness



1,00

%Gamut

 $u^*_{rel} = 93$ **%Regularity** $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

BAM registration: 20060101-TE45/10L/L45E06SP.PS/.PDF  
application for evaluation and measurement of printer or monitor systems  
/TE45/ Form: 7/10, Serie: 1/1, Page: 7  
Page: count: 7  
BAM material: code=rha4ta

See for similar files: <http://www.ps.bam.de/TE45/> Version 2.1, io=1,1?



TE450-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)




5 step scales for constant CIELAB hue 25/360 = 0.069 (right)



BAM-test chart TE45; Colorimetric systems ORS18 & ORS18  
D65: 5 step colour scales and coordinate data for 10 hues

input:  $olv^*$  setrgbcolor  
output: Startup (S) data dependend





BAM registration: 20060101-TE45/10L/L45E08SP.PS./PDF  
 application for evaluation and measurement of printer or monitor systems

/TE45/ Form: 9/10, Serie: 1/1, Page: 9

Page: count: 9

n\* = 0,00

blackness n\*

n\* = 0,50

blackness n\*

n\* = 1,00

chromaticness c\*

n\* = 0,00

blackness n\*

n\* = 0,25


blackness n\*

n\* = 0,50

blackness n\*

n\* = 1,00

chromaticness c\*



Input: Colorimetric Reflective System MRS18

for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$


D65: hue G

LCH\*Ma: 56 66 164

rgb\*Ma: 0.1 1.0 0.0

triangle lightness

1,00




MRS18; adapted (a) CIELAB data

	$L^* = L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Gamut

$u^*_{rel} = 91$



TE450-7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

BAM-test chart TE45; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System ORS18

for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$


D65: hue G

LCH\*Ma: 53 57 164

rgb\*Ma: 0.0 1.0 0.25


triangle lightness

1,00



%Gamut

$u^*_{rel} = 93$



5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

input: olv\* setrgbcolor

output: Startup (S) data dependend

c

m

m

y

o

o

l

v

c

m

l

o

y

y

8

6

8

6

0

0



C

M

M

Y

O

L

V

C

M

M

Y

O

L

V

BAM registration: 20060101-TE45/10L/L45E09SP.PS/.PDF  
application for evaluation and measurement of printer or monitor systems  
BAM material: code=rha4ta  
/TE45/ Form: 10/10,Serie: 1/1, Page: 10 Page: count: 10


**Input: Colorimetric Reflective System MRS18**
for hue  $h^* = lab^*h = 271/360 = 0.754$  $lab^*tch$  and  $lab^*nch$ 

D65: hue B

LCH\*Ma: 40 50 271

rgb\*Ma: 0.0 0.37 1.0

triangle lightness


**MRS18; adapted (a) CIELAB data**

	$L^*$	$a^*$	$b^*$	$C^*$	$ab,a$	$h^*ab,a$
RMa	49.63	66.96	38.37	77.18	30	
JMa	90.7	-6.36	88.75	88.98	94	
GMa	52.11	-69.73	9.44	70.37	172	
G50BMa	45.03	-36.57	-28.47	46.36	218	
BMa	36.65	23.19	-63.05	67.18	290	
B50RMa	34.94	57.17	-44.26	72.31	322	
NMa	18.01	0.0	0.0	0.0	0	
WMa	95.41	0.0	0.0	0.0	0	
RCIE	39.92	58.66	26.98	64.56	25	
JCIE	81.26	-2.17	67.76	67.79	92	
GCIE	52.23	-42.26	11.75	43.87	164	
BCIE	30.57	1.15	-46.84	46.87	271	



**%Regularity**
 $g^*_{H,rel} = 41$  $g^*_{C,rel} = 52$ 
**Output: Colorimetric Reflective System ORS18**
for hue  $h^* = lab^*h = 271/360 = 0.754$  $lab^*tch$  and  $lab^*nch$ 

D65: hue B


LCH\*Ma: 42 45 271

rgb\*Ma: 0.0 0.49 1.0

triangle lightness


**ORS18; adapted (a) CIELAB data**

	$L^*$	$a^*$	$b^*$	$C^*$	$ab,a$	$h^*ab,a$
OMa	47.94	65.37	50.52	82.62	38	
YMa	90.37	-10.27	91.77	92.34	96	
LMa	50.9	-62.79	34.95	71.87	151	
CMa	58.62	-30.35	-45.01	54.3	236	
VMa	25.71	31.11	-44.42	54.24	305	
MMa	48.13	75.27	-8.35	75.73	354	
NMa	18.01	0.0	0.0	0.0	0	
WMa	95.41	0.0	0.0	0.0	0	
RCIE	39.92	58.66	26.98	64.56	25	
JCIE	81.26	-2.17	67.76	67.79	92	
GCIE	52.23	-42.26	11.75	43.87	164	
BCIE	30.57	1.15	-46.84	46.87	271	

**%Regularity**
 $g^*_{H,rel} = 57$  $g^*_{C,rel} = 59$ 

5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

TE450-7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

BAM-test chart TE45; Colorimetric systems ORS18 & ORS18  
D65: 5 step colour scales and coordinate data for 10 hues

input: olv\* setrgbcolor  
output: Startup (S) data dependend