




See for similar files: <http://www.ps.bam.de/TE83/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIEXYZ

Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 30/360 = 0.083$
 lab^*ich and lab^*nch

D65: hue R
LCH*Ma: 50 77 30
rgb*Ma: 1.0 0.0 0.0
triangle lightness t^*




% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System NCS11
for hue $h^* = lab^*h = 24/360 = 0.066$
 lab^*ich and lab^*nch

D65: hue R
LCH*Ma: 47 92 24
rgb*Ma: 1.0 0.0 0.0
triangle lightness t^*



% Gamut
 $u^*_{rel} = 149$
% Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272




TE830-7, 3 step scales for constant CIELAB hue 30/360 = 0.083 (left)

5 step scales for constant CIELAB hue 24/360 = 0.066 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: `olv* setrgbcolor`
D65: 3 and 5 step colour scales for 10 hues

output: `olv* setrgbcolor / w* setgray`



Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$


lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 91/360 = 0.252$


lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



triangle lightness t^*



%Gamut
 $u^*_{rel} = 149$
%Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272




TE830-7, 3 step scales for constant CIELAB hue 94/360 = 0.261 (left)

5 step scales for constant CIELAB hue 91/360 = 0.252 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: $olv^* setrgbcolor / w^* setgray$





Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 172/360 = 0.479$


lab^*ich and lab^*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 167/360 = 0.465$


lab^*ich and lab^*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



triangle lightness t^*



%Gamut
 $u^*_{rel} = 149$
%Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272



TE830-7, 3 step scales for constant CIELAB hue 172/360 = 0.479 (left)

5 step scales for constant CIELAB hue 167/360 = 0.465 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: `olv* setrgbcolor`

D65: 3 and 5 step colour scales for 10 hues

output: `olv* setrgbcolor / w* setgray`





See for similar files: <http://www.ps.bam.de/TE83/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIEXYZ

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 218/360 = 0.605$


lab^*ich and lab^*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 203/360 = 0.563$


lab^*ich and lab^*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



triangle lightness t^*



% Gamut
 $u^*_{rel} = 149$
% Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272



TE830-7, 3 step scales for constant CIELAB hue 218/360 = 0.605 (left)

5 step scales for constant CIELAB hue 203/360 = 0.563 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$

D65: 3 and 5 step colour scales for 10 hues

output: $olv^* setrgbcolor / w^* setgray$

BAM registration: 20060101-TE83/10S/S83E03FP.PS/.PDF
application for evaluation and measurement of printer or monitor systems, Yr=2.5, XYZ


BAM material: code=rh4ta
/TE83 Form: 4/10, Serie: 1/1, Page: 4
Page count: 4



See for similar files: <http://www.ps.bam.de/TE83/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIEXYZ

Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 290/360 = 0.806$
 lab^*ich and lab^*nch

D65: hue B
LCH*Ma: 37 67 290
rgb*Ma: 0.0 0.0 1.0
triangle lightness t^*




% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System NCS11
for hue $h^* = lab^*h = 273/360 = 0.757$
 lab^*ich and lab^*nch

D65: hue B
LCH*Ma: 49 81 273
rgb*Ma: 0.0 0.0 1.0
triangle lightness t^*



% Gamut
 $u^*_{rel} = 149$
% Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272



TE830-7, 3 step scales for constant CIELAB hue 290/360 = 0.806 (left)

5 step scales for constant CIELAB hue 273/360 = 0.757 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$
D65: 3 and 5 step colour scales for 10 hues

output: $olv^* setrgbcolor / w^* setgray$


BAM registration: 20060101-TE83/10S/S83E04FP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems, Yr=2.5, XYZ
/TE83 Form: 5/10, Serie: 1/1, Page: 5 Page count: 5



See for similar files: <http://www.ps.bam.de/TE83/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIEXYZ

Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 322/360 = 0.895$
 lab^*ich and lab^*nch

D65: hue B50R
LCH*Ma: 35 72 322
rgb*Ma: 1.0 0.0 1.0
triangle lightness t^*




% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System NCS11
for hue $h^* = lab^*h = 325/360 = 0.903$
 lab^*ich and lab^*nch

D65: hue B50R
LCH*Ma: 44 129 325
rgb*Ma: 1.0 0.0 1.0
triangle lightness t^*



% Gamut
 $u^*_{rel} = 149$
% Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272



TE830-7, 3 step scales for constant CIELAB hue 322/360 = 0.895 (left)

5 step scales for constant CIELAB hue 325/360 = 0.903 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$
D65: 3 and 5 step colour scales for 10 hues

output: $olv^* setrgbcolor / w^* setgray$


BAM registration: 20060101-TE83/10S/S83E05FP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems, Yr=2.5, XYZ
/TE83 Form: 6/10, Serie: 1/1, Page: 6 Page count: 6



See for similar files: <http://www.ps.bam.de/TE83/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIEXYZ

Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 25/360 = 0.069$
 lab^*ich and lab^*nch

D65: hue R
LCH*Ma: 48 73 25
rgb*Ma: 1.0 0.0 0.1
triangle lightness t^*




% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System NCS11
for hue $h^* = lab^*h = 25/360 = 0.071$
 lab^*ich and lab^*nch

D65: hue R
LCH*Ma: 48 91 25
rgb*Ma: 1.0 0.02 0.0
triangle lightness t^*



% Gamut
 $u^*_{rel} = 149$
% Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272



TE830-7, 3 step scales for constant CIELAB hue 25/360 = 0.069 (left)

5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$
D65: 3 and 5 step colour scales for 10 hues

output: $olv^* setrgbcolor / w^* setgray$

BAM registration: 20060101-TE83/10S/S83E06FP.PS/.PDF
application for evaluation and measurement of printer or monitor systems, Yr=2.5, XYZ
BAM material: code=rh4ta
/TE83 Form: 7/10, Serie: 1/1, Page: 7 Page count: 7

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



triangle lightness t^*



%Gamut
 $u^*_{rel} = 149$
%Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272



TE830-7, 3 step scales for constant CIELAB hue 92/360 = 0.255 (left)

5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$


D65: 3 and 5 step colour scales for 10 hues

output: $olv^* setrgbcolor / w^* setgray$




Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 164/360 = 0.457$
 lab^*ich and lab^*nch

D65: hue G
LCH*Ma: 56 66 164
rgb*Ma: 0.1 1.0 0.0
triangle lightness t^*




MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$




Output: Colorimetric Reflective System NCS11
for hue $h^* = lab^*h = 162/360 = 0.451$
 lab^*ich and lab^*nch

D65: hue G
LCH*Ma: 65 110 162
rgb*Ma: 0.08 1.0 0.0
triangle lightness t^*



NCS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Gamut
 $u^*_{rel} = 149$
%Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$



TE830-7, 3 step scales for constant CIELAB hue 164/360 = 0.457 (left)

5 step scales for constant CIELAB hue 162/360 = 0.451 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$
D65: 3 and 5 step colour scales for 10 hues


output: $olv^* setrgbcolor / w^* setgray$






Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 271/360 = 0.754$
 lab^*ich and lab^*nch

D65: hue B
LCH*Ma: 40 50 271
rgb*Ma: 0.0 0.37 1.0
triangle lightness t^*




%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271




Output: Colorimetric Reflective System NCS11
for hue $h^* = lab^*h = 272/360 = 0.755$
 lab^*ich and lab^*nch

D65: hue B
LCH*Ma: 49 80 272
rgb*Ma: 0.0 0.02 1.0
triangle lightness t^*



%Gamut
 $u^*_{rel} = 149$
%Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$

NCS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50BMa	59.47	-80.6	-33.45	87.28	203
BMa	49.01	3.65	-81.19	81.28	273
B50RMa	44.06	106.09	-73.93	129.32	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272



TE830-7, 3 step scales for constant CIELAB hue 271/360 = 0.754 (left)

5 step scales for constant CIELAB hue 272/360 = 0.755 (right)

BAM-test chart TE83; Colorimetric systems MRS18 & NCS11a input: $olv^* setrgbcolor$
D65: 3 and 5 step colour scales for 10 hues

output: $olv^* setrgbcolor / w^* setgray$

