




Input: Colorimetric Reflective System MRS18
 for hue $h^* = lab^*h = 30/360 = 0.083$
 lab^*ich and lab^*nch

D65: hue R
 LCH*Ma: 50 77 30
 rgb*Ma: 1.0 0.0 0.0
 triangle lightness t^*




%Gamut
 $u^*_{rel} = 91$
 %Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System MRS18
 for hue $h^* = lab^*h = 30/360 = 0.083$
 lab^*ich and lab^*nch

D65: hue R
 LCH*Ma: 50 77 30
 rgb*Ma: 1.0 0.0 0.0
 triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
 %Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 30/360 = 0.083 (left)

5 step scales for constant CIELAB hue 30/360 = 0.083 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
 D65: 3 and 5 step colour scales for 10 hues


input: $olv^* setrgbcolor$
 output: $olv^* setrgbcolor / w^* setgray$





Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 94/360 = 0.261$
 lab^*ich and lab^*nch

D65: hue J
LCH*Ma: 91 89 94
rgb*Ma: 1.0 1.0 0.0
triangle lightness t^*




%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 94/360 = 0.261$
 lab^*ich and lab^*nch

D65: hue J
LCH*Ma: 91 89 94
rgb*Ma: 1.0 1.0 0.0
triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 94/360 = 0.261 (left)

5 step scales for constant CIELAB hue 94/360 = 0.261 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
D65: 3 and 5 step colour scales for 10 hues


input: $olv^* setrgbcolor$
output: $olv^* setrgbcolor / w^* setgray$





Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 172/360 = 0.479$
 lab^*ich and lab^*nch

D65: hue G
LCH*Ma: 52 70 172
rgb*Ma: 0.0 1.0 0.0
triangle lightness t^*




%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 172/360 = 0.479$
 lab^*ich and lab^*nch

D65: hue G
LCH*Ma: 52 70 172
rgb*Ma: 0.0 1.0 0.0
triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 172/360 = 0.479 (left)

5 step scales for constant CIELAB hue 172/360 = 0.479 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
D65: 3 and 5 step colour scales for 10 hues


input: $olv^* setrgbcolor$
output: $olv^* setrgbcolor / w^* setgray$





Input: Colorimetric Reflective System MRS18
 for hue $h^* = lab^*h = 218/360 = 0.605$
 lab^*ich and lab^*nch

D65: hue G50B
 LCH*Ma: 45 46 218
 rgb*Ma: 0.0 1.0 1.0
 triangle lightness t^*




%Gamut
 $u^*_{rel} = 91$
 %Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System MRS18
 for hue $h^* = lab^*h = 218/360 = 0.605$
 lab^*ich and lab^*nch

D65: hue G50B
 LCH*Ma: 45 46 218
 rgb*Ma: 0.0 1.0 1.0
 triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
 %Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 218/360 = 0.605 (left)

5 step scales for constant CIELAB hue 218/360 = 0.605 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
 D65: 3 and 5 step colour scales for 10 hues


input: $olv^* setrgbcolor$
 output: $olv^* setrgbcolor / w^* setgray$





Input: Colorimetric Reflective System MRS18
 for hue $h^* = lab^*h = 290/360 = 0.806$
 lab^*ich and lab^*nch

D65: hue B
 LCH*Ma: 37 67 290
 rgb*Ma: 0.0 0.0 1.0
 triangle lightness t^*




%Gamut
 $u^*_{rel} = 91$
 %Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System MRS18
 for hue $h^* = lab^*h = 290/360 = 0.806$
 lab^*ich and lab^*nch

D65: hue B
 LCH*Ma: 37 67 290
 rgb*Ma: 0.0 0.0 1.0
 triangle lightness t^*



%Gamut
 $u^*_{rel} = 91$
 %Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 290/360 = 0.806 (left)

5 step scales for constant CIELAB hue 290/360 = 0.806 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
 D65: 3 and 5 step colour scales for 10 hues

input: $olv^* setrgbcolor$
 output: $olv^* setrgbcolor / w^* setgray$



Version 2.1, io=1,1, CIEXYZ

Input: Colorimetric Reflective System MRS18

```
for hue  $h^* = lab^*h = 322/360 = 0.895$ 
```


lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$$u_{rel}^* = 91$$


%Regularity

$$g^*_{H,rel} = 41$$
$$g^*_{C,rel} = 52$$

8. C, 10. A

MRS18; adapted (a) CIELAB data

	$L^*=L_a^* a_a^*$	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 322/360 = 0.895 (left)

BAM-test chart TE84: Colorimetric systems MRS18 & MRS18

D65: 3 and 5 step colour scales for 10 hues

Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$


lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$$\mathbf{u}_{\text{rel}}^* = \mathbf{91}$$


%Regularity

$$g^*_{H,rel} = 41$$
$$g^*_{C,rel} = 52$$

g. C, ref. 1

MRS18; adapted (a) CIELAB data

	$L^*=L_a^* a_a^*$	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 322/360 = 0.895 (right)

```
input: o/v* setrgbcolor
```


output: *olv* setrgbcolor / w* setgray*



See for similar files: <http://www.ps.bam.de/TE84/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIEXYZ

Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 25/360 = 0.069$
 lab^*ich and lab^*nch

D65: hue R
LCH*Ma: 48 73 25
rgb*Ma: 1.0 0.0 0.1
triangle lightness t^*




% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



Output: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 25/360 = 0.069$
 lab^*ich and lab^*nch

D65: hue R
LCH*Ma: 48 73 25
rgb*Ma: 1.0 0.0 0.1
triangle lightness t^*



% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 25/360 = 0.069 (left)

5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
D65: 3 and 5 step colour scales for 10 hues

input: $olv^* setrgbcolor$
output: $olv^* setrgbcolor / w^* setgray$




BAM registration: 20060101-TE84/10S/S84E06FP.PS/.PDF
application for evaluation and measurement of printer or monitor systems, Yr=2.5, XYZ
BAM material: code=rh4ta
/TE84/ Form: 7/10, Serie: 1/1, Page: 7
Page count: 7




Input: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 92/360 = 0.255$
 lab^*ich and lab^*nch

D65: hue J
LCH*Ma: 89 86 92
rgb*Ma: 1.0 0.95 0.0
triangle lightness t^*



% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$


MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 92/360 = 0.255 (left)


Output: Colorimetric Reflective System MRS18
for hue $h^* = lab^*h = 92/360 = 0.255$
 lab^*ich and lab^*nch

D65: hue J
LCH*Ma: 89 86 92
rgb*Ma: 1.0 0.95 0.0
triangle lightness t^*



% Gamut
 $u^*_{rel} = 91$
% Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$

MRS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
D65: 3 and 5 step colour scales for 10 hues

input: $olv^* setrgbcolor$
output: $olv^* setrgbcolor / w^* setgray$



Version 2.1, io=1,1, CIEXYZ

BAM material: code=rha4ta
r systems, Yr=2.5, XYZ
orm: 9/10. Series: 1/1. Page: 9 Page: count: 9

Input: Colorimetric Reflective System MRS18

```
for hue  $h^* = lab^*h = 164/360 = 0.457$ 
```


lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0

triangle lightness t^*



%Gamut

$$\mathbf{u}_{\text{rel}}^* = \mathbf{91}$$


%Regularity

$$g^*_{H,rel} = 41$$
$$g^*_{C,rel} = 52$$

8. **Spec.**

MRS18; adapted (a) CIELAB data

	$L^*=L_a^* a_a^*$	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 164/360 = 0.457 (left)

BAM-test chart TE84: Colorimetric systems MRS18 & MRS18

D65: 3 and 5 step colour scales for 10 hues

Output: Colorimetric Reflective System MRS18

```
for hue  $h^* = lab^*h = 164/360 = 0.457$ 
```


lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0

triangle lightness t^*



%Gamut

$$\mathbf{u}_{\text{rel}}^* = 91$$


%Regularity

$$g^*_{H,rel} = 41$$
$$g^*_{C,rel} = 52$$

8. **Other**

MRS18; adapted (a) CIELAB data

	$L^*=L_a^* a_a^*$	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

```
input: olv* setrgbcolor
```

output: *olv* setrgbcolor / w* setgray*

Input: Colorimetric Reflective System MRS18

for hue $h^* = \text{lab}^*h = 271/360 = 0.754$


lab^*ich and lab^*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0

triangle lightness t^*



%Gamut
 $u^*_{\text{rel}} = 91$
%Regularity
 $g^*_{H,\text{rel}} = 41$
 $g^*_{C,\text{rel}} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

Output: Colorimetric Reflective System MRS18

for hue $h^* = \text{lab}^*h = 271/360 = 0.754$


lab^*ich and lab^*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



triangle lightness t^*



%Gamut
 $u^*_{\text{rel}} = 91$
%Regularity
 $g^*_{H,\text{rel}} = 41$
 $g^*_{C,\text{rel}} = 52$

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271



TE840-7, 3 step scales for constant CIELAB hue 271/360 = 0.754 (left)

5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

BAM-test chart TE84; Colorimetric systems MRS18 & MRS18
D65: 3 and 5 step colour scales for 10 hues

input: $\text{olv}^* \text{setrgbcolor}$
output: $\text{olv}^* \text{setrgbcolor} / w^* \text{setgray}$