


Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 30/360 = 0.083$

lab^*tch and lab^*nch

D65: hue R
LCH*Ma: 50 77 30
rgb*Ma: 1.0 0.0 0.0

triangle lightness




MRS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

g*_{H,rel} = 41

g*_{C,rel} = 52



UE430-7, 5 step scales for constant CIELAB hue 30/360 = 0.083 (left)


Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 24/360 = 0.066$

lab^*tch and lab^*nch

D65: hue R
LCH*Ma: 47 92 24
rgb*Ma: 1.0 0.0 0.0

triangle lightness




NCS11; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

g*_{H,rel} = 46

g*_{C,rel} = 65



5 step scales for constant CIELAB hue 24/360 = 0.066 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend


See for similar files: http://www.ps.bam.de/UE43/ Technical information: http://www.ps.bam.de Version 2.1, io=0,0?

BAM registration: 20060101-UE43/10L/L43E00SP.PS/.PDF application for evaluation and measurement of printer or monitor systems BAM material: code=rhadt4

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$
 lab^*tch and lab^*nch

D65: hue J
LCH*Ma: 91 89 94
rgb*Ma: 1.0 1.0 0.0
triangle lightness




MRS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 41$


$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 91/360 = 0.252$
 lab^*tch and lab^*nch

D65: hue J
LCH*Ma: 91 125 91
rgb*Ma: 1.0 1.0 0.0
triangle lightness




NCS11; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE.

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE430-7, 5 step scales for constant CIELAB hue 94/360 = 0.261 (left)

5 step scales for constant CIELAB hue 91/360 = 0.252 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18
D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor
output: Startup (S) data dependend


Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 172/360 = 0.479$

lab^*tch and lab^*nch

D65: hue G
LCH*Ma: 52 70 172
rgb*Ma: 0.0 1.0 0.0

triangle lightness




MRS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$




Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 167/360 = 0.465$

lab^*tch and lab^*nch

D65: hue G
LCH*Ma: 63 117 167
rgb*Ma: 0.0 1.0 0.0

triangle lightness




NCS11; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE430-7, 5 step scales for constant CIELAB hue 172/360 = 0.479 (left)

5 step scales for constant CIELAB hue 167/360 = 0.465 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependent

See for similar files: http://www.ps.bam.de/UE43/ Technical information: http://www.ps.bam.de Version 2.1, io=0,0?

BAM registration: 20060101-UE43/10L/L43E02SP.PS/.PDF application for evaluation and measurement of printer or monitor systems /UE43/ Form 3/10, Serie: 1/1, Page: 3 Page count: 3

BAM material: code=rhadt4


Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 218/360 = 0.605$

lab^*tch and lab^*nch

D65: hue G50B
LCH*Ma: 45 46 218
rgb*Ma: 0.0 1.0 1.0

triangle lightness




MRS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various color patches (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

g*_{H,rel} = 41

g*_{C,rel} = 52




Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 203/360 = 0.563$

lab^*tch and lab^*nch

D65: hue G50B
LCH*Ma: 59 87 203
rgb*Ma: 0.0 1.0 1.0

triangle lightness




NCS11; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various color patches (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

g*_{H,rel} = 46

g*_{C,rel} = 65



UE430-7, 5 step scales for constant CIELAB hue 218/360 = 0.605 (left)

5 step scales for constant CIELAB hue 203/360 = 0.563 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues


input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 290/360 = 0.806$
 lab^*tch and lab^*nch

D65: hue B
 LCH*Ma: 37 67 290
 rgb*Ma: 0.0 0.0 1.0
 triangle lightness



MRS18; adapted (a) CIELAB data

| | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| RMa | 49.63 | 66.96 | 38.37 | 77.18 | 30 |
| JMa | 90.7 | -6.36 | 88.75 | 88.98 | 94 |
| GMa | 52.11 | -69.73 | 9.44 | 70.37 | 172 |
| G50B _{Ma} | 45.03 | -36.57 | -28.47 | 46.36 | 218 |
| B _{Ma} | 36.65 | 23.19 | -63.05 | 67.18 | 290 |
| B50R _{Ma} | 34.94 | 57.17 | -44.26 | 72.31 | 322 |
| N _{Ma} | 18.01 | 0.0 | 0.0 | 0.0 | 0 |
| W _{Ma} | 95.41 | 0.0 | 0.0 | 0.0 | 0 |
| RCIE | 39.92 | 58.66 | 26.98 | 64.56 | 25 |
| JCIE | 81.26 | -2.17 | 67.76 | 67.79 | 92 |
| GCIE | 52.23 | -42.26 | 11.75 | 43.87 | 164 |
| BCIE | 30.57 | 1.15 | -46.84 | 46.87 | 271 |

%Regularity


$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 273/360 = 0.757$
 lab^*tch and lab^*nch

D65: hue B
 LCH*Ma: 49 81 273
 rgb*Ma: 0.0 0.0 1.0
 triangle lightness





NCS11; adapted (a) CIELAB data

| | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| RMa | 47.15 | 84.64 | 37.25 | 92.48 | 24 |
| JMa | 91.37 | -1.27 | 125.03 | 125.03 | 91 |
| GMa | 63.07 | -114.28 | 25.35 | 117.06 | 167 |
| G50B _{Ma} | 59.47 | -80.6 | -33.45 | 87.28 | 203 |
| B _{Ma} | 49.01 | 3.65 | -81.19 | 81.28 | 273 |
| B50R _{Ma} | 44.06 | 106.09 | -73.93 | 129.32 | 325 |
| N _{Ma} | 10.99 | 0.0 | 0.0 | 0.0 | 0 |
| W _{Ma} | 95.41 | 0.0 | 0.0 | 0.0 | 0 |
| RCIE | 39.92 | 58.69 | 27.98 | 65.01 | 25 |
| JCIE | 81.26 | -2.9 | 71.56 | 71.62 | 92 |
| GCIE | 52.23 | -42.45 | 13.59 | 44.59 | 162 |
| BCIE | 30.57 | 1.35 | -46.48 | 46.51 | 272 |

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE43-7, 5 step scales for constant CIELAB hue 290/360 = 0.806 (left)

5 step scales for constant CIELAB hue 273/360 = 0.757 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18
 D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor
 output: Startup (S) data dependent

See for similar files: <http://www.ps.bam.de/UE43/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=0,0?

BAM registration: 20060101-UE43/10L/L43E04SP.PS/.PDF
 application for evaluation and measurement of printer or monitor systems
 /UE43/ Form 5/10, Serie: 1/1, Page: 5 Page count: 5
 BAM material: code=rhadt4


Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$

lab^*tch and lab^*nch

D65: hue B50R
LCH*Ma: 35 72 322
rgb*Ma: 1.0 0.0 1.0

triangle lightness




MRS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE430-7, 5 step scales for constant CIELAB hue 322/360 = 0.895 (left)


Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 325/360 = 0.903$

lab^*tch and lab^*nch

D65: hue B50R
LCH*Ma: 44 129 325
rgb*Ma: 1.0 0.0 1.0

triangle lightness




NCS11; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



5 step scales for constant CIELAB hue 325/360 = 0.903 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependent

See for similar files: http://www.ps.bam.de/UE43/ Technical information: http://www.ps.bam.de Version 2.1, io=0,0?


BAM registration: 20060101-UE43/10L/L43E05SP.PS/.PDF application for evaluation and measurement of printer or monitor systems BAM material: code=rhadt4

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 25/360 = 0.069$

lab^*tch and lab^*nch

D65: hue R
LCH*Ma: 48 73 25
rgb*Ma: 1.0 0.0 0.1
triangle lightness




MRS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$




Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 25/360 = 0.071$

lab^*tch and lab^*nch

D65: hue R
LCH*Ma: 48 91 25
rgb*Ma: 1.0 0.02 0.0
triangle lightness




NCS11; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE430-7, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

5 step scales for constant CIELAB hue 25/360 = 0.071 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues


input: $cmY0^*$ setcmYcolor

output: Startup (S) data dependend

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 92/360 = 0.255$
 lab^*tch and lab^*nch

D65: hue J
 LCH*Ma: 89 86 92
 rgb*Ma: 1.0 0.95 0.0
 triangle lightness



MRS18; adapted (a) CIELAB data

| | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| RMa | 49.63 | 66.96 | 38.37 | 77.18 | 30 |
| JMa | 90.7 | -6.36 | 88.75 | 88.98 | 94 |
| GMa | 52.11 | -69.73 | 9.44 | 70.37 | 172 |
| G50B _{Ma} | 45.03 | -36.57 | -28.47 | 46.36 | 218 |
| B _{Ma} | 36.65 | 23.19 | -63.05 | 67.18 | 290 |
| B50R _{Ma} | 34.94 | 57.17 | -44.26 | 72.31 | 322 |
| N _{Ma} | 18.01 | 0.0 | 0.0 | 0.0 | 0 |
| W _{Ma} | 95.41 | 0.0 | 0.0 | 0.0 | 0 |
| RCIE | 39.92 | 58.66 | 26.98 | 64.56 | 25 |
| JCIE | 81.26 | -2.17 | 67.76 | 67.79 | 92 |
| GCIE | 52.23 | -42.26 | 11.75 | 43.87 | 164 |
| BCIE | 30.57 | 1.15 | -46.84 | 46.87 | 271 |

%Regularity


$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 92/360 = 0.256$
 lab^*tch and lab^*nch

D65: hue J
 LCH*Ma: 90 122 92
 rgb*Ma: 0.97 1.0 0.0
 triangle lightness




NCS11; adapted (a) CIELAB data

| | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| RMa | 47.15 | 84.64 | 37.25 | 92.48 | 24 |
| JMa | 91.37 | -1.27 | 125.03 | 125.03 | 91 |
| GMa | 63.07 | -114.28 | 25.35 | 117.06 | 167 |
| G50B _{Ma} | 59.47 | -80.6 | -33.45 | 87.28 | 203 |
| B _{Ma} | 49.01 | 3.65 | -81.19 | 81.28 | 273 |
| B50R _{Ma} | 44.06 | 106.09 | -73.93 | 129.32 | 325 |
| N _{Ma} | 10.99 | 0.0 | 0.0 | 0.0 | 0 |
| W _{Ma} | 95.41 | 0.0 | 0.0 | 0.0 | 0 |
| RCIE | 39.92 | 58.69 | 27.98 | 65.01 | 25 |
| JCIE | 81.26 | -2.9 | 71.56 | 71.62 | 92 |
| GCIE | 52.23 | -42.45 | 13.59 | 44.59 | 162 |
| BCIE | 30.57 | 1.35 | -46.48 | 46.51 | 272 |


%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE430-7, 5 step scales for constant CIELAB hue 92/360 = 0.255 (left)



5 step scales for constant CIELAB hue 92/360 = 0.256 (right)

BAM-test chart UE43; Colorimetric systems ORS18 & ORS18
 D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor
 output: Startup (S) data dependend


See for similar files: <http://www.ps.bam.de/UE43/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=0,0?

BAM registration: 20060101-UE43/10L/L43E07SP.PS/.PDF
 application for evaluation and measurement of printer or monitor systems
 /UE43/ Form 8/10, Serie: 1/1, Page: 8
 Page count: 8
 BAM material: code=rhadt4

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 164/360 = 0.457$
 lab^*tch and lab^*nch


D65: hue G
 LCH*Ma: 56 66 164
 rgb*Ma: 0.1 1.0 0.0
 triangle lightness



MRS18; adapted (a) CIELAB data

| | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| RMa | 49.63 | 66.96 | 38.37 | 77.18 | 30 |
| JMa | 90.7 | -6.36 | 88.75 | 88.98 | 94 |
| GMa | 52.11 | -69.73 | 9.44 | 70.37 | 172 |
| G50B _{Ma} | 45.03 | -36.57 | -28.47 | 46.36 | 218 |
| B _{Ma} | 36.65 | 23.19 | -63.05 | 67.18 | 290 |
| B50R _{Ma} | 34.94 | 57.17 | -44.26 | 72.31 | 322 |
| N _{Ma} | 18.01 | 0.0 | 0.0 | 0.0 | 0 |
| W _{Ma} | 95.41 | 0.0 | 0.0 | 0.0 | 0 |
| RCIE | 39.92 | 58.66 | 26.98 | 64.56 | 25 |
| JCIE | 81.26 | -2.17 | 67.76 | 67.79 | 92 |
| GCIE | 52.23 | -42.26 | 11.75 | 43.87 | 164 |
| BCIE | 30.57 | 1.15 | -46.84 | 46.87 | 271 |


%Regularity
 $g^*_{H,rel} = 41$
 $g^*_{C,rel} = 52$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 162/360 = 0.451$
 lab^*tch and lab^*nch


D65: hue G
 LCH*Ma: 65 110 162
 rgb*Ma: 0.08 1.0 0.0
 triangle lightness



NCS11; adapted (a) CIELAB data

| | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| RMa | 47.15 | 84.64 | 37.25 | 92.48 | 24 |
| JMa | 91.37 | -1.27 | 125.03 | 125.03 | 91 |
| GMa | 63.07 | -114.28 | 25.35 | 117.06 | 167 |
| G50B _{Ma} | 59.47 | -80.6 | -33.45 | 87.28 | 203 |
| B _{Ma} | 49.01 | 3.65 | -81.19 | 81.28 | 273 |
| B50R _{Ma} | 44.06 | 106.09 | -73.93 | 129.32 | 325 |
| N _{Ma} | 10.99 | 0.0 | 0.0 | 0.0 | 0 |
| W _{Ma} | 95.41 | 0.0 | 0.0 | 0.0 | 0 |
| RCIE | 39.92 | 58.69 | 27.98 | 65.01 | 25 |
| JCIE | 81.26 | -2.9 | 71.56 | 71.62 | 92 |
| GCIE | 52.23 | -42.45 | 13.59 | 44.59 | 162 |
| BCIE | 30.57 | 1.35 | -46.48 | 46.51 | 272 |

%Regularity
 $g^*_{H,rel} = 46$
 $g^*_{C,rel} = 65$



UE430-7, 5 step scales for constant CIELAB hue 164/360 = 0.457 (left)

5 step scales for constant CIELAB hue 162/360 = 0.451 (right)


BAM-test chart UE43; Colorimetric systems ORS18 & ORS18
 D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^*$ setcmYcolor
 output: Startup (S) data dependend

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 271/360 = 0.754$
 lab^*tch and lab^*nch

D65: hue B
LCH*Ma: 40 50 271
rgb*Ma: 0.0 0.37 1.0
triangle lightness




MRS18; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$




UE430-7, 5 step scales for constant CIELAB hue 271/360 = 0.754 (left)

Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 272/360 = 0.755$
 lab^*tch and lab^*nch

D65: hue B
LCH*Ma: 49 80 272
rgb*Ma: 0.0 0.02 1.0
triangle lightness




NCS11; adapted (a) CIELAB data table with columns L*, a*, b*, C*, h* and rows for various colorimetric systems (RMa, JMa, GMa, G50BMa, BMa, B50RMa, NMa, WMa, RCIE, JCIE, GCIE, BCIE).

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



5 step scales for constant CIELAB hue 272/360 = 0.755 (right)