


Input: Colorimetric Reflective System NRS11

for hue $h^* = lab \cdot h = 24/360 = 0.067$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue R
LCH*Ma: 53 84 24
rgb*Ma: 1.0 0.0 0.0

triangle lightness



% Gamut
 $u^*_{rel} = 119$

NRS11; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50B _{Ma}	53.2	-77.72	-32.98	84.44	203
B _{Ma}	53.2	4.37	-84.28	84.41	273
B50R _{Ma}	53.2	69.09	-48.41	84.37	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

% Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,25

0,50

0,75

1,00

chromaticness c^*


Output: Colorimetric Reflective System ORS18

for hue $h^* = lab \cdot h = 38/360 = 0.105$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue O
LCH*Ma: 48 83 38
rgb*Ma: 1.0 0.0 0.0

triangle lightness



% Gamut
 $u^*_{rel} = 93$

ORS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,25

0,50

0,75

1,00

chromaticness c^*

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,25

0,50

0,75

1,00

chromaticness c^*

1,00

5 step scales for constant CIELAB hue 38/360 = 0.105 (right)

input: $cmY0^* setcmykcolor$

output: no change compared to input

BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

UE470-7, 5 step scales for constant CIELAB hue 24/360 = 0.067 (left)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 91/360 = 0.253$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0

triangle lightness



NRS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50B _{Ma}	53.2	-77.72	-32.98	84.44	203
B _{Ma}	53.2	4.37	-84.28	84.41	273
B50R _{Ma}	53.2	69.09	-48.41	84.37	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness c^*

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 96/360 = 0.268$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0

triangle lightness



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
V _{Ma}	25.71	31.11	-44.42	54.24	305
M _{Ma}	48.13	75.27	-8.35	75.73	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

chromaticness c^*

UE470-7, 5 step scales for constant CIELAB hue 91/360 = 0.253 (left)

5 step scales for constant CIELAB hue 96/360 = 0.268 (right)

BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^* set cmykcolor$

output: no change compared to input


Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 167/360 = 0.464$

lab^*tch and lab^*nch

D65: hue G
LCH*Ma: 53 84 167
rgb*Ma: 0.0 1.0 0.0

triangle lightness



NRS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50BMa	53.2	-77.72	-32.98	84.44	203
BMa	53.2	4.37	-84.28	84.41	273
B50RMa	53.2	69.09	-48.41	84.37	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

1,00

0,75

blackness n^*

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,00$

chromaticness c^*


Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 151/360 = 0.419$

lab^*tch and lab^*nch

D65: hue L
LCH*Ma: 51 72 151
rgb*Ma: 0.0 1.0 0.0

triangle lightness



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1,00

0,75

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,00$

blackness n^*

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,00$

chromaticness c^*

UE470-7, 5 step scales for constant CIELAB hue 167/360 = 0.464 (left)

5 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^* set cmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System NRS11


for hue $h^* = lab \cdot h = 203/360 = 0.564$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G50B
LCH*Ma: 53 84 203
rgb*Ma: 0.0 1.0 1.0

triangle lightness

1,00



% Gamut

$u^*_{rel} = 119$

NRS11; adapted (a) CIELAB data

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50B _{Ma}	53.2	-77.72	-32.98	84.44	203
B _{Ma}	53.2	4.37	-84.28	84.41	273
B50R _{Ma}	53.2	69.09	-48.41	84.37	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

% Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

1,00

relative Inform. Technology (IT)				
olvi3*	1.0	1.0	1.0	(1.0)
cmyn3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)
standard and adapted CIELAB				
LAB*LAB	95.41	-0.97	4.75	
LAB*LABa	95.41	0.0	0.0	
LAB*TC _{Ma}	98.99	0.01	0.0	
relative CIELAB lab*				
lab*lab	1.0	0.0	0.0	
lab*tch	1.0	0.0	0.0	
lab*nch	0.0	0.0	1.0	
relative Natural Colour (NC)				
lab*trj	1.0	0.0	0.0	
lab*tce	1.0	0.0	0.0	
lab*nce	0.0	0.0	1.0	

relative Inform. Technology (IT)				
olvi3*	0.75	0.75	0.75	(1.0)
cmyn3*	0.25	0.25	0.25	(0.0)
olvi4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)
standard and adapted CIELAB				
LAB*LAB	76.06	-0.6	3.44	
LAB*LABa	76.06	0.0	0.0	
LAB*TC _{Ma}	75.0	0.01	0.0	
relative CIELAB lab*				
lab*lab	0.75	0.0	0.0	
lab*tch	0.75	0.0	0.0	
lab*nch	0.25	0.0	1.0	
relative Natural Colour (NC)				
lab*trj	0.75	0.0	0.0	
lab*tce	0.25	0.0	0.0	
lab*nce	0.25	0.0	1.0	

relative Inform. Technology (IT)				
olvi3*	0.5	0.5	0.5	(1.0)
cmyn3*	0.5	0.5	0.5	(0.0)
olvi4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)
standard and adapted CIELAB				
LAB*LAB	56.71	0.23	2.14	
LAB*LABa	56.71	0.0	0.0	
LAB*TC _{Ma}	50.0	0.01	0.0	
relative CIELAB lab*				
lab*lab	0.5	0.0	0.0	
lab*tch	0.5	0.0	0.0	
lab*nch	0.5	0.0	1.0	
relative Natural Colour (NC)				
lab*trj	0.5	0.0	0.0	
lab*tce	0.5	0.0	0.0	
lab*nce	0.5	0.0	1.0	

relative Inform. Technology (IT)				
olvi3*	0.25	0.25	0.25	(1.0)
cmyn3*	0.75	0.75	0.75	(0.0)
olvi4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)
standard and adapted CIELAB				
LAB*LAB	37.36	0.13	0.83	
LAB*LABa	37.36	0.0	0.0	
LAB*TC _{Ma}	25.0	0.01	0.0	
relative CIELAB lab*				
lab*lab	0.25	0.0	0.0	
lab*tch	0.25	0.0	0.0	
lab*nch	0.75	0.0	1.0	
relative Natural Colour (NC)				
lab*trj	0.25	0.0	0.0	
lab*tce	0.25	0.0	0.0	
lab*nce	0.75	0.0	1.0	

relative Inform. Technology (IT)				
olvi3*	0.0	0.0	0.0	(1.0)
cmyn3*	1.0	1.0	1.0	(0.0)
olvi4*	1.0	1.0	1.0	(1.0)
cmyn4*	0.0	0.0	0.0	(0.0)
standard and adapted CIELAB				
LAB*LAB	18.02	0.5	-0.46	
LAB*LABa	18.02	0.0	0.0	
LAB*TC _{Ma}	0.01	0.01	0.0	
relative CIELAB lab*				
lab*lab	0.0	0.0	0.0	
lab*tch	0.0	0.0	0.0	
lab*nch	1.0	0.0	1.0	
relative Natural Colour (NC)				
lab*trj	0.0	0.0	0.0	
lab*tce	0.0	0.0	0.0	
lab*nce	1.0	0.0	1.0	

$n^* = 1,0$

chromaticness c^*

0,25 0,50 0,75 1,00

blackness n^*

0,25 0,50 0,75 1,00

5 step scales for constant CIELAB hue 236/360 = 0.656 (right)

input: $cmyn0^* \text{ set } cmynkcolor$

output: no change compared to input

BAM material: code=rhda4a

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie: 1/1, UE47/

20060101-UE47/10S/S47E03NP.PS/.PDF

BAM registration: 20060101-UE47/10S/S47E03NP.PS/.PDF

application for evaluation and measurement of printer or monitor systems

Page count: 4

Page: 4

Form: 4/10, Serie

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab \cdot h = 273/360 = 0.758$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0

triangle lightness

1,00

% Gamut

$u^*_{rel} = 119$

% Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

0,50

$n^* = 0,50$

0,75

$n^* = 0,75$

1,00

$n^* = 1,00$

chromaticness c^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*


blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*



NRS11; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50BMa	53.2	-77.72	-32.98	84.44	203
BMa	53.2	4.37	-84.28	84.41	273
B50RMa	53.2	69.09	-48.41	84.37	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab \cdot h = 305/360 = 0.847$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0

triangle lightness

1,00

% Gamut

$u^*_{rel} = 93$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

0,50

$n^* = 0,50$

0,75

$n^* = 0,75$

1,00

$n^* = 1,00$

chromaticness c^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*


blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*



ORS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

0,50

$n^* = 0,50$

0,75

$n^* = 0,75$

1,00

$n^* = 1,00$

chromaticness c^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

blackness n^*

UE470-7, 5 step scales for constant CIELAB hue 273/360 = 0.758 (left)

5 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

input: $cmY0^* \text{ set } cmYkcolor$

output: no change compared to input

output: *no change compared to input*

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0

triangle lightness



NRS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50BMa	53.2	-77.72	-32.98	84.44	203
BMa	53.2	4.37	-84.28	84.41	273
B50RMa	53.2	69.09	-48.41	84.37	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

1,00

0,75

blackness n^*

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness c^*

UE470-7, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)



BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 25/360 = 0.069$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32

triangle lightness



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

1,00

0,75

blackness n^*

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

$n^* = 1,0$

chromaticness c^*

5 step scales for constant CIELAB hue 25/360 = 0.069 (right)

input: $cmY0^* set cmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0

triangle lightness




NRS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50BMa	53.2	-77.72	-32.98	84.44	203
BMa	53.2	4.37	-84.28	84.41	273
B50RMa	53.2	69.09	-48.41	84.37	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE470-7, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0

triangle lightness




ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

input: $cmY0^* set cmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0

triangle lightness



% Gamut


$u^*_{rel} = 119$

NRS11; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50BMa	53.2	-77.72	-32.98	84.44	203
BMa	53.2	4.37	-84.28	84.41	273
B50RMa	53.2	69.09	-48.41	84.37	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

% Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE470-7, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 164/360 = 0.457$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25

triangle lightness



% Gamut


$u^*_{rel} = 93$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 164/360 = 0.457 (right)

input: $cmY0^* setcmykcolor$

output: no change compared to input

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab \cdot h = 272/360 = 0.755$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0

triangle lightness




NRS11; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	53.2	77.06	34.32	84.36	24
JMa	53.2	-1.51	84.38	84.39	91
GMa	53.2	-82.27	18.98	84.44	167
G50BMa	53.2	-77.72	-32.98	84.44	203
BMa	53.2	4.37	-84.28	84.41	273
B50RMa	53.2	69.09	-48.41	84.37	325
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE470-7, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

BAM-test chart UE47; Colorimetric systems NRS11 & ORS18

D65: 5 step colour scales and coordinate data for 10 hues

Output: Colorimetric Reflective System ORS18

for hue $h^* = lab \cdot h = 271/360 = 0.754$


$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0

triangle lightness




ORS18; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.37	50.52	82.62	38
YMa	90.37	-10.27	91.77	92.34	96
LMa	50.9	-62.79	34.95	71.87	151
CMa	58.62	-30.35	-45.01	54.3	236
VMa	25.71	31.11	-44.42	54.24	305
MMa	48.13	75.27	-8.35	75.73	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



5 step scales for constant CIELAB hue 271/360 = 0.754 (right)

input: $cmY0^* \text{ set } cmykcolor$

output: no change compared to input