Input: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 38/360 = 0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 30/360 = 0.083***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 30/360 = 0.083 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *38/360* = *0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *31/360* = *0.086***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 31/360 = 0.086 (right)

Input: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 24/360 = 0.067*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *38/360 = 0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *24/360 = 0.066***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 24/360 = 0.067*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 38/360 = 0.105**

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 30/360 = 0.083*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 30/360 = 0.083**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 30/360 = 0.083**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left)

16 step scales for constant CIELAB hue 30/360 = 0.083 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 30/360 = 0.083$

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 38/360 = 0.105$

*lab*tch* and *lab*nch*

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 30/360 = 0.083*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 31/360 = 0.086*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left)

16 step scales for constant CIELAB hue 31/360 = 0.086 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *30/360 = 0.083***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *24/360 = 0.067***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left) 16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 30/360 = 0.083**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System MRS18

for hue h* = lab*h = 30/360 = 0.083

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue h* = lab*h = 24/360 = 0.067

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left) 16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System MRS18
for hue *h** = *lab*h* = *30/360* = *0.083*
*lab*tch* and *lab*nch*
D65: hue R
LCH*Ma: 50 77 30
rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut
u^*_{rel} = 91
%Regularity
$g^*_{H,rel}$ = 41
$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11
for hue *h** = *lab*h* = *24/360* = *0.066*
*lab*tch* and *lab*nch*
D65: hue R
LCH*Ma: 47 92 24
rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut
u^*_{rel} = 149
%Regularity
$g^*_{H,rel}$ = 46
$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 30/360 = 0.083 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *38/360* = *0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *38/360* = *0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *38/360* = *0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *30/360* = *0.083***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

16 step scales for constant CIELAB hue 30/360 = 0.083 (right)



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 38/360 = 0.105$

*lab*tch* and *lab*nch*

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 31/360 = 0.086$

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 31/360 = 0.086 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *38/360 = 0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *24/360 = 0.067***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 38/360 = 0.105$

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 24/360 = 0.066$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *38/360 = 0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *24/360 = 0.067***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 38/360 = 0.105**

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



triangle lightness *t**

%Gamut

u*rel = 93

%Regularity

g*H,rel = 57

g*C,rel = 59

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



triangle lightness *t**

%Gamut

u*rel = 149

%Regularity

g*H,rel = 46

g*C,rel = 65

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left) 16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 38/360 = 0.105**

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left) 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left) 16 step scales for constant CIELAB hue 30/360 = 0.083 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h** = *lab*h* = *31/360 = 0.086*

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h** = *lab*h* = *38/360 = 0.105*

*lab*tch* and *lab*nch*

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left) 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left)

16 step scales for constant CIELAB hue 31/360 = 0.086 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left) 16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49

triangle lightness *t*



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 31/360 = 0.086 (left) 16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 38/360 = 0.105**

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left) 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 24/360 = 0.067$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 30/360 = 0.083$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 30/360 = 0.083 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 38/360 = 0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 31/360 = 0.086 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 24/360 = 0.067*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 24/360 = 0.066*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left) 16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 24/360 = 0.067*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 24/360 = 0.067*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 24/360 = 0.066*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left) 16 step scales for constant CIELAB hue 30/360 = 0.083 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 24/360 = 0.066$

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 38/360 = 0.105$

*lab*tch* and *lab*nch*

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left) 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *24/360* = *0.066***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *31/360* = *0.086***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left) 16 step scales for constant CIELAB hue 31/360 = 0.086 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 24/360 = 0.066*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 24/360 = 0.067*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *24/360 = 0.067***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *38/360 = 0.105***

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left) 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 24/360 = 0.067***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 30/360 = 0.083***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 30/360 = 0.083 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 24/360 = 0.067$

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 38/360 = 0.105$

*lab*tch* and *lab*nch*

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 31/360 = 0.086**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 31/360 = 0.086 (right)



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left) 16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 24/360 = 0.067$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 24/360 = 0.066$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *24/360 = 0.067***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *24/360 = 0.066***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.067 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 24/360 = 0.066*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 38/360 = 0.105*

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *24/360* = *0.066***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *30/360* = *0.083***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 77 30

rgb*Ma: 1.0 0.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 30/360 = 0.083 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 38/360 = 0.105**

lab*tch* and *lab*nch

D65: hue O

LCH*Ma: 48 83 38

rgb*Ma: 1.0 0.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 24/360 = 0.066*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 31/360 = 0.086*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 50 78 31

rgb*Ma: 1.0 0.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left) 16 step scales for constant CIELAB hue 31/360 = 0.086 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 77 24

rgb*Ma: 1.0 0.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 24/360 = 0.067**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 84 24

rgb*Ma: 1.0 0.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.067 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 24/360 = 0.066**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 47 92 24

rgb*Ma: 1.0 0.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 24/360 = 0.066 (left)

16 step scales for constant CIELAB hue 24/360 = 0.066 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left) 16 step scales for constant CIELAB hue 94/360 = 0.261 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 96/360 = 0.268**

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 94/360 = 0.262**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left) 16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360 = 0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360 = 0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360 = 0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360 = 0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left) 16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left)

16 step scales for constant CIELAB hue 94/360 = 0.261 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 96/360 = 0.268$

*lab*tch* and *lab*nch*

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left) 16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 94/360 = 0.261*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 94/360 = 0.262*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left)

16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 94/360 = 0.261*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 91/360 = 0.253*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left) 16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0

triangle lightness *t*

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0

triangle lightness *t*

NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.261 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 94/360 = 0.261 (right)



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 96/360 = 0.268$

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 94/360 = 0.262$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System TRS18

for hue h^* = lab^*h = 96/360 = 0.268

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



triangle lightness t^*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



Output: Colorimetric Reflective System NRS18

for hue h^* = lab^*h = 91/360 = 0.253

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



triangle lightness t^*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left) 16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *96/360 = 0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360 = 0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left) 16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 96/360 = 0.268$

*lab*tch* and *lab*nch*

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 91/360 = 0.253$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left) 16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 96/360 = 0.268**

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 91/360 = 0.252**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360* = *0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360* = *0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left)

16 step scales for constant CIELAB hue 94/360 = 0.261 (right)



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left) 16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360* = *0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360* = *0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left)

16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360* = *0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360* = *0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360 = 0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *91/360 = 0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left)   16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *94/360* = *0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 94/360 = 0.262 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 91/360 = 0.253*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 96/360 = 0.268*

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 91/360 = 0.253*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 94/360 = 0.261*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 94/360 = 0.261 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 91/360 = 0.253*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 94/360 = 0.262*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left) 16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 91/360 = 0.253**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 91/360 = 0.252**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 91/360 = 0.252*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 96/360 = 0.268*

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *94/360* = *0.261***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 94/360 = 0.261 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 91/360 = 0.252$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 96/360 = 0.268$

*lab*tch* and *lab*nch*

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 91/360 = 0.252*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 94/360 = 0.262*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left) 16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System NCS18

for hue h = lab*h = 91/360 = 0.252*

*lab*tch and lab*nch*

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue h = lab*h = 91/360 = 0.253*

*lab*tch and lab*nch*

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 91/360 = 0.252*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 91/360 = 0.253*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = 0.252**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360* = 0.252**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *96/360* = *0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 91/360 = 0.253$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 94/360 = 0.261 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *91/360 = 0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *96/360 = 0.268***

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 91/360 = 0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 94/360 = 0.262***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left) 16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NRS11

for hue *h** = *lab*h* = *91/360* = *0.253*

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h** = *lab*h* = *91/360* = *0.252*

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left) 16 step scales for constant CIELAB hue 91/360 = 0.252 (right)



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 91/360 = 0.253*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 91/360 = 0.252*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.253 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System NCS11

for hue h^* = lab^*h = 91/360 = 0.252

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue h^* = lab^*h = 96/360 = 0.268

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 91/360 = 0.252$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 94/360 = 0.261$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 89 94

rgb*Ma: 1.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 94/360 = 0.261 (right)

Input: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 91/360 = 0.252$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 96/360 = 0.268$

lab*tch* and *lab*nch

D65: hue Y

LCH*Ma: 90 92 96

rgb*Ma: 1.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 91/360 = 0.252**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 94/360 = 0.262**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 93 94

rgb*Ma: 1.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left) 16 step scales for constant CIELAB hue 94/360 = 0.262 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *91/360* = *0.253***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 77 91

rgb*Ma: 1.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 91/360 = 0.252**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 91/360 = 0.253**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 84 91

rgb*Ma: 1.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.253 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *91/360* = *0.252***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 91 125 91

rgb*Ma: 1.0 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 91/360 = 0.252 (left)

16 step scales for constant CIELAB hue 91/360 = 0.252 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 151/360 = 0.419$

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 172/360 = 0.479$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left) 16 step scales for constant CIELAB hue 172/360 = 0.479 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 151/360 = 0.419$

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 171/360 = 0.475$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t*



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 151/360 = 0.419$

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 167/360 = 0.465$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *172/360 = 0.479***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *172/360 = 0.479***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 172/360 = 0.479 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System MRS18

for hue ***h**** **=** ***lab*h*** **= 172/360 = 0.479**

lab*tch **and** ***lab*nch***

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue ***h**** **=** ***lab*h*** **= 167/360 = 0.464**

lab*tch **and** ***lab*nch***

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 172/360 = 0.479$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 167/360 = 0.464$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 172/360 = 0.479 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System TRS18
for hue *h = *lab*h* = 151/360 = 0.419**
lab*tch* and *lab*nch
D65: hue L
LCH*Ma: 51 72 151
rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18
for hue *h = *lab*h* = 151/360 = 0.419**
lab*tch* and *lab*nch
D65: hue L
LCH*Ma: 51 72 151
rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 172/360 = 0.479 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 151/360 = 0.419$

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 151/360 = 0.419$

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 151/360 = 0.419$

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 167/360 = 0.465$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System TRS18

for hue h* = lab*h = 151/360 = 0.419

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue h* = lab*h = 167/360 = 0.464

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49

MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left) 16 step scales for constant CIELAB hue 172/360 = 0.479 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h** = *lab*h* = *171/360* = *0.475*

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



Output: Colorimetric Reflective System MRS18a

for hue *h** = *lab*h* = *171/360* = *0.475*

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left)

16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System MRS18a

for hue h = lab*h = 171/360 = 0.475*

*lab*tch and lab*nch*

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue h = lab*h = 167/360 = 0.464*

*lab*tch and lab*nch*

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System MRS18a

for hue h* = lab*h = 171/360 = 0.475

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS11

for hue h* = lab*h = 167/360 = 0.465

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 171/360 = 0.475 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 167/360 = 0.464*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 172/360 = 0.479*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 172/360 = 0.479 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *167/360 = 0.464***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t**



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *171/360 = 0.475***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left) 16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
RMa	56.7	70.66	31.47	77.35	24
JMa	56.7	−1.39	77.37	77.39	91
GMa	56.7	−75.46	17.4	77.45	167
G50BMa	56.7	−71.29	−30.25	77.45	203
BMa	56.7	4.0	−77.3	77.41	273
B50RMa	56.7	63.35	−44.4	77.36	325
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.67	27.97	64.99	25
JCIE	81.26	−2.91	71.56	71.62	92
GCIE	52.23	−42.47	13.58	44.6	162
BCIE	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
RMa	47.15	84.63	37.24	92.46	24
JMa	91.37	−1.27	125.03	125.03	91
GMa	63.07	−114.29	25.34	117.07	167
G50BMa	59.47	−80.61	−33.45	87.29	203
BMa	49.01	3.63	−81.2	81.29	273
B50RMa	44.06	106.07	−73.94	129.31	325
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.67	27.97	64.99	25
JCIE	81.26	−2.91	71.56	71.62	92
GCIE	52.23	−42.47	13.58	44.6	162
BCIE	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 167/360 = 0.464$

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 167/360 = 0.464$

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left) 16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 172/360 = 0.479 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *167/360 = 0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *167/360 = 0.464***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *167/360* = *0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *167/360* = *0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 167/360 = 0.465*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 167/360 = 0.464*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left) 16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 167/360 = 0.465$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 167/360 = 0.465$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left) 16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 172/360 = 0.479**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 172/360 = 0.479 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 167/360 = 0.464$

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 151/360 = 0.419$

*lab*tch* and *lab*nch*

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0

NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0

NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.464 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 167/360 = 0.465$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 172/360 = 0.479$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 70 172

rgb*Ma: 0.0 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left) 16 step scales for constant CIELAB hue 172/360 = 0.479 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 151/360 = 0.419**

lab*tch* and *lab*nch

D65: hue L

LCH*Ma: 51 72 151

rgb*Ma: 0.0 1.0 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 171/360 = 0.475**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 52 71 171

rgb*Ma: 0.0 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left) 16 step scales for constant CIELAB hue 171/360 = 0.475 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 77 167

rgb*Ma: 0.0 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *167/360* = *0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *167/360* = *0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 167/360 = 0.464**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 84 167

rgb*Ma: 0.0 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left) 16 step scales for constant CIELAB hue 167/360 = 0.464 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 167/360 = 0.465***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 63 117 167

rgb*Ma: 0.0 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 167/360 = 0.465 (left)

16 step scales for constant CIELAB hue 167/360 = 0.465 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *236/360* = *0.656***

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *236/360* = *0.656***

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System ORS18

for hue ***h* = lab*h = 236/360 = 0.656***

lab*tch **and** ***lab*nch***

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness ***t****

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue ***h* = lab*h = 218/360 = 0.605***

lab*tch **and** ***lab*nch***

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness ***t****

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 218/360 = 0.605 (right)

Input: Colorimetric Reflective System ORS18
for hue *h = *lab*h* = *236/360 = 0.656***
lab*tch* and *lab*nch
D65: hue C
LCH*Ma: 59 54 236
rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**



Output: Colorimetric Reflective System TRS18
for hue *h = *lab*h* = *236/360 = 0.656***
lab*tch* and *lab*nch
D65: hue C
LCH*Ma: 59 54 236
rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 236/360 = 0.656$

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 217/360 = 0.601$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 217/360 = 0.601 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656***

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 236/360 = 0.656$

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 203/360 = 0.563$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left) 16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left)

16 step scales for constant CIELAB hue 218/360 = 0.605 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left)

16 step scales for constant CIELAB hue 217/360 = 0.601 (right)



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left) 16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left) 16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 218/360 = 0.605$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 203/360 = 0.564$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 218/360 = 0.605 (left) 16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left) 16 step scales for constant CIELAB hue 218/360 = 0.605 (right)



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left) 16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 236/360 = 0.656$

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 217/360 = 0.601$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 217/360 = 0.601 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 236/360 = 0.656*

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left) 16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t**



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left) 16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left) 16 step scales for constant CIELAB hue 218/360 = 0.605 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 217/360 = 0.601*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 236/360 = 0.656*

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left)

16 step scales for constant CIELAB hue 217/360 = 0.601 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *217/360* = *0.601***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49

MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *203/360* = *0.563***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49

triangle lightness *t*



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 217/360 = 0.601 (left) 16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h* = 203/360 = 0.564

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u*$_{rel}$ = 100

%Regularity

g*$_{H,rel}$ = 47

g*$_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h* = 236/360 = 0.656

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u*$_{rel}$ = 93

%Regularity

g*$_{H,rel}$ = 57

g*$_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left) 16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 218/360 = 0.605 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 236/360 = 0.656***

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 203/360 = 0.564$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 217/360 = 0.601$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 217/360 = 0.601 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t**



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left) 16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 218/360 = 0.605 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 236/360 = 0.656*

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left) 16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 203/360 = 0.563$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 217/360 = 0.601$

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left) 16 step scales for constant CIELAB hue 217/360 = 0.601 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left) 16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *203/360 = 0.563***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



%Gamut

u*rel = 136

%Regularity

g*H,rel = 46

g*C,rel = 65

NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *203/360 = 0.563***

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



%Gamut

u*rel = 149

%Regularity

g*H,rel = 46

g*C,rel = 65

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 203/360 = 0.564$

*lab*tch* and *lab*nch*

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 218/360 = 0.605$

*lab*tch* and *lab*nch*

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 218/360 = 0.605 (right)

Input: Colorimetric Reflective System NRS11

for hue h^* = lab^*h = 203/360 = 0.564

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue h^* = lab^*h = 236/360 = 0.656

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 217/360 = 0.601 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 203/360 = 0.564*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 203/360 = 0.564*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.564 (left) 16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left) 16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 218/360 = 0.605**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 218/360 = 0.605 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 236/360 = 0.656**

lab*tch* and *lab*nch

D65: hue C

LCH*Ma: 59 54 236

rgb*Ma: 0.0 1.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 217/360 = 0.601**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 45 46 217

rgb*Ma: 0.0 1.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left) 16 step scales for constant CIELAB hue 217/360 = 0.601 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 203/360 = 0.564*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 57 77 203

rgb*Ma: 0.0 1.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 203/360 = 0.563**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 203/360 = 0.564**

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 53 84 203

rgb*Ma: 0.0 1.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 203/360 = 0.564 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 203/360 = 0.563*

lab*tch* and *lab*nch

D65: hue G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 203/360 = 0.563 (left)

16 step scales for constant CIELAB hue 203/360 = 0.563 (right)

Input: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 305/360 = 0.847*

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 305/360 = 0.847*

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 290/360 = 0.806**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left) 16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 290/360 = 0.807 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System ORS18

for hue *h** = *lab*h* = *305/360* = *0.847*

*lab*tch* and *lab*nch*

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h** = *lab*h* = *273/360* = *0.757*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left) 16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 290/360 = 0.806**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *290/360 = 0.806***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *290/360 = 0.806***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 290/360 = 0.806***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847***

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 290/360 = 0.806**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 290/360 = 0.807 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *290/360* = *0.806***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *273/360* = *0.758***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *290/360* = *0.806***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *273/360* = *0.757***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System MRS18

for hue *h** = *lab*h* = *290/360* = *0.806*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue *h** = *lab*h* = *273/360* = *0.758*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 290/360 = 0.806*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 273/360 = 0.757*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.806 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *305/360 = 0.847***

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *305/360 = 0.847***

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System TRS18

for hue *h** = *lab*h* = *305/360 = 0.847*

*lab*tch* and *lab*nch*

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18

for hue *h** = *lab*h* = *290/360 = 0.806*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left) 16 step scales for constant CIELAB hue 290/360 = 0.807 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left) 16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System TRS18

for hue h* = lab*h = 305/360 = 0.847

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue h* = lab*h = 273/360 = 0.758

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 290/360 = 0.806**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left)

16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 290/360 = 0.807*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 305/360 = 0.847*

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left) 16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System MRS18a

for hue ***h* = lab*h = 290/360 = 0.807***

lab*tch **and** ***lab*nch***

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness ***t****

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue ***h* = lab*h = 290/360 = 0.807***

lab*tch **and** ***lab*nch***

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness ***t****

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left)

16 step scales for constant CIELAB hue 290/360 = 0.807 (right)

Input: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 290/360 = 0.807$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



Output: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 273/360 = 0.758$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 290/360 = 0.807$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 273/360 = 0.758$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 290/360 = 0.807$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 273/360 = 0.757$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 290/360 = 0.807 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *273/360 = 0.758***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *305/360 = 0.847***

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 290/360 = 0.806**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h* = 273/360 = 0.758

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h* = 305/360 = 0.847

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left) 16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 290/360 = 0.807 (right)



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 273/360 = 0.758$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 273/360 = 0.757$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NRS18

for hue h* = lab*h = 273/360 = 0.758

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue h* = lab*h = 273/360 = 0.758

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 290/360 = 0.806**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left) 16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left) 16 step scales for constant CIELAB hue 290/360 = 0.807 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 273/360 = 0.757*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 273/360 = 0.757*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 273/360 = 0.758*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 305/360 = 0.847*

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 273/360 = 0.758$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 290/360 = 0.806$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left) 16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *273/360* = *0.758***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *290/360* = *0.807***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 290/360 = 0.807 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 273/360 = 0.758*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 273/360 = 0.758*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 273/360 = 0.758*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 273/360 = 0.757*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 273/360 = 0.758$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 273/360 = 0.757$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.758 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 273/360 = 0.757*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 290/360 = 0.806*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 67 290

rgb*Ma: 0.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 290/360 = 0.806 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 305/360 = 0.847**

lab*tch* and *lab*nch

D65: hue V

LCH*Ma: 26 54 305

rgb*Ma: 0.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 290/360 = 0.807**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 37 66 290

rgb*Ma: 0.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left) 16 step scales for constant CIELAB hue 290/360 = 0.807 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 273/360 = 0.757*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 273/360 = 0.758*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 77 273

rgb*Ma: 0.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 273/360 = 0.758**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 84 273

rgb*Ma: 0.0 0.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.758 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 273/360 = 0.757**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 81 273

rgb*Ma: 0.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 273/360 = 0.757 (left)

16 step scales for constant CIELAB hue 273/360 = 0.757 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 354/360 = 0.982$

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left) 16 step scales for constant CIELAB hue 322/360 = 0.895 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 354/360 = 0.982$

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 354/360 = 0.982$

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System ORS18

for hue *h** = *lab*h* = 354/360 = 0.982

*lab*tch* and *lab*nch*

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h** = *lab*h* = 323/360 = 0.896

*lab*tch* and *lab*nch*

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 323/360 = 0.896 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left) 16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left) 16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left) 16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 322/360 = 0.895 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 354/360 = 0.982$

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 323/360 = 0.896$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 323/360 = 0.896 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 322/360 = 0.895 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 354/360 = 0.982$

*lab*tch* and *lab*nch*

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 354/360 = 0.982$

*lab*tch* and *lab*nch*

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 322/360 = 0.895 (right)



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left) 16 step scales for constant CIELAB hue 323/360 = 0.896 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 354/360 = 0.982$

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 325/360 = 0.903$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System TRS18
for hue *h* = lab*h* = 354/360 = 0.982
*lab*tch* and *lab*nch*
D65: hue M
LCH*Ma: 48 76 354
rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11
for hue *h* = lab*h* = 325/360 = 0.903
*lab*tch* and *lab*nch*
D65: hue B50R
LCH*Ma: 44 129 325
rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut
u^*_{rel} = 149
%Regularity
$g^*_{H,rel}$ = 46
$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)   16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left)

16 step scales for constant CIELAB hue 322/360 = 0.895 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left)

16 step scales for constant CIELAB hue 323/360 = 0.896 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left) 16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 323/360 = 0.896$

*lab*tch* and *lab*nch*

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 325/360 = 0.903$

*lab*tch* and *lab*nch*

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 323/360 = 0.896 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left) 16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 322/360 = 0.895 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 323/360 = 0.896 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 325/360 = 0.903*

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 325/360 = 0.903*

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 325/360 = 0.903$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 322/360 = 0.895 (right)

Input: Colorimetric Reflective System NCS18

for hue ***h* = lab*h = 325/360 = 0.903***

lab*tch **and** ***lab*nch***

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness ***t****

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue ***h* = lab*h = 354/360 = 0.982***

lab*tch **and** ***lab*nch***

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness ***t****

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 325/360 = 0.903$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 323/360 = 0.896$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left) 16 step scales for constant CIELAB hue 323/360 = 0.896 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *325/360* = *0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *325/360* = *0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 325/360 = 0.903$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 325/360 = 0.903$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 325/360 = 0.903$

*lab*tch* and *lab*nch*

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 322/360 = 0.895$

*lab*tch* and *lab*nch*

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left) 16 step scales for constant CIELAB hue 322/360 = 0.895 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 325/360 = 0.903$

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 354/360 = 0.982$

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 323/360 = 0.896 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *325/360* = *0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *325/360* = *0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *325/360* = *0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *325/360* = *0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u*$_{rel}$ = 149

%Regularity

g*$_{H,rel}$ = 46

g*$_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u*$_{rel}$ = 93

%Regularity

g*$_{H,rel}$ = 57

g*$_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left) 16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 322/360 = 0.895**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left) 16 step scales for constant CIELAB hue 322/360 = 0.895 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 354/360 = 0.982**

lab*tch* and *lab*nch

D65: hue M

LCH*Ma: 48 76 354

rgb*Ma: 1.0 0.0 1.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 323/360 = 0.896**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 35 72 323

rgb*Ma: 1.0 0.0 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 323/360 = 0.896 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 57 77 325

rgb*Ma: 1.0 0.0 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 325/360 = 0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 325/360 = 0.903***

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 53 84 325

rgb*Ma: 1.0 0.0 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 325/360 = 0.903**

lab*tch* and *lab*nch

D65: hue B50R

LCH*Ma: 44 129 325

rgb*Ma: 1.0 0.0 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 325/360 = 0.903 (left)

16 step scales for constant CIELAB hue 325/360 = 0.903 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System ORS18

for hue h* = lab*h = 25/360 = 0.069

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue h* = lab*h = 25/360 = 0.071

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System MRS18

for hue h* = lab*h = 25/360 = 0.069

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52

triangle lightness *t*



Output: Colorimetric Reflective System TRS18

for hue h* = lab*h = 25/360 = 0.069

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left) 16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *25/360* = *0.069***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *25/360* = *0.069***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 25/360 = 0.069$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 25/360 = 0.069$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 25/360 = 0.069$

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 25/360 = 0.069$

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 25/360 = 0.069$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 25/360 = 0.071$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *25/360* = *0.069***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *25/360* = *0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *25/360* = *0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *25/360* = *0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left) 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left) 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 25/360 = 0.071$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 25/360 = 0.071$

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 25/360 = 0.069*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 25/360 = 0.069*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS11

for hue *h** = *lab*h* = *25/360* = *0.071*

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h** = *lab*h* = *25/360* = *0.071*

*lab*tch* and *lab*nch*

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left) 16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left) 16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t*



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 25/360 = 0.069*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 25/360 = 0.069*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 25/360 = 0.069**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 75 25

rgb*Ma: 1.0 0.0 0.32



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 73 25

rgb*Ma: 1.0 0.0 0.1



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 25/360 = 0.071*

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 57 76 25

rgb*Ma: 1.0 0.03 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 25/360 = 0.071***

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 48 91 25

rgb*Ma: 1.0 0.02 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 25/360 = 0.071**

lab*tch* and *lab*nch

D65: hue R

LCH*Ma: 53 83 25

rgb*Ma: 1.0 0.03 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

UE900−7, 9 step scales for constant CIELAB hue 25/360 = 0.071 (left)

16 step scales for constant CIELAB hue 25/360 = 0.071 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)   16 step scales for constant CIELAB hue 92/360 = 0.255 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left) 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)   16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left) 16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t**



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 92/360 = 0.256$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left) 16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	−6.36	88.75	88.98	94
GMa	52.11	−69.73	9.44	70.37	172
G50BMa	45.03	−36.57	−28.47	46.36	218
BMa	36.65	23.19	−63.05	67.18	290
B50RMa	34.94	57.17	−44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	−2.17	67.76	67.79	92
GCIE	52.23	−42.26	11.75	43.87	164
BCIE	30.57	1.15	−46.84	46.87	271

%Gamut

u*rel = 91

%Regularity

g*H,rel = 41

g*C,rel = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	L*=L*a	a*a	b*a	C*ab,a	h*ab,a
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	−6.36	88.75	88.98	94
GMa	52.11	−69.73	9.44	70.37	172
G50BMa	45.03	−36.57	−28.47	46.36	218
BMa	36.65	23.19	−63.05	67.18	290
B50RMa	34.94	57.17	−44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	−2.17	67.76	67.79	92
GCIE	52.23	−42.26	11.75	43.87	164
BCIE	30.57	1.15	−46.84	46.87	271

%Gamut

u*rel = 91

%Regularity

g*H,rel = 41

g*C,rel = 52



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52

triangle lightness *t*



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left) 16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 92/360 = 0.255$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 92/360 = 0.255$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 92/360 = 0.255$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 92/360 = 0.256$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left) 16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left) 16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 92/360 = 0.255$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 92/360 = 0.256$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49

triangle lightness *t**



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49

MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 92/360 = 0.256*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 92/360 = 0.255*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left) 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NRS18

for hue *h** = *lab*h* = *92/360 = 0.256*

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h** = *lab*h* = *92/360 = 0.255*

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *92/360* = *0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)   16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 92/360 = 0.256*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 92/360 = 0.255*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NCS18

for hue h* = lab*h = 92/360 = 0.256

lab*tch and lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue h* = lab*h = 92/360 = 0.256

lab*tch and lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS18

for hue h* = lab*h = 92/360 = 0.256

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue h* = lab*h = 92/360 = 0.256

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left) 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 92/360 = 0.256*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 92/360 = 0.256*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *92/360* = *0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 92/360 = 0.256$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 92/360 = 0.256$

*lab*tch* and *lab*nch*

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 92/360 = 0.256*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 92/360 = 0.256*

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left) 16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 92/360 = 0.256$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272



Output: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 92/360 = 0.255**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left) 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *92/360 = 0.255***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 86 88 92

rgb*Ma: 1.0 0.9 0.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 92/360 = 0.256***

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 89 91 92

rgb*Ma: 1.0 0.95 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 57 76 92

rgb*Ma: 0.98 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left) 16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 53 83 92

rgb*Ma: 0.98 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 92/360 = 0.256**

lab*tch* and *lab*nch

D65: hue J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 92/360 = 0.256 (left)

16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 164/360 = 0.457*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 164/360 = 0.457*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *164/360* = *0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *164/360* = *0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)   16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 164/360 = 0.457$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 162/360 = 0.451$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 164/360 = 0.457$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 162/360 = 0.451$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left) 16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 162/360 = 0.451*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 164/360 = 0.457*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 162/360 = 0.451*

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0

MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 162/360 = 0.451*

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0

NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272



triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 162/360 = 0.451$

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 162/360 = 0.451$

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 162/360 = 0.451$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 164/360 = 0.457$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 162/360 = 0.451$

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

triangle lightness *t**



Output: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 162/360 = 0.451$

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

$u^*_{rel} = 100$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t*



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 162/360 = 0.451$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 164/360 = 0.457$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = *164/360 = 0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 162/360 = 0.451*

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 162/360 = 0.451*

*lab*tch* and *lab*nch*

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 162/360 = 0.451*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 162/360 = 0.451*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h* = 162/360 = 0.451

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h* = 164/360 = 0.457

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 162/360 = 0.451*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 162/360 = 0.451*

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 162/360 = 0.451$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 162/360 = 0.451$

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 164

rgb*Ma: 0.1 1.0 0.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 164/360 = 0.457**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 57 164

rgb*Ma: 0.0 1.0 0.25



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 56 66 162

rgb*Ma: 0.11 1.0 0.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 57 73 162

rgb*Ma: 0.08 1.0 0.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 162/360 = 0.451**

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 53 80 162

rgb*Ma: 0.08 1.0 0.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 162/360 = 0.451***

lab*tch* and *lab*nch

D65: hue G

LCH*Ma: 65 110 162

rgb*Ma: 0.08 1.0 0.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 162/360 = 0.451 (left)

16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 271/360 = 0.754*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 271/360 = 0.754*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = *271/360* = *0.754***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = *271/360* = *0.754***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 271/360 = 0.754*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 271/360 = 0.754*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left) 16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System ORS18

for hue $h^* = lab^*h = 271/360 = 0.754$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 272/360 = 0.755$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System MRS18

for hue ***h* = lab*h = 271/360 = 0.754***

lab*tch **and** ***lab*nch***

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness ***t****

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18

for hue ***h* = lab*h = 271/360 = 0.754***

lab*tch **and** ***lab*nch***

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness ***t****

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 271/360 = 0.754*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System TRS18

for hue *h* = lab*h = 271/360 = 0.754*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18

for hue $h^* = lab^*h = 271/360 = 0.754$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

$u^*_{rel} = 91$

%Regularity

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 272/360 = 0.755$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System TRS18
for hue *h* = lab*h = 271/360 = 0.754*
*lab*tch* and *lab*nch*
D65: hue B
LCH*Ma: 42 45 271
rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut
u^*_{rel} = 93
%Regularity
$g^*_{H,rel}$ = 57
$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18
for hue *h* = lab*h = 271/360 = 0.754*
*lab*tch* and *lab*nch*
D65: hue B
LCH*Ma: 40 50 271
rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut
u^*_{rel} = 91
%Regularity
$g^*_{H,rel}$ = 41
$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)   16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left) 16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 271/360 = 0.754$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 272/360 = 0.755$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 271/360 = 0.754$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness t^*

%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 272/360 = 0.755$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 272/360 = 0.755*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System ORS18

for hue *h* = lab*h = 271/360 = 0.754*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 272/360 = 0.755*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18

for hue *h* = lab*h = 271/360 = 0.754*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *272/360* = *0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *272/360* = *0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h* = lab*h = 272/360 = 0.755*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS18

for hue *h* = lab*h = 272/360 = 0.755*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = *272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left) 16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NRS18

for hue $h^* = lab^*h = 272/360 = 0.755$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue $h^* = lab^*h = 271/360 = 0.754$

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = *272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS18
for hue *h* = lab*h = 272/360 = 0.755*
*lab*tch* and *lab*nch*
D65: hue B
LCH*Ma: 57 76 272
rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut
u^*_{rel} = 100
%Regularity
$g^*_{H,rel}$ = 47
$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11
for hue *h* = lab*h = 272/360 = 0.755*
*lab*tch* and *lab*nch*
D65: hue B
LCH*Ma: 53 83 272
rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut
u^*_{rel} = 119
%Regularity
$g^*_{H,rel}$ = 47
$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t**



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100

triangle lightness *t**



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS18

for hue $h^* = lab^*h = 272/360 = 0.755$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 136$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System NRS11

for hue $h^* = lab^*h = 272/360 = 0.755$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

$u^*_{rel} = 119$

%Regularity

$g^*_{H,rel} = 47$

$g^*_{C,rel} = 100$



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS18

for hue *h* = lab*h = 272/360 = 0.755*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 272/360 = 0.755*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t**

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System MRS18a

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 92

%Regularity

$g^*_{H,rel}$ = 42

$g^*_{C,rel}$ = 49



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = 272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS18

for hue *h = *lab*h* = 272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = *272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS11

for hue *h** = *lab*h* = *272/360* = *0.755*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NRS11

for hue *h** = *lab*h* = *272/360* = *0.755*

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NRS11

for hue *h = *lab*h* = *272/360* = *0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



Output: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = *272/360* = *0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65

triangle lightness *t*



Output: Colorimetric Reflective System ORS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59

triangle lightness *t*



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left) 16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System MRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 40 50 271

rgb*Ma: 0.0 0.37 1.0



MRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.96	38.37	77.18	30
J_{Ma}	90.7	−6.36	88.75	88.98	94
G_{Ma}	52.11	−69.73	9.44	70.37	172
$G50B_{Ma}$	45.03	−36.57	−28.47	46.36	218
B_{Ma}	36.65	23.19	−63.05	67.18	290
$B50R_{Ma}$	34.94	57.17	−44.26	72.31	322
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 91

%Regularity

$g^*_{H,rel}$ = 41

$g^*_{C,rel}$ = 52



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 272/360 = 0.755**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System TRS18

for hue *h = *lab*h* = 271/360 = 0.754**

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 42 45 271

rgb*Ma: 0.0 0.49 1.0



TRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.37	50.52	82.62	38
Y_{Ma}	90.37	−10.27	91.77	92.34	96
L_{Ma}	50.9	−62.79	34.95	71.87	151
C_{Ma}	58.62	−30.35	−45.01	54.3	236
V_{Ma}	25.71	31.11	−44.42	54.24	305
M_{Ma}	48.13	75.27	−8.35	75.73	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.66	26.98	64.56	25
J_{CIE}	81.26	−2.17	67.76	67.79	92
G_{CIE}	52.23	−42.26	11.75	43.87	164
B_{CIE}	30.57	1.15	−46.84	46.87	271

triangle lightness *t*

%Gamut

u^*_{rel} = 93

%Regularity

$g^*_{H,rel}$ = 57

$g^*_{C,rel}$ = 59



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left) 16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 272/360 = 0.755$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System MRS18a

for hue $h^* = lab^*h = 272/360 = 0.755$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 40 49 272

rgb*Ma: 0.0 0.36 1.0



MRS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	49.63	66.8	40.02	77.87	31
J_{Ma}	90.7	−7.27	93.19	93.48	94
G_{Ma}	52.11	−69.93	11.26	70.85	171
$G50B_{Ma}$	45.03	−36.65	−27.13	45.61	217
B_{Ma}	36.65	23.26	−62.27	66.49	290
$B50R_{Ma}$	34.94	57.27	−43.6	71.99	323
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 42$

$g^*_{C,rel} = 49$



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS11

for hue h^* = lab^*h = 272/360 = 0.755

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS18

for hue h^* = lab^*h = 272/360 = 0.755

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 57 76 272

rgb*Ma: 0.0 0.02 1.0



NRS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	56.7	70.66	31.47	77.35	24
J_{Ma}	56.7	−1.39	77.37	77.39	91
G_{Ma}	56.7	−75.46	17.4	77.45	167
$G50B_{Ma}$	56.7	−71.29	−30.25	77.45	203
B_{Ma}	56.7	4.0	−77.3	77.41	273
$B50R_{Ma}$	56.7	63.35	−44.4	77.36	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness t^*

%Gamut

u^*_{rel} = 100

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS11

for hue *h = *lab*h* = 272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NCS18

for hue *h = *lab*h* = 272/360 = 0.755***

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.63	37.24	92.46	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.29	25.34	117.07	167
$G50B_{Ma}$	59.47	−80.61	−33.45	87.29	203
B_{Ma}	49.01	3.63	−81.2	81.29	273
$B50R_{Ma}$	44.06	106.07	−73.94	129.31	325
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.67	27.97	64.99	25
J_{CIE}	81.26	−2.91	71.56	71.62	92
G_{CIE}	52.23	−42.47	13.58	44.6	162
B_{CIE}	30.57	1.33	−46.48	46.51	272

triangle lightness *t**

%Gamut

u^*_{rel} = 136

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS11

for hue *h* = lab*h = 272/360 = 0.755*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 149

%Regularity

$g^*_{H,rel}$ = 46

$g^*_{C,rel}$ = 65



Output: Colorimetric Reflective System NRS11

for hue *h* = lab*h = 272/360 = 0.755*

lab*tch* and *lab*nch

D65: hue B

LCH*Ma: 53 83 272

rgb*Ma: 0.0 0.02 1.0



NRS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	53.2	77.06	34.32	84.36	24
J_{Ma}	53.2	−1.51	84.38	84.39	91
G_{Ma}	53.2	−82.27	18.98	84.44	167
$G50B_{Ma}$	53.2	−77.72	−32.98	84.44	203
B_{Ma}	53.2	4.37	−84.28	84.41	273
$B50R_{Ma}$	53.2	69.09	−48.41	84.37	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness *t*

%Gamut

u^*_{rel} = 119

%Regularity

$g^*_{H,rel}$ = 47

$g^*_{C,rel}$ = 100



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 272/360 = 0.755$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



Output: Colorimetric Reflective System NCS11

for hue $h^* = lab^*h = 272/360 = 0.755$

*lab*tch* and *lab*nch*

D65: hue B

LCH*Ma: 49 80 272

rgb*Ma: 0.0 0.02 1.0



NCS11; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_{Ma}	47.15	84.64	37.25	92.48	24
J_{Ma}	91.37	−1.27	125.03	125.03	91
G_{Ma}	63.07	−114.28	25.35	117.06	167
$G50B_{Ma}$	59.47	−80.6	−33.45	87.28	203
B_{Ma}	49.01	3.65	−81.19	81.28	273
$B50R_{Ma}$	44.06	106.09	−73.93	129.32	325
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.69	27.98	65.01	25
J_{CIE}	81.26	−2.9	71.56	71.62	92
G_{CIE}	52.23	−42.45	13.59	44.59	162
B_{CIE}	30.57	1.35	−46.48	46.51	272

triangle lightness t^*

%Gamut

$u^*_{rel} = 149$

%Regularity

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



UE900−7, 9 step scales for constant CIELAB hue 272/360 = 0.755 (left)

16 step scales for constant CIELAB hue 272/360 = 0.755 (right)