


Eingabe: Farbmatisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 30/360 = 0.083$

lab^*tch und lab^*nch

D65: Buntton R
LCH*Ma: 50 77 30
rgb*Ma: 1.0 0.0 0.0

Dreiecks-Helligkeit



MRS18; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00


Ausgabe: Farbmatisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 24/360 = 0.066$

lab^*tch und lab^*nch

D65: Buntton R
LCH*Ma: 47 92 24
rgb*Ma: 1.0 0.0 0.0

Dreiecks-Helligkeit





NCS11; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularität

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$

1,00



UG430-7, 5 stufige Reihen für konstanten CIELAB Buntton 30/360 = 0.083 (links)

5 stufige Reihen für konstanten CIELAB Buntton 24/360 = 0.066 (rechts)

BAM-Prüfvorlage UG43; Farbmatrik-Systeme MRS18 & NCS11input: *cmY0* setcmykcolor*

D65: 5stufige Farbreihen und Koordinaten-Daten für 10 Bunttöneoutput: *no change compared to input*


Eingabe: Farbmatisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 94/360 = 0.261$

lab^*tch und lab^*nch

D65: Buntton J
LCH*Ma: 91 89 94
rgb*Ma: 1.0 1.0 0.0

Dreiecks-Helligkeit



MRS18; adaptierte CIELAB-Daten					
	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,00

$n^* = 1,0$

relative Buntheit c^*

UG430-7, 5 stufige Reihen für konstanten CIELAB Buntton 94/360 = 0.261 (links)

BAM-Prüfvorlage UG43; Farbmatrik-Systeme MRS18 & NCS11

D65: 5stufige Farbreihen und Koordinaten-Daten für 10 Bunttöne


Ausgabe: Farbmatisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 91/360 = 0.252$

lab^*tch und lab^*nch

D65: Buntton J
LCH*Ma: 91 125 91
rgb*Ma: 1.0 1.0 0.0

Dreiecks-Helligkeit



%Umfang

$u^*_{rel} = 149$

NCS11; adaptierte CIELAB-Daten					
	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularität

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$

$n^* = 0,00$

$n^* = 0,25$

Schwarzheit n^*

$n^* = 0,50$

0,00

$n^* = 1,0$

relative Buntheit c^*

5 stufige Reihen für konstanten CIELAB Buntton 91/360 = 0.252 (rechts)

Input: $cmY0^* set cmykcolor$



output: no change compared to input

Eingabe: Farbmimetrisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 172/360 = 0.479$
 lab^*tch und lab^*nch

D65: Buntton G
LCH*Ma: 52 70 172
rgb*Ma: 0.0 1.0 0.0

Dreiecks-Helligkeit



UG430-7, 5 stufige Reihen für konstanten CIELAB Buntton 172/360 = 0.479 (links)

BAM-Prüfvorlage UG43; Farbmimetrik-Systeme MRS18 & NCS11



D65: 5stufige Farbreihen und Koordinaten-Daten für 10 Bunttöne

Ausgabe: Farbmimetrisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 167/360 = 0.465$
 lab^*tch und lab^*nch

D65: Buntton G
LCH*Ma: 63 117 167
rgb*Ma: 0.0 1.0 0.0

Dreiecks-Helligkeit



5 stufige Reihen für konstanten CIELAB Buntton 167/360 = 0.465 (rechts)

Input: cmy0* setcmykcolor

output: no change compared to input

Eingabe: Farbmimetrisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 218/360 = 0.605$


lab^*tch und lab^*nch

D65: Buntton G50B

LCH*Ma: 45 46 218

rgb*Ma: 0.0 1.0 1.0

Dreiecks-Helligkeit




MRS18; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$



UG430-7, 5 stufige Reihen für konstanten CIELAB Buntton 218/360 = 0.605 (links)

BAM-Prüfvorlage UG43; Farbmimetrik-Systeme MRS18 & NCS11

D65: 5stufige Farbreihen und Koordinaten-Daten für 10 Bunttöne

Ausgabe: Farbmimetrisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 203/360 = 0.563$


lab^*tch und lab^*nch

D65: Buntton G50B

LCH*Ma: 59 87 203

rgb*Ma: 0.0 1.0 1.0

Dreiecks-Helligkeit




NCS11; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularität

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$



5 stufige Reihen für konstanten CIELAB Buntton 203/360 = 0.563 (rechts)

Input: $cmY0^* set cmykcolor$

Output: no change compared to input


Eingabe: Farbmimetrisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 290/360 = 0.806$
 lab^*tch und lab^*nch

D65: Buntton B
LCH*Ma: 37 67 290
rgb*Ma: 0.0 0.0 1.0

Dreiecks-Helligkeit

1,00



%Umfang

$u^*_{rel} = 91$

MRS18; adaptierte CIELAB-Daten


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$





$g^*_{C,rel} = 52$

1,00



%Umfang

$u^*_{rel} = 149$



$n^* = 1,0$

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Natural Colour (NC)

standard and adapted CIELAB


relative CIELAB lab*

Eingabe: Farbmatisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 322/360 = 0.895$
 lab^*tch und lab^*nch

D65: Buntton B50R
LCH*Ma: 35 72 322
rgb*Ma: 1.0 0.0 1.0

Dreiecks-Helligkeit



MRS18; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00


relative Inform. Technology (IT)					
olvi3*	1.0	1.0	1.0	1.0	1.0
olvi4*	0.0	0.0	0.0	0.0	0.0
olvi5*	0.0	0.0	0.0	0.0	0.0
olvi6*	0.0	0.0	0.0	0.0	0.0
olvi7*	0.0	0.0	0.0	0.0	0.0
olvi8*	0.0	0.0	0.0	0.0	0.0
olvi9*	0.0	0.0	0.0	0.0	0.0
olvi10*	0.0	0.0	0.0	0.0	0.0
olvi11*	0.0	0.0	0.0	0.0	0.0
olvi12*	0.0	0.0	0.0	0.0	0.0
olvi13*	0.0	0.0	0.0	0.0	0.0
olvi14*	0.0	0.0	0.0	0.0	0.0
olvi15*	0.0	0.0	0.0	0.0	0.0
olvi16*	0.0	0.0	0.0	0.0	0.0
olvi17*	0.0	0.0	0.0	0.0	0.0
olvi18*	0.0	0.0	0.0	0.0	0.0
olvi19*	0.0	0.0	0.0	0.0	0.0
olvi20*	0.0	0.0	0.0	0.0	0.0
olvi21*	0.0	0.0	0.0	0.0	0.0
olvi22*	0.0	0.0	0.0	0.0	0.0
olvi23*	0.0	0.0	0.0	0.0	0.0
olvi24*	0.0	0.0	0.0	0.0	0.0
olvi25*	0.0	0.0	0.0	0.0	0.0
olvi26*	0.0	0.0	0.0	0.0	0.0
olvi27*	0.0	0.0	0.0	0.0	0.0
olvi28*	0.0	0.0	0.0	0.0	0.0
olvi29*	0.0	0.0	0.0	0.0	0.0
olvi30*	0.0	0.0	0.0	0.0	0.0
olvi31*	0.0	0.0	0.0	0.0	0.0
olvi32*	0.0	0.0	0.0	0.0	0.0
olvi33*	0.0	0.0	0.0	0.0	0.0
olvi34*	0.0	0.0	0.0	0.0	0.0
olvi35*	0.0	0.0	0.0	0.0	0.0
olvi36*	0.0	0.0	0.0	0.0	0.0
olvi37*	0.0	0.0	0.0	0.0	0.0
olvi38*	0.0	0.0	0.0	0.0	0.0
olvi39*	0.0	0.0	0.0	0.0	0.0
olvi40*	0.0	0.0	0.0	0.0	0.0
olvi41*	0.0	0.0	0.0	0.0	0.0
olvi42*	0.0	0.0	0.0	0.0	0.0
olvi43*	0.0	0.0	0.0	0.0	0.0
olvi44*	0.0	0.0	0.0	0.0	0.0
olvi45*	0.0	0.0	0.0	0.0	0.0
olvi46*	0.0	0.0	0.0	0.0	0.0
olvi47*	0.0	0.0	0.0	0.0	0.0
olvi48*	0.0	0.0	0.0	0.0	0.0
olvi49*	0.0	0.0	0.0	0.0	0.0
olvi50*	0.0	0.0	0.0	0.0	0.0
olvi51*	0.0	0.0	0.0	0.0	0.0
olvi52*	0.0	0.0	0.0	0.0	0.0
olvi53*	0.0	0.0	0.0	0.0	0.0
olvi54*	0.0	0.0	0.0	0.0	0.0
olvi55*	0.0	0.0	0.0	0.0	0.0
olvi56*	0.0	0.0	0.0	0.0	0.0
olvi57*	0.0	0.0	0.0	0.0	0.0
olvi58*	0.0	0.0	0.0	0.0	0.0
olvi59*	0.0	0.0	0.0	0.0	0.0
olvi60*	0.0	0.0	0.0	0.0	0.0
olvi61*	0.0	0.0	0.0	0.0	0.0
olvi62*	0.0	0.0	0.0	0.0	0.0
olvi63*	0.0	0.0	0.0	0.0	0.0
olvi64*	0.0	0.0	0.0	0.0	0.0
olvi65*	0.0	0.0	0.0	0.0	0.0
olvi66*	0.0	0.0	0.0	0.0	0.0
olvi67*	0.0	0.0	0.0	0.0	0.0
olvi68*	0.0	0.0	0.0	0.0	0.0
olvi69*	0.0	0.0	0.0	0.0	0.0
olvi70*	0.0	0.0	0.0	0.0	0.0
olvi71*	0.0	0.0	0.0	0.0	0.0
olvi72*	0.0	0.0	0.0	0.0	0.0
olvi73*	0.0	0.0	0.0	0.0	0.0
olvi74*	0.0	0.0	0.0	0.0	0.0
olvi75*	0.0	0.0	0.0	0.0	0.0
olvi76*	0.0	0.0	0.0	0.0	0.0
olvi77*	0.0	0.0	0.0	0.0	0.0
olvi78*	0.0	0.0	0.0	0.0	0.0
olvi79*	0.0	0.0	0.0	0.0	0.0
olvi80*	0.0	0.0	0.0	0.0	0.0
olvi81*	0.0	0.0	0.0	0.0	0.0
olvi82*	0.0	0.0	0.0	0.0	0.0
olvi83*	0.0	0.0	0.0	0.0	0.0
olvi84*	0.0	0.0	0.0	0.0	0.0
olvi85*	0.0	0.0	0.0	0.0	0.0
olvi86*	0.0	0.0	0.0	0.0	0.0
olvi87*	0.0	0.0	0.0	0.0	0.0
olvi88*	0.0	0.0	0.0	0.0	0.0
olvi89*	0.0	0.0	0.0	0.0	0.0
olvi90*	0.0	0.0	0.0	0.0	0.0
olvi91*	0.0	0.0	0.0	0.0	0.0
olvi92*	0.0	0.0	0.0	0.0	0.0
olvi93*	0.0	0.0	0.0	0.0	0.0
olvi94*	0.0	0.0	0.0	0.0	0.0
olvi95*	0.0	0.0	0.0	0.0	0.0
olvi96*	0.0	0.0	0.0	0.0	0.0
olvi97*	0.0	0.0	0.0	0.0	0.0
olvi98*	0.0	0.0	0.0	0.0	0.0
olvi99*	0.0	0.0	0.0	0.0	0.0
olvi100*	0.0	0.0	0.0	0.0	0.0

Ausgabe: Farbmatisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 325/360 = 0.903$
 lab^*tch und lab^*nch

D65: Buntton B50R
LCH*Ma: 44 129 325
rgb*Ma: 1.0 0.0 1.0

Dreiecks-Helligkeit



NCS11; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularität

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$

0,75

relative Inform. Technology (IT)				
olvi3*	0.75	0.75	0.75	(1.0)
cmyn3*	0.25	0.25	0.25	(0.0)
olvi4*	1.0	1.0	1.0	(0.75)
cmyn4*	0.0	0.0	0.0	(0.25)
standard and adapted CIELAB				
LAB*LAB	74.31	0.02	0.0	
LAB*LABa	74.31	0.0	0.0	
LAB*CbHa	75.0	0.01	-	
relative CIELAB lab*				
lab*lab	0.75	0.0	0.0	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab	0.75	0.0	-	
lab*lab</				

Seitenzahl 7

Eingabe: Farbmatisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 92/360 = 0.255$


lab^*tch und lab^*nch

D65: Buntton J

LCH*Ma: 89 86 92

rgb*Ma: 1.0 0.95 0.0

Dreiecks-Helligkeit



MRS18; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,00

relative Buntheit c^*

UG430-7, 5 stufige Reihen für konstanten CIELAB Buntton 92/360 = 0.255 (links)

BAM-Prüfvorlage UG43; Farbmatrik-Systeme MRS18 & NCS11

D65: 5stufige Farbreihen und Koordinaten-Daten für 10 Bunttöne

Ausgabe: Farbmatisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 92/360 = 0.256$


lab^*tch und lab^*nch

D65: Buntton J

LCH*Ma: 90 122 92

rgb*Ma: 0.97 1.0 0.0

Dreiecks-Helligkeit



%Umfang

$u^*_{rel} = 149$

NCS11; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularität

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,00

relative Buntheit c^*

5 stufige Reihen für konstanten CIELAB Buntton 92/360 = 0.256 (rechts)

Input: $cmy0^* setcmykcolor$


Output: *no change compared to input*

Eingabe: Farbmatisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 164/360 = 0.457$
 lab^*tch und lab^*nch

D65: Buntton G
LCH*Ma: 56 66 164
rgb*Ma: 0.1 1.0 0.0

Dreiecks-Helligkeit



MRS18; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

0,75

$n^* = 0,00$

0,25

$n^* = 0,25$

$n^* = 0,50$

0,00


relative Buntheit c^*

Ausgabe: Farbmatisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 162/360 = 0.451$
 lab^*tch und lab^*nch

D65: Buntton G
LCH*Ma: 65 110 162
rgb*Ma: 0.08 1.0 0.0

Dreiecks-Helligkeit



NCS11; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularität

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$

BAM-Registrierung: 20060101-UG43/10Q/Q43G08NP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/UG43/ Form: 9/10, Serie: 1/1, Seite: 9
Seitenzahl 9

%Umfang

$u^*_{rel} = 149$

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

relative Inform. Technology (IT)

relative Natural Colour (NC)

standard and adapted CIELAB

relative CIELAB lab*

$n^* = 0,00$

$n^* = 0,25$

$n^* = 0,50$

0,25

0,50

relative Buntheit c^*

relative Buntheit c^*

UG430-7, 5 stufige Reihen für konstanten CIELAB Buntton 164/360 = 0.457 (links)

5 stufige Reihen für konstanten CIELAB Buntton 162/360 = 0.451 (rechts)

BAM-Prüfvorlage UG43; Farbmatrik-Systeme MRS18 & NCS11

D65: 5stufige Farbreihen und Koordinaten-Daten für 10 Bunttöne
input: $cmY0^* set cmykcolor$
output: $no change compared to input$


Eingabe: Farbmimetrisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 271/360 = 0.754$
 lab^*tch und lab^*nch

D65: Buntton B
LCH*Ma: 40 50 271
rgb*Ma: 0.0 0.37 1.0

Dreiecks-Helligkeit

1,00



%Umfang

$u^*_{rel} = 91$

MRS18; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50B _{Ma}	45.03	-36.57	-28.47	46.36	218
B _{Ma}	36.65	23.19	-63.05	67.18	290
B50R _{Ma}	34.94	57.17	-44.26	72.31	322
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

1,00

relative Inform. Technology (IT)					
olvi3*	1.0	1.0	1.0	1.0	1.0
cmyn3*	0.0	0.0	0.0	0.0	0.0
olvi4*	1.0	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0	0.0
standard and adapted CIELAB	LAB*LAB	95.41	0.0	-0.01	
LAB*LABa	95.41	0.0	0.0		
LAB*LABb	95.41	0.0	0.0		
LAB*LABc	95.41	0.0	0.0		
LAB*LABd	95.41	0.0	0.0		
LAB*LABe	95.41	0.0	0.0		
LAB*LABf	95.41	0.0	0.0		
LAB*LABg	95.41	0.0	0.0		
LAB*LABh	95.41	0.0	0.0		
LAB*LABi	95.41	0.0	0.0		
LAB*LABj	95.41	0.0	0.0		
LAB*LABk	95.41	0.0	0.0		
LAB*LABl	95.41	0.0	0.0		
LAB*LABm	95.41	0.0	0.0		
LAB*LABn	95.41	0.0	0.0		
LAB*LABo	95.41	0.0	0.0		
LAB*LABp	95.41	0.0	0.0		
LAB*LABq	95.41	0.0	0.0		
LAB*LABr	95.41	0.0	0.0		
LAB*LABs	95.41	0.0	0.0		
LAB*LABt	95.41	0.0	0.0		
LAB*LABu	95.41	0.0	0.0		
LAB*LABv	95.41	0.0	0.0		
LAB*LABw	95.41	0.0	0.0		
LAB*LABx	95.41	0.0	0.0		
LAB*LABy	95.41	0.0	0.0		
LAB*LABz	95.41	0.0	0.0		

relative Inform. Technology (IT)					
olvi3*	0.75	0.75	0.75	0.75	0.75
cmyn3*	0.25	0.25	0.25	0.25	0.25
olvi4*	1.0	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0	0.0
standard and adapted CIELAB	LAB*LAB	74.31	0.02	0.0	
LAB*LABa	74.31	0.02	0.0		
LAB*LABb	74.31	0.02	0.0		
LAB*LABc	74.31	0.02	0.0		
LAB*LABd	74.31	0.02	0.0		
LAB*LABe	74.31	0.02	0.0		
LAB*LABf	74.31	0.02	0.0		
LAB*LABg	74.31	0.02	0.0		
LAB*LABh	74.31	0.02	0.0		
LAB*LABi	74.31	0.02	0.0		
LAB*LABj	74.31	0.02	0.0		
LAB*LABk	74.31	0.02	0.0		
LAB*LABl	74.31	0.02	0.0		
LAB*LABm	74.31	0.02	0.0		
LAB*LABn	74.31	0.02	0.0		
LAB*LABo	74.31	0.02	0.0		
LAB*LABp	74.31	0.02	0.0		
LAB*LABq	74.31	0.02	0.0		
LAB*LABr	74.31	0.02	0.0		
LAB*LABs	74.31	0.02	0.0		
LAB*LABt	74.31	0.02	0.0		
LAB*LABu	74.31	0.02	0.0		
LAB*LABv	74.31	0.02	0.0		
LAB*LABw	74.31	0.02	0.0		
LAB*LABx	74.31	0.02	0.0		
LAB*LABy	74.31	0.02	0.0		
LAB*LABz	74.31	0.02	0.0		

relative Inform. Technology (IT)					
olvi3*	0.5	0.5	0.5	0.5	0.5
cmyn3*	0.5	0.5	0.5	0.5	0.5
olvi4*	1.0	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0	0.0
standard and adapted CIELAB	LAB*LAB	53.21	0.04	0.0	
LAB*LABa	53.21	0.04	0.0		
LAB*LABb	53.21	0.04	0.0		
LAB*LABc	53.21	0.04	0.0		
LAB*LABd	53.21	0.04	0.0		
LAB*LABe	53.21	0.04	0.0		
LAB*LABf	53.21	0.04	0.0		
LAB*LABg	53.21	0.04	0.0		
LAB*LABh	53.21	0.04	0.0		
LAB*LABi	53.21	0.04	0.0		
LAB*LABj	53.21	0.04	0.0		
LAB*LABk	53.21	0.04	0.0		
LAB*LABl	53.21	0.04	0.0		
LAB*LABm	53.21	0.04	0.0		
LAB*LABn	53.21	0.04	0.0		
LAB*LABo	53.21	0.04	0.0		
LAB*LABp	53.21	0.04	0.0		
LAB*LABq	53.21	0.04	0.0		
LAB*LABr	53.21	0.04	0.0		
LAB*LABs	53.21	0.04	0.0		
LAB*LABt	53.21	0.04	0.0		
LAB*LABu	53.21	0.04	0.0		
LAB*LABv	53.21	0.04	0.0		
LAB*LABw	53.21	0.04	0.0		
LAB*LABx	53.21	0.04	0.0		
LAB*LABy	53.21	0.04	0.0		
LAB*LABz	53.21	0.04	0.0		

relative Inform. Technology (IT)					
olvi3*	0.25	0.25	0.25	0.25	0.25
cmyn3*	0.75	0.75	0.75	0.75	0.75
olvi4*	1.0	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0	0.0
standard and adapted CIELAB	LAB*LAB	32.11	0.05	0.0	
LAB*LABa	32.11	0.05	0.0		
LAB*LABb	32.11	0.05	0.0		
LAB*LABc	32.11	0.05	0.0		
LAB*LABd	32.11	0.05	0.0		
LAB*LABe	32.11	0.05	0.0		
LAB*LABf	32.11	0.05	0.0		
LAB*LABg	32.11	0.05	0.0		
LAB*LABh	32.11	0.05	0.0		
LAB*LABi	32.11	0.05	0.0		
LAB*LABj	32.11	0.05	0.0		
LAB*LABk	32.11	0.05	0.0		
LAB*LABl	32.11	0.05	0.0		
LAB*LABm	32.11	0.05	0.0		
LAB*LABn	32.11	0.05	0.0		
LAB*LABo	32.11	0.05	0.0		
LAB*LABp	32.11	0.05	0.0		
LAB*LABq	32.11	0.05	0.0		
LAB*LABr	32.11	0.05	0.0		
LAB*LABs	32.11	0.05	0.0		
LAB*LABt	32.11	0.05	0.0		
LAB*LABu	32.11	0.05	0.0		
LAB*LABv	32.11	0.05	0.0		
LAB*LABw	32.11	0.05	0.0		
LAB*LABx	32.11	0.05	0.0		
LAB*LABy	32.11	0.05	0.0		
LAB*LABz	32.11	0.05	0.0		

relative Inform. Technology (IT)					
olvi3*	0.0	0.0	0.0	0.0	0.0
cmyn3*	1.0	1.0	1.0	1.0	1.0
olvi4*	1.0	1.0	1.0	1.0	1.0
cmyn4*	0.0	0.0	0.0	0.0	0.0
standard and adapted CIELAB	LAB*LAB	11.01	0.07	0.0	
LAB*LABa	11.01	0.07	0.0		
LAB*LABb	11.01	0.07	0.0		
LAB*LABc	11.01	0.07	0.0		
LAB*LABd	11.01	0.07	0.0		
LAB*LABe	11.01	0.07	0.0		
LAB*LABf	11.01	0.07	0.0		
LAB*LABg	11.01	0.07	0.0		
LAB*LABh	11.01	0.07	0.0		
LAB*LABi	11.01	0.07	0.0		
LAB*LABj	11.01	0.07	0.0		
LAB*LABk	11.01	0.07	0.0		
LAB*LABl	11.01	0.07	0.0		
LAB*LABm	11.01	0.07	0.0		
LAB*LABn	11.01	0.07	0.0		
LAB*LABo	11.01	0.07	0.0		
LAB*LABp	11.01	0.07	0.0		
LAB*LABq	11.01	0.07	0.0		
LAB*LABr	11.01	0.07	0.0		
LAB*LABs	11.01	0.07	0.0		
LAB*LABt	11.01	0.07	0.0		
LAB*LABu	11.01	0.07	0.0		
LAB*LABv	11.01	0.07	0.0		
LAB*LABw	11.01	0.07	0.0		
LAB*LABx	11.01	0.07	0.0		
LAB*LABy	11.01	0.07	0.0		
LAB*LABz	11.01	0.07	0.0		

$n^* = 1.0$

5 stufige Reihen für konstanten CIELAB Buntton 272/360 = 0.755 (rechts)

BAM-Prüfvorlage UG43; Farbmimetrik-Systeme MRS18 & NCS11

D65: 5stufige Farbreihen und Koordinaten-Daten für 10 Bunttöne


input: $cmY0^* set cmykcolor$
output: $no change compared to input$

Ausgabe: Farbmimetrisches Reflexions-System NCS11

für Buntton $h^* = lab^*h = 272/360 = 0.755$
 lab^*tch und lab^*nch

D65: Buntton B
LCH*Ma: 49 80 272
rgb*Ma: 0.0 0.02 1.0

Dreiecks-Helligkeit



%Umfang

$u^*_{rel} = 149$

NCS11; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	47.15	84.64	37.25	92.48	24
JMa	91.37	-1.27	125.03	125.03	91
GMa	63.07	-114.28	25.35	117.06	167
G50B _{Ma}	59.47	-80.6	-33.45	87.28	203
B _{Ma}	49.01	3.65	-81.19	81.28	273
B50R _{Ma}	44.06	106.09	-73.93	129.32	325
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.69	27.98	65.01	25
JCIE	81.26	-2.9	71.56	71.62	92
GCIE	52.23	-42.45	13.59	44.59	162
BCIE	30.57	1.35	-46.48	46.51	272

%Regularität

$g^*_{H,rel} = 46$

$g^*_{C,rel} = 65$

1,00

relative CIE LAB lab				2.7360
lab*lab	0.863	0.007	-0.249	
lab*ch	0.875	0.25	0.755	
lab*ch	0.0	0.25	0.755	
relative Natural Colour (NC)				
lab*lrj	0.863	0.0	-0.249	
lab*ice	0.875	0.25	0.75	
lab*ncE	0.0	0.25	g99b	
relative Inform. Technology (IT)				
olvi3*	0.5	0.504	0.75	(1.0)
cmyn3*	0.5	0.496	0.25	(0.0)
olvi4*	1.0	0.754	1.0	0.75
cmyn4*	0.25	0.246	0.0	0.25
standard and adapted CIE LAB				
LAB*LAB	62.75	0.62	-20.1	
LAB*LABa	62.75	0.58	-20.1	