
[illegible]

Eingabe: Farbmetrisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 322/360 = 0.895$


lab^*ich und lab^*nch

D65: Buntton B50R

LCH*Ma: 35 72 322

rgb*Ma: 1.0 0.0 1.0

Dreiecks-Helligkeit t^*



relative Inform. Technology (IT)

olvi3* 1.0 1.0 1.0 (1.0)
cmyn3* 0.0 0.0 0.0 (0.0)
olvi4* 1.0 1.0 1.0 1.0
cmyn4* 0.0 0.0 0.0 0.0

standard and adapted CIELAB
LAB*LAB 95.41 -0.97 4.75
LAB*LABa 95.41 0.0 0.0
LAB*LABb 95.41 0.0 0.0

relative CIELAB lab*

lab*lab 1.0 0.0 0.0
lab*ich 1.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 1.0 0.0 0.0
lab*nce 1.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 76.06 -0.6 3.44
LAB*LABa 76.06 0.0 0.0
LAB*LABb 76.06 0.0 0.0

relative CIELAB lab*

lab*lab 0.75 0.0 0.0
lab*ich 0.75 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.75 0.0 0.0
lab*nce 0.75 0.0 0.0

standard and adapted CIELAB

LAB*LAB 56.71 -0.23 2.14
LAB*LABa 56.71 0.0 0.0
LAB*LABb 56.71 0.0 0.0

relative CIELAB lab*

lab*lab 0.5 0.0 0.0
lab*ich 0.5 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.5 0.0 0.0
lab*nce 0.5 0.0 0.0

standard and adapted CIELAB

LAB*LAB 37.36 -0.13 0.83
LAB*LABa 37.36 0.0 0.0
LAB*LABb 37.36 0.0 0.0

relative Inform. Technology (IT)

olvi3* 1.0 0.75 1.0 (1.0)
cmyn3* 0.0 0.25 0.0 (0.0)
olvi4* 1.0 0.75 1.0 1.0
cmyn4* 0.0 0.25 0.0 0.0

standard and adapted CIELAB

LAB*LAB 80.29 13.6 -7.31
LAB*LABa 80.29 14.29 -11.05
LAB*LABb 80.29 14.29 -11.05

relative CIELAB lab*

lab*lab 0.895 0.198 -0.152
lab*ich 0.895 0.25 0.895
lab*nch 0.0 0.25 0.895

relative Natural Colour (NC)

lab*trj 0.895 0.198 -0.152
lab*nce 0.895 0.25 0.895

standard and adapted CIELAB

LAB*LAB 60.94 13.97 -8.62
LAB*LABa 60.94 14.29 -11.06
LAB*LABb 60.94 14.29 -11.06

relative CIELAB lab*

lab*lab 0.555 0.198 -0.152
lab*ich 0.625 0.25 0.895
lab*nch 0.25 0.25 0.895

relative Natural Colour (NC)

lab*trj 0.555 0.198 -0.152
lab*nce 0.625 0.25 0.895

standard and adapted CIELAB

LAB*LAB 41.25 14.34 -9.93
LAB*LABa 41.25 14.34 -9.93
LAB*LABb 41.25 14.34 -9.93

relative CIELAB lab*

lab*lab 0.305 0.198 -0.152
lab*ich 0.375 0.25 0.895
lab*nch 0.25 0.25 0.895

relative Natural Colour (NC)

lab*trj 0.305 0.198 -0.152
lab*nce 0.375 0.25 0.895

standard and adapted CIELAB

MRS18; adaptierte CIELAB-Daten

$L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

relative Inform. Technology (IT)

olvi3* 1.0 0.5 1.0 (1.0)
cmyn3* 0.0 0.5 0.0 (0.0)
olvi4* 1.0 0.5 1.0 1.0
cmyn4* 0.0 0.5 0.0 0.0

standard and adapted CIELAB

LAB*LAB 65.17 28.18 -19.4
LAB*LABa 65.17 28.18 -19.4
LAB*LABb 65.17 28.18 -19.4

relative CIELAB lab*

lab*lab 0.609 0.395 -0.305
lab*ich 0.75 0.5 0.895
lab*nch 0.0 0.5 0.895

relative Natural Colour (NC)

lab*trj 0.609 0.324 -0.38
lab*nce 0.75 0.5 0.895

standard and adapted CIELAB

LAB*LAB 45.83 28.56 -20.71
LAB*LABa 45.83 28.56 -20.71
LAB*LABb 45.83 28.56 -20.71

relative CIELAB lab*

lab*lab 0.414 0.593 -0.458
lab*ich 0.625 0.75 0.895
lab*nch 0.0 0.75 0.895

relative Natural Colour (NC)

lab*trj 0.414 0.486 -0.57
lab*nce 0.625 0.75 0.895

standard and adapted CIELAB

LAB*LAB 30.72 43.13 -32.79
LAB*LABa 30.72 43.13 -32.79
LAB*LABb 30.72 43.13 -32.79

relative CIELAB lab*

lab*lab 0.164 0.593 -0.458
lab*ich 0.375 0.75 0.895
lab*nch 0.25 0.75 0.895

relative Inform. Technology (IT)

olvi3* 0.75 0.25 0.75 (1.0)
cmyn3* 0.25 0.75 0.25 (0.0)
olvi4* 1.0 0.25 1.0 0.5
cmyn4* 0.0 0.75 0.0 0.25

standard and adapted CIELAB

LAB*LAB 50.06 42.76 -31.49
LAB*LABa 50.06 42.76 -31.49
LAB*LABb 50.06 42.76 -31.49

relative CIELAB lab*

lab*lab 0.414 0.593 -0.458
lab*ich 0.625 0.75 0.895
lab*nch 0.0 0.75 0.895

relative Natural Colour (NC)

lab*trj 0.414 0.486 -0.57
lab*nce 0.625 0.75 0.895

standard and adapted CIELAB

LAB*LAB 34.95 57.34 -43.57
LAB*LABa 34.95 57.34 -43.57
LAB*LABb 34.95 57.34 -43.57

relative CIELAB lab*

lab*lab 0.219 0.791 -0.611
lab*ich 0.5 1.0 0.895
lab*nch 0.0 1.0 0.895

relative Natural Colour (NC)

lab*trj 0.219 0.648 -0.76
lab*nce 0.5 1.0 0.895

standard and adapted CIELAB

LAB*LAB 19.05 18.02 0.5
LAB*LABa 19.05 18.02 0.5
LAB*LABb 19.05 18.02 0.5

relative CIELAB lab*

lab*lab 0.097 0.248 -0.027
lab*ich 0.125 0.25 0.982
lab*nch 0.0 0.25 0.982

relative Natural Colour (NC)

lab*trj 0.097 0.227 -0.103
lab*nce 0.125 0.25 0.932

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural Colour (NC)

lab*trj 0.0 0.0 0.0
lab*nce 0.0 0.0 0.0

standard and adapted CIELAB

LAB*LAB 18.02 0.0 0.0
LAB*LABa 18.02 0.0 0.0
LAB*LABb 18.02 0.0 0.0

relative CIELAB lab*

lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 0.0 0.0 0.0

relative Natural


Eingabe: Farbmetrisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 92/360 = 0.255$

lab^*ch und lab^*nch

D65: Buntton J
LCH*Ma: 89 86 92
rgb*Ma: 1.0 0.95 0.0

Dreiecks-Helligkeit t^*



MRS18; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

relative Inform. Technology (IT)

olvi3*	1.0	1.0	1.0	(1.0)
olvi3*	0.0	0.0	0.0	(0.0)
olvi4*	1.0	1.0	1.0	(1.0)
olvi4*	0.0	0.0	0.0	(0.0)
olvi5*	1.0	1.0	1.0	(1.0)
olvi5*	0.0	0.0	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	95.41	-0.97	4.75
LAB*LAB	95.41	0.0	0.0
LAB*LAB	95.41	0.0	0.0

relative CIELAB lab*

lab*lab	1.0	0.0	0.0
lab*lab	0.0	1.0	0.0
lab*lab	0.0	0.0	1.0

relative Natural Colour (NC)

lab*lab	1.0	0.0	0.0
lab*lab	0.0	1.0	0.0
lab*lab	0.0	0.0	1.0

standard and adapted CIELAB

LAB*LAB	76.06	-0.6	3.44
LAB*LAB	76.06	0.0	0.0
LAB*LAB	76.06	0.0	0.0

relative CIELAB lab*

lab*lab	0.75	0.0	0.0
lab*lab	0.0	0.75	0.0
lab*lab	0.0	0.0	0.75

relative Natural Colour (NC)

lab*lab	0.75	0.0	0.0
lab*lab	0.0	0.75	0.0
lab*lab	0.0	0.0	0.75

standard and adapted CIELAB

LAB*LAB	56.71	-0.23	2.14
LAB*LAB	56.71	0.0	0.0
LAB*LAB	56.71	0.0	0.0

relative CIELAB lab*

lab*lab	0.5	0.0	0.0
lab*lab	0.0	0.5	0.0
lab*lab	0.0	0.0	0.5

relative Natural Colour (NC)

lab*lab	0.5	0.0	0.0
lab*lab	0.0	0.5	0.0
lab*lab	0.0	0.0	0.5

standard and adapted CIELAB

LAB*LAB	37.36	-0.13	0.83
LAB*LAB	37.36	0.0	0.0
LAB*LAB	37.36	0.0	0.0

relative CIELAB lab*

lab*lab	0.25	0.0	0.0
lab*lab	0.0	0.25	0.0
lab*lab	0.0	0.0	0.25

relative Inform. Technology (IT)

olvi3*	1.0	0.988	0.75	(1.0)
olvi3*	0.0	0.012	0.25	(0.0)
olvi4*	1.0	0.988	0.75	(1.0)
olvi4*	0.0	0.012	0.25	(0.0)
olvi5*	1.0	0.988	0.75	(1.0)
olvi5*	0.0	0.012	0.25	(0.0)

standard and adapted CIELAB

LAB*LAB	93.72	-1.64	26.21
LAB*LAB	93.72	-0.69	21.57
LAB*LAB	93.72	-0.69	21.57

relative CIELAB lab*

lab*lab	0.978	0.0	0.25
lab*lab	0.0	0.978	0.0
lab*lab	0.0	0.0	0.978

relative Natural Colour (NC)

lab*lab	0.978	0.0	0.25
lab*lab	0.0	0.978	0.0
lab*lab	0.0	0.0	0.978

standard and adapted CIELAB

LAB*LAB	74.38	-1.26	24.91
LAB*LAB	74.38	-0.68	21.57
LAB*LAB	74.38	-0.68	21.57

relative CIELAB lab*

lab*lab	0.728	0.0	0.25
lab*lab	0.0	0.728	0.0
lab*lab	0.0	0.0	0.728

relative Natural Colour (NC)

lab*lab	0.728	0.0	0.25
lab*lab	0.0	0.728	0.0
lab*lab	0.0	0.0	0.728

standard and adapted CIELAB

LAB*LAB	55.03	-0.89	3.16
LAB*LAB	55.03	-0.68	21.57
LAB*LAB	55.03	-0.68	21.57

relative CIELAB lab*

lab*lab	0.478	-0.007	0.25
lab*lab	0.375	0.25	0.255
lab*lab	0.75	0.25	0.255

relative Natural Colour (NC)

lab*lab	0.478	0.0	0.25
lab*lab	0.0	0.478	0.0
lab*lab	0.0	0.0	0.478

standard and adapted CIELAB

LAB*LAB	33.58	-0.52	22.29
LAB*LAB	33.58	-0.68	21.56
LAB*LAB	33.58	-0.68	21.56

relative Inform. Technology (IT)

olvi3*	1.0	0.976	0.5	(1.0)
olvi3*	0.0	0.024	0.5	(0.0)
olvi4*	1.0	0.976	0.5	(1.0)
olvi4*	0.0	0.024	0.5	(0.0)
olvi5*	1.0	0.976	0.5	(1.0)
olvi5*	0.0	0.024	0.5	(0.0)

standard and adapted CIELAB

LAB*LAB	92.04	-2.3	47.67
LAB*LAB	92.04	-1.39	43.14
LAB*LAB	92.04	-1.39	43.14

relative CIELAB lab*

lab*lab	0.957	-0.015	0.5
lab*lab	0.75	0.0	0.5
lab*lab	0.0	0.75	0.0

relative Natural Colour (NC)

lab*lab	0.957	0.0	0.5
lab*lab	0.0	0.957	0.0
lab*lab	0.0	0.0	0.957

standard and adapted CIELAB

LAB*LAB	90.36	-2.96	69.13
LAB*LAB	90.36	-2.08	64.71
LAB*LAB	90.36	-2.08	64.71

relative CIELAB lab*

lab*lab	0.932	-0.023	0.75
lab*lab	0.625	0.75	0.255
lab*lab	0.75	0.25	0.255

relative Natural Colour (NC)

lab*lab	0.932	0.0	0.75
lab*lab	0.0	0.932	0.0
lab*lab	0.0	0.0	0.932

standard and adapted CIELAB

LAB*LAB	88.68	-3.62	90.58
LAB*LAB	88.68	-2.71	86.27
LAB*LAB	88.68	-2.71	86.27

relative CIELAB lab*

lab*lab	0.913	-0.031	0.999
lab*lab	0.5	0.0	0.5
lab*lab	0.0	0.5	0.0

relative Natural Colour (NC)

lab*lab	0.913	0.0	0.5
lab*lab	0.0	0.913	0.0
lab*lab	0.0	0.0	0.913

standard and adapted CIELAB

LAB*LAB	71.02	-2.59	67.82
LAB*LAB	71.02	-2.07	64.7
LAB*LAB	71.02	-2.07	64.7

relative Inform. Technology (IT)

olvi3*	1.0	0.963	0.25	(1.0)
olvi3*	0.0	0.037	0.25	(0.0)
olvi4*	1.0	0.963	0.25	(1.0)
olvi4*	0.0	0.037	0.25	(0.0)
olvi5*	1.0	0.963	0.25	(1.0)
olvi5*	0.0	0.037	0.25	(0.0)

standard and adapted CIELAB

LAB*LAB	90.36	-2.96	69.13
LAB*LAB	90.36	-2.08	64.71
LAB*LAB	90.36	-2.08	64.71

relative CIELAB lab*

lab*lab	0.932	-0.023	0.75
lab*lab	0.625	0.75	0.255
lab*lab	0.75	0.25	0.255

relative Natural Colour (NC)

lab*lab	0.932	0.0	0.75
lab*lab	0.0	0.932	0.0
lab*lab	0.0	0.0	0.932

standard and adapted CIELAB

LAB*LAB	88.68	-3.62	90.58
LAB*LAB	88.68	-2.71	86.27
LAB*LAB	88.68	-2.71	86.27

relative CIELAB lab*

lab*lab	0.913	-0.031	0.999
lab*lab	0.5	0.0	0.5
lab*lab	0.0	0.5	0.0

relative Natural Colour (NC)

lab*lab	0.913	0.0	0.5
lab*lab	0.0	0.913	0.0
lab*lab	0.0	0.0	0.913

standard and adapted CIELAB

LAB*LAB	71.02	-2.59	67.82
LAB*LAB	71.02	-2.07	64.7
LAB*LAB	71.02	-2.07	64.7

relative CIELAB lab*

lab*lab	0.685	-0.023	0.75
lab*lab	0.375	0.75	0.255
lab*lab	0.75	0.25	0.255

relative Natural Colour (NC)

lab*lab	0.685	0.0	0.75
lab*lab	0.0	0.685	0.0
lab*lab	0.0	0.0	0.685

standard and adapted CIELAB

LAB*LAB	68.5	-3.75	99.1
LAB*LAB	68.5	-2.75	99.1
LAB*LAB	68.5	-2.75	99.1

relative Inform. Technology (IT)

olvi3*	1.0	0.951	0.0	(1.0)
olvi3*	0.0	0.049	0.0	(0.0)
olvi4*	1.0	0.951	0.0	(1.0)
olvi4*	0.0	0.049	0.0	(0.0)
olvi5*	1.0	0.951	0.0	(1.0)
olvi5*	0.0	0.049	0.0	(0.0)

standard and adapted CIELAB

LAB*LAB	88.68	-3.62	90.58
LAB*LAB	88.68	-2.71	86.27
LAB*LAB	88.68	-2.71	86.27

relative CIELAB lab*

lab*lab	0.913	-0.031	0.999
lab*lab	0.5	0.0	0.5
lab*lab	0.0	0.5	0.0

relative Natural Colour (NC)

lab*lab	0.913	0.0	0.5
lab*lab	0.0	0.913	0.0
lab*lab	0.0	0.0	0.913

standard and adapted CIELAB

LAB*LAB	88.68	-3.62	90.58
LAB*LAB	88.68	-2.71	86.27
LAB*LAB	88.68	-2.71	86.27

relative CIELAB lab*

lab*lab	0.913	-0.031	0.999
lab*lab	0.5	0.0	0.5
lab*lab	0.0	0.5	0.0

relative Natural Colour (NC)

lab*lab	0.913	0.0	0.5
lab*lab	0.0	0.913	0.0
lab*lab	0.0	0.0	0.913

standard and adapted CIELAB

LAB*LAB	88.68	-3.62	90.58
LAB*LAB	88.68	-2.71	86.27
LAB*LAB	88.68	-2.71	86.27

relative CIELAB lab*

--


Eingabe: Farbmetrisches Reflexions-System MRS18

für Buntton $h^* = lab^*h = 164/360 = 0.457$

lab^*ich und lab^*nch

D65: Buntton G
LCH*Ma: 56 66 164
rgb*Ma: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*



relative Inform. Technology (IT)
olvi3* 1.0 1.0 1.0 (1.0)
cmyn3* 0.0 0.0 0.0 (0.0)
olvi4* 1.0 1.0 1.0 1.0
cmyn4* 0.0 0.0 0.0 0.0
standard and adapted CIELAB
LAB*LAB 95.41 -0.97 4.75
LAB*LAB 95.41 0.0 0.0
LAB*TCRa 99.99 0.01 -

relative CIELAB lab*
lab*lab 1.0 0.0 0.0
lab*ich 1.0 0.0 0.0
lab*nch 0.0 0.0 -
relative Natural Colour (NC)
lab*trj 1.0 0.0 0.0
lab*ice 1.0 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.75 0.75 0.75 (1.0)
cmyn3* 0.25 0.25 0.25 (0.0)
olvi4* 1.0 1.0 1.0 0.75
cmyn4* 0.0 0.0 0.0 0.25
standard and adapted CIELAB
LAB*LAB 76.06 -0.6 3.44
LAB*LAB 76.06 0.0 0.0
LAB*TCRa 75.0 0.01 -

relative CIELAB lab*
lab*lab 0.75 0.0 0.0
lab*ich 0.75 0.0 0.0
lab*nch 0.0 0.0 -
relative Natural Colour (NC)
lab*trj 0.75 0.0 0.0
lab*ice 0.75 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.5 0.5 0.5 (0.0)
cmyn3* 0.5 0.5 0.5 (0.0)
olvi4* 1.0 1.0 1.0 0.5
cmyn4* 0.0 0.0 0.0 0.5
standard and adapted CIELAB
LAB*LAB 56.71 -0.23 2.14
LAB*LAB 56.71 0.0 0.0
LAB*TCRa 50.0 0.01 -

relative CIELAB lab*
lab*lab 0.5 0.0 0.0
lab*ich 0.5 0.0 0.0
lab*nch 0.0 0.0 -
relative Natural Colour (NC)
lab*trj 0.5 0.0 0.0
lab*ice 0.5 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.25 0.25 0.25 (0.0)
cmyn3* 0.75 0.75 0.75 (0.0)
olvi4* 1.0 1.0 1.0 0.25
cmyn4* 0.0 0.0 0.0 0.75
standard and adapted CIELAB
LAB*LAB 37.36 0.13 0.63
LAB*LAB 37.36 0.0 0.0
LAB*TCRa 25.0 0.01 -

relative CIELAB lab*
lab*lab 0.25 0.0 0.0
lab*ich 0.25 0.0 0.0
lab*nch 0.0 0.0 -
relative Natural Colour (NC)
lab*trj 0.25 0.0 0.0
lab*ice 0.25 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.0 0.0 0.0 (1.0)
cmyn3* 1.0 1.0 1.0 (0.0)
olvi4* 1.0 1.0 1.0 0.0
cmyn4* 0.0 0.0 0.0 1.0
standard and adapted CIELAB
LAB*LAB 18.02 0.0 0.46
LAB*LAB 18.02 0.0 0.0
LAB*TCRa 0.01 0.01 -

relative CIELAB lab*
lab*lab 0.0 0.0 0.0
lab*ich 0.0 0.0 0.0
lab*nch 1.0 0.0 -
relative Natural Colour (NC)
lab*trj 0.0 0.0 0.0
lab*ice 1.0 0.0 -
lab*nce 1.0 0.0 -

$n^* = 1.0$

relative Inform. Technology (IT)
olvi3* 0.776 1.0 0.75 (1.0)
cmyn3* 0.224 0.0 0.25 (0.0)
olvi4* 0.776 1.0 0.75 1.0
cmyn4* 0.224 0.0 0.25 0.0
standard and adapted CIELAB
LAB*LAB 85.57 -16.58 8.49
LAB*LAB 85.57 -15.79 4.4
LAB*TCRa 87.5 16.4 164.45

relative CIELAB lab*
lab*lab 0.873 -0.24 0.067
lab*ich 0.873 0.25 0.457
lab*nch 0.0 0.25 0.457
relative Natural Colour (NC)
lab*trj 0.873 -0.249 0.0
lab*ice 0.873 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.526 0.75 0.5 (1.0)
cmyn3* 0.474 0.25 0.5 (0.0)
olvi4* 0.776 1.0 0.75 0.75
cmyn4* 0.224 0.0 0.25 0.25
standard and adapted CIELAB
LAB*LAB 66.22 -16.22 7.19
LAB*LAB 66.22 -15.8 4.4
LAB*TCRa 62.5 16.41 164.46

relative CIELAB lab*
lab*lab 0.623 -0.249 0.0
lab*ich 0.623 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.623 -0.249 0.0
lab*ice 0.623 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.373 -0.24 0.067
lab*ich 0.373 0.25 0.457
lab*nch 0.0 0.25 0.457
relative Natural Colour (NC)
lab*trj 0.373 -0.249 0.0
lab*ice 0.373 0.25 0.398
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.031 0.5 0.0 (1.0)
cmyn3* 0.969 0.5 0.75 (0.0)
olvi4* 0.551 1.0 0.5 0.75
cmyn4* 0.449 0.0 0.5 0.25
standard and adapted CIELAB
LAB*LAB 56.39 -31.61 8.79
LAB*LAB 56.39 -31.61 8.79
LAB*TCRa 50.0 32.81 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

$n^* = 0.00$

MRS18; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
RMa	49.63	66.96	38.37	77.18	30
JMa	90.7	-6.36	88.75	88.98	94
GMa	52.11	-69.73	9.44	70.37	172
G50BMa	45.03	-36.57	-28.47	46.36	218
BMa	36.65	23.19	-63.05	67.18	290
B50RMa	34.94	57.17	-44.26	72.31	322
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.56	25
JCIE	81.26	-2.17	67.76	67.79	92
GCIE	52.23	-42.26	11.75	43.87	164
BCIE	30.57	1.15	-46.84	46.87	271

%Regularität

$g^*_{H,rel} = 41$

$g^*_{C,rel} = 52$

relative Inform. Technology (IT)
olvi3* 0.551 1.0 0.5 (1.0)
cmyn3* 0.449 0.0 0.5 (0.0)
olvi4* 0.551 1.0 0.5 1.0
cmyn4* 0.449 0.0 0.5 0.0
standard and adapted CIELAB
LAB*LAB 75.74 -32.2 12.22
LAB*LAB 75.74 -31.6 8.79
LAB*TCRa 75.0 32.81 164.46

relative CIELAB lab*
lab*lab 0.746 -0.481 0.134
lab*ich 0.746 0.5 0.5 0.457
lab*nch 0.0 0.5 0.457
relative Natural Colour (NC)
lab*trj 0.746 -0.489 0.0
lab*ice 0.746 0.5 0.5
lab*nce 0.0 0.5 0.398

relative Inform. Technology (IT)
olvi3* 0.301 0.75 0.25 (1.0)
cmyn3* 0.699 0.25 0.75 (0.0)
olvi4* 0.551 1.0 0.5 0.75
cmyn4* 0.449 0.0 0.5 0.25
standard and adapted CIELAB
LAB*LAB 56.39 -31.61 8.79
LAB*LAB 56.39 -31.61 8.79
LAB*TCRa 50.0 32.81 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.031 0.5 0.0 (1.0)
cmyn3* 0.969 0.5 0.75 (0.0)
olvi4* 0.551 1.0 0.5 0.75
cmyn4* 0.449 0.0 0.5 0.25
standard and adapted CIELAB
LAB*LAB 56.39 -31.61 8.79
LAB*LAB 56.39 -31.61 8.79
LAB*TCRa 50.0 32.81 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

$n^* = 0.50$

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

$n^* = 0.25$

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

$n^* = 0.00$

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

$n^* = 0.25$

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398


relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

relative Inform. Technology (IT)
olvi3* 0.321 0.103 1.0 0.0 (1.0)
cmyn3* 0.679 0.9 0.0 (0.0)
olvi4* 0.321 1.0 0.25 1.0
cmyn4* 0.679 0.0 0.75 0.0
standard and adapted CIELAB
LAB*LAB 65.9 -47.82 15.96
LAB*LAB 65.9 -47.82 15.96
LAB*TCRa 62.5 49.22 164.46

relative CIELAB lab*
lab*lab 0.619 -0.249 0.0
lab*ich 0.619 0.25 0.3
lab*nch 0.0 0.25 0.398
relative Natural Colour (NC)
lab*trj 0.619 -0.249 0.0
lab*ice 0.619 0.25 0.3
lab*nce 0.0 0.25 0.398

$n^* = 0.00$



Ausgabe: Farbmetrisches Reflexions-System ORS18

für Buntton $h^* = lab^*h = 164/360 = 0.457$

lab^*tch und lab^*nch

D65: Buntton G
LCH*Ma: 53 57 164
rgb*Ma: 0.0 1.0 0.25

Dreiecks-Helligkeit t^*

relative Inform. Technology (IT)
olvi3* 1.0 1.0 1.0 (1.0)
cmyn3* 0.0 0.0 0.0 (0.0)
olvi4* 1.0 1.0 1.0 1.0
cmyn4* 0.0 0.0 0.0 0.0
standard and adapted CIELAB
LAB*LAB 95.41 -0.97 4.75
LAB*LAB 95.41 0.0 0.0
LAB*TCRa 99.99 0.01 -

relative CIELAB lab*
lab*lab 1.0 0.0 0.0
lab*ich 1.0 0.0 0.0
lab*nch 0.0 0.0 -
relative Natural Colour (NC)
lab*trj 1.0 0.0 0.0
lab*ice 1.0 0.0 -
lab*nce 0.0 0.0 -

relative Inform. Technology (IT)
olvi3* 0.75 0.75 0.75 (1.0)
cmyn3* 0.25 0.25 0.25 (0.0)
olvi4* 1.0 1.0 1.0 0.75
cmyn4* 0.0 0.0 0.0 0.25
standard and adapted CIELAB
LAB*LAB 76.06 -0.6 3.44
LAB*LAB 76.06

```

end: o/y* setrabcolor / w* setgray

```