


See for similar files: <http://www.ps.bam.de/XE11/>; www.ps.bam.de/XE.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1




XE110-7N, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rgb (A-j, n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 1/9, ORS18

BAM-test chart XE11; Colorimetric systems, Page 1/12
D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
output: no change compared to input

BAM registration: 20080101-XE11/L11E00N1.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=tha4ta

See for similar files: <http://www.ps.bam.de/XE11/>; www.ps.bam.de/XE.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1



XE110-7N, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 2/9, ORS18


BAM-test chart XE11; Colorimetric systems, Page 2/12
D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
output: ->cmyn5* setcmykcolor

BAM registration: 20080101-XE11/L11E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=tha4ta

See for similar files: <http://www.ps.bam.de/XE11/>; www.ps.bam.de/XE.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1



XE110-7N, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 4/9, ORS18

BAM-test chart XE11; Colorimetric systems, Page 4/12
D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
output: ->cmyn5* setcmkcolor


BAM registration: 20080101-XE11/L11E00N1.PS.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=tha4ta

[illegible]

XE110-7N, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rgb (A-j, n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 5/9, ORS18





BAM-test chart XE11; Colorimetric systems, Page 5/12
D65: 9 and 16 step standard colour scales

```
input: 000n / w / nnn0 / rgb set..
output: ->cmvyn5* setcmvycolor
```




c

c




m

m





See for similar files: <http://www.ps.bam.de/XE11/>; www.ps.bam.de/XE.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1




XE110-7N, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): rgb (A-j, n), 000n (k), w (l), nnn0 (m), 245mm x 170mm, Page 9/9, ORS18 n


BAM-test chart XE11; Colorimetric systems, Page 9/12
 D65: 9 and 16 step standard colour scales

input: 000n / w / nnn0 / rgb set...
 output: ->cmyn5* setcmykcolor

BAM registration: 20080101-XE11/L11E00N1.PS/.TXT
 application for evaluation and measurement of printer or monitor systems







||

||

||

||

||

||

