



See for similar files: <http://www.ps.bam.de/XE18/>; www.ps.bam.de/XE.HTM
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20080101-XE18/10L/L18E00NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/XE18/>; www.ps.bam.de/XE18.HTM
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20080101-XE18/10L/L18E00NA.PS/.TXT BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems




XE180-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: cmyn4*, page: 2



BAM-test chart XE18; Colorimetric systems, Page 2/9
5 and 16 step colour scales; elementary colours

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmymcolor


C



m




y




See for similar files: <http://www.ps.bam.de/XE18/>; www.ps.bam.de/Version2.1,io=1,1



BAM registration: 20080101-XE18/10L/L18E00NA.PS/.TXT BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems



BAM-test chart XE18; Colorimetric systems, Page 6/9
5 and 16 step colour scales; elementary colours, N

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmymcolor





y

