



BAM registration: 20080101-XE26/10L/L26E00NP.PS/.PDF



Version 2.1, io=1,1



www.ps.bam.de/XE26/10L/L26E00NP.PS/.PDF, Page 2/9; transfer and output, VT=1.0, A4
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)





BAM-test chart XE26; Colorimetric systems, Page 2/9
5 and 16 step device colour scales; standard colours


input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmkcolor

See for similar files: <http://www.ps.bam.de/XE26/>; www.ps.bam.de/XE.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

XE260-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: cmyn4*, page: 2


C






m

• •



• •

• •



• •

• •




• •


• •




• •




• •



• •





• •




• •

y



1/2



1/2

1/2

1/2

1/2



1/2

1/2

1/2

1/2

1/2









www.ps.bam.de/XE26/10L/L26E00NP.PS/.PDF, Page 6/9; N: transfer and output, VT=1.0, A4
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n

BAM-test chart XE26; Colorimetric systems, Page 6/9
5 and 16 step device colour scales; standard colours,

```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```


C







XE260-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: *cmyn4**, page: 8; separation: M


m



y



7.



7.

7.

7.

7.

7.

7.

7.

7.

7.