



www.ps.bam.de/XE27/10L/L27E00NA.PS/.TXT, Page 2/9; transfer and output, VT=1.0, A4
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)





See for similar files: <http://www.ps.bam.de/XE27/>; www.ps.bam.de/Version 2.1, io=1,1
 Technical information: <http://www.ps.bam.de>




XE270-7N: 6 device hues (left), 4 elementary hues (right), and standard color data: *cmyn4**, page: 2

BAM-test chart XE27; Colorimetric systems, Page 2/9
 5 and 16 step elementary colour scales; standard colours





input: 000n / w / nnn0 / www set...
 output: ->cmyn5* setcmkcolor








XE270-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: *cmym4**, page: 4; separation: M

m





7*








7*



7*



7*

7*









www.ps.bam.de/XE27/10L/L27E00NA.PS/.TXT, Page 6/9; N; transfer and output, VT=1.0, A4
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n

See for similar files: <http://www.ps.bam.de/XE27/>; www.ps.bam.de/Version 2.1, io=1,1
 Technical information: <http://www.ps.bam.de>





XE270-7N: 6 device hues (left), 4 elementary hues (right), and standard color data: cmy5*, page: 6; separation: N







XE270-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: *cmym4**, page: 8; separation: M


m



y




⋮
⋮
⋮



⋮
⋮
⋮



⋮
⋮
⋮



⋮
⋮
⋮