


BAM registration: 20080101-XE27/10/L/L27E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor











BAM-test chart XE27; Colorimetric systems, Page 1/9
5 and 16 step elementary colour scales; standard colours



See for similar files: <http://www.ps.bam.de/XE27/>; www.ps.bam.de/XE.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

227; www.ps.bam.de/XE.HTM
Version 2.1, io=1,1





• • f •

• • f •

• • x •

• • x •


• • •

• • •

• • •






• • •



C



XE270-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: *cmyn4**, page: 4; separation: M

m






$\frac{1}{\sqrt{2}}$


$\frac{1}{\sqrt{2}}$

y






$\frac{1}{\sqrt{2}}$

$\frac{1}{\sqrt{2}}$



$\frac{1}{\sqrt{2}}$

$\frac{1}{\sqrt{2}}$







www.ps.bam.de/XE27/10L/L27E00NP.PS/.PDF, Page 6/9; N: transfer and output, VT=1.0, A4
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: n


BAM-test chart XE27; Colorimetric systems, Page 6/9
5 and 16 step elementary colour scales; standard colours,

```
input: 000n / w / nnn0 / www set...
Output: ->cmyn5* setcmykcolor
```


See for similar files: <http://www.ps.bam.de/XEZ7/>; www.ps.bam.de/XE.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

Version 2.1, io=1,1







XE270-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: *cmyn4**, page: 8; separation: M



m



y

