


See for similar files: <http://www.ps.bam.de/XE28/>; www.ps.bam.de/Version 2.1, io=1,1




XE280-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: cmyn4*, page: 1

BAM registration: 20080101-XE28/10L/L28E00NP.PS/.PDF
BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/XE28/>; www.ps.bam.de/XE28/
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20080101-XE28/10L/L28E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems




XE280-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: cmyn4*, page: 2




BAM-test chart XE28; Colorimetric systems, Page 2/9
D65: 5 and 16 step colour scales; standard colours

input: 000n / w / nnn0 / www set...
output: ->cmyn4* setcmymcolor



C



m





y




See for similar files: <http://www.ps.bam.de/XE28/>; www.ps.bam.de/XE28/
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20080101-XE28/10L/L28E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems





m



y

