



See for similar files: <http://www.ps.bam.de/XE29/>; [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,%20io=1,1)



BAM registration: 20080101-XE29/10L/L29E00NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/XE29/>; www.ps.bam.de/XE.HTM
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20080101-XE29/10L/L29E00NA.PS/.TXT BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems




XE290-7N; 6 device hues (left), 4 elementary hues (right), and standard colour data: cmyn4*, page: 2




BAM-test chart XE29; Colorimetric systems, Page 2/9
5 and 16 step colour scales; standard colours

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmymcolor



C




m




y




See for similar files: <http://www.ps.bam.de/XE29/>; [www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,io=1,1)



BAM registration: 20080101-XE29/10L/L29E00NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



m



y

••

••

••





••

••

••

••

••



••

••

••



••

••

••

••

••



••

••

••

••

