


Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 37/360 = 0.102$
 lab^*ich and lab^*nch

D65: hue O
LCH*Ma: 33 78 37
olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$


FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 37/360 = 0.102$
 lab^*ich and lab^*nch



D65: hue O
LCH*Ma: 33 78 37
olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273



XE660-7, 3 step scales for constant CIELAB hue 37/360 = 0.102 (left)

5 step scales for constant CIELAB hue 37/360 = 0.102 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06
D65: 3 and 5 step colour scales for 10 hues

input: olv^*/rgb^* setrgbcolor
output: no change compared to input

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 92/360 = 0.254$


lab^*ich and lab^*nch

D65: hue Y

LCH*Ma: 83 114 92

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 115$

%Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 92/360 = 0.254$


lab^*ich and lab^*nch

D65: hue Y

LCH*Ma: 83 114 92

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 115$

%Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

$n^* = 0,50$

blackness n^*

chromaticness c^*

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

$n^* = 0,75$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

blackness n^*

chromaticness c^*

XE660-7, 3 step scales for constant CIELAB hue 92/360 = 0.254 (left)

5 step scales for constant CIELAB hue 92/360 = 0.254 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06

D65: 3 and 5 step colour scales for 10 hues

input: olv*/rgb* setrgbcolor


output: no change compared to input

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = \text{lab}^*h = 143/360 = 0.398$
 lab^*ich and lab^*nch

D65: hue L
LCH*Ma: 39 77 143
olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut
 $u^*_{\text{rel}} = 115$
%Regularity
 $g^*_{H,\text{rel}} = 28$
 $g^*_{C,\text{rel}} = 38$


FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = \text{lab}^*h = 143/360 = 0.398$
 lab^*ich and lab^*nch



D65: hue L
LCH*Ma: 39 77 143
olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



%Gamut
 $u^*_{\text{rel}} = 115$
%Regularity
 $g^*_{H,\text{rel}} = 28$
 $g^*_{C,\text{rel}} = 38$

FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273



XE660-7, 3 step scales for constant CIE LAB hue 143/360 = 0.398 (left)

5 step scales for constant CIE LAB hue 143/360 = 0.398 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06
D65: 3 and 5 step colour scales for 10 hues


input: $\text{olv}^*/\text{rgb}^* \text{setrgbcolor}$
output: no change compared to input

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 232/360 = 0.644$
 lab^*ich and lab^*nch

D65: hue C
LCH*Ma: 48 43 232
olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$


FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	32.57	62.32	46.49	77.75	37
Y_{Ma}	82.73	-3.16	113.99	114.03	92
L_{Ma}	39.43	-61.79	45.84	76.95	143
C_{Ma}	47.86	-26.79	-34.24	43.49	232
V_{Ma}	10.16	55.12	-61.03	82.24	312
M_{Ma}	34.5	80.68	-33.92	87.52	337
N_{Ma}	6.25	0.0	0.0	0.0	0
W_{Ma}	91.97	0.0	0.0	0.0	0
R_{CIE}	39.92	59.8	31.05	67.38	27
J_{CIE}	81.26	-2.52	76.25	76.29	92
G_{CIE}	52.23	-41.56	17.14	44.96	158
B_{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 232/360 = 0.644$
 lab^*ich and lab^*nch



D65: hue C
LCH*Ma: 48 43 232
olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	32.57	62.32	46.49	77.75	37
Y_{Ma}	82.73	-3.16	113.99	114.03	92
L_{Ma}	39.43	-61.79	45.84	76.95	143
C_{Ma}	47.86	-26.79	-34.24	43.49	232
V_{Ma}	10.16	55.12	-61.03	82.24	312
M_{Ma}	34.5	80.68	-33.92	87.52	337
N_{Ma}	6.25	0.0	0.0	0.0	0
W_{Ma}	91.97	0.0	0.0	0.0	0
R_{CIE}	39.92	59.8	31.05	67.38	27
J_{CIE}	81.26	-2.52	76.25	76.29	92
G_{CIE}	52.23	-41.56	17.14	44.96	158
B_{CIE}	30.57	2.63	-43.77	43.86	273



XE660-7, 3 step scales for constant CIELAB hue 232/360 = 0.644 (left)

5 step scales for constant CIELAB hue 232/360 = 0.644 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06
D65: 3 and 5 step colour scales for 10 hues

input: olv^*/rgb^* setrgbcolor
output: no change compared to input

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 312/360 = 0.867$


lab^*ich and lab^*nch

D65: hue V

LCH*Ma: 10 82 312

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 115$

% Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 312/360 = 0.867$


lab^*ich and lab^*nch

D65: hue V

LCH*Ma: 10 82 312

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 115$

% Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

$n^* = 0,50$

$n^* = 0,00$
blackness n^*

chromaticness c^*

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

$n^* = 0,75$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$
blackness n^*

chromaticness c^*

XE660-7, 3 step scales for constant CIELAB hue 312/360 = 0.867 (left)



BAM-test chart XE66; Colorimetric systems FRS06 & FRS06

D65: 3 and 5 step colour scales for 10 hues

5 step scales for constant CIELAB hue 312/360 = 0.867 (right)

input: olv^*/rgb^* setrgbcolor

output: no change compared to input



Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 337/360 = 0.937$


lab^*ich and lab^*nch

D65: hue M

LCH*Ma: 35 88 337

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 115$

%Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	32.57	62.32	46.49	77.75	37
Y_{Ma}	82.73	-3.16	113.99	114.03	92
L_{Ma}	39.43	-61.79	45.84	76.95	143
C_{Ma}	47.86	-26.79	-34.24	43.49	232
V_{Ma}	10.16	55.12	-61.03	82.24	312
M_{Ma}	34.5	80.68	-33.92	87.52	337
N_{Ma}	6.25	0.0	0.0	0.0	0
W_{Ma}	91.97	0.0	0.0	0.0	0
R_{CIE}	39.92	59.8	31.05	67.38	27
J_{CIE}	81.26	-2.52	76.25	76.29	92
G_{CIE}	52.23	-41.56	17.14	44.96	158
B_{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 337/360 = 0.937$


lab^*ich and lab^*nch

D65: hue M

LCH*Ma: 35 88 337

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 115$

%Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	32.57	62.32	46.49	77.75	37
Y_{Ma}	82.73	-3.16	113.99	114.03	92
L_{Ma}	39.43	-61.79	45.84	76.95	143
C_{Ma}	47.86	-26.79	-34.24	43.49	232
V_{Ma}	10.16	55.12	-61.03	82.24	312
M_{Ma}	34.5	80.68	-33.92	87.52	337
N_{Ma}	6.25	0.0	0.0	0.0	0
W_{Ma}	91.97	0.0	0.0	0.0	0
R_{CIE}	39.92	59.8	31.05	67.38	27
J_{CIE}	81.26	-2.52	76.25	76.29	92
G_{CIE}	52.23	-41.56	17.14	44.96	158
B_{CIE}	30.57	2.63	-43.77	43.86	273

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

0,25

$n^* = 0,50$

chromaticness c^*

$n^* = 0,00$

blackness n^*

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

$n^* = 0,75$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

blackness n^*

chromaticness c^*

XE660-7, 3 step scales for constant CIELAB hue 337/360 = 0.937 (left)



BAM-test chart XE66; Colorimetric systems FRS06 & FRS06

D65: 3 and 5 step colour scales for 10 hues

5 step scales for constant CIELAB hue 337/360 = 0.937 (right)

input: olv^*/rgb^* setrgbcolor

output: no change compared to input




Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 27/360 = 0.076$
 lab^*ich and lab^*nch

D65: hue R
LCH*Ma: 33 73 27
olv*Ma: 1.0 0.0 0.16

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$


FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 27/360 = 0.076$
 lab^*ich and lab^*nch



D65: hue R
LCH*Ma: 33 73 27
olv*Ma: 1.0 0.0 0.16

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273



XE660-7, 3 step scales for constant CIELAB hue 27/360 = 0.076 (left)

5 step scales for constant CIELAB hue 27/360 = 0.076 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06
D65: 3 and 5 step colour scales for 10 hues

input: olv*/rgb* setrgbcolor
output: no change compared to input

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 82 113 92

olv*Ma: 0.99 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 115$

%Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*ich and lab^*nch

D65: hue J

LCH*Ma: 82 113 92

olv*Ma: 0.99 1.0 0.0

triangle lightness t^*



%Gamut

$u^*_{rel} = 115$

%Regularity

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

$n^* = 0,50$

blackness n^*

$n^* = 0,00$

chromaticness c^*

1,00

0,75

0,50

0,25

0,00

$n^* = 1,00$

$n^* = 0,75$

$n^* = 0,50$

$n^* = 0,25$

$n^* = 0,00$

blackness n^*

chromaticness c^*

XE660-7, 3 step scales for constant CIELAB hue 92/360 = 0.255 (left)

5 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06

D65: 3 and 5 step colour scales for 10 hues

input: olv^*/rgb^* setrgbcolor


output: no change compared to input

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 158/360 = 0.438$
 lab^*ich and lab^*nch

D65: hue G
LCH*Ma: 42 55 158
olv*Ma: 0.0 1.0 0.31

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$


FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 158/360 = 0.438$
 lab^*ich and lab^*nch



D65: hue G
LCH*Ma: 42 55 158
olv*Ma: 0.0 1.0 0.31

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273



XE660-7, 3 step scales for constant CIELAB hue 158/360 = 0.438 (left)

5 step scales for constant CIELAB hue 158/360 = 0.438 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06
D65: 3 and 5 step colour scales for 10 hues


input: olv*/rgb* setrgbcolor
output: no change compared to input

Input: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 273/360 = 0.76$
 lab^*ich and lab^*nch

D65: hue B
LCH*Ma: 34 44 273
olv*Ma: 0.0 0.64 1.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$


FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273

Output: Colorimetric Printer Reflective System FRS06

for hue $h^* = lab^*h = 273/360 = 0.76$
 lab^*ich and lab^*nch



D65: hue B
LCH*Ma: 34 44 273
olv*Ma: 0.0 0.64 1.0

triangle lightness t^*



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

FRS06; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273



XE660-7, 3 step scales for constant CIELAB hue 273/360 = 0.76 (left)

5 step scales for constant CIELAB hue 273/360 = 0.76 (right)

BAM-test chart XE66; Colorimetric systems FRS06 & FRS06
D65: 3 and 5 step colour scales for 10 hues

input: olv^*/rgb^* setrgbcolor
output: no change compared to input