

**Documentation of assessor colour vision properties for visual assessment**

The assessor has <b>normal</b> colour vision according to one test:	<b>underline Yes/No</b>
either according to DIN 6160 with Anomaloskop of <i>Nagel</i>	underline Yes/unknown
or with test charts using colour points according to <i>Ishihara</i>	underline Yes/unknown
or tested with, please specify: .....	underline Yes/unknown

**Only for display (monitor, data projector) output:**

Office workplace illumination is daylight (clouded/north sky)	underline Yes/No
PDF-file output with <a href="http://www.ps.bam.de/XE75/10L/L75E00NP.PDF">www.ps.bam.de/XE75/10L/L75E00NP.PDF</a>	underline Yes/No
Comparison of contrast range of 16 steps F to 0 with test chart no. 3 of DIN 33866-1	
give contrast range: (>F:0) (F:0) (E:0) (D:0) (C:0) (A:0) (9:0) (7:0) (5:0) (3:0) (<3:0)	

*Remark: In daylighted offices the contrast range is in many cases:  
on paper between: >F:0 (highly glossy), F:0 (silk glossy) and E:0 (matte)  
on display between: >F:0 and E:0 (monitor), D:0 and 3:0 (data projector)*

**Only for optional colorimetric specification with PDF/PS file output**

<b>PDF-File:</b> either <a href="http://www.ps.bam.de/XE26/10L/L26E00NP.PDF">www.ps.bam.de/XE26/10L/L26E00NP.PDF</a>	underline Yes/No
or <a href="http://www.ps.bam.de/XE26/10P/P26E00NP.PDF">www.ps.bam.de/XE26/10P/P26E00NP.PDF</a>	or underline Yes/No
<b>PS-File:</b> either <a href="http://www.ps.bam.de/XE26/10L/L26E00NA.PS">www.ps.bam.de/XE26/10L/L26E00NA.PS</a>	or underline Yes/No
or <a href="http://www.ps.bam.de/XE26/10P/P26E00NA.PS">www.ps.bam.de/XE26/10P/P26E00NA.PS</a>	or underline Yes/No

**colour measurement and specification for:**

CIE standard illuminant D65, 2 degree observer, CIE 45/0 geometry:	underline Yes/No
If No, please give other parameters: .....	

**Colorimetric specification with PS file for colours in the columns A to T**

Exchange of CIELAB data in file <a href="http://www.ps.bam.de/XE30/10L/L30E00NP.PS">www.ps.bam.de/XE30/10L/L30E00NP.PS</a> and transfer of the PS-file L30E00NP.PS in PDF-file L30E00NP.PDF	underline Yes/No
If No, please describe other method: .....	