

| T | i  | LAB*a,ref | hab,ref | LAB*a,out | hab,out | LAB*a,out/c-ref | $\Delta H^*$ | $\Delta E^*$ |     |
|---|----|-----------|---------|-----------|---------|-----------------|--------------|--------------|-----|
| Y | 1  | 90.8      | -16.9   | 112.2     | 99      | 90.8            | -16.9        | 112.2        | 99  |
|   | 2  | 86.7      | -14.8   | 98.2      | 99      | 84.3            | -15.2        | 101.7        | 99  |
|   | 3  | 82.5      | -12.7   | 84.1      | 99      | 81.2            | -15.2        | 94.4         | 99  |
|   | 4  | 78.3      | -10.5   | 70.1      | 99      | 78.4            | -14.6        | 84.6         | 100 |
|   | 5  | 74.2      | -8.4    | 56.1      | 99      | 75.0            | -13.7        | 70.5         | 101 |
|   | 6  | 70.0      | -6.3    | 42.1      | 99      | 72.2            | -11.7        | 52.0         | 103 |
|   | 7  | 65.9      | -4.2    | 28.1      | 99      | 68.1            | -9.2         | 34.7         | 105 |
|   | 8  | 61.7      | -2.0    | 14.0      | 99      | 65.1            | -5.6         | 18.7         | 107 |
| Z | 9  | 57.6      | 0.0     | 0.0       | 0       | 57.6            | 0.0          | 0.0          | 0   |
|   | 10 | 55.1      | 0.2     | -6.1      | 272     | 53.9            | -0.1         | -13.2        | 269 |
|   | 11 | 52.7      | 0.4     | -12.3     | 272     | 49.2            | -1.6         | -23.5        | 266 |
|   | 12 | 50.3      | 0.6     | -18.5     | 272     | 42.6            | -0.2         | -33.5        | 269 |
|   | 13 | 47.9      | 0.8     | -24.7     | 272     | 36.8            | 2.9          | -41.4        | 274 |
|   | 14 | 45.5      | 1.0     | -30.9     | 272     | 34.5            | 5.3          | -45.8        | 277 |
|   | 15 | 43.1      | 1.2     | -37.1     | 272     | 35.2            | 5.7          | -48.2        | 277 |
|   | 16 | 40.6      | 1.4     | -43.3     | 272     | 36.5            | 4.2          | -48.7        | 275 |
| V | 17 | 38.2      | 1.6     | -49.5     | 272     | 38.2            | 1.6          | -49.5        | 272 |
| Y | 18 | 90.8      | -16.9   | 112.2     | 99      | 90.8            | -16.9        | 112.2        | 99  |
|   | 19 | 74.2      | -8.4    | 56.1      | 99      | 75.0            | -13.7        | 70.5         | 101 |
| Z | 20 | 57.6      | 0.0     | 0.0       | 0       | 57.6            | 0.0          | 0.0          | 0   |
|   | 21 | 47.9      | 0.8     | -24.7     | 272     | 36.8            | 2.9          | -41.4        | 274 |
| V | 22 | 38.2      | 1.6     | -49.5     | 272     | 38.2            | 1.6          | -49.5        | 272 |

**Start output S1**  
**Specification according to**  
**ISO/IEC 15775 Annex G**  
**and DIN 33866-1 Annex G**

**Regularity**  
 $g^* = 6.9$

**Yellow - Violet blue**  
**rgb: Y - Z - V**

**Mean CIELAB difference (17 steps)**  
 $\Delta H^*_{CIELAB} = 9.1$   
 $\Delta E^*_{CIELAB} = 10.0$

**Mean CIELAB difference (5 steps)**  
 $\Delta H^*_{CIELAB} = 6.4$   
 $\Delta E^*_{CIELAB} = 7.1$

YE310-3N, ; Device: XrgbNP\_D65\_L; Measurement: L26G00NP.PDF; Date: 20070202

| T | i  | LAB*a,ref | hab,ref | LAB*a,out | hab,out | LAB*a,out/c-ref | $\Delta H^*$ | $\Delta E^*$ |     |
|---|----|-----------|---------|-----------|---------|-----------------|--------------|--------------|-----|
| Y | 1  | 90.9      | -17.3   | 110.7     | 99      | 90.9            | -17.3        | 110.7        | 99  |
|   | 2  | 86.3      | -15.2   | 97.7      | 99      | 83.1            | -15.0        | 92.3         | 99  |
|   | 3  | 81.6      | -13.1   | 84.7      | 99      | 79.6            | -14.6        | 82.6         | 100 |
|   | 4  | 77.0      | -11.0   | 71.7      | 99      | 75.2            | -12.1        | 66.7         | 100 |
|   | 5  | 72.3      | -8.9    | 58.8      | 99      | 70.5            | -9.4         | 50.7         | 101 |
|   | 6  | 67.6      | -6.7    | 45.8      | 98      | 65.8            | -6.8         | 36.1         | 101 |
|   | 7  | 63.0      | -4.6    | 32.8      | 98      | 61.8            | -4.2         | 25.2         | 100 |
|   | 8  | 58.3      | -2.5    | 19.8      | 98      | 57.8            | -2.1         | 14.7         | 99  |
| Z | 9  | 53.7      | -0.4    | 6.8       | 94      | 53.7            | -0.4         | 6.8          | 94  |
|   | 10 | 50.3      | 1.9     | 1.5       | 38      | 49.1            | 1.8          | -0.8         | 333 |
|   | 11 | 46.9      | 4.4     | -3.7      | 319     | 45.3            | 6.0          | -9.4         | 302 |
|   | 12 | 43.5      | 6.8     | -9.0      | 307     | 41.0            | 8.4          | -17.8        | 295 |
|   | 13 | 40.1      | 9.3     | -14.3     | 303     | 37.2            | 11.5         | -22.9        | 297 |
|   | 14 | 36.8      | 11.7    | -19.5     | 301     | 33.8            | 13.1         | -27.4        | 295 |
|   | 15 | 33.4      | 14.1    | -24.8     | 300     | 31.7            | 15.3         | -30.2        | 297 |
|   | 16 | 30.0      | 16.6    | -30.1     | 299     | 28.7            | 17.4         | -32.9        | 298 |
| V | 17 | 26.6      | 19.0    | -35.4     | 298     | 26.6            | 19.0         | -35.4        | 298 |
| Y | 18 | 90.9      | -17.3   | 110.7     | 99      | 90.9            | -17.3        | 110.7        | 99  |
|   | 19 | 72.3      | -8.9    | 58.8      | 99      | 70.5            | -9.4         | 50.7         | 101 |
| Z | 20 | 53.7      | -0.4    | 6.8       | 94      | 53.7            | -0.4         | 6.8          | 94  |
|   | 21 | 40.1      | 9.3     | -14.3     | 303     | 37.2            | 11.5         | -22.9        | 297 |
| V | 22 | 26.6      | 19.0    | -35.4     | 298     | 26.6            | 19.0         | -35.4        | 298 |

**Start output S1**  
**Specification according to**  
**ISO/IEC 15775 Annex G**  
**and DIN 33866-1 Annex G**


**Regularity**  
 $g^* = 51.7$

**Yellow - Violet blue**  
**cmY0: Y - Z - V**


**Mean CIELAB difference (17 steps)**  
 $\Delta H^*_{CIELAB} = 5.1$   
 $\Delta E^*_{CIELAB} = 5.4$

**Mean CIELAB difference (5 steps)**  
 $\Delta H^*_{CIELAB} = 3.4$   
 $\Delta E^*_{CIELAB} = 3.5$

YE311-3N, ; Device: XcmY0NP\_D65\_L; Measurement: L27G00NP.PDF; Date: 20070202



YE310-7N, ; Device: XrgbNP\_D65\_L; Measurement: L26G00NP.PDF; Date: 20070202



YE311-7N, ; Device: XcmY0NP\_D65\_L; Measurement: L27G00NP.PDF; Date: 20070202