

T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-ref	ΔH^*	ΔE^*	
V	1	25.0	14.6-35.8	292	25.0	14.6-35.8	292	0.0	0.0
	2	29.4	13.7-33.5	292	27.5	13.4-36.3	290	-1.7	-0.2
	3	33.8	12.8-31.3	292	30.6	12.5-36.7	289	-3.1	-0.2
	4	38.2	11.9-29.0	292	33.7	12.2-36.0	289	-4.4	0.3
	5	42.6	11.0-26.8	292	36.7	12.8-34.7	290	-5.8	1.8
	6	47.0	10.0-24.5	292	40.1	10.7-33.8	288	-6.8	0.7
	7	51.4	9.1-22.3	292	44.4	11.3-31.6	290	-6.8	2.2
	8	55.8	8.2-20.0	292	49.0	9.3-28.7	288	-6.6	1.1
	9	60.2	7.3-17.8	292	53.5	8.9-24.9	290	-6.6	1.6
	10	64.6	6.4-15.5	292	58.6	8.3-20.5	292	-5.9	1.9
	11	69.0	5.5-13.2	292	62.9	7.5-17.1	294	-6.0	2.0
	12	73.4	4.6-11.0	292	67.7	5.2-13.8	291	-5.6	0.6
	13	77.8	3.6-8.7	292	71.9	4.2-11.9	289	-5.8	0.6
	14	82.2	2.7-6.5	293	76.8	3.1-8.3	290	-5.3	0.4
	15	86.6	1.8-4.2	293	82.3	1.6-5.7	285	-4.2	-0.1
	16	91.0	0.9-2.0	294	85.8	2.0-3.6	298	-5.1	1.1
W	17	95.4	0.0	0.2	90	95.4	0.0	0.2	90
V	18	25.0	14.6-35.8	292	25.0	14.6-35.8	292	0.0	0.0
	19	42.6	11.0-26.8	292	36.7	12.8-34.7	290	-5.8	1.8
	20	60.2	7.3-17.8	292	53.5	8.9-24.9	290	-6.6	1.6
	21	77.8	3.6-8.7	292	71.9	4.2-11.9	289	-5.8	0.6
W	22	95.4	0.0	0.2	90	95.4	0.0	0.2	90


Start output S1
Specification according to
ISO/IEC 15775 Annex G
and DIN 33866-1 Annex G
relative CIELAB data used for "out"
 $\Delta L^* = 95.41 - 24.97$
Regularity
 $g^* = 49.7$
Lightness gamut relative to offset
 $f^* = 91.0$
Violet blue - White
rgb: V - W
Mean CIELAB difference (17 steps)
 $\Delta H^*_{CIELAB} = 4.7$
 $\Delta E^*_{CIELAB} = 6.9$
Mean colour reproduction index: $R^*_{ab,m} = 70$

YE320-3N, ; Device: XcmyNP_D50_L; Measurement: L27G00NP.PDF; Date: 20070202


T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-ref	ΔH^*	ΔE^*	
V	1	25.6	21.1-35.5	301	25.6	21.1-35.5	301	0.0	0.0
	2	29.9	19.8-33.3	301	28.2	19.7-36.0	299	-1.7	0.0
	3	34.3	18.5-31.0	301	31.2	18.6-36.2	297	-3.0	0.1
	4	38.7	17.1-28.8	301	34.3	17.8-35.5	297	-4.3	0.7
	5	43.1	15.8-26.5	301	37.2	17.9-34.4	297	-5.7	2.1
	6	47.4	14.5-24.3	301	40.7	15.5-33.4	295	-6.7	1.0
	7	51.8	13.2-22.1	301	45.0	15.4-31.3	296	-6.7	2.2
	8	56.2	11.9-19.8	301	49.5	12.9-28.4	294	-6.6	1.0
	9	60.5	10.6-17.6	301	53.9	11.8-24.7	295	-6.5	1.3
	10	64.9	9.2-15.4	301	58.9	10.5-20.4	297	-5.9	1.3
	11	69.3	7.9-13.1	301	63.2	9.3-17.1	298	-6.0	1.4
	12	73.6	6.6-10.9	301	67.9	6.5-13.7	295	-5.6	0.0
	13	78.0	5.3-8.7	301	72.1	5.3-11.8	294	-5.8	0.0
	14	82.4	4.0-6.4	301	76.9	3.9-8.3	295	-5.3	0.0
	15	86.7	2.6-4.2	302	82.5	2.2-5.7	291	-4.2	-0.3
	16	91.1	1.3-1.9	303	85.9	2.3-3.7	301	-5.1	1.0
W	17	95.5	0.0	0.2	90	95.5	0.0	0.2	90
V	18	25.6	21.1-35.5	301	25.6	21.1-35.5	301	0.0	0.0
	19	43.1	15.8-26.5	301	37.2	17.9-34.4	297	-5.7	2.1
	20	60.5	10.6-17.6	301	53.9	11.8-24.7	295	-6.5	1.3
	21	78.0	5.3-8.7	301	72.1	5.3-11.8	294	-5.8	0.0
W	22	95.5	0.0	0.2	90	95.5	0.0	0.2	90

Start output S1
Specification according to
ISO/IEC 15775 Annex G
and DIN 33866-1 Annex G
relative CIELAB data used for "out"
 $\Delta L^* = 95.48 - 25.58$
Regularity
 $g^* = 49.8$
Lightness gamut relative to offset
 $f^* = 90.3$
Violet blue - White
cmy0: V - W
Mean CIELAB difference (17 steps)
 $\Delta H^*_{CIELAB} = 4.6$
 $\Delta E^*_{CIELAB} = 6.8$
Mean colour reproduction index: $R^*_{ab,m} = 70$

YE321-3N, ; Device: Xcmy0NP_D65_L; Measurement: L27G00NP.PDF; Date: 20070202



YE320-7N, ; Device: XcmyNP_D50_L; Measurement: L27G00NP.PDF; Date: 20070202



YE321-7N, ; Device: Xcmy0NP_D65_L; Measurement: L27G00NP.PDF; Date: 20070202