

T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-ref	ΔH^*	ΔE^*			
M	1	48.3	62.9	-1.6	358	48.3	62.9	-1.6	358	0.0	0.0
	2	51.2	59.0	-1.5	358	49.9	59.4	-2.5	357	-1.3	0.4
	3	54.2	55.0	-1.4	358	52.4	54.1	-2.8	357	-1.7	-0.8
	4	57.1	51.1	-1.3	358	54.8	49.6	-2.9	357	-2.2	-1.4
	5	60.1	47.2	-1.2	358	56.7	46.3	-3.3	356	-3.3	-0.8
	6	63.0	43.2	-1.1	358	60.0	39.9	-2.6	356	-2.9	-3.2
	7	65.9	39.3	-1.0	358	62.9	34.8	-2.1	356	-2.9	-4.4
	8	68.9	35.4	-0.9	358	66.1	29.6	-1.1	358	-2.7	-5.7
	9	71.8	31.5	-0.8	358	69.5	25.3	-0.4	359	-2.2	-6.1
	10	74.8	27.5	-0.6	358	72.3	21.2	-0.3	359	-2.3	-6.2
	11	77.7	23.6	-0.5	358	75.0	18.2	0.3	1	-2.6	-5.3
	12	80.6	19.7	-0.4	358	78.4	14.9	0.3	1	-2.1	-4.7
	13	83.6	15.7	-0.3	358	81.0	12.0	0.2	1	-2.4	-3.6
	14	86.5	11.8	-0.2	358	83.8	9.0	0.4	3	-2.6	-2.7
	15	89.4	7.9	-0.1	358	86.4	6.8	0.0	359	-2.9	-1.0
	16	92.4	3.9	0.0	358	88.5	5.0	0.0	359	-3.8	1.1
W	17	95.3	0.0	0.0	0	95.3	0.0	0.0	0	0.0	0.0
M	18	48.3	62.9	-1.6	358	48.3	62.9	-1.6	358	0.0	0.0
	19	60.1	47.2	-1.2	358	56.7	46.3	-3.3	356	-3.3	-0.8
	20	71.8	31.5	-0.8	358	69.5	25.3	-0.4	359	-2.2	-6.1
	21	83.6	15.7	-0.3	358	81.0	12.0	0.2	1	-2.4	-3.6
W	22	95.3	0.0	0.0	0	95.3	0.0	0.0	0	0.0	0.0


Start output S1
Specification according to
ISO/IEC 15775 Annex G
and DIN 33866-1 Annex G
relative CIELAB data used for "out"
 $\Delta L^* = 95.32 - 48.31$
Regularity
 $g^* = 58.5$
Lightness gamut relative to offset
 $f^* = 60.7$
Magenta red - White
rgb: M - W
Mean CIELAB difference (17 steps)
 $\Delta H^*_{CIELAB} = 3.1$
 $\Delta E^*_{CIELAB} = 4.0$
Mean CIELAB difference (5 steps)
 $\Delta H^*_{CIELAB} = 2.4$
 $\Delta E^*_{CIELAB} = 3.0$
Mean colour reproduction index: $R^*_{ab,m} = 82$

YE320-3N, ; Device: XcmyNP_D50_L; Measurement: L27G00NP.PDF; Date: 20070202


T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-ref	ΔH^*	ΔE^*			
M	1	46.9	62.6	-5.2	355	46.9	62.6	-5.2	355	0.0	0.0
	2	49.9	58.7	-4.9	355	48.6	59.1	-5.9	354	-1.2	0.4
	3	52.9	54.8	-4.5	355	51.2	53.6	-5.7	354	-1.6	-1.1
	4	56.0	50.9	-4.2	355	53.8	49.1	-5.6	353	-2.1	-1.7
	5	59.0	46.9	-3.9	355	55.8	45.8	-5.8	353	-3.1	-1.0
	6	62.0	43.0	-3.5	355	59.2	39.3	-4.7	353	-2.7	-3.6
	7	65.1	39.1	-3.2	355	62.3	34.2	-3.9	353	-2.7	-4.8
	8	68.1	35.2	-2.9	355	65.6	28.9	-2.6	355	-2.4	-6.2
	9	71.1	31.3	-2.6	355	69.1	24.6	-1.7	356	-1.9	-6.6
	10	74.2	27.4	-2.2	355	72.0	20.6	-1.3	356	-2.1	-6.7
	11	77.2	23.5	-1.9	355	74.7	17.6	-0.5	358	-2.4	-5.8
	12	80.2	19.6	-1.6	355	78.2	14.4	-0.2	359	-2.0	-5.1
	13	83.3	15.7	-1.2	355	80.9	11.6	-0.2	359	-2.3	-4.0
	14	86.3	11.7	-0.9	355	83.7	8.6	0.0	0	-2.5	-3.0
	15	89.3	7.8	-0.6	355	86.4	6.6	-0.3	357	-2.9	-1.1
	16	92.4	3.9	-0.2	355	88.5	4.9	-0.2	356	-3.8	1.0
W	17	95.4	0.0	0.0	0	95.4	0.0	0.0	0	0.0	0.0
M	18	46.9	62.6	-5.2	355	46.9	62.6	-5.2	355	0.0	0.0
	19	59.0	46.9	-3.9	355	55.8	45.8	-5.8	353	-3.1	-1.0
	20	71.1	31.3	-2.6	355	69.1	24.6	-1.7	356	-1.9	-6.6
	21	83.3	15.7	-1.2	355	80.9	11.6	-0.2	359	-2.3	-4.0
W	22	95.4	0.0	0.0	0	95.4	0.0	0.0	0	0.0	0.0

Start output S1
Specification according to
ISO/IEC 15775 Annex G
and DIN 33866-1 Annex G
relative CIELAB data used for "out"
 $\Delta L^* = 95.39 - 46.88$
Regularity
 $g^* = 61.1$
Lightness gamut relative to offset
 $f^* = 62.7$
Magenta red - White
cmy0: M - W
Mean CIELAB difference (17 steps)
 $\Delta H^*_{CIELAB} = 3.4$
 $\Delta E^*_{CIELAB} = 4.2$
Mean CIELAB difference (5 steps)
 $\Delta H^*_{CIELAB} = 2.6$
 $\Delta E^*_{CIELAB} = 3.2$
Mean colour reproduction index: $R^*_{ab,m} = 82$

YE321-3N, ; Device: Xcmy0NP_D65_L; Measurement: L27G00NP.PDF; Date: 20070202



YE320-7N, ; Device: XcmyNP_D50_L; Measurement: L27G00NP.PDF; Date: 20070202



YE321-7N, ; Device: Xcmy0NP_D65_L; Measurement: L27G00NP.PDF; Date: 20070202