

T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-ref	ΔH^*	ΔE^*	
N	1	28.9	3.0	0.5	9	28.9	3.0	0.5	9
	2	28.6	3.6	-1.7	334	28.6	3.8	-1.7	335
	3	28.4	4.2	-4.0	316	28.5	3.6	-4.5	308
	4	28.2	4.8	-6.3	307	27.9	4.5	-6.1	306
	5	28.0	5.4	-8.6	302	27.5	5.6	-8.3	304
	6	27.8	6.0	-10.9	299	26.8	5.8	-10.9	298
	7	27.6	6.6	-13.2	297	26.5	6.3	-12.5	297
	8	27.4	7.2	-15.5	295	26.0	6.1	-15.4	291
	9	27.2	7.9	-17.8	294	26.2	7.0	-17.8	291
	10	27.0	8.5	-20.0	293	25.8	7.6	-20.9	290
	11	26.8	9.1	-22.3	292	25.5	8.6	-22.7	291
	12	26.6	9.7	-24.6	291	25.5	8.4	-25.2	288
	13	26.4	10.3	-26.9	291	25.3	9.1	-27.3	288
	14	26.2	10.9	-29.2	290	25.2	9.6	-29.7	288
	15	25.9	11.5	-31.5	290	25.5	10.5	-31.8	288
	16	25.7	12.1	-33.8	290	25.5	11.3	-33.4	289
V	17	25.5	12.7	-36.1	289	25.5	12.7	-36.1	289
N	18	28.9	3.0	0.5	9	28.9	3.0	0.5	9
	19	28.0	5.4	-8.6	302	27.5	5.6	-8.3	304
	20	27.2	7.9	-17.8	294	26.2	7.0	-17.8	291
	21	26.4	10.3	-26.9	291	25.3	9.1	-27.3	288
V	22	25.5	12.7	-36.1	289	25.5	12.7	-36.1	289


Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G
relative CIELAB data used for "out"
 $\Delta L^* = 25.53 - 28.85$
Regularity
 $g^* = 19.3$
Lightness gamut relative to offset
 $f^* = -4.2$
Black - Violet blue
rgb: N - V
Mean CIELAB difference (17 steps)
 $\Delta H^*_{CIELAB} = 0.7$
 $\Delta E^*_{CIELAB} = 1.0$
Mean CIELAB difference (5 steps)
 $\Delta H^*_{CIELAB} = 0.5$
 $\Delta E^*_{CIELAB} = 0.7$
Mean colour reproduction index: $R^*_{ab,m} = 96$

YE320-3N, ; Device: XcmyNP_D50_L; Measurement: L27G00NP.PDF; Date: 20070202


T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-ref	ΔH^*	ΔE^*	
N	1	28.9	2.7	0.4	8	28.9	2.7	0.4	8
	2	28.7	3.7	-1.8	333	28.7	3.9	-1.8	334
	3	28.6	4.8	-4.0	319	28.7	4.1	-4.6	311
	4	28.4	5.8	-6.3	312	28.1	5.2	-6.2	310
	5	28.2	6.8	-8.6	308	27.7	6.7	-8.5	308
	6	28.1	7.9	-10.8	306	27.0	7.3	-11.0	303
	7	27.9	8.9	-13.1	304	26.7	8.1	-12.6	303
	8	27.7	9.9	-15.3	303	26.3	8.5	-15.4	299
	9	27.6	11.0	-17.6	302	26.5	9.9	-17.8	299
	10	27.4	12.0	-19.9	301	26.2	11.1	-20.8	298
	11	27.2	13.0	-22.1	300	25.9	12.5	-22.6	299
	12	27.0	14.0	-24.4	300	26.0	12.8	-25.1	297
	13	26.9	15.1	-26.7	299	25.8	13.9	-27.1	297
	14	26.7	16.1	-28.9	299	25.8	14.9	-29.4	297
	15	26.5	17.1	-31.2	299	26.1	16.2	-31.5	297
	16	26.4	18.2	-33.4	298	26.1	17.3	-33.0	298
V	17	26.2	19.2	-35.7	298	26.2	19.2	-35.7	298
N	18	28.9	2.7	0.4	8	28.9	2.7	0.4	8
	19	28.2	6.8	-8.6	308	27.7	6.7	-8.5	308
	20	27.6	11.0	-17.6	302	26.5	9.9	-17.8	299
	21	26.9	15.1	-26.7	299	25.8	13.9	-27.1	297
V	22	26.2	19.2	-35.7	298	26.2	19.2	-35.7	298

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G
relative CIELAB data used for "out"
 $\Delta L^* = 26.19 - 28.92$
Regularity
 $g^* = 34.7$
Lightness gamut relative to offset
 $f^* = -3.4$
Black - Violet blue
cmy0: N - V
Mean CIELAB difference (17 steps)
 $\Delta H^*_{CIELAB} = 0.8$
 $\Delta E^*_{CIELAB} = 1.1$
Mean CIELAB difference (5 steps)
 $\Delta H^*_{CIELAB} = 0.5$
 $\Delta E^*_{CIELAB} = 0.8$
Mean colour reproduction index: $R^*_{ab,m} = 95$

YE321-3N, ; Device: Xcmy0NP_D65_L; Measurement: L27G00NP.PDF; Date: 20070202



YE320-7N, ; Device: XcmyNP_D50_L; Measurement: L27G00NP.PDF; Date: 20070202



YE321-7N, ; Device: Xcmy0NP_D65_L; Measurement: L27G00NP.PDF; Date: 20070202