

| T | i  | LAB*a,ref | hab,ref | LAB*a,out | hab,out | LAB*a,out/c-ref | $\Delta H^*$ | $\Delta E^*$ |     |
|---|----|-----------|---------|-----------|---------|-----------------|--------------|--------------|-----|
| Y | 1  | 91.5      | -10.1   | 109.3     | 95      | 91.5            | -10.1        | 109.3        | 95  |
|   | 2  | 86.8      | -8.7    | 96.5      | 95      | 83.6            | -8.3         | 91.3         | 95  |
|   | 3  | 82.1      | -7.3    | 83.7      | 95      | 80.1            | -8.2         | 81.8         | 96  |
|   | 4  | 77.3      | -5.9    | 70.9      | 95      | 75.6            | -6.3         | 66.3         | 96  |
|   | 5  | 72.6      | -4.6    | 58.1      | 95      | 70.9            | -4.4         | 50.6         | 95  |
|   | 6  | 67.8      | -3.2    | 45.2      | 94      | 66.0            | -2.8         | 36.1         | 95  |
|   | 7  | 63.1      | -1.8    | 32.4      | 93      | 62.0            | -1.0         | 25.3         | 92  |
|   | 8  | 58.4      | -0.4    | 19.6      | 91      | 57.9            | 0.0          | 14.7         | 90  |
| Z | 9  | 53.6      | 0.9     | 6.8       | 82      | 53.6            | 0.9          | 6.8          | 82  |
|   | 10 | 50.2      | 2.4     | 1.5       | 32      | 49.0            | 2.3          | -0.8         | 339 |
|   | 11 | 46.7      | 3.8     | -3.8      | 315     | 45.1            | 5.4          | -9.4         | 300 |
|   | 12 | 43.3      | 5.3     | -9.1      | 300     | 40.7            | 6.4          | -17.9        | 290 |
|   | 13 | 39.8      | 6.8     | -14.5     | 295     | 36.8            | 8.5          | -23.1        | 290 |
|   | 14 | 36.3      | 8.2     | -19.8     | 292     | 33.3            | 9.0          | -27.8        | 288 |
|   | 15 | 32.9      | 9.7     | -25.1     | 291     | 31.2            | 10.5         | -30.5        | 289 |
|   | 16 | 29.4      | 11.1    | -30.5     | 290     | 28.1            | 11.8         | -33.2        | 290 |
| V | 17 | 26.0      | 12.6    | -35.8     | 289     | 26.0            | 12.6         | -35.8        | 289 |
| Y | 18 | 91.5      | -10.1   | 109.3     | 95      | 91.5            | -10.1        | 109.3        | 95  |
|   | 19 | 72.6      | -4.6    | 58.1      | 95      | 70.9            | -4.4         | 50.6         | 95  |
| Z | 20 | 53.6      | 0.9     | 6.8       | 82      | 53.6            | 0.9          | 6.8          | 82  |
|   | 21 | 39.8      | 6.8     | -14.5     | 295     | 36.8            | 8.5          | -23.1        | 290 |
| V | 22 | 26.0      | 12.6    | -35.8     | 289     | 26.0            | 12.6         | -35.8        | 289 |

**Start output S1**  
**Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G**

**Regularity**  
 $g^* = 52.3$

**Yellow - Violet blue**  
**rgb: Y - Z - V**

**Mean CIELAB difference (17 steps)**  
 $\Delta H^*_{CIELAB} = 4.9$   
 $\Delta E^*_{CIELAB} = 5.2$

**Mean CIELAB difference (5 steps)**  
 $\Delta H^*_{CIELAB} = 3.3$   
 $\Delta E^*_{CIELAB} = 3.4$

YE320-3N, ; Device: XcmyNP\_D50\_L; Measurement: L27G00NP.PDF; Date: 20070202

| T | i  | LAB*a,ref | hab,ref | LAB*a,out | hab,out | LAB*a,out/c-ref | $\Delta H^*$ | $\Delta E^*$ |     |
|---|----|-----------|---------|-----------|---------|-----------------|--------------|--------------|-----|
| Y | 1  | 90.9      | -17.3   | 110.7     | 99      | 90.9            | -17.3        | 110.7        | 99  |
|   | 2  | 86.3      | -15.2   | 97.7      | 99      | 83.1            | -15.0        | 92.3         | 99  |
|   | 3  | 81.6      | -13.1   | 84.7      | 99      | 79.6            | -14.6        | 82.6         | 100 |
|   | 4  | 77.0      | -11.0   | 71.7      | 99      | 75.2            | -12.1        | 66.7         | 100 |
|   | 5  | 72.3      | -8.9    | 58.8      | 99      | 70.5            | -9.4         | 50.7         | 101 |
|   | 6  | 67.6      | -6.7    | 45.8      | 98      | 65.8            | -6.8         | 36.1         | 101 |
|   | 7  | 63.0      | -4.6    | 32.8      | 98      | 61.8            | -4.2         | 25.2         | 100 |
|   | 8  | 58.3      | -2.5    | 19.8      | 98      | 57.8            | -2.1         | 14.7         | 99  |
| Z | 9  | 53.7      | -0.4    | 6.8       | 94      | 53.7            | -0.4         | 6.8          | 94  |
|   | 10 | 50.3      | 1.9     | 1.5       | 38      | 49.1            | 1.8          | -0.8         | 333 |
|   | 11 | 46.9      | 4.4     | -3.7      | 319     | 45.3            | 6.0          | -9.4         | 302 |
|   | 12 | 43.5      | 6.8     | -9.0      | 307     | 41.0            | 8.4          | -17.8        | 295 |
|   | 13 | 40.1      | 9.3     | -14.3     | 303     | 37.2            | 11.5         | -22.9        | 297 |
|   | 14 | 36.8      | 11.7    | -19.5     | 301     | 33.8            | 13.1         | -27.4        | 295 |
|   | 15 | 33.4      | 14.1    | -24.8     | 300     | 31.7            | 15.3         | -30.2        | 297 |
|   | 16 | 30.0      | 16.6    | -30.1     | 299     | 28.7            | 17.4         | -32.9        | 298 |
| V | 17 | 26.6      | 19.0    | -35.4     | 298     | 26.6            | 19.0         | -35.4        | 298 |
| Y | 18 | 90.9      | -17.3   | 110.7     | 99      | 90.9            | -17.3        | 110.7        | 99  |
|   | 19 | 72.3      | -8.9    | 58.8      | 99      | 70.5            | -9.4         | 50.7         | 101 |
| Z | 20 | 53.7      | -0.4    | 6.8       | 94      | 53.7            | -0.4         | 6.8          | 94  |
|   | 21 | 40.1      | 9.3     | -14.3     | 303     | 37.2            | 11.5         | -22.9        | 297 |
| V | 22 | 26.6      | 19.0    | -35.4     | 298     | 26.6            | 19.0         | -35.4        | 298 |

**Start output S1**  
**Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G**


**Regularity**  
 $g^* = 51.7$

**Yellow - Violet blue**  
**cmy0: Y - Z - V**


**Mean CIELAB difference (17 steps)**  
 $\Delta H^*_{CIELAB} = 5.1$   
 $\Delta E^*_{CIELAB} = 5.4$

**Mean CIELAB difference (5 steps)**  
 $\Delta H^*_{CIELAB} = 3.4$   
 $\Delta E^*_{CIELAB} = 3.5$

YE321-3N, ; Device: Xcmy0NP\_D65\_L; Measurement: L27G00NP.PDF; Date: 20070202



YE320-7N, ; Device: XcmyNP\_D50\_L; Measurement: L27G00NP.PDF; Date: 20070202



YE321-7N, ; Device: Xcmy0NP\_D65\_L; Measurement: L27G00NP.PDF; Date: 20070202