



%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271



%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system ORS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZ CIE	xy CIE	XYZ RGB	RGB^* sRGB	RGB^* sRGB	RGB^* AdobeRGB	RGB^* AdobeRGB	RGB^* AdobeRGB	RGB^* AdobeRGB								
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZ CIE	xy CIE	XYZ RGB	RGB^* sRGB	RGB^* sRGB	RGB^* AdobeRGB	RGB^* AdobeRGB	RGB^* AdobeRGB	RGB^* AdobeRGB								
n	out	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZ CIE	xy CIE	XYZ RGB	RGB^* sRGB	RGB^* sRGB	RGB^* AdobeRGB	RGB^* AdobeRGB	RGB^* AdobeRGB	RGB^* AdobeRGB								
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
1	0	ORS18	0.0	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	12.9	27.1	305.0	15.5	-22.1	2.1	1.5	5.1	0.24	0.24	0.024	0.017	0.057	0.156	0.113	0.268	0.163	0.135	0.27
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	0	ORS18	0.0	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	12.9	27.1	305.0	15.5	-22.1	2.1	1.5	5.1	0.24	0.24	0.024	0.017	0.057	0.156	0.113	0.268	0.163	0.135	0.27
2	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523
3	0	ORS18	0.0	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	25.5	36.0	150.9	-31.3	17.5	2.4	4.6	2.1	0.266	0.266	0.027	0.051	0.024	-0.03	0.296	0.136	0.163	0.3	0.164
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	0	ORS18	0.0	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	25.5	36.0	150.9	-31.3	17.5	2.4	4.6	2.1	0.266	0.266	0.027	0.051	0.024	-0.03	0.296	0.136	0.163	0.3	0.164
4	0	ORS18	0.0	0.5	0.5	0.586	0.25	0.5	0.656	0.5	0.0	29.3	27.1	236.0	-15.1	-22.4	4.4	6.0	13.9	0.183	0.183	0.05	0.067	0.157	-0.243	0.321	0.43	0.126	0.324	0.424
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	0	ORS18	0.0	0.5	0.5	0.586	0.25	0.5	0.656	0.5	0.0	29.3	27.1	236.0	-15.1	-22.4	4.4	6.0	13.9	0.183	0.183	0.05	0.067	0.157	-0.243	0.321	0.43	0.126	0.324	0.424
5	0	ORS18	0.0	0.5	1.0	0.683	0.5	1.0	0.751	0.0	0.0	42.2	54.3	270.5	0.5	-54.2	12.1	12.6	50.2	0.161	0.161	0.136	0.142	0.567	-0.782	0.435	0.785	0.057	0.433	0.769
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	0	ORS18	0.0	0.5	1.0	0.683	0.5	1.0	0.751	0.0	0.0	42.2	54.3	270.5	0.5	-54.2	12.1	12.6	50.2	0.161	0.161	0.136	0.142	0.567	-0.782	0.435	0.785	0.057	0.433	0.769
6	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271
7	0	ORS18	0.0	1.0	0.5	0.467	0.5	1.0	0.537	0.0	0.0	54.8	63.1	193.5	-61.3	-14.6	11.0	22.7	34.8	0.161	0.161	0.124	0.256	0.392	-2.419	0.647	0.642	-0.191	0.641	0.636
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	0	ORS18	0.0	1.0	0.5	0.467	0.5	1.0	0.537	0.0	0.0	54.8	63.1	193.5	-61.3	-14.6	11.0	22.7	34.8	0.161	0.161	0.124	0.256	0.392	-2.419	0.647	0.642	-0.191	0.641	0.636
8	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.27	0.659	0.907	-0.143	0.653	0.895
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.27	0.659	0.907	-0.143	0.653	0.895

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems
/YE50/ Form: 2/8, Serie: 1/1, Page: 2 Page count: 1

See for similar files: <http://www.ps.bam.de/YE50/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system ORS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

Table with 28 columns and 28 rows of colorimetric data. Columns include color names (e.g., ORS18 0.5), L*a*b* values, XYZ values, and RGB values. Rows represent different color patches and their corresponding data points.



See for similar files: http://www.ps.bam.de/YE50/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1


BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta
/YE50/ Form: 3/8, Seite: 1/1, Page: 3
Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
 Data of 3x3x3 colors in colorimetric system ORS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o ₃	l ₃	v ₃	e*	f*	c*	h*	n*	w*	LCH*CIE	a*b*CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB													
n	CS	System	o ₃	l ₃	v ₃	e*	f*	c*	h*	n*	w*	LCH*CIE	a*b*CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB													
n	out	System	o ₃	l ₃	v ₃	e*	f*	c*	h*	n*	w*	LCH*CIE	a*b*CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB													
18	0	ORS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9	82.6	37.7	65.4	50.5	30.1	16.7	2.9	0.605	0.605	0.34	0.189	0.033	0.904	0.177	0.128	0.779	0.191	0.15	
18	5	NRS18	1.0	0.183	0.0	0.036	0.5	1.0	0.105	0.0	0.0	56.7	77.4	37.7	61.2	47.3	40.0	24.6	6.5	0.563	0.563	0.451	0.278	0.073	1.0	0.327	0.236	0.872	0.329	0.25	
18	5	NRS18	1.0	0.183	0.0	0.036	0.5	1.0	0.105	0.0	0.0	56.7	77.4	37.7	61.2	47.3	40.0	24.6	6.5	0.563	0.563	0.451	0.278	0.073	1.0	0.327	0.236	0.872	0.329	0.25	
18	0	ORS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9	82.6	37.7	65.4	50.5	30.1	16.7	2.9	0.605	0.605	0.34	0.189	0.033	0.904	0.177	0.128	0.779	0.191	0.15	
19	0	ORS18	1.0	0.0	0.5	0.975	0.5	1.0	0.044	0.0	0.0	48.0	79.2	15.7	76.2	21.4	33.2	16.8	9.6	0.557	0.557	0.375	0.19	0.108	0.94	-0.034	0.344	0.805	-0.069	0.339	
19	5	NRS18	1.0	0.0	0.172	0.975	0.5	1.0	0.044	0.0	0.0	56.7	77.4	15.7	74.5	20.9	44.4	24.6	15.5	0.525	0.525	0.501	0.278	0.175	1.046	0.23	0.432	0.906	0.239	0.424	
19	5	NRS18	1.0	0.0	0.172	0.975	0.5	1.0	0.044	0.0	0.0	56.7	77.4	15.7	74.5	20.9	44.4	24.6	15.5	0.525	0.525	0.501	0.278	0.175	1.046	0.23	0.432	0.906	0.239	0.424	
19	0	ORS18	1.0	0.0	0.5	0.975	0.5	1.0	0.044	0.0	0.0	48.0	79.2	15.7	76.2	21.4	33.2	16.8	9.6	0.557	0.557	0.375	0.19	0.108	0.94	-0.034	0.344	0.805	-0.069	0.339	
20	0	ORS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1	75.7	353.7	75.3	-8.3	33.1	16.9	22.9	0.454	0.454	0.373	0.191	0.258	0.9	0.077	0.542	0.772	0.102	0.527	
20	5	NRS18	1.0	0.0	0.56	0.914	0.5	1.0	0.982	0.0	0.0	56.7	77.4	353.7	76.9	-8.4	45.2	24.6	32.7	0.441	0.441	0.51	0.278	0.369	1.019	0.228	0.636	0.882	0.237	0.619	
20	5	NRS18	1.0	0.0	0.56	0.914	0.5	1.0	0.982	0.0	0.0	56.7	77.4	353.7	76.9	-8.4	45.2	24.6	32.7	0.441	0.441	0.51	0.278	0.369	1.019	0.228	0.636	0.882	0.237	0.619	
20	0	ORS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1	75.7	353.7	75.3	-8.3	33.1	16.9	22.9	0.454	0.454	0.373	0.191	0.258	0.9	0.077	0.542	0.772	0.102	0.527	
21	0	ORS18	1.0	0.5	0.0	0.117	0.5	1.0	0.186	0.0	0.0	69.2	87.5	67.0	34.1	80.5	49.1	39.6	4.0	0.53	0.53	0.554	0.446	0.045	1.037	0.586	-0.166	0.935	0.581	0.003	
21	5	NRS18	1.0	0.622	0.0	0.117	0.5	1.0	0.186	0.0	0.0	56.7	77.4	67.0	30.2	71.3	30.8	24.6	2.2	0.535	0.535	0.348	0.278	0.024	0.848	0.467	-0.149	0.759	0.464	-0.076	
21	5	NRS18	1.0	0.622	0.0	0.117	0.5	1.0	0.186	0.0	0.0	56.7	77.4	67.0	30.2	71.3	30.8	24.6	2.2	0.535	0.535	0.348	0.278	0.024	0.848	0.467	-0.149	0.759	0.464	-0.076	
21	0	ORS18	1.0	0.5	0.0	0.117	0.5	1.0	0.186	0.0	0.0	69.2	87.5	67.0	34.1	80.5	49.1	39.6	4.0	0.53	0.53	0.554	0.446	0.045	1.037	0.586	-0.166	0.935	0.581	0.003	
22	0	ORS18	1.0	0.5	0.5	0.036	0.75	0.5	0.105	0.0	0.5	71.7	41.3	37.7	32.7	25.3	52.6	43.2	27.2	0.428	0.428	0.594	0.487	0.307	1.01	0.627	0.545	0.92	0.621	0.543	
22	5	NRS18	1.0	0.591	0.5	0.036	0.75	0.5	0.105	0.0	0.5	76.1	38.7	37.7	30.6	23.7	59.4	50.0	33.5	0.416	0.416	0.67	0.564	0.379	1.049	0.683	0.603	0.962	0.677	0.601	
22	5	NRS18	1.0	0.591	0.5	0.036	0.75	0.5	0.105	0.0	0.5	76.1	38.7	37.7	30.6	23.7	59.4	50.0	33.5	0.416	0.416	0.67	0.564	0.379	1.049	0.683	0.603	0.962	0.677	0.601	
22	0	ORS18	1.0	0.5	0.5	0.036	0.75	0.5	0.105	0.0	0.5	71.7	41.3	37.7	32.7	25.3	52.6	43.2	27.2	0.428	0.428	0.594	0.487	0.307	1.01	0.627	0.545	0.92	0.621	0.543	
23	0	ORS18	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	71.8	37.9	353.7	37.6	-4.1	54.7	43.3	51.2	0.367	0.367	0.618	0.489	0.578	0.983	0.62	0.765	0.896	0.614	0.754	
23	5	NRS18	1.0	0.5	0.78	0.914	0.75	0.5	0.982	0.0	0.5	76.1	38.7	353.7	38.5	-4.2	62.7	50.0	59.0	0.365	0.365	0.708	0.564	0.665	1.04	0.665	0.814	0.952	0.659	0.804	
23	5	NRS18	1.0	0.5	0.78	0.914	0.75	0.5	0.982	0.0	0.5	76.1	38.7	353.7	38.5	-4.2	62.7	50.0	59.0	0.365	0.365	0.708	0.564	0.665	1.04	0.665	0.814	0.952	0.659	0.804	
23	0	ORS18	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	71.8	37.9	353.7	37.6	-4.1	54.7	43.3	51.2	0.367	0.367	0.618	0.489	0.578	0.983	0.62	0.765	0.896	0.614	0.754	
24	0	ORS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4	92.3	96.4	-10.2	91.8	68.5	77.1	10.5	0.439	0.439	0.773	0.87	0.118	1.046	0.949	-0.122	1.02	0.948	0.195	
24	5	NRS18	0.942	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	56.7	77.4	96.4	-8.5	76.9	21.5	24.6	1.5	0.451	0.451	0.243	0.278	0.017	0.627	0.572	-0.318	0.607	0.567	-0.132	
24	5	NRS18	0.942	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	56.7	77.4	96.4	-8.5	76.9	21.5	24.6	1.5	0.451	0.451	0.243	0.278	0.017	0.627	0.572	-0.318	0.607	0.567	-0.132	
24	0	ORS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4	92.3	96.4	-10.2	91.8	68.5	77.1	10.5	0.439	0.439	0.773	0.87	0.118	1.046	0.949	-0.122	1.02	0.948	0.195	
25	0	ORS18	1.0	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	92.9	46.2	96.4	-5.0	45.9	76.1	82.7	38.9	0.385	0.385	0.859	0.934	0.439	1.054	0.972	0.602	1.033	0.971	0.617	
25	5	NRS18	0.971	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	76.1	38.7	96.4	-4.2	38.5	46.0	50.0	23.7	0.384	0.384	0.519	0.564	0.267	0.844	0.778	0.48	0.821	0.772	0.493	
25	5	NRS18	0.971	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	76.1	38.7	96.4	-4.2	38.5	46.0	50.0	23.7	0.384	0.384	0.519	0.564	0.267	0.844	0.778	0.48	0.821	0.772	0.493	
25	0	ORS18	1.0	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	92.9	46.2	96.4	-5.0	45.9	76.1	82.7	38.9	0.385	0.385	0.859	0.934	0.439	1.054	0.972	0.602	1.033	0.971	0.617	
26	0	ORS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	
26	5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	
26	5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0
26	0	ORS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0


BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
 application for evaluation and measurement of printer or monitor systems
 BAM material: code=rh4ta
 /YE50/ Form: 4/8, Serie: 1/1, Page: 4 Page count: 1

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de>
 Version 2.1, io=1,1




%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$

TLS00a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.92	64.55	100.42	40
Y _{Ma}	92.66	-20.69	90.75	93.08	103
L _{Ma}	83.63	-82.75	79.9	115.04	136
C _{Ma}	86.88	-46.16	-13.55	48.12	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.3	94.35	-58.41	110.97	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 20$
 $g^*_{C,rel} = 37$

TLS00	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	50.5	76.92	64.55	100.42	40
Y _M	92.66	-20.69	90.75	93.08	103
L _M	83.63	-82.75	79.9	115.04	136
C _M	86.88	-46.16	-13.55	48.12	196
V _M	30.39	76.06	-103.59	128.52	306
M _M	57.3	94.35	-58.41	110.97	328
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems
 /YE50/ Form: 5/8, Seite: 1/1, Page: 5 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system TLS00 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)


Table with columns: n, in CS System, o3, l3, v3, e*, f*, c*, h*, n*, w*, LCH*CIE, a*b*CIE, XYZ*CIE, xy*CIE, XYZ*RGB, RGB'sRGB, RGB'AdobeRGB. Rows include color patches 0-8 for ORS18 and TLS00 systems.

See for similar files: http://www.ps.bam.de/YE50/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta
/YE50/ Form: 68-, Serie: 1/1, Page: 6 Page count: 1


Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system TLS00 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

Table with columns: n, in CS System, o3, l3, v3, e*, f*, c*, h*, n*, w*, LCH*CIE, a*b*CIE, XYZCIE, xyCIE, XYZRGB, RGB'sRGB, RGB'AdobeRGB. Rows include color patches 18-26 for ORS18 and TLS00 systems.




See for similar files: http://www.ps.bam.de/YE50/ Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rh4ta application for evaluation and measurement of printer or monitor systems /YE50/ Form: 88, Serie: 1/1, Page: 8 Page count: 1




%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 115$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

FRS06a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	32.57	62.32	46.49	77.75	37
Y _{Ma}	82.73	-3.16	113.99	114.03	92
L _{Ma}	39.43	-61.79	45.84	76.95	143
C _{Ma}	47.86	-26.79	-34.24	43.49	232
V _{Ma}	10.16	55.12	-61.03	82.24	312
M _{Ma}	34.5	80.68	-33.92	87.52	337
N _{Ma}	6.25	0.0	0.0	0.0	0
W _{Ma}	91.97	0.0	0.0	0.0	0
R _{CIE}	39.92	59.8	31.05	67.38	27
J _{CIE}	81.26	-2.52	76.25	76.29	92
G _{CIE}	52.23	-41.56	17.14	44.96	158
B _{CIE}	30.57	2.63	-43.77	43.86	273



%Gamut
 $u^*_{rel} = 114$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 43$

FRS06	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	32.57	61.14	43.72	75.16	36
Y _M	82.73	-3.5	109.24	109.3	92
L _M	39.43	-62.86	42.8	76.06	146
C _M	47.86	-27.72	-37.61	46.74	234
V _M	10.16	53.56	-62.91	82.63	310
M _M	34.5	79.53	-36.76	87.62	335
N _M	6.25	-1.62	-1.72	2.38	227
W _M	91.97	-0.17	-5.1	5.11	268
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems
 /YE50/ Form 9/8, Seite 1/1, Page: 9 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system FRS06 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)


n	in	System	<i>o</i> ₃	<i>l</i> ₃	<i>v</i> ₃	<i>e</i> *	<i>f</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> *CIE	<i>a</i> * <i>b</i> *CIE	<i>XYZ</i> CIE	<i>xy</i> CIE	<i>XYZ</i> RGB	<i>RGB</i> 'sRGB													
n	CS	System	<i>o</i> ₃	<i>l</i> ₃	<i>v</i> ₃	<i>e</i> *	<i>f</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> *CIE	<i>a</i> * <i>b</i> *CIE	<i>XYZ</i> CIE	<i>xy</i> CIE	<i>XYZ</i> RGB	<i>RGB</i> 'sRGB													
n	out	System	<i>o</i> ₃	<i>l</i> ₃	<i>v</i> ₃	<i>e</i> *	<i>f</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> *CIE	<i>a</i> * <i>b</i> *CIE	<i>XYZ</i> CIE	<i>xy</i> CIE	<i>XYZ</i> RGB	<i>RGB</i> 'sRGB													
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
0	2	FRS06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
1	0	ORS18	0.0	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	12.9	27.1	305.0	15.5	-22.1	2.1	1.5	5.1	0.24	0.24	0.024	0.017	0.057	0.156	0.113	0.268	0.163	0.135	0.27
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	2	FRS06	0.0	0.044	0.5	0.778	0.25	0.5	0.847	0.5	0.0	6.7	39.4	305.0	22.6	-32.2	1.3	0.7	5.0	0.189	0.189	0.015	0.008	0.056	0.085	0.046	0.268	0.102	0.077	0.27
2	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	2	FRS06	0.0	0.088	1.0	0.778	0.5	1.0	0.847	0.0	0.0	13.5	78.8	305.0	45.2	-64.5	3.9	1.6	20.9	0.147	0.147	0.044	0.019	0.236	-0.05	0.027	0.535	-0.061	0.06	0.521
3	0	ORS18	0.0	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	25.5	36.0	150.9	-31.3	17.5	2.4	4.6	2.1	0.266	0.266	0.027	0.051	0.024	-0.03	0.296	0.136	0.163	0.3	0.164
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	2	FRS06	0.0	0.5	0.042	0.35	0.25	0.5	0.419	0.5	0.0	20.1	37.1	150.9	-32.3	18.0	1.4	3.0	1.2	0.253	0.253	0.016	0.034	0.013	-0.088	0.245	0.086	0.117	0.253	0.121
4	0	ORS18	0.0	0.5	0.5	0.586	0.25	0.5	0.656	0.5	0.0	29.3	27.1	236.0	-15.1	-22.4	4.4	6.0	13.9	0.183	0.183	0.05	0.067	0.157	-0.243	0.321	0.43	0.126	0.324	0.424
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	2	FRS06	0.0	0.475	0.5	0.586	0.25	0.5	0.656	0.5	0.0	23.0	22.7	236.0	-12.6	-18.7	2.8	3.8	8.7	0.186	0.186	0.032	0.043	0.098	-0.134	0.256	0.343	0.109	0.263	0.342
5	0	ORS18	0.0	0.5	1.0	0.683	0.5	1.0	0.751	0.0	0.0	42.2	54.3	270.5	0.5	-54.2	12.1	12.6	50.2	0.161	0.161	0.136	0.142	0.567	-0.782	0.435	0.785	0.057	0.433	0.769
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	2	FRS06	0.0	0.519	1.0	0.683	0.5	1.0	0.751	0.0	0.0	29.7	62.1	270.5	0.6	-62.0	5.9	6.1	38.1	0.117	0.117	0.066	0.069	0.43	-1.37	0.32	0.698	-0.26	0.323	0.681
6	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	2	FRS06	0.0	1.0	0.084	0.35	0.5	1.0	0.419	0.0	0.0	40.1	74.1	150.9	-64.7	36.0	4.2	11.3	3.1	0.227	0.227	0.048	0.128	0.034	-0.762	0.479	0.118	0.14	0.476	0.171
7	0	ORS18	0.0	1.0	0.5	0.467	0.5	1.0	0.537	0.0	0.0	54.8	63.1	193.5	-61.3	-14.6	11.0	22.7	34.8	0.161	0.161	0.124	0.256	0.392	-2.419	0.647	0.642	-0.191	0.641	0.636
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	2	FRS06	0.0	1.0	0.565	0.467	0.5	1.0	0.537	0.0	0.0	44.2	58.0	193.5	-56.3	-13.4	6.4	14.0	22.0	0.15	0.15	0.072	0.158	0.248	-1.722	0.524	0.521	-0.196	0.519	0.517
8	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.27	0.659	0.907	-0.143	0.653	0.895
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	2	FRS06	0.0	0.949	1.0	0.586	0.5	1.0	0.656	0.0	0.0	45.9	45.5	236.0	-25.3	-37.6	10.7	15.2	41.1	0.16	0.16	0.121	0.172	0.464	-1.331	0.511	0.71	-0.121	0.507	0.697

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
BAM material: code=rhadtA
application for evaluation and measurement of printer or monitor systems
/YE50/ Form: 10/8; Serie: 1/1; Page: 10 Page count: 1

See for similar files: http://www.ps.bam.de/YE50/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system FRS06 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB	n	CS	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB	n	CS	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB
n	out	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB																			
9	0	ORS18	0.5	0.0	0.0	0.036	0.25	0.5	0.105	0.5	0.0	24.0	41.3	37.7	32.7	25.3	6.5	4.1	1.1	0.556	0.556	0.074	0.046	0.013	0.439	0.131	0.088	0.382	0.15	0.114							
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156							
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156							
9	2	FRS06	0.5	0.009	0.0	0.036	0.25	0.5	0.105	0.5	0.0	16.7	39.2	37.7	31.0	24.0	3.9	2.2	0.3	0.6	0.6	0.044	0.025	0.004	0.351	0.064	0.017	0.305	0.092	0.052							
10	0	ORS18	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	24.1	37.9	353.7	37.6	-4.1	7.1	4.1	5.4	0.428	0.428	0.08	0.047	0.06	0.433	0.114	0.269	0.375	0.136	0.272							
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31							
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31							
10	2	FRS06	0.5	0.0	0.362	0.914	0.25	0.5	0.982	0.5	0.0	17.0	42.4	353.7	42.2	-4.6	4.8	2.3	3.2	0.465	0.465	0.054	0.026	0.036	0.376	-0.024	0.208	0.322	-0.057	0.215							
11	0	ORS18	0.5	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	36.9	65.0	329.3	55.9	-33.0	17.4	9.5	26.2	0.328	0.328	0.197	0.107	0.296	0.605	0.164	0.585	0.522	0.179	0.57							
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835							
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835							
11	2	FRS06	0.687	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	26.9	85.9	329.3	73.9	-43.7	13.2	5.0	22.2	0.326	0.326	0.149	0.057	0.251	0.555	-0.342	0.548	0.464	-0.191	0.532							
12	0	ORS18	0.5	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.2	46.2	96.4	-5.0	45.9	13.1	14.7	2.9	0.428	0.428	0.148	0.166	0.033	0.496	0.447	0.092	0.479	0.445	0.15							
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054							
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054							
12	2	FRS06	0.454	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	39.4	55.3	96.4	-6.0	55.0	9.6	10.9	0.9	0.448	0.448	0.108	0.123	0.01	0.431	0.39	-0.106	0.419	0.39	-0.067							
13	0	ORS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559							
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559							
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559							
13	2	FRS06	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	49.1	0.0	0.0	0.0	0.0	16.8	17.7	19.3	0.313	0.313	0.19	0.2	0.217	0.484	0.484	0.484	0.481	0.481	0.481							
14	0	ORS18	0.5	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	60.6	27.1	305.0	15.5	-22.1	31.4	28.8	49.9	0.285	0.285	0.354	0.325	0.563	0.641	0.574	0.767	0.617	0.569	0.755							
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008							
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008							
14	2	FRS06	0.5	0.544	1.0	0.778	0.75	0.5	0.847	0.0	0.5	52.7	39.4	305.0	22.6	-32.2	24.7	20.8	46.7	0.268	0.268	0.278	0.235	0.527	0.564	0.476	0.751	0.536	0.473	0.737							
15	0	ORS18	0.5	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	70.6	82.1	123.6	-45.4	68.4	26.8	41.7	7.2	0.354	0.354	0.303	0.47	0.082	0.503	0.793	0.081	0.599	0.788	0.207							
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087							
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087							
15	2	FRS06	0.382	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.0	91.1	123.6	-50.4	75.8	13.3	23.9	1.5	0.344	0.344	0.15	0.269	0.017	0.281	0.635	-0.366	0.42	0.629	-0.135							
16	0	ORS18	0.5	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	73.2	36.0	150.9	-31.3	17.5	33.4	45.4	34.4	0.295	0.295	0.377	0.512	0.389	0.528	0.805	0.607	0.618	0.8	0.611							
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633							
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633							
16	2	FRS06	0.5	1.0	0.542	0.35	0.75	0.5	0.419	0.0	0.5	66.1	37.1	150.9	-32.3	18.0	25.2	35.4	25.6	0.292	0.292	0.285	0.4	0.289	0.442	0.726	0.527	0.538	0.72	0.532							
17	0	ORS18	0.5	1.0	1.0	0.586	0.75	0.5	0.656	0.0	0.5	77.0	27.1	236.0	-15.1	-22.4	43.6	51.6	83.3	0.245	0.245	0.493	0.582	0.94	0.52	0.829	0.956	0.623	0.824	0.949							
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01							
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01							
17	2	FRS06	0.5	0.975	1.0	0.586	0.75	0.5	0.656	0.0	0.5	69.0	22.7	236.0	-12.6	-18.7	33.6	39.3	61.5	0.25	0.25	0.379	0.443	0.694	0.485	0.731	0.835	0.564	0.725	0.826							




Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system FRS06 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

Table with columns for colorimetric systems (ORS18, FRS06) and various color models (a*b*CIE, XYZ, RGB, sRGB, AdobeRGB). Rows represent different color patches and device configurations.


BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: http://www.ps.bam.de/YE50/ Version 2.1, io=1,1
Technical information: http://www.ps.bam.de




%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 118$
%Regularity
 $g^*_{H,rel} = 22$
 $g^*_{C,rel} = 40$

TLS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 118$
%Regularity
 $g^*_{H,rel} = 22$
 $g^*_{C,rel} = 40$

TLS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	52.76	71.63	49.88	87.29	35
Y _M	92.74	-20.02	84.97	87.3	103
L _M	84.0	-78.98	73.94	108.2	137
C _M	87.14	-44.41	-13.11	46.32	196
V _M	35.47	64.92	-95.06	115.12	304
M _M	59.01	89.33	-55.67	105.26	328
N _M	18.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
 Data of 3x3x3 colors in colorimetric system TLS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o ₃	l ₃	v ₃	e*	f*	c*	h*	n*	w*	LCH*CIE	a*b*CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB	RGB'sRGB	RGB'AdobeRGB	RGB'sRGB	RGB'AdobeRGB								
n	CS	System	o ₃	l ₃	v ₃	e*	f*	c*	h*	n*	w*	LCH*CIE	a*b*CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB	RGB'sRGB	RGB'AdobeRGB	RGB'sRGB	RGB'AdobeRGB								
n	out	System	o ₃	l ₃	v ₃	e*	f*	c*	h*	n*	w*	LCH*CIE	a*b*CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB	RGB'sRGB	RGB'AdobeRGB	RGB'sRGB	RGB'AdobeRGB								
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0							
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0							
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0							
0	3	TLS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0							
1	0	ORS18	0.0	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	12.9	27.1	305.0	15.5	-22.1	2.1	1.5	5.1	0.24	0.24	0.024	0.017	0.057	0.156	0.113	0.268	0.163	0.135	0.27
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	3	TLS18	0.014	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	18.1	57.4	305.0	32.9	-46.9	4.4	2.5	16.1	0.192	0.192	0.05	0.029	0.182	0.179	0.117	0.472	0.18	0.138	0.461
2	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	3	TLS18	0.028	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	36.1	114.8	305.0	65.9	-94.0	18.7	9.1	84.7	0.166	0.166	0.211	0.102	0.957	0.243	0.183	1.001	0.238	0.196	0.982
3	0	ORS18	0.0	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	25.5	36.0	150.9	-31.3	17.5	2.4	4.6	2.1	0.266	0.266	0.027	0.051	0.024	-0.03	0.296	0.136	0.163	0.3	0.164
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	3	TLS18	0.0	0.5	0.118	0.35	0.25	0.5	0.419	0.5	0.0	42.4	46.8	150.9	-40.8	22.8	7.1	12.7	6.4	0.271	0.271	0.08	0.144	0.073	0.037	0.479	0.252	0.273	0.476	0.273
4	0	ORS18	0.0	0.5	0.5	0.586	0.25	0.5	0.656	0.5	0.0	29.3	27.1	236.0	-15.1	-22.4	4.4	6.0	13.9	0.183	0.183	0.05	0.067	0.157	-0.243	0.321	0.43	0.126	0.324	0.424
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	3	TLS18	0.0	0.317	0.5	0.586	0.25	0.5	0.656	0.5	0.0	34.1	35.8	236.0	-19.9	-29.6	5.7	8.1	21.3	0.163	0.163	0.065	0.091	0.24	-0.648	0.378	0.526	-0.062	0.378	0.516
5	0	ORS18	0.0	0.5	1.0	0.683	0.5	1.0	0.751	0.0	0.0	42.2	54.3	270.5	0.5	-54.2	12.1	12.6	50.2	0.161	0.161	0.136	0.142	0.567	-0.782	0.435	0.785	0.057	0.433	0.769
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	3	TLS18	0.0	0.314	1.0	0.683	0.5	1.0	0.751	0.0	0.0	51.7	93.6	270.5	0.8	-93.4	19.0	19.9	126.5	0.115	0.115	0.215	0.224	1.427	-4.65	0.558	1.185	-0.458	0.553	1.175
6	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	3	TLS18	0.0	1.0	0.235	0.35	0.5	1.0	0.419	0.0	0.0	84.7	93.6	150.9	-81.7	45.5	33.3	65.5	28.7	0.261	0.261	0.376	0.739	0.323	-1.039	1.016	0.498	0.52	1.016	0.528
7	0	ORS18	0.0	1.0	0.5	0.467	0.5	1.0	0.537	0.0	0.0	54.8	63.1	193.5	-61.3	-14.6	11.0	22.7	34.8	0.161	0.161	0.124	0.256	0.392	-2.419	0.647	0.642	-0.191	0.641	0.636
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	3	TLS18	0.0	1.0	0.95	0.467	0.5	1.0	0.537	0.0	0.0	87.0	49.4	193.5	-48.0	-11.4	47.2	70.0	92.0	0.225	0.225	0.532	0.79	1.038	-0.088	1.004	0.985	0.563	1.004	0.985
8	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.27	0.659	0.907	-0.143	0.653	0.895
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	3	TLS18	0.0	0.633	1.0	0.586	0.5	1.0	0.656	0.0	0.0	68.2	71.6	236.0	-39.9	-59.2	25.6	38.2	116.4	0.142	0.142	0.289	0.431	1.314	-4.934	0.788	1.128	-0.361	0.783	1.121

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1


BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rh4ta
 application for evaluation and measurement of printer or monitor systems
 /YE50/ Form: 148; Serie: 1/1; Page: 14 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
 Data of 3x3x3 colors in colorimetric system TLS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB												
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB												
n	out	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB												
9	0	ORS18	0.5	0.0	0.0	0.036	0.25	0.5	0.105	0.5	0.0	24.0	41.3	37.7	32.7	25.3	6.5	4.1	1.1	0.556	0.556	0.074	0.046	0.013	0.439	0.131	0.088	0.382	0.15	0.114
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	3	TLS18	0.5	0.021	0.0	0.036	0.25	0.5	0.105	0.5	0.0	27.2	43.6	37.7	34.5	26.7	8.2	5.2	1.5	0.551	0.551	0.092	0.058	0.017	0.486	0.155	0.106	0.422	0.171	0.131
10	0	ORS18	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	24.1	37.9	353.7	37.6	-4.1	7.1	4.1	5.4	0.428	0.428	0.08	0.047	0.06	0.433	0.114	0.269	0.375	0.136	0.272
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	3	TLS18	0.5	0.0	0.308	0.914	0.25	0.5	0.982	0.5	0.0	28.3	49.2	353.7	48.9	-5.3	10.5	5.6	7.5	0.446	0.446	0.118	0.063	0.084	0.532	0.076	0.318	0.455	0.103	0.316
11	0	ORS18	0.5	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	36.9	65.0	329.3	55.9	-33.0	17.4	9.5	26.2	0.328	0.328	0.197	0.107	0.296	0.605	0.164	0.585	0.522	0.179	0.57
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	3	TLS18	1.0	0.0	0.981	0.844	0.5	1.0	0.915	0.0	0.0	58.9	104.9	329.3	90.2	-53.4	53.6	26.9	82.9	0.328	0.328	0.605	0.304	0.936	1.012	0.163	0.983	0.872	0.178	0.964
12	0	ORS18	0.5	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.2	46.2	96.4	-5.0	45.9	13.1	14.7	2.9	0.428	0.428	0.148	0.166	0.033	0.496	0.447	0.092	0.479	0.445	0.15
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	3	TLS18	0.5	0.45	0.0	0.197	0.25	0.5	0.268	0.5	0.0	44.4	43.6	96.4	-4.8	43.4	12.7	14.1	3.0	0.425	0.425	0.143	0.159	0.034	0.486	0.438	0.111	0.47	0.436	0.161
13	0	ORS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	3	TLS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
14	0	ORS18	0.5	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	60.6	27.1	305.0	15.5	-22.1	31.4	28.8	49.9	0.285	0.285	0.354	0.325	0.563	0.641	0.574	0.767	0.617	0.569	0.755
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	3	TLS18	0.514	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	65.8	57.4	305.0	32.9	-46.9	43.5	35.0	90.5	0.258	0.258	0.491	0.395	1.021	0.719	0.591	1.011	0.68	0.585	0.998
15	0	ORS18	0.5	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	70.6	82.1	123.6	-45.4	68.4	26.8	41.7	7.2	0.354	0.354	0.303	0.47	0.082	0.503	0.793	0.081	0.599	0.788	0.207
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	3	TLS18	0.394	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	87.4	100.0	123.6	-55.3	83.2	45.3	70.9	11.7	0.354	0.354	0.511	0.8	0.132	0.634	1.005	0.061	0.759	1.005	0.248
16	0	ORS18	0.5	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	73.2	36.0	150.9	-31.3	17.5	33.4	45.4	34.4	0.295	0.295	0.377	0.512	0.389	0.528	0.805	0.607	0.618	0.8	0.611
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	3	TLS18	0.5	1.0	0.618	0.35	0.75	0.5	0.419	0.0	0.5	90.1	46.8	150.9	-40.8	22.8	54.9	76.5	55.9	0.293	0.293	0.619	0.863	0.631	0.639	1.02	0.752	0.768	1.02	0.76
17	0	ORS18	0.5	1.0	1.0	0.586	0.75	0.5	0.656	0.0	0.5	77.0	27.1	236.0	-15.1	-22.4	43.6	51.6	83.3	0.245	0.245	0.493	0.582	0.94	0.52	0.829	0.956	0.623	0.824	0.949
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	3	TLS18	0.5	0.817	1.0	0.586	0.75	0.5	0.656	0.0	0.5	81.8	35.8	236.0	-19.9	-29.6	49.2	59.9	106.1	0.229	0.229	0.556	0.676	1.198	0.441	0.896	1.067	0.612	0.893	1.063


Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system TLS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

Table with 26 columns and 26 rows of colorimetric data. Columns include: n, in CS System, o3, l3, v3, e*, f*, c*, h*, n*, w*, LCH*CIE, a*b*CIE, XYZ*CIE, xy*CIE, XYZ*RGB, RGB'sRGB, RGB'AdobeRGB. Rows represent different color patches and systems (ORS18, TLS18).




BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems
/YE50/ Form: 168; Serie: 1/1, Page: 16 Page count: 1

See for similar files: http://www.ps.bam.de/YE50/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1




%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 152$
%Regularity
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

NLS00a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	31.81	82.62	47.7	95.4	30
Y _{Ma}	63.61	0.0	95.4	95.4	90
L _{Ma}	31.81	-82.61	47.7	95.4	150
C _{Ma}	63.61	-82.61	-47.69	95.4	210
V _{Ma}	31.81	0.0	-95.39	95.4	270
M _{Ma}	63.61	82.62	-47.69	95.4	330
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 152$
%Regularity
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

NLS00	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	31.81	82.62	47.7	95.4	30
Y _M	63.61	0.0	95.4	95.4	90
L _M	31.81	-82.61	47.7	95.4	150
C _M	63.61	-82.61	-47.69	95.4	210
V _M	31.81	0.0	-95.39	95.4	270
M _M	63.61	82.62	-47.69	95.4	330
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system NLS00 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>in CS System</i>	<i>o₃</i>	<i>l₃</i>	<i>v₃</i>	<i>e*</i>	<i>f*</i>	<i>c*</i>	<i>h*</i>	<i>n*</i>	<i>w*</i>	<i>LCH*CIE</i>	<i>a*b*CIE</i>	<i>XYZCIE</i>	<i>xyCIE</i>	<i>XYZRGB</i>	<i>RGB'sRGB</i>	<i>RGB'AdobeRGB</i>
<i>n</i>	<i>CS System</i>	<i>o₃</i>	<i>l₃</i>	<i>v₃</i>	<i>e*</i>	<i>f*</i>	<i>c*</i>	<i>h*</i>	<i>n*</i>	<i>w*</i>	<i>LCH*CIE</i>	<i>a*b*CIE</i>	<i>XYZCIE</i>	<i>xyCIE</i>	<i>XYZRGB</i>	<i>RGB'sRGB</i>	<i>RGB'AdobeRGB</i>
<i>n</i>	<i>out System</i>	<i>o₃</i>	<i>l₃</i>	<i>v₃</i>	<i>e*</i>	<i>f*</i>	<i>c*</i>	<i>h*</i>	<i>n*</i>	<i>w*</i>	<i>LCH*CIE</i>	<i>a*b*CIE</i>	<i>XYZCIE</i>	<i>xyCIE</i>	<i>XYZRGB</i>	<i>RGB'sRGB</i>	<i>RGB'AdobeRGB</i>
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0
0	4	NLS00	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.328	0.328	0.0
1	0	ORS18	0.0	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	12.9	27.1	305.0	15.5	-22.1	2.1
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4
1	4	NLS00	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	25.2	47.7	305.0	27.4	-39.0	6.5
2	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8
2	4	NLS00	0.583	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	50.4	95.4	305.0	54.7	-78.0	30.1
3	0	ORS18	0.0	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	25.5	36.0	150.9	-31.3	17.5	2.4
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0
3	4	NLS00	0.0	0.5	0.008	0.35	0.25	0.5	0.419	0.5	0.0	16.1	47.7	150.9	-41.6	23.2	0.7
4	0	ORS18	0.0	0.5	0.5	0.586	0.25	0.5	0.656	0.5	0.0	29.3	27.1	236.0	-15.1	-22.4	4.4
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7
4	4	NLS00	0.0	0.283	0.5	0.586	0.25	0.5	0.656	0.5	0.0	24.9	47.7	236.0	-26.6	-39.5	2.5
5	0	ORS18	0.0	0.5	1.0	0.683	0.5	1.0	0.751	0.0	0.0	42.2	54.3	270.5	0.5	-54.2	12.1
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6
5	4	NLS00	0.008	0.0	1.0	0.683	0.5	1.0	0.751	0.0	0.0	32.1	95.4	270.5	0.8	-95.3	6.9
6	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3
6	4	NLS00	0.0	1.0	0.015	0.35	0.5	1.0	0.419	0.0	0.0	32.3	95.4	150.9	-83.3	46.4	1.5
7	0	ORS18	0.0	1.0	0.5	0.467	0.5	1.0	0.537	0.0	0.0	54.8	63.1	193.5	-61.3	-14.6	11.0
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3
7	4	NLS00	0.0	1.0	0.724	0.467	0.5	1.0	0.537	0.0	0.0	54.8	95.4	193.5	-92.7	-22.1	7.3
8	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0
8	4	NLS00	0.0	0.566	1.0	0.586	0.5	1.0	0.656	0.0	0.0	49.8	95.4	236.0	-53.2	-79.0	9.3



BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems
/YE50/ Form 18/8; Serie: 1/1; Page: 18; Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system NLS00 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)


n	in	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	RGB'_{sRGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	$RGB'_{AdobeRGB}$	$RGB'_{AdobeRGB}$							
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	RGB'_{sRGB}	RGB'_{sRGB}	RGB'_{sRGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	$RGB'_{AdobeRGB}$	$RGB'_{AdobeRGB}$							
n	out	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	RGB'_{sRGB}	RGB'_{sRGB}	RGB'_{sRGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	$RGB'_{AdobeRGB}$	$RGB'_{AdobeRGB}$							
9	0	ORS18	0.5	0.0	0.0	0.036	0.25	0.5	0.105	0.5	0.0	24.0	41.3	37.7	32.7	25.3	6.5	4.1	1.1	0.556	0.556	0.074	0.046	0.013	0.439	0.131	0.088	0.382	0.15	0.114	
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156	
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156	
9	4	NLS00	0.5	0.064	0.0	0.036	0.25	0.5	0.105	0.5	0.0	17.9	47.7	37.7	37.7	29.2	4.7	2.5	0.1	0.643	0.643	0.054	0.028	0.001	0.395	0.016	-0.016	0.339	0.048	-0.046	
10	0	ORS18	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	24.1	37.9	353.7	37.6	-4.1	7.1	4.1	5.4	0.428	0.428	0.08	0.047	0.06	0.433	0.114	0.269	0.375	0.136	0.272	
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31	
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31	
10	4	NLS00	0.5	0.0	0.303	0.914	0.25	0.5	0.982	0.5	0.0	25.5	47.7	353.7	47.4	-5.2	8.8	4.6	6.2	0.45	0.45	0.1	0.052	0.07	0.494	0.046	0.291	0.422	0.077	0.291	
11	0	ORS18	0.5	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	36.9	65.0	329.3	55.9	-33.0	17.4	9.5	26.2	0.328	0.328	0.197	0.107	0.296	0.605	0.164	0.585	0.522	0.179	0.57	
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835	
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835	
11	4	NLS00	0.989	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	63.3	95.4	329.3	82.1	-48.6	57.8	31.9	86.6	0.328	0.328	0.653	0.36	0.978	1.032	0.32	0.998	0.899	0.323	0.981	
12	0	ORS18	0.5	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.2	46.2	96.4	-5.0	45.9	13.1	14.7	2.9	0.428	0.428	0.148	0.166	0.033	0.496	0.447	0.092	0.479	0.445	0.15	
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054	
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054	
12	4	NLS00	0.447	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	30.1	47.7	96.4	-5.2	47.4	5.5	6.3	0.3	0.455	0.455	0.062	0.071	0.004	0.333	0.299	-0.092	0.327	0.304	-0.08	
13	0	ORS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559	
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559	
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559	
13	4	NLS00	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	47.7	0.0	0.0	0.0	0.0	15.7	16.6	18.0	0.313	0.313	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467	
14	0	ORS18	0.5	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	60.6	27.1	305.0	15.5	-22.1	31.4	28.8	49.9	0.285	0.285	0.354	0.325	0.563	0.641	0.574	0.767	0.617	0.569	0.755	
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008	
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008	
14	4	NLS00	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	72.9	47.7	305.0	27.4	-39.0	52.6	45.0	96.8	0.271	0.271	0.594	0.508	1.093	0.797	0.682	1.036	0.761	0.676	1.026	
15	0	ORS18	0.5	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	70.6	82.1	123.6	-45.4	68.4	26.8	41.7	7.2	0.354	0.354	0.303	0.47	0.082	0.503	0.793	0.081	0.599	0.788	0.207	
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087	
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087	
15	4	NLS00	0.439	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	45.8	95.4	123.6	-52.8	79.4	7.4	15.1	0.0	0.329	0.329	0.083	0.17	0.0	0.09	0.526	-0.394	0.306	0.522	-0.166	
16	0	ORS18	0.5	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	73.2	36.0	150.9	-31.3	17.5	33.4	45.4	34.4	0.295	0.295	0.377	0.512	0.389	0.528	0.805	0.607	0.618	0.8	0.611	
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633	
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633	
16	4	NLS00	0.5	1.0	0.508	0.35	0.75	0.5	0.419	0.0	0.5	63.9	47.7	150.9	-41.6	23.2	21.0	32.6	20.4	0.284	0.284	0.238	0.368	0.231	0.33	0.715	0.464	0.478	0.709	0.474	
17	0	ORS18	0.5	1.0	1.0	0.586	0.75	0.5	0.656	0.0	0.5	77.0	27.1	236.0	-15.1	-22.4	43.6	51.6	83.3	0.245	0.245	0.493	0.582	0.94	0.52	0.829	0.956	0.623	0.824	0.949	
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01	
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01	
17	4	NLS00	0.5	0.783	1.0	0.586	0.75	0.5	0.656	0.0	0.5	72.6	47.7	236.0	-26.6	-39.5	34.1	44.6	96.9	0.194	0.194	0.385	0.503	1.093	-0.918	0.807	1.032	0.388	0.802	1.025	

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system NLS00 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB	n	CS	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xyCIE	XYZRGB	RGB'sRGB	RGB'AdobeRGB	
18	0	ORS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9	82.6	37.7	65.4	50.5	30.1	16.7	2.9	0.605	0.605	0.34	0.189	0.033	0.904	0.177	0.128	0.779	0.191	0.15								
18	5	NRS18	1.0	0.183	0.0	0.036	0.5	1.0	0.105	0.0	0.0	56.7	77.4	37.7	61.2	47.3	40.0	24.6	6.5	0.563	0.563	0.451	0.278	0.073	1.0	0.327	0.236	0.872	0.329	0.25								
18	5	NRS18	1.0	0.183	0.0	0.036	0.5	1.0	0.105	0.0	0.0	56.7	77.4	37.7	61.2	47.3	40.0	24.6	6.5	0.563	0.563	0.451	0.278	0.073	1.0	0.327	0.236	0.872	0.329	0.25								
18	4	NLS00	1.0	0.128	0.0	0.036	0.5	1.0	0.105	0.0	0.0	35.9	95.4	37.7	75.5	58.3	20.4	8.9	0.2	0.689	0.689	0.23	0.101	0.003	0.79	-0.425	-0.062	0.667	-0.211	-0.097								
19	0	ORS18	1.0	0.0	0.5	0.975	0.5	1.0	0.044	0.0	0.0	48.0	79.2	15.7	76.2	21.4	33.2	16.8	9.6	0.557	0.557	0.375	0.19	0.108	0.94	-0.034	0.344	0.805	-0.069	0.339								
19	5	NRS18	1.0	0.0	0.172	0.975	0.5	1.0	0.044	0.0	0.0	56.7	77.4	15.7	74.5	20.9	44.4	24.6	15.5	0.525	0.525	0.501	0.278	0.175	1.046	0.23	0.432	0.906	0.239	0.424								
19	5	NRS18	1.0	0.0	0.172	0.975	0.5	1.0	0.044	0.0	0.0	56.7	77.4	15.7	74.5	20.9	44.4	24.6	15.5	0.525	0.525	0.501	0.278	0.175	1.046	0.23	0.432	0.906	0.239	0.424								
19	4	NLS00	1.0	0.0	0.239	0.975	0.5	1.0	0.044	0.0	0.0	39.4	95.4	15.7	91.9	25.8	27.5	10.9	4.6	0.639	0.639	0.31	0.123	0.052	0.902	-0.874	0.241	0.759	-0.293	0.238								
20	0	ORS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1	75.7	353.7	75.3	-8.3	33.1	16.9	22.9	0.454	0.454	0.373	0.191	0.258	0.9	0.077	0.542	0.772	0.102	0.527								
20	5	NRS18	1.0	0.0	0.56	0.914	0.5	1.0	0.982	0.0	0.0	56.7	77.4	353.7	76.9	-8.4	45.2	24.6	32.7	0.441	0.441	0.51	0.278	0.369	1.019	0.228	0.636	0.882	0.237	0.619								
20	5	NRS18	1.0	0.0	0.56	0.914	0.5	1.0	0.982	0.0	0.0	56.7	77.4	353.7	76.9	-8.4	45.2	24.6	32.7	0.441	0.441	0.51	0.278	0.369	1.019	0.228	0.636	0.882	0.237	0.619								
20	4	NLS00	1.0	0.0	0.606	0.914	0.5	1.0	0.982	0.0	0.0	51.1	95.4	353.7	94.8	-10.4	43.0	19.3	27.3	0.48	0.48	0.486	0.218	0.309	1.036	-0.624	0.592	0.884	-0.252	0.573								
21	0	ORS18	1.0	0.5	0.0	0.117	0.5	1.0	0.186	0.0	0.0	69.2	87.5	67.0	34.1	80.5	49.1	39.6	4.0	0.53	0.53	0.554	0.446	0.045	1.037	0.586	-0.166	0.935	0.581	0.003								
21	5	NRS18	1.0	0.622	0.0	0.117	0.5	1.0	0.186	0.0	0.0	56.7	77.4	67.0	30.2	71.3	30.8	24.6	2.2	0.535	0.535	0.348	0.278	0.024	0.848	0.467	-0.149	0.759	0.464	-0.076								
21	5	NRS18	1.0	0.622	0.0	0.117	0.5	1.0	0.186	0.0	0.0	56.7	77.4	67.0	30.2	71.3	30.8	24.6	2.2	0.535	0.535	0.348	0.278	0.024	0.848	0.467	-0.149	0.759	0.464	-0.076								
21	4	NLS00	1.0	0.617	0.0	0.117	0.5	1.0	0.186	0.0	0.0	51.4	95.4	67.0	37.2	87.8	26.8	19.7	0.1	0.576	0.576	0.303	0.222	0.001	0.821	0.386	-0.357	0.724	0.385	-0.173								
22	0	ORS18	1.0	0.5	0.5	0.036	0.75	0.5	0.105	0.0	0.5	71.7	41.3	37.7	32.7	25.3	52.6	43.2	27.2	0.428	0.428	0.594	0.487	0.307	1.01	0.627	0.545	0.92	0.621	0.543								
22	5	NRS18	1.0	0.591	0.5	0.036	0.75	0.5	0.105	0.0	0.5	76.1	38.7	37.7	30.6	23.7	59.4	50.0	33.5	0.416	0.416	0.67	0.564	0.379	1.049	0.683	0.603	0.962	0.677	0.601								
22	5	NRS18	1.0	0.591	0.5	0.036	0.75	0.5	0.105	0.0	0.5	76.1	38.7	37.7	30.6	23.7	59.4	50.0	33.5	0.416	0.416	0.67	0.564	0.379	1.049	0.683	0.603	0.962	0.677	0.601								
22	4	NLS00	1.0	0.564	0.5	0.036	0.75	0.5	0.105	0.0	0.5	65.6	47.7	37.7	37.7	29.2	45.0	34.9	18.9	0.455	0.455	0.508	0.394	0.214	0.97	0.542	0.454	0.872	0.537	0.455								
23	0	ORS18	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	71.8	37.9	353.7	37.6	-4.1	54.7	43.3	51.2	0.367	0.367	0.618	0.489	0.578	0.983	0.62	0.765	0.896	0.614	0.754								
23	5	NRS18	1.0	0.5	0.78	0.914	0.75	0.5	0.982	0.0	0.5	76.1	38.7	353.7	38.5	-4.2	62.7	50.0	59.0	0.365	0.365	0.708	0.564	0.665	1.04	0.665	0.814	0.952	0.659	0.804								
23	5	NRS18	1.0	0.5	0.78	0.914	0.75	0.5	0.982	0.0	0.5	76.1	38.7	353.7	38.5	-4.2	62.7	50.0	59.0	0.365	0.365	0.708	0.564	0.665	1.04	0.665	0.814	0.952	0.659	0.804								
23	4	NLS00	1.0	0.5	0.803	0.914	0.75	0.5	0.982	0.0	0.5	73.2	47.7	353.7	47.4	-5.2	61.3	45.5	54.9	0.379	0.379	0.692	0.514	0.619	1.061	0.601	0.791	0.958	0.595	0.779								
24	0	ORS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4	92.3	96.4	-10.2	91.8	68.5	77.1	10.5	0.439	0.439	0.773	0.87	0.118	1.046	0.949	-0.122	1.02	0.948	0.195								
24	5	NRS18	0.942	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	56.7	77.4	96.4	-8.5	76.9	21.5	24.6	1.5	0.451	0.451	0.243	0.278	0.017	0.627	0.572	-0.318	0.607	0.567	-0.132								
24	5	NRS18	0.942	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	56.7	77.4	96.4	-8.5	76.9	21.5	24.6	1.5	0.451	0.451	0.243	0.278	0.017	0.627	0.572	-0.318	0.607	0.567	-0.132								
24	4	NLS00	0.894	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	60.2	95.4	96.4	-10.5	94.8	24.4	28.4	0.6	0.457	0.457	0.276	0.32	0.007	0.664	0.613	-0.547	0.644	0.607	-0.192								
25	0	ORS18	1.0	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	92.9	46.2	96.4	-5.0	45.9	76.1	82.7	38.9	0.385	0.385	0.859	0.934	0.439	1.054	0.972	0.602	1.033	0.971	0.617								
25	5	NRS18	0.971	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	76.1	38.7	96.4	-4.2	38.5	46.0	50.0	23.7	0.384	0.384	0.519	0.564	0.267	0.844	0.778	0.48	0.821	0.772	0.493								
25	5	NRS18	0.971	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	76.1	38.7	96.4	-4.2	38.5	46.0	50.0	23.7	0.384	0.384	0.519	0.564	0.267	0.844	0.778	0.48	0.821	0.772	0.493								
25	4	NLS00	0.947	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	77.8	47.7	96.4	-5.2	47.4	48.3	52.9	20.4	0.397	0.397	0.546	0.597	0.23	0.873	0.798	0.425	0.849	0.793	0.447								
26	0	ORS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
26	5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
26	5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
26	4	NLS00	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0


BAM registration: 20061101- YE50/10L/L50E00NP.PS/.PDF
BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems
/YE50/ Form: 2008, Serie: 1/1, Page: 20 Page count: 1

See for similar files: <http://www.ps.bam.de/YE50/>
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1




%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	56.71	69.87	33.29	77.4	25
Y _M	56.71	-3.1	77.34	77.4	92
L _M	56.71	-73.68	23.63	77.39	162
C _M	56.71	-61.81	-46.54	77.39	217
V _M	56.71	2.35	-77.34	77.39	272
M _M	56.71	66.07	-40.3	77.4	329
N _M	18.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
RC _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems
 /YE50/ Form: 21/8, Seite: 1/1, Page: 21 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system NRS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

Table with columns: n, in CS System, o3, l3, v3, e*, f*, c*, h*, n*, w*, LCH*CIE, a*b*CIE, XYZCIE, xyCIE, XYZRGB, RGB'sRGB, RGB'AdobeRGB. Rows represent color patches 0-8 with input and output data.

See for similar files: http://www.ps.bam.de/YE50/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta
/YE50/ Form: 22/8; Serie: 1/1; Page: 22; Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
 Data of 3x3x3 colors in colorimetric system NRS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)


n	in	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$												
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$												
n	out	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$												
9	0	ORS18	0.5	0.0	0.0	0.036	0.25	0.5	0.105	0.5	0.0	24.0	41.3	37.7	32.7	25.3	6.5	4.1	1.1	0.556	0.556	0.074	0.046	0.013	0.439	0.131	0.088	0.382	0.15	0.114
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
10	0	ORS18	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	24.1	37.9	353.7	37.6	-4.1	7.1	4.1	5.4	0.428	0.428	0.08	0.047	0.06	0.433	0.114	0.269	0.375	0.136	0.272
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
11	0	ORS18	0.5	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	36.9	65.0	329.3	55.9	-33.0	17.4	9.5	26.2	0.328	0.328	0.197	0.107	0.296	0.605	0.164	0.585	0.522	0.179	0.57
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
12	0	ORS18	0.5	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.2	46.2	96.4	-5.0	45.9	13.1	14.7	2.9	0.428	0.428	0.148	0.166	0.033	0.496	0.447	0.092	0.479	0.445	0.15
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
13	0	ORS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
14	0	ORS18	0.5	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	60.6	27.1	305.0	15.5	-22.1	31.4	28.8	49.9	0.285	0.285	0.354	0.325	0.563	0.641	0.574	0.767	0.617	0.569	0.755
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
15	0	ORS18	0.5	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	70.6	82.1	123.6	-45.4	68.4	26.8	41.7	7.2	0.354	0.354	0.303	0.47	0.082	0.503	0.793	0.081	0.599	0.788	0.207
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
16	0	ORS18	0.5	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	73.2	36.0	150.9	-31.3	17.5	33.4	45.4	34.4	0.295	0.295	0.377	0.512	0.389	0.528	0.805	0.607	0.618	0.8	0.611
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
17	0	ORS18	0.5	1.0	1.0	0.586	0.75	0.5	0.656	0.0	0.5	77.0	27.1	236.0	-15.1	-22.4	43.6	51.6	83.3	0.245	0.245	0.493	0.582	0.94	0.52	0.829	0.956	0.623	0.824	0.949
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
 application for evaluation and measurement of printer or monitor systems
 BAM material: code=rhadt4
 /YE50/ Form: 238, Serie: 1/1, Page: 23, Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system NRS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)


Table with 26 columns: n, in CS System, o3, l3, v3, e*, f*, c*, h*, n*, w*, LCH*CIE, a*b*CIE, XYZ*CIE, xy*CIE, XYZ*RGB, RGB'sRGB, RGB'AdobeRGB. Rows 18-26 show color data for various input/output combinations and device parameters.



See for similar files: http://www.ps.bam.de/YE50/ Technical information: http://www.ps.bam.de Version 2.1, io=1,1


BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF application for evaluation and measurement of printer or monitor systems BAM material: code=rh4ta

/YE50/ Form: 248, Serie: 1/1, Page: 24 Page count: 1




%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

SRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	67.03	38.7	77.4	30
Y _{Ma}	56.71	0.0	77.4	77.4	90
L _{Ma}	56.71	-67.02	38.7	77.4	150
C _{Ma}	56.71	-67.02	-38.69	77.4	210
V _{Ma}	56.71	0.0	-77.39	77.4	270
M _{Ma}	56.71	67.03	-38.69	77.4	330
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 100$
 $g^*_{C,rel} = 100$

SRS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	56.71	67.03	38.7	77.4	30
Y _M	56.71	0.0	77.4	77.4	90
L _M	56.71	-67.02	38.7	77.4	150
C _M	56.71	-67.02	-38.69	77.4	210
V _M	56.71	0.0	-77.39	77.4	270
M _M	56.71	67.03	-38.69	77.4	330
N _M	18.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rh4ta
 application for evaluation and measurement of printer or monitor systems
 /YE50/ Form: 25/8, Seite: 1/1, Page: 25 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

Data of 3x3x3 colors in colorimetric system SRS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>in</i>	System	<i>o</i> ₃	<i>l</i> ₃	<i>v</i> ₃	<i>e</i> [*]	<i>f</i> [*]	<i>c</i> [*]	<i>h</i> [*]	<i>n</i> [*]	<i>w</i> [*]	LCH [*] CIE	<i>a</i> [*] <i>b</i> [*] CIE	XYZ ^{CIE}	<i>xy</i> ^{CIE}	XYZ ^{RGB}	RGB ^s RGB													
<i>n</i>	<i>CS</i>	System	<i>o</i> ₃	<i>l</i> ₃	<i>v</i> ₃	<i>e</i> [*]	<i>f</i> [*]	<i>c</i> [*]	<i>h</i> [*]	<i>n</i> [*]	<i>w</i> [*]	LCH [*] CIE	<i>a</i> [*] <i>b</i> [*] CIE	XYZ ^{CIE}	<i>xy</i> ^{CIE}	XYZ ^{RGB}	RGB ^s RGB													
<i>n</i>	<i>out</i>	System	<i>o</i> ₃	<i>l</i> ₃	<i>v</i> ₃	<i>e</i> [*]	<i>f</i> [*]	<i>c</i> [*]	<i>h</i> [*]	<i>n</i> [*]	<i>w</i> [*]	LCH [*] CIE	<i>a</i> [*] <i>b</i> [*] CIE	XYZ ^{CIE}	<i>xy</i> ^{CIE}	XYZ ^{RGB}	RGB ^s RGB													
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
0	5	NRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
0	6	SRS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
1	0	ORS18	0.0	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	12.9	27.1	305.0	15.5	-22.1	2.1	1.5	5.1	0.24	0.24	0.024	0.017	0.057	0.156	0.113	0.268	0.163	0.135	0.27
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	5	NRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
1	6	SRS18	0.292	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	28.4	38.7	305.0	22.2	-31.6	7.4	5.6	17.2	0.245	0.245	0.083	0.063	0.194	0.306	0.237	0.482	0.294	0.246	0.471
2	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	5	NRS18	0.585	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.5	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
2	6	SRS18	0.583	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	56.7	77.4	305.0	44.4	-63.3	34.8	24.6	91.6	0.231	0.231	0.393	0.278	1.033	0.611	0.466	1.025	0.569	0.462	1.01
3	0	ORS18	0.0	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	25.5	36.0	150.9	-31.3	17.5	2.4	4.6	2.1	0.266	0.266	0.027	0.051	0.024	-0.03	0.296	0.136	0.163	0.3	0.164
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	5	NRS18	0.081	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.041	0.327	0.152	0.178	0.33	0.18
3	6	SRS18	0.0	0.5	0.008	0.35	0.25	0.5	0.419	0.5	0.0	28.4	38.7	150.9	-33.7	18.8	3.0	5.6	2.6	0.265	0.265	0.033	0.063	0.029	-0.042	0.327	0.152	0.178	0.33	0.179
4	0	ORS18	0.0	0.5	0.5	0.586	0.25	0.5	0.656	0.5	0.0	29.3	27.1	236.0	-15.1	-22.4	4.4	6.0	13.9	0.183	0.183	0.05	0.067	0.157	-0.243	0.321	0.43	0.126	0.324	0.424
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	5	NRS18	0.0	0.326	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
4	6	SRS18	0.0	0.283	0.5	0.586	0.25	0.5	0.656	0.5	0.0	28.4	38.7	236.0	-21.5	-32.0	3.7	5.6	17.4	0.139	0.139	0.042	0.063	0.197	-0.767	0.325	0.481	-0.16	0.328	0.473
5	0	ORS18	0.0	0.5	1.0	0.683	0.5	1.0	0.751	0.0	0.0	42.2	54.3	270.5	0.5	-54.2	12.1	12.6	50.2	0.161	0.161	0.136	0.142	0.567	-0.782	0.435	0.785	0.057	0.433	0.769
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	5	NRS18	0.0	0.022	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.4	0.146	0.146	0.266	0.278	1.28	-2.633	0.599	1.126	-0.268	0.593	1.115
5	6	SRS18	0.008	0.0	1.0	0.683	0.5	1.0	0.751	0.0	0.0	56.7	77.4	270.5	0.7	-77.3	23.6	24.6	113.5	0.146	0.146	0.266	0.278	1.281	-2.635	0.599	1.126	-0.268	0.593	1.115
6	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	5	NRS18	0.162	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.853	0.667	0.272	0.293	0.661	0.306
6	6	SRS18	0.0	1.0	0.015	0.35	0.5	1.0	0.419	0.0	0.0	56.7	77.4	150.9	-67.5	37.6	11.3	24.6	9.2	0.25	0.25	0.127	0.278	0.104	-0.854	0.667	0.272	0.293	0.661	0.306
7	0	ORS18	0.0	1.0	0.5	0.467	0.5	1.0	0.537	0.0	0.0	54.8	63.1	193.5	-61.3	-14.6	11.0	22.7	34.8	0.161	0.161	0.124	0.256	0.392	-2.419	0.647	0.642	-0.191	0.641	0.636
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	5	NRS18	0.0	1.0	0.571	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.584	0.686	0.686	-0.31	0.68	0.68
7	6	SRS18	0.0	1.0	0.724	0.467	0.5	1.0	0.537	0.0	0.0	56.7	77.4	193.5	-75.2	-17.9	10.3	24.6	40.1	0.137	0.137	0.116	0.278	0.453	-3.585	0.686	0.686	-0.31	0.68	0.68
8	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.27	0.659	0.907	-0.143	0.653	0.895
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	5	NRS18	0.0	0.652	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.173	0.666	1.025	-0.448	0.66	1.014
8	6	SRS18	0.0	0.566	1.0	0.586	0.5	1.0	0.656	0.0	0.0	56.7	77.4	236.0	-43.2	-64.1	15.0	24.6	92.7	0.113	0.113	0.169	0.278	1.046	-5.175	0.666	1.025	-0.448	0.66	1.014

See for similar files: <http://www.ps.bam.de/YE50/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rhadt
application for evaluation and measurement of printer or monitor systems
/YE50/ Form: 26/8, Serie: 1/1, Page: 26 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
 Data of 3x3x3 colors in colorimetric system SRS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)


n	in	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE		a^*b^* CIE		XYZCIE		xyCIE	XYZRGB		RGB^* sRGB		RGB^* AdobeRGB							
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE		a^*b^* CIE		XYZCIE		xyCIE	XYZRGB		RGB^* sRGB		RGB^* AdobeRGB							
n	out	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^* CIE		a^*b^* CIE		XYZCIE		xyCIE	XYZRGB		RGB^* sRGB		RGB^* AdobeRGB							
9	0	ORS18	0.5	0.0	0.0	0.036	0.25	0.5	0.105	0.5	0.0	24.0	41.3	37.7	32.7	25.3	6.5	4.1	1.1	0.556	0.556	0.074	0.046	0.013	0.439	0.131	0.088	0.382	0.15	0.114
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	6	SRS18	0.5	0.064	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
10	0	ORS18	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	24.1	37.9	353.7	37.6	-4.1	7.1	4.1	5.4	0.428	0.428	0.08	0.047	0.06	0.433	0.114	0.269	0.375	0.136	0.272
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	6	SRS18	0.5	0.0	0.303	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
11	0	ORS18	0.5	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	36.9	65.0	329.3	55.9	-33.0	17.4	9.5	26.2	0.328	0.328	0.197	0.107	0.296	0.605	0.164	0.585	0.522	0.179	0.57
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	6	SRS18	0.989	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
12	0	ORS18	0.5	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.2	46.2	96.4	-5.0	45.9	13.1	14.7	2.9	0.428	0.428	0.148	0.166	0.033	0.496	0.447	0.092	0.479	0.445	0.15
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	6	SRS18	0.447	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
13	0	ORS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	6	SRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
14	0	ORS18	0.5	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	60.6	27.1	305.0	15.5	-22.1	31.4	28.8	49.9	0.285	0.285	0.354	0.325	0.563	0.641	0.574	0.767	0.617	0.569	0.755
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	6	SRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
15	0	ORS18	0.5	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	70.6	82.1	123.6	-45.4	68.4	26.8	41.7	7.2	0.354	0.354	0.303	0.47	0.082	0.503	0.793	0.081	0.599	0.788	0.207
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	6	SRS18	0.439	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
16	0	ORS18	0.5	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	73.2	36.0	150.9	-31.3	17.5	33.4	45.4	34.4	0.295	0.295	0.377	0.512	0.389	0.528	0.805	0.607	0.618	0.8	0.611
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	6	SRS18	0.5	1.0	0.508	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.41	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
17	0	ORS18	0.5	1.0	1.0	0.586	0.75	0.5	0.656	0.0	0.5	77.0	27.1	236.0	-15.1	-22.4	43.6	51.6	83.3	0.245	0.245	0.493	0.582	0.94	0.52	0.829	0.956	0.623	0.824	0.949
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	6	SRS18	0.5	0.783	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
 application for evaluation and measurement of printer or monitor systems
 BAM material: code=rh4ta
 /YE50/ Form: 27/8, Serie: 1/1, Page: 27, Page count: 1

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1


Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
 Data of 3x3x3 colors in colorimetric system SRS18 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$												
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$												
n	out	System	o_3^*	l_3^*	v_3^*	e^*	f^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$												
18	0	ORS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9	82.6	37.7	65.4	50.5	30.1	16.7	2.9	0.605	0.605	0.34	0.189	0.033	0.904	0.177	0.128	0.779	0.191	0.15
18	5	NRS18	1.0	0.183	0.0	0.036	0.5	1.0	0.105	0.0	0.0	56.7	77.4	37.7	61.2	47.3	40.0	24.6	6.5	0.563	0.563	0.451	0.278	0.073	1.0	0.327	0.236	0.872	0.329	0.25
18	5	NRS18	1.0	0.183	0.0	0.036	0.5	1.0	0.105	0.0	0.0	56.7	77.4	37.7	61.2	47.3	40.0	24.6	6.5	0.563	0.563	0.451	0.278	0.073	1.0	0.327	0.236	0.872	0.329	0.25
18	6	SRS18	1.0	0.128	0.0	0.036	0.5	1.0	0.105	0.0	0.0	56.7	77.4	37.7	61.2	47.3	40.0	24.6	6.5	0.563	0.563	0.451	0.278	0.073	1.0	0.327	0.236	0.872	0.329	0.25
19	0	ORS18	1.0	0.0	0.5	0.975	0.5	1.0	0.044	0.0	0.0	48.0	79.2	15.7	76.2	21.4	33.2	16.8	9.6	0.557	0.557	0.375	0.19	0.108	0.94	-0.034	0.344	0.805	-0.069	0.339
19	5	NRS18	1.0	0.0	0.172	0.975	0.5	1.0	0.044	0.0	0.0	56.7	77.4	15.7	74.5	20.9	44.4	24.6	15.5	0.525	0.525	0.501	0.278	0.175	1.046	0.23	0.432	0.906	0.239	0.424
19	5	NRS18	1.0	0.0	0.172	0.975	0.5	1.0	0.044	0.0	0.0	56.7	77.4	15.7	74.5	20.9	44.4	24.6	15.5	0.525	0.525	0.501	0.278	0.175	1.046	0.23	0.432	0.906	0.239	0.424
19	6	SRS18	1.0	0.0	0.239	0.975	0.5	1.0	0.044	0.0	0.0	56.7	77.4	15.7	74.5	20.9	44.4	24.6	15.5	0.525	0.525	0.501	0.278	0.175	1.046	0.23	0.432	0.906	0.239	0.424
20	0	ORS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1	75.7	353.7	75.3	-8.3	33.1	16.9	22.9	0.454	0.454	0.373	0.191	0.258	0.9	0.077	0.542	0.772	0.102	0.527
20	5	NRS18	1.0	0.0	0.56	0.914	0.5	1.0	0.982	0.0	0.0	56.7	77.4	353.7	76.9	-8.4	45.2	24.6	32.7	0.441	0.441	0.51	0.278	0.369	1.019	0.228	0.636	0.882	0.237	0.619
20	5	NRS18	1.0	0.0	0.56	0.914	0.5	1.0	0.982	0.0	0.0	56.7	77.4	353.7	76.9	-8.4	45.2	24.6	32.7	0.441	0.441	0.51	0.278	0.369	1.019	0.228	0.636	0.882	0.237	0.619
20	6	SRS18	1.0	0.0	0.606	0.914	0.5	1.0	0.982	0.0	0.0	56.7	77.4	353.7	76.9	-8.4	45.2	24.6	32.7	0.441	0.441	0.51	0.278	0.369	1.019	0.227	0.636	0.882	0.237	0.619
21	0	ORS18	1.0	0.5	0.0	0.117	0.5	1.0	0.186	0.0	0.0	69.2	87.5	67.0	34.1	80.5	49.1	39.6	4.0	0.53	0.53	0.554	0.446	0.045	1.037	0.586	-0.166	0.935	0.581	0.003
21	5	NRS18	1.0	0.622	0.0	0.117	0.5	1.0	0.186	0.0	0.0	56.7	77.4	67.0	30.2	71.3	30.8	24.6	2.2	0.535	0.535	0.348	0.278	0.024	0.848	0.467	-0.149	0.759	0.464	-0.076
21	5	NRS18	1.0	0.622	0.0	0.117	0.5	1.0	0.186	0.0	0.0	56.7	77.4	67.0	30.2	71.3	30.8	24.6	2.2	0.535	0.535	0.348	0.278	0.024	0.848	0.467	-0.149	0.759	0.464	-0.076
21	6	SRS18	1.0	0.617	0.0	0.117	0.5	1.0	0.186	0.0	0.0	56.7	77.4	67.0	30.2	71.3	30.8	24.6	2.2	0.535	0.535	0.348	0.278	0.024	0.848	0.467	-0.149	0.759	0.464	-0.076
22	0	ORS18	1.0	0.5	0.5	0.036	0.75	0.5	0.105	0.0	0.5	71.7	41.3	37.7	32.7	25.3	52.6	43.2	27.2	0.428	0.428	0.594	0.487	0.307	1.01	0.627	0.545	0.92	0.621	0.543
22	5	NRS18	1.0	0.591	0.5	0.036	0.75	0.5	0.105	0.0	0.5	76.1	38.7	37.7	30.6	23.7	59.4	50.0	33.5	0.416	0.416	0.67	0.564	0.379	1.049	0.683	0.603	0.962	0.677	0.601
22	5	NRS18	1.0	0.591	0.5	0.036	0.75	0.5	0.105	0.0	0.5	76.1	38.7	37.7	30.6	23.7	59.4	50.0	33.5	0.416	0.416	0.67	0.564	0.379	1.049	0.683	0.603	0.962	0.677	0.601
22	6	SRS18	1.0	0.564	0.5	0.036	0.75	0.5	0.105	0.0	0.5	76.1	38.7	37.7	30.6	23.7	59.4	50.0	33.5	0.416	0.416	0.67	0.564	0.379	1.049	0.683	0.603	0.962	0.677	0.601
23	0	ORS18	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	71.8	37.9	353.7	37.6	-4.1	54.7	43.3	51.2	0.367	0.367	0.618	0.489	0.578	0.983	0.62	0.765	0.896	0.614	0.754
23	5	NRS18	1.0	0.5	0.78	0.914	0.75	0.5	0.982	0.0	0.5	76.1	38.7	353.7	38.5	-4.2	62.7	50.0	59.0	0.365	0.365	0.708	0.564	0.665	1.04	0.665	0.814	0.952	0.659	0.804
23	5	NRS18	1.0	0.5	0.78	0.914	0.75	0.5	0.982	0.0	0.5	76.1	38.7	353.7	38.5	-4.2	62.7	50.0	59.0	0.365	0.365	0.708	0.564	0.665	1.04	0.665	0.814	0.952	0.659	0.804
23	6	SRS18	1.0	0.5	0.803	0.914	0.75	0.5	0.982	0.0	0.5	76.1	38.7	353.7	38.5	-4.2	62.7	50.0	59.0	0.365	0.365	0.708	0.564	0.665	1.041	0.665	0.814	0.952	0.659	0.804
24	0	ORS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4	92.3	96.4	-10.2	91.8	68.5	77.1	10.5	0.439	0.439	0.773	0.87	0.118	1.046	0.949	-0.122	1.02	0.948	0.195
24	5	NRS18	0.942	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	56.7	77.4	96.4	-8.5	76.9	21.5	24.6	1.5	0.451	0.451	0.243	0.278	0.017	0.627	0.572	-0.318	0.607	0.567	-0.132
24	5	NRS18	0.942	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	56.7	77.4	96.4	-8.5	76.9	21.5	24.6	1.5	0.451	0.451	0.243	0.278	0.017	0.627	0.572	-0.318	0.607	0.567	-0.132
24	6	SRS18	0.894	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	56.7	77.4	96.4	-8.5	76.9	21.5	24.6	1.5	0.451	0.451	0.243	0.278	0.017	0.627	0.572	-0.318	0.607	0.567	-0.132
25	0	ORS18	1.0	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	92.9	46.2	96.4	-5.0	45.9	76.1	82.7	38.9	0.385	0.385	0.859	0.934	0.439	1.054	0.972	0.602	1.033	0.971	0.617
25	5	NRS18	0.971	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	76.1	38.7	96.4	-4.2	38.5	46.0	50.0	23.7	0.384	0.384	0.519	0.564	0.267	0.844	0.778	0.48	0.821	0.772	0.493
25	5	NRS18	0.971	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	76.1	38.7	96.4	-4.2	38.5	46.0	50.0	23.7	0.384	0.384	0.519	0.564	0.267	0.844	0.778	0.48	0.821	0.772	0.493
25	6	SRS18	0.947	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	76.1	38.7	96.4	-4.2	38.5	46.0	50.0	23.7	0.384	0.384	0.519	0.564	0.267	0.844	0.778	0.48	0.821	0.772	0.493
26	0	ORS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0
26	5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0
26	5	NRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0
26	6	SRS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0							




%Gamut
 $u^*_{rel} = 94$
%Regularity
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

ORS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	47.94	65.31	52.07	83.53	39
Y _M	90.37	-11.15	96.17	96.82	97
L _M	50.9	-62.96	36.71	72.89	150
C _M	58.62	-30.62	-42.74	52.59	234
V _M	25.72	31.45	-44.35	54.38	305
M _M	48.13	75.2	-6.79	75.51	355
N _M	18.01	0.5	-0.46	0.69	317
W _M	95.41	-0.98	4.76	4.86	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




%Gamut
 $u^*_{rel} = 93$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	65.39	50.52	82.63	38
Y _{Ma}	90.37	-10.26	91.75	92.32	96
L _{Ma}	50.9	-62.83	34.96	71.91	151
C _{Ma}	58.62	-30.34	-45.01	54.3	236
V _{Ma}	25.72	31.1	-44.4	54.22	305
M _{Ma}	48.13	75.28	-8.36	75.74	354
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.66	26.98	64.57	25
J _{CIE}	81.26	-2.16	67.76	67.79	92
G _{CIE}	52.23	-42.25	11.76	43.87	164
B _{CIE}	30.57	1.15	-46.84	46.86	271




%Gamut
 $u^*_{rel} = 100$
%Regularity
 $g^*_{H,rel} = 78$
 $g^*_{C,rel} = 100$

NRS18a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	56.71	69.87	33.29	77.4	25
Y _{Ma}	56.71	-3.1	77.34	77.4	92
L _{Ma}	56.71	-73.68	23.63	77.39	162
C _{Ma}	56.71	-61.81	-46.54	77.39	217
V _{Ma}	56.71	2.35	-77.34	77.39	272
M _{Ma}	56.71	66.07	-40.3	77.4	329
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 16$
%Regularity
 $g^*_{H,rel} = 34$
 $g^*_{C,rel} = 51$

TLS70a; adapted CIELAB data	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Gamut
 $u^*_{rel} = 16$
%Regularity
 $g^*_{H,rel} = 34$
 $g^*_{C,rel} = 51$

TLS70	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	76.43	26.27	10.57	28.32	22
Y _M	93.93	-10.76	34.63	36.27	107
L _M	89.32	-35.8	27.64	45.24	142
C _M	90.93	-21.95	-7.07	23.07	198
V _M	72.1	15.76	-35.63	38.97	294
M _M	78.5	37.52	-25.23	45.22	326
N _M	69.7	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems
 /YE50/ Form: 29/8, Seite: 1/1, Page: 29 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
 Data of 3x3x3 colors in colorimetric system TLS70 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

n	in	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xy CIE	XYZRGB	RGB' sRGB	RGB' sRGB	RGB' AdobeRGB	RGB' AdobeRGB	RGB' sRGB	RGB' AdobeRGB	RGB' AdobeRGB							
n	CS	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xy CIE	XYZRGB	RGB' sRGB	RGB' sRGB	RGB' AdobeRGB	RGB' AdobeRGB	RGB' sRGB	RGB' AdobeRGB	RGB' AdobeRGB							
n	out	System	o_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^* CIE	a^*b^* CIE	XYZCIE	xy CIE	XYZRGB	RGB' sRGB	RGB' sRGB	RGB' AdobeRGB	RGB' AdobeRGB	RGB' sRGB	RGB' AdobeRGB	RGB' AdobeRGB							
9	0	ORS18	0.5	0.0	0.0	0.036	0.25	0.5	0.105	0.5	0.0	24.0	41.3	37.7	32.7	25.3	6.5	4.1	1.1	0.556	0.556	0.074	0.046	0.013	0.439	0.131	0.088	0.382	0.15	0.114
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	5	NRS18	0.5	0.091	0.0	0.036	0.25	0.5	0.105	0.5	0.0	28.4	38.7	37.7	30.6	23.7	8.3	5.6	2.0	0.522	0.522	0.094	0.063	0.023	0.479	0.185	0.135	0.419	0.198	0.156
9	7	TLS70	0.5	0.092	0.0	0.036	0.25	0.5	0.105	0.5	0.0	39.8	14.9	37.7	11.8	9.1	12.2	11.1	9.0	0.378	0.378	0.138	0.126	0.102	0.488	0.36	0.331	0.454	0.361	0.335
10	0	ORS18	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	24.1	37.9	353.7	37.6	-4.1	7.1	4.1	5.4	0.428	0.428	0.08	0.047	0.06	0.433	0.114	0.269	0.375	0.136	0.272
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	5	NRS18	0.5	0.0	0.28	0.914	0.25	0.5	0.982	0.5	0.0	28.4	38.7	353.7	38.5	-4.2	9.2	5.6	7.2	0.419	0.419	0.104	0.063	0.081	0.484	0.156	0.31	0.42	0.173	0.31
10	7	TLS70	0.5	0.0	0.253	0.914	0.25	0.5	0.982	0.5	0.0	38.7	18.4	353.7	18.3	-1.9	12.5	10.5	12.2	0.355	0.355	0.141	0.119	0.138	0.491	0.335	0.395	0.451	0.337	0.392
11	0	ORS18	0.5	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	36.9	65.0	329.3	55.9	-33.0	17.4	9.5	26.2	0.328	0.328	0.197	0.107	0.296	0.605	0.164	0.585	0.522	0.179	0.57
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	5	NRS18	1.0	0.0	0.987	0.844	0.5	1.0	0.915	0.0	0.0	56.7	77.4	329.3	66.6	-39.4	41.7	24.6	61.0	0.328	0.328	0.471	0.278	0.688	0.884	0.339	0.853	0.773	0.341	0.835
11	7	TLS70	1.0	0.0	0.942	0.844	0.5	1.0	0.915	0.0	0.0	78.4	44.2	329.3	38.0	-22.5	66.9	53.9	86.6	0.323	0.323	0.756	0.608	0.977	1.012	0.701	0.978	0.935	0.695	0.968
12	0	ORS18	0.5	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.2	46.2	96.4	-5.0	45.9	13.1	14.7	2.9	0.428	0.428	0.148	0.166	0.033	0.496	0.447	0.092	0.479	0.445	0.15
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	5	NRS18	0.471	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	28.4	38.7	96.4	-4.2	38.5	5.0	5.6	0.7	0.44	0.44	0.056	0.063	0.008	0.314	0.282	-0.013	0.31	0.287	0.054
12	7	TLS70	0.5	0.436	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.8	17.6	96.4	-1.9	17.5	14.1	15.2	9.6	0.362	0.362	0.159	0.171	0.109	0.483	0.451	0.33	0.471	0.448	0.338
13	0	ORS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	5	NRS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
13	7	TLS70	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	82.6	0.0	0.0	0.0	0.0	58.3	61.3	66.8	0.313	0.313	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846
14	0	ORS18	0.5	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	60.6	27.1	305.0	15.5	-22.1	31.4	28.8	49.9	0.285	0.285	0.354	0.325	0.563	0.641	0.574	0.767	0.617	0.569	0.755
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	5	NRS18	0.792	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	76.1	38.7	305.0	22.2	-31.6	55.9	50.0	94.0	0.28	0.28	0.631	0.564	1.061	0.827	0.729	1.018	0.795	0.723	1.008
14	7	TLS70	0.673	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	84.9	20.6	305.0	11.8	-16.7	67.7	65.7	94.5	0.297	0.297	0.764	0.742	1.066	0.908	0.852	1.008	0.89	0.848	1.002
15	0	ORS18	0.5	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	70.6	82.1	123.6	-45.4	68.4	26.8	41.7	7.2	0.354	0.354	0.303	0.47	0.082	0.503	0.793	0.081	0.599	0.788	0.207
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	5	NRS18	0.552	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	56.7	77.4	123.6	-42.8	64.4	15.1	24.6	3.1	0.352	0.352	0.17	0.278	0.035	0.359	0.633	-0.135	0.456	0.627	0.087
15	7	TLS70	0.533	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	91.8	40.5	123.6	-22.3	33.7	65.7	80.2	47.9	0.339	0.339	0.742	0.905	0.541	0.877	1.001	0.686	0.912	1.001	0.697
16	0	ORS18	0.5	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	73.2	36.0	150.9	-31.3	17.5	33.4	45.4	34.4	0.295	0.295	0.377	0.512	0.389	0.528	0.805	0.607	0.618	0.8	0.611
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	5	NRS18	0.581	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	76.1	38.7	150.9	-33.7	18.8	36.4	50.0	37.3	0.294	0.294	0.411	0.564	0.421	0.54	0.842	0.628	0.64	0.838	0.633
16	7	TLS70	0.5	1.0	0.577	0.35	0.75	0.5	0.419	0.0	0.5	92.5	20.9	150.9	-18.2	10.2	69.0	81.8	75.3	0.305	0.305	0.779	0.923	0.85	0.844	1.006	0.883	0.891	1.006	0.885
17	0	ORS18	0.5	1.0	1.0	0.586	0.75	0.5	0.656	0.0	0.5	77.0	27.1	236.0	-15.1	-22.4	43.6	51.6	83.3	0.245	0.245	0.493	0.582	0.94	0.52	0.829	0.956	0.623	0.824	0.949
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	5	NRS18	0.5	0.826	1.0	0.586	0.75	0.5	0.656	0.0	0.5	76.1	38.7	236.0	-21.5	-32.0	40.2	50.0	94.6	0.217	0.217	0.453	0.564	1.067	0.292	0.834	1.017	0.521	0.83	1.01
17	7	TLS70	0.5	0.801	1.0	0.586	0.75	0.5	0.656	0.0	0.5	89.4	14.7	236.0	-8.1	-12.1	67.6	75.1	99.3	0.279	0.279	0.763	0.847	1.121	0.803	0.953	1.024	0.846	0.952	1.022

See for similar files: <http://www.ps.bam.de/YE50/>
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems
 /YE50/ Form: 31/8, Serie: 1/1, Page: 31 Page count: 1

Data of 3x3x3 colors in colorimetric system ORS18 for input; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)
Data of 3x3x3 colors in colorimetric system TLS70 for output; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

Table with columns: n, in CS System, o3, l3, v3, e*, f*, c*, h*, n*, w*, LCH*CIE, a*b*CIE, XYZCIE, xyCIE, XYZRGB, RGB'sRGB, RGB'AdobeRGB. Rows represent color patches 18-26 for ORS18 and TLS70 systems.



See for similar files: http://www.ps.bam.de/YE50/
Technical information: http://www.ps.bam.de
Version 2.1, io=1,1

BAM registration: 20061101-YE50/10L/L50E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta
/YE50/ Form: 328, Serie: 1/1, Page: 32, Page count: 1