

Colorimetric data of colours F for system ORS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (37.7, 96.4, 150.9, 236.0, 305.0, 353.7); Four hue angles of the elementary colours: (24.7, 91.8, 164.5, 271.4)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	0	ORS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.981	b92r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198		
001	0	ORS18	0.0	0.0	0.5	0.05	0.25	0.5	0.5	0.824	b29r	21.87	27.15	305.0	15.57	-22.23	4.35	3.48	9.13	0.256	0.205	0.049	0.039	0.103	0.241	0.191	0.355	0.238	0.204	0.352		
002	0	ORS18	0.0	0.0	1.0	0.1	0.5	0.0	1.0	0.824	b29r	25.72	54.3	305.0	31.14	-44.47	7.14	4.65	21.47	0.215	0.14	0.081	0.053	0.242	0.271	0.191	0.537	0.259	0.204	0.524		
003	0	ORS18	0.0	0.5	0.0	0.213	0.25	0.5	0.5	0.454	j81g	34.46	35.9	151.0	-31.39	17.41	4.9	8.23	4.59	0.277	0.465	0.055	0.093	0.052	0.104	0.385	0.218	0.238	0.385	0.237		
004	0	ORS18	0.0	0.5	0.5	0.262	0.25	0.5	0.5	0.667	g66b	38.31	35.94	236.0	-20.09	-29.79	7.45	10.27	25.61	0.172	0.237	0.084	0.116	0.289	-0.64	0.421	0.572	0.102	0.419	0.561		
005	0	ORS18	0.0	0.5	1.0	0.309	0.5	0.0	1.0	0.749	g99b	41.94	44.75	271.0	0.78	-44.74	11.95	12.46	41.19	0.182	0.19	0.135	0.141	0.465	-0.138	0.427	0.715	0.22	0.425	0.7		
006	0	ORS18	0.0	1.0	0.0	0.425	0.5	0.0	1.0	0.454	j81g	50.91	71.8	151.0	-62.79	34.81	8.73	19.19	7.11	0.249	0.548	0.099	0.217	0.08	-0.692	0.596	0.238	0.259	0.591	0.272		
007	0	ORS18	0.0	1.0	0.5	0.474	0.5	0.0	1.0	0.567	g26b	54.72	52.97	193.0	-51.6	-11.91	12.34	22.66	32.64	0.182	0.335	0.139	0.256	0.368	-1.618	0.634	0.622	0.139	0.628	0.617		
008	0	ORS18	0.0	1.0	1.0	0.525	0.5	0.0	1.0	0.667	g66b	58.62	71.89	236.0	-40.19	-59.59	16.95	26.62	90.81	0.126	0.198	0.191	0.3	1.025	-4.558	0.681	1.014	-0.398	0.675	1.003		
009	0	ORS18	0.5	0.0	0.0	0.195	0.25	0.5	0.5	0.05	r19j	33.09	41.19	38.0	32.46	25.36	11.05	7.58	2.83	0.515	0.353	0.125	0.086	0.032	0.544	0.224	0.165	0.476	0.234	0.184		
010	0	ORS18	0.5	0.0	0.5	0.195	0.25	0.5	0.5	0.932	b72r	33.07	37.78	354.0	37.57	-3.94	11.75	7.57	9.45	0.408	0.263	0.133	0.085	0.107	0.532	0.21	0.354	0.465	0.221	0.351		
011	0	ORS18	0.5	0.0	1.0	0.242	0.5	0.0	1.0	0.877	b50r	36.77	49.4	329.0	42.35	-25.43	14.94	9.42	21.49	0.326	0.205	0.169	0.106	0.243	0.549	0.238	0.531	0.482	0.247	0.519		
012	0	ORS18	0.5	0.5	0.0	0.466	0.25	0.5	0.5	0.264	j05g	54.05	41.16	96.0	-4.29	40.93	20.05	22.02	6.93	0.409	0.449	0.226	0.249	0.078	0.595	0.537	0.234	0.574	0.533	0.263		
013	0	ORS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.981	b92r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	0	ORS18	0.5	0.5	1.0	0.55	0.75	0.0	0.5	0.824	b29r	60.57	27.15	305.0	15.57	-22.23	31.39	28.76	49.96	0.285	0.261	0.354	0.325	0.564	0.641	0.574	0.767	0.617	0.569	0.755		
015	0	ORS18	0.5	1.0	0.0	0.677	0.5	0.0	1.0	0.361	j44g	70.38	82.07	124.0	-45.88	68.04	26.45	41.29	7.21	0.353	0.551	0.299	0.466	0.081	0.496	0.791	0.083	0.594	0.786	0.207		
016	0	ORS18	0.5	1.0	0.5	0.713	0.75	0.0	0.5	0.454	j81g	73.16	35.9	151.0	-31.39	17.41	33.42	45.41	34.48	0.295	0.401	0.377	0.512	0.389	0.528	0.805	0.608	0.617	0.8	0.612		
017	0	ORS18	0.5	1.0	1.0	0.762	0.75	0.0	0.5	0.667	g66b	77.01	35.94	236.0	-20.09	-29.79	42.0	51.56	93.61	0.224	0.275	0.474	0.582	1.057	0.373	0.841	1.011	0.556	0.837	1.005		
018	0	ORS18	1.0	0.0	0.0	0.39	0.5	0.0	1.0	0.05	r19j	48.16	82.38	38.0	64.92	50.72	30.28	16.92	2.93	0.604	0.338	0.342	0.191	0.033	0.905	0.185	0.128	0.78	0.198	0.15		
019	0	ORS18	1.0	0.0	0.5	0.388	0.5	0.0	1.0	0.981	b92r	48.03	70.22	16.0	67.5	19.36	30.82	16.82	10.27	0.532	0.29	0.348	0.19	0.116	0.895	0.168	0.355	0.77	0.183	0.351		
020	0	ORS18	1.0	0.0	1.0	0.389	0.5	0.0	1.0	0.932	b72r	48.13	75.56	354.0	75.15	-7.89	33.04	16.9	22.63	0.455	0.233	0.373	0.191	0.255	0.9	0.079	0.539	0.772	0.104	0.524		
021	0	ORS18	1.0	0.5	0.0	0.66	0.5	0.0	1.0	0.158	r63j	69.13	72.02	67.0	28.14	66.3	46.89	39.52	7.09	0.501	0.423	0.529	0.446	0.08	0.995	0.608	0.165	0.904	0.602	0.219		
022	0	ORS18	1.0	0.5	0.5	0.695	0.75	0.0	0.5	0.05	r19j	71.79	41.19	38.0	32.46	25.36	52.73	43.34	27.23	0.428	0.352	0.595	0.489	0.307	1.01	0.629	0.545	0.92	0.623	0.544		
023	0	ORS18	1.0	0.5	1.0	0.695	0.75	0.0	0.5	0.932	b72r	71.77	37.78	354.0	37.57	-3.94	54.7	43.32	50.96	0.367	0.291	0.617	0.489	0.575	0.983	0.62	0.763	0.896	0.614	0.752		
024	0	ORS18	1.0	1.0	0.0	0.931	0.5	0.0	1.0	0.264	j05g	90.09	82.32	96.0	-8.59	81.87	68.69	76.5	14.05	0.431	0.48	0.775	0.863	0.159	1.045	0.943	0.205	1.018	0.941	0.297		
025	0	ORS18	1.0	1.0	0.5	0.966	0.75	0.0	0.5	0.264	j05g	92.75	41.16	96.0	-4.29	40.93	76.18	82.4	42.86	0.378	0.409	0.86	0.93	0.484	1.049	0.969	0.642	1.028	0.968	0.654		
026	0	ORS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.981	b92r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E00NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (40.0, 102.8, 136.0, 196.4, 306.3, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}					XYZ _{xy} CIE, _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}							
000	1	TLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.953	b81r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006					
001	1	TLS00	0.0	0.0	0.5	0.16	0.25	0.5	0.5	0.825	b30r	15.27	23.89	306.0	14.04	-19.32	2.51	1.96	5.35	0.255	0.2	0.028	0.022	0.06	0.181	0.136	0.274	0.185	0.155	0.276				
002	1	TLS00	0.0	0.0	1.0	0.32	0.5	0.0	1.0	0.825	b30r	30.54	47.78	306.0	28.09	-38.65	9.09	6.46	22.88	0.237	0.168	0.103	0.073	0.258	0.335	0.243	0.55	0.316	0.251	0.537				
003	1	TLS00	0.0	0.5	0.0	0.438	0.25	0.5	0.5	0.406	j62g	41.82	46.54	136.0	-33.47	32.33	7.64	12.38	4.16	0.316	0.512	0.086	0.14	0.047	0.224	0.462	0.175	0.319	0.459	0.21				
004	1	TLS00	0.0	0.5	0.5	0.455	0.25	0.5	0.5	0.577	g30b	43.44	57.31	196.0	-55.08	-15.79	6.18	13.45	22.52	0.147	0.319	0.07	0.152	0.254	-1.729	0.515	0.529	-0.205	0.51	0.524				
005	1	TLS00	0.0	0.5	1.0	0.616	0.5	0.0	1.0	0.703	g81b	58.8	27.63	251.0	-8.99	-26.11	23.41	26.81	50.78	0.232	0.265	0.264	0.303	0.573	0.358	0.614	0.773	0.448	0.609	0.762				
006	1	TLS00	0.0	1.0	0.0	0.877	0.5	0.0	1.0	0.406	j62g	83.63	93.08	136.0	-66.94	64.66	36.22	63.36	16.73	0.311	0.545	0.409	0.715	0.189	0.398	0.979	0.307	0.633	0.978	0.37				
007	1	TLS00	0.0	1.0	0.5	0.893	0.5	0.0	1.0	0.509	g03b	85.24	99.44	166.0	-96.48	24.06	29.86	66.49	46.41	0.209	0.466	0.337	0.75	0.524	-4.165	1.044	0.679	0.323	1.046	0.694				
008	1	TLS00	0.0	1.0	1.0	0.91	0.5	0.0	1.0	0.577	g30b	86.86	114.61	196.0	-110.16	-31.58	28.13	69.72	124.16	0.127	0.314	0.317	0.787	1.401	-11.364	1.094	1.136	-0.559	1.097	1.14				
009	1	TLS00	0.5	0.0	0.0	0.265	0.25	0.5	0.5	0.054	r21j	25.26	55.48	40.0	42.5	35.66	8.13	4.5	0.55	0.617	0.341	0.092	0.051	0.006	0.502	0.075	0.017	0.43	0.102	0.053				
010	1	TLS00	0.5	0.0	0.5	0.299	0.25	0.5	0.5	0.874	b49r	28.51	64.21	328.0	54.45	-34.02	11.36	5.65	18.5	0.32	0.159	0.128	0.064	0.209	0.499	0.051	0.501	0.427	0.081	0.488				
011	1	TLS00	0.5	0.0	1.0	0.456	0.5	0.0	1.0	0.849	b39r	43.53	126.17	317.0	92.28	-86.04	32.28	13.51	91.44	0.235	0.098	0.364	0.153	1.032	0.688	-0.309	1.034	0.58	-0.183	1.016				
012	1	TLS00	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15g	46.31	46.5	103.0	-10.45	45.31	13.08	15.5	3.26	0.411	0.487	0.148	0.175	0.037	0.474	0.469	0.109	0.47	0.466	0.164				
013	1	TLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.953	b81r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467				
014	1	TLS00	0.5	0.5	1.0	0.66	0.75	0.0	0.5	0.825	b30r	62.97	23.89	306.0	14.04	-19.32	33.86	31.55	51.17	0.29	0.271	0.382	0.356	0.578	0.667	0.603	0.773	0.644	0.597	0.762				
015	1	TLS00	0.5	1.0	0.0	0.925	0.5	0.0	1.0	0.345	j38g	88.26	89.21	119.0	-43.24	78.03	50.95	72.61	14.33	0.369	0.527	0.575	0.82	0.162	0.75	0.994	0.209	0.825	0.994	0.308				
016	1	TLS00	0.5	1.0	0.5	0.938	0.75	0.0	0.5	0.406	j62g	89.52	46.54	136.0	-33.47	32.33	56.88	75.27	45.58	0.32	0.424	0.642	0.85	0.514	0.747	0.997	0.67	0.824	0.997	0.682				
017	1	TLS00	0.5	1.0	1.0	0.955	0.75	0.0	0.5	0.577	g30b	91.14	57.31	196.0	-55.08	-15.79	51.15	78.78	109.74	0.213	0.329	0.577	0.889	1.239	-1.464	1.067	1.067	0.532	1.07	1.07				
018	1	TLS00	1.0	0.0	0.0	0.529	0.5	0.0	1.0	0.054	r21j	50.5	110.97	40.0	85.01	71.33	39.03	18.84	1.11	0.662	0.319	0.441	0.213	0.012	1.04	-0.352	-0.072	0.891	-0.194	-0.101				
019	1	TLS00	1.0	0.0	0.5	0.565	0.5	0.0	1.0	0.953	b81r	53.91	89.91	4.0	89.69	6.27	45.47	21.89	20.31	0.519	0.25	0.513	0.247	0.229	1.071	-0.31	0.507	0.918	-0.184	0.492				
020	1	TLS00	1.0	0.0	1.0	0.598	0.5	0.0	1.0	0.874	b49r	57.01	128.42	328.0	108.91	-68.04	57.8	24.94	99.29	0.318	0.137	0.652	0.281	1.121	1.052	-0.742	1.069	0.897	-0.273	1.05				
021	1	TLS00	1.0	0.5	0.0	0.747	0.5	0.0	1.0	0.17	r68j	71.29	85.69	71.0	27.9	81.02	50.2	42.62	4.57	0.515	0.438	0.567	0.481	0.052	1.031	0.631	-0.155	0.937	0.625	0.071				
022	1	TLS00	1.0	0.5	0.5	0.765	0.75	0.0	0.5	0.054	r21j	72.96	55.48	40.0	42.5	35.66	58.76	45.1	22.2	0.466	0.358	0.663	0.509	0.251	1.1	0.604	0.482	0.991	0.598	0.484				
023	1	TLS00	1.0	0.5	1.0	0.799	0.75	0.0	0.5	0.874	b49r	76.21	64.21	328.0	54.45	-34.02	70.18	50.23	97.88	0.322	0.23	0.792	0.567	1.105	1.061	0.62	1.041	0.961	0.614	1.029				
024	1	TLS00	1.0	1.0	0.0	0.971	0.5	0.0	1.0	0.288	j15g	92.62	93.01	103.0	-20.91	90.62	68.03	82.1	12.29	0.419	0.505	0.768	0.927	0.139	0.998	1.0	0.005	0.998	1.0	0.235				
025	1	TLS00	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15g	94.01	46.5	103.0	-10.45	45.31	75.83	85.31	40.96	0.375	0.422	0.856	0.963	0.462	1.027	0.998	0.618	1.02	0.998	0.634				
026	1	TLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.953	b81r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0			

Colorimetric data of colours F for system FRS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (36.7, 91.6, 143.4, 232.0, 312.1, 337.2); Four hue angles of the elementary colours: (27.4, 91.9, 157.6, 273.4)

j	no.	System	ol ^v * _{3,F}			ltn ^{eu} * _F				LCHAB* _{a,F}				XYZ _{xy} CIE, _{a,F}				XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}					
000	2	FRS06	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.955	b82r	6.25	0.0	0.0	0.0	0.66	0.69	0.75	0.313	0.329	0.007	0.008	0.009	0.085	0.085	0.085	0.11	0.11	0.11		
001	2	FRS06	0.0	0.0	0.5	0.023	0.25	0.5	0.5	0.835	b33r	8.23	21.72	312.0	14.53	-16.13	1.28	0.91	2.64	0.265	0.188	0.014	0.01	0.03	0.134	0.075	0.191	0.141	0.101	0.201	
002	2	FRS06	0.0	0.0	1.0	0.046	0.5	0.0	1.0	0.835	b33r	10.2	43.44	312.0	29.06	-32.27	2.18	1.15	6.32	0.226	0.119	0.025	0.013	0.071	0.168	0.046	0.302	0.162	0.077	0.301	
003	2	FRS06	0.0	0.5	0.0	0.196	0.25	0.5	0.5	0.444	j77g	23.02	56.81	143.0	-45.36	34.19	1.41	3.81	0.38	0.252	0.68	0.016	0.043	0.004	-0.214	0.284	-0.041	0.103	0.289	-0.029	
004	2	FRS06	0.0	0.5	0.5	0.243	0.25	0.5	0.5	0.661	g64b	27.04	21.73	232.0	-13.37	-17.11	3.88	5.11	10.37	0.2	0.264	0.044	0.058	0.117	-0.065	0.295	0.373	0.155	0.3	0.37	
005	2	FRS06	0.0	0.5	1.0	0.266	0.5	0.0	1.0	0.747	g98b	29.02	33.28	272.0	1.16	-33.25	5.66	5.85	18.56	0.188	0.194	0.064	0.066	0.209	0.013	0.295	0.497	0.172	0.3	0.487	
006	2	FRS06	0.0	1.0	0.0	0.391	0.5	0.0	1.0	0.444	j77g	39.79	113.61	143.0	-90.73	68.37	2.55	11.13	0.02	0.186	0.812	0.029	0.126	0.0	-1.288	0.493	-0.307	-0.134	0.489	-0.144	
007	2	FRS06	0.0	1.0	0.5	0.437	0.5	0.0	1.0	0.566	g26b	43.67	55.11	188.0	-54.56	-7.66	6.33	13.61	18.39	0.165	0.355	0.071	0.154	0.208	-1.398	0.514	0.476	-0.136	0.51	0.474	
008	2	FRS06	0.0	1.0	1.0	0.485	0.5	0.0	1.0	0.661	g64b	47.84	43.46	232.0	-26.75	-34.24	11.66	16.67	40.91	0.168	0.241	0.132	0.188	0.462	-1.202	0.532	0.706	0.072	0.527	0.694	
009	2	FRS06	0.5	0.0	0.0	0.155	0.25	0.5	0.5	0.037	r14j	19.54	38.78	37.0	30.97	23.34	4.75	2.88	0.72	0.569	0.344	0.054	0.032	0.008	0.381	0.095	0.061	0.332	0.119	0.091	
010	2	FRS06	0.5	0.0	0.5	0.164	0.25	0.5	0.5	0.889	b55r	20.28	41.09	337.0	37.82	-16.05	5.57	3.06	6.61	0.365	0.201	0.063	0.035	0.075	0.371	0.078	0.304	0.323	0.104	0.303	
011	2	FRS06	0.5	0.0	1.0	0.192	0.5	0.0	1.0	0.863	b45r	22.68	80.28	325.0	65.76	-46.04	9.55	3.71	19.5	0.292	0.113	0.108	0.042	0.22	0.456	-0.216	0.517	0.382	-0.155	0.502	
012	2	FRS06	0.5	0.5	0.0	0.444	0.25	0.5	0.5	0.25	j00g	44.32	56.82	92.0	-1.97	56.79	13.06	14.06	1.43	0.457	0.492	0.147	0.159	0.016	0.512	0.431	-0.09	0.487	0.429	-0.027	
013	2	FRS06	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.955	b82r	49.11	0.0	0.0	0.0	0.0	16.81	17.68	19.26	0.313	0.329	0.19	0.2	0.217	0.484	0.484	0.484	0.481	0.481	0.481	
014	2	FRS06	0.5	0.5	1.0	0.523	0.75	0.0	0.5	0.835	b33r	51.09	21.72	312.0	14.53	-16.13	21.3	19.34	31.17	0.297	0.269	0.24	0.218	0.352	0.555	0.475	0.619	0.529	0.471	0.608	
015	2	FRS06	0.5	1.0	0.0	0.635	0.5	0.0	1.0	0.349	j39g	60.68	102.56	118.0	-48.14	90.56	17.12	28.88	0.98	0.364	0.615	0.193	0.326	0.011	0.38	0.683	-0.568	0.488	0.677	-0.185	
016	2	FRS06	0.5	1.0	0.5	0.696	0.75	0.0	0.5	0.444	j77g	65.88	56.81	143.0	-45.36	34.19	22.12	35.17	16.67	0.299	0.476	0.25	0.397	0.188	0.358	0.742	0.398	0.503	0.737	0.419	
017	2	FRS06	0.5	1.0	1.0	0.743	0.75	0.0	0.5	0.661	g64b	69.9	21.73	232.0	-13.37	-17.11	34.57	40.61	61.41	0.253	0.297	0.39	0.458	0.693	0.5	0.742	0.833	0.577	0.737	0.825	
018	2	FRS06	1.0	0.0	0.0	0.31	0.5	0.0	1.0	0.037	r14j	32.83	77.56	37.0	61.94	46.67	15.37	7.46	0.69	0.653	0.317	0.173	0.084	0.008	0.686	-0.126	0.01	0.582	-0.122	0.026	
019	2	FRS06	1.0	0.0	0.5	0.318	0.5	0.0	1.0	0.955	b82r	33.53	75.98	7.0	75.41	9.26	18.34	7.79	6.01	0.571	0.242	0.207	0.088	0.068	0.737	-0.423	0.283	0.62	-0.211	0.281	
020	2	FRS06	1.0	0.0	1.0	0.327	0.5	0.0	1.0	0.889	b55r	34.31	82.18	337.0	75.65	-32.1	19.03	8.16	22.86	0.38	0.163	0.215	0.092	0.258	0.684	-0.317	0.552	0.576	-0.185	0.536	
021	2	FRS06	1.0	0.5	0.0	0.598	0.5	0.0	1.0	0.142	r56j	57.51	69.01	64.0	30.25	62.02	31.8	25.45	3.69	0.522	0.418	0.359	0.287	0.042	0.855	0.476	0.065	0.766	0.473	0.139	
022	2	FRS06	1.0	0.5	0.5	0.655	0.75	0.0	0.5	0.037	r14j	62.4	38.78	37.0	30.97	23.34	38.17	30.87	19.04	0.433	0.35	0.431	0.348	0.215	0.883	0.532	0.461	0.798	0.528	0.462	
023	2	FRS06	1.0	0.5	1.0	0.664	0.75	0.0	0.5	0.889	b55r	63.14	41.09	337.0	37.82	-16.05	41.38	31.76	48.28	0.341	0.262	0.467	0.358	0.545	0.849	0.53	0.754	0.77	0.525	0.741	
024	2	FRS06	1.0	1.0	0.0	0.888	0.5	0.0	1.0	0.25	j00g	82.39	113.64	92.0	-3.96	113.57	56.39	61.02	2.4	0.471	0.509	0.636	0.689	0.027	0.996	0.842	-0.987	0.954	0.837	-0.244	
025	2	FRS06	1.0	1.0	0.5	0.944	0.75	0.0	0.5	0.25	j00g	87.18	56.82	92.0	-1.97	56.79	66.0	70.38	24.18	0.411	0.438	0.745	0.794	0.273	1.025	0.896	0.447	0.99	0.893	0.473	
026	2	FRS06	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.955	b82r	91.97	0.0	0.0	0.0	0.0	76.65	80.64	87.81	0.313	0.329	0.865	0.91	0.991	0.959	0.96	0.959	0.958	0.958	0.958	

Colorimetric data of colours F for system TLS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (34.9, 103.3, 136.9, 196.5, 304.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$			$lnceu^*_F$			$LCHAB^*_{a,F}$						$XYZ_{xyCIE,a,F}$				$XYZ_{RGB,F}$				$RGB'_{sRGB,F}$				$RGB'_{AdobeRGB,F}$			
000	3	TLS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.946	b78r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
001	3	TLS18	0.0	0.0	0.5	0.114	0.25	0.5	0.5	0.821	b28r	26.82	22.98	304.0	12.85	-19.04	5.85	5.03	10.91	0.269	0.231	0.066	0.057	0.123	0.284	0.242	0.384	0.279	0.25	0.38
002	3	TLS18	0.0	0.0	1.0	0.228	0.5	0.0	1.0	0.821	b28r	35.63	45.96	304.0	25.7	-38.09	11.63	8.82	27.96	0.24	0.182	0.131	0.1	0.316	0.374	0.299	0.602	0.356	0.303	0.587
003	3	TLS18	0.0	0.5	0.0	0.426	0.25	0.5	0.5	0.41	j63g	51.01	54.04	137.0	-39.51	36.86	11.78	19.28	6.63	0.313	0.511	0.133	0.218	0.075	0.27	0.568	0.227	0.385	0.563	0.261
004	3	TLS18	0.0	0.5	0.5	0.446	0.25	0.5	0.5	0.577	g30b	52.56	53.86	196.0	-51.76	-14.83	11.01	20.65	32.07	0.173	0.324	0.124	0.233	0.362	-1.754	0.611	0.62	-0.066	0.606	0.614
005	3	TLS18	0.0	0.5	1.0	0.562	0.5	0.0	1.0	0.7	g80b	61.49	27.27	250.0	-9.32	-25.61	26.03	29.81	54.96	0.235	0.269	0.294	0.336	0.62	0.389	0.644	0.8	0.476	0.638	0.789
006	3	TLS18	0.0	1.0	0.0	0.853	0.5	0.0	1.0	0.41	j63g	84.01	108.08	137.0	-79.03	73.71	33.17	64.08	13.09	0.301	0.581	0.374	0.723	0.148	0.182	1.0	0.188	0.583	1.0	0.297
007	3	TLS18	0.0	1.0	0.5	0.873	0.5	0.0	1.0	0.511	g04b	85.59	93.91	167.0	-91.49	21.12	31.6	67.17	49.74	0.213	0.452	0.357	0.758	0.561	-3.739	1.043	0.707	0.361	1.044	0.72
008	3	TLS18	0.0	1.0	1.0	0.893	0.5	0.0	1.0	0.577	g30b	87.12	107.71	196.0	-103.53	-29.68	30.13	70.24	121.57	0.136	0.316	0.34	0.793	1.372	-10.345	1.089	1.125	-0.508	1.092	1.128
009	3	TLS18	0.5	0.0	0.0	0.225	0.25	0.5	0.5	0.036	r14j	35.43	43.57	35.0	35.69	24.99	12.96	8.71	3.52	0.515	0.346	0.146	0.098	0.04	0.587	0.233	0.19	0.512	0.243	0.205
010	3	TLS18	0.5	0.0	0.5	0.264	0.25	0.5	0.5	0.874	b49r	38.48	57.55	328.0	48.8	-30.49	17.35	10.36	26.22	0.322	0.192	0.196	0.117	0.296	0.59	0.226	0.584	0.514	0.236	0.569
011	3	TLS18	0.5	0.0	1.0	0.375	0.5	0.0	1.0	0.847	b38r	47.05	112.66	316.0	81.04	-78.25	33.39	16.05	88.96	0.241	0.116	0.377	0.181	1.004	0.696	0.136	1.02	0.596	0.154	1.001
012	3	TLS18	0.5	0.5	0.0	0.482	0.25	0.5	0.5	0.288	j15g	55.3	43.51	103.0	-9.78	42.39	20.03	23.22	7.11	0.398	0.461	0.226	0.262	0.08	0.575	0.562	0.232	0.566	0.557	0.264
013	3	TLS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.946	b78r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
014	3	TLS18	0.5	0.5	1.0	0.614	0.75	0.0	0.5	0.821	b28r	65.52	22.98	304.0	12.85	-19.04	36.74	34.71	55.34	0.29	0.274	0.415	0.392	0.625	0.687	0.633	0.8	0.667	0.628	0.789
015	3	TLS18	0.5	1.0	0.0	0.909	0.5	0.0	1.0	0.349	j39g	88.39	83.57	120.0	-41.77	72.37	51.71	72.88	16.96	0.365	0.515	0.584	0.823	0.191	0.756	0.994	0.287	0.828	0.993	0.359
016	3	TLS18	0.5	1.0	0.5	0.926	0.75	0.0	0.5	0.41	j63g	89.71	54.04	137.0	-39.51	36.86	54.79	75.67	41.84	0.318	0.439	0.618	0.854	0.472	0.705	1.01	0.634	0.803	1.01	0.649
017	3	TLS18	0.5	1.0	1.0	0.946	0.75	0.0	0.5	0.577	g30b	91.26	53.86	196.0	-51.76	-14.83	52.63	79.06	108.54	0.219	0.329	0.594	0.892	1.225	-0.745	1.063	1.062	0.566	1.065	1.064
018	3	TLS18	1.0	0.0	0.0	0.45	0.5	0.0	1.0	0.036	r14j	52.85	87.13	35.0	71.38	49.98	37.93	20.91	4.42	0.6	0.33	0.428	0.236	0.05	1.0	0.19	0.184	0.863	0.202	0.198
019	3	TLS18	1.0	0.0	0.5	0.49	0.5	0.0	1.0	0.946	b78r	55.93	87.89	1.0	87.87	1.53	47.91	23.84	25.01	0.495	0.246	0.541	0.269	0.282	1.082	-0.093	0.56	0.931	-0.107	0.544
020	3	TLS18	1.0	0.0	1.0	0.529	0.5	0.0	1.0	0.874	b49r	58.95	115.09	328.0	97.61	-60.98	56.6	26.97	93.68	0.319	0.152	0.639	0.304	1.057	1.032	-0.049	1.039	0.887	-0.082	1.021
021	3	TLS18	1.0	0.5	0.0	0.707	0.5	0.0	1.0	0.163	r65j	72.72	72.19	69.0	25.87	67.39	51.75	44.73	8.53	0.493	0.426	0.584	0.505	0.096	1.03	0.654	0.194	0.941	0.648	0.246
022	3	TLS18	1.0	0.5	0.5	0.725	0.75	0.0	0.5	0.036	r14j	74.13	43.57	35.0	35.69	24.99	58.03	46.9	30.19	0.429	0.347	0.655	0.529	0.341	1.059	0.644	0.574	0.963	0.638	0.571
023	3	TLS18	1.0	0.5	1.0	0.764	0.75	0.0	0.5	0.874	b49r	77.18	57.55	328.0	48.8	-30.49	69.49	51.83	95.07	0.321	0.24	0.784	0.585	1.073	1.046	0.652	1.025	0.954	0.645	1.014
024	3	TLS18	1.0	1.0	0.0	0.964	0.5	0.0	1.0	0.288	j15g	92.59	87.01	103.0	-19.56	84.78	68.59	82.02	14.63	0.415	0.496	0.774	0.926	0.165	1.001	0.997	0.186	1.0	0.997	0.295
025	3	TLS18	1.0	1.0	0.5	0.982	0.75	0.0	0.5	0.288	j15g	94.0	43.51	103.0	-9.78	42.39	76.13	85.27	43.47	0.372	0.416	0.859	0.962	0.491	1.026	0.997	0.642	1.019	0.997	0.656
026	3	TLS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.946	b78r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system NLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (30.0, 90.0, 150.0, 210.0, 270.0, 330.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^{v*} _{3,F}			ln ^{ceu*} _F			LCHAB [*] _{a,F}					XYZ _{xy} CIE _{a,F}					XYZ _{RGB,F}				RGB ['] _{sRGB,F}				RGB ['] _{AdobeRGB,F}				
000	4	NLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.944	b77r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006		
001	4	NLS00	0.0	0.0	0.5	0.167	0.25	0.5	0.5	0.746	g98b	15.91	47.7	270.0	0.0	-47.69	1.98	2.08	14.75	0.105	0.111	0.022	0.023	0.167	-0.603	0.188	0.452	-0.186	0.201	0.443	
002	4	NLS00	0.0	0.0	1.0	0.333	0.5	0.0	1.0	0.746	g98b	31.81	95.4	270.0	0.0	-95.39	6.65	7.0	76.55	0.074	0.078	0.075	0.079	0.864	-3.99	0.368	0.955	-0.468	0.369	0.938	
003	4	NLS00	0.0	0.5	0.0	0.167	0.25	0.5	0.5	0.456	j82g	15.91	47.7	150.0	-41.3	23.85	0.67	2.08	0.25	0.222	0.694	0.008	0.023	0.003	-0.169	0.212	-0.017	0.045	0.223	0.02	
004	4	NLS00	0.0	0.5	0.5	0.333	0.25	0.5	0.5	0.609	g43b	31.81	47.7	210.0	-41.3	-23.84	3.4	7.0	16.34	0.127	0.262	0.038	0.079	0.184	-1.149	0.379	0.463	-0.202	0.379	0.457	
005	4	NLS00	0.0	0.5	1.0	0.5	0.5	0.0	1.0	0.678	g71b	47.71	82.62	240.0	-41.3	-71.54	9.66	16.57	81.25	0.09	0.154	0.109	0.187	0.917	-5.057	0.569	0.972	-0.479	0.564	0.958	
006	4	NLS00	0.0	1.0	0.0	0.333	0.5	0.0	1.0	0.456	j82g	31.81	95.4	150.0	-82.61	47.7	1.43	7.0	0.5	0.16	0.784	0.016	0.079	0.006	-0.929	0.4	-0.119	-0.141	0.399	-0.075	
007	4	NLS00	0.0	1.0	0.5	0.5	0.5	0.0	1.0	0.541	g16b	47.71	82.62	180.0	-82.61	0.0	5.38	16.57	18.04	0.135	0.414	0.061	0.187	0.204	-2.481	0.584	0.462	-0.259	0.579	0.465	
008	4	NLS00	0.0	1.0	1.0	0.667	0.5	0.0	1.0	0.609	g43b	63.61	95.4	210.0	-82.61	-47.69	13.45	32.32	86.13	0.102	0.245	0.152	0.365	0.972	-7.153	0.784	0.983	-0.513	0.779	0.975	
009	4	NLS00	0.5	0.0	0.0	0.167	0.25	0.5	0.5	0.017	r06j	15.91	47.7	30.0	41.31	23.85	4.35	2.08	0.25	0.651	0.312	0.049	0.023	0.003	0.383	-0.043	0.012	0.328	-0.074	0.038	
010	4	NLS00	0.5	0.0	0.5	0.333	0.25	0.5	0.5	0.878	b51r	31.81	47.7	330.0	41.31	-23.84	11.51	7.0	16.34	0.33	0.201	0.13	0.079	0.184	0.493	0.19	0.469	0.431	0.203	0.458	
011	4	NLS00	0.5	0.0	1.0	0.5	0.5	0.0	1.0	0.812	b24r	47.71	82.62	300.0	41.31	-71.54	23.98	16.57	81.25	0.197	0.136	0.271	0.187	0.917	0.399	0.391	0.976	0.396	0.391	0.959	
012	4	NLS00	0.5	0.5	0.0	0.333	0.25	0.5	0.5	0.241	r96j	31.81	47.7	90.0	0.0	47.7	6.65	7.0	0.5	0.47	0.495	0.075	0.079	0.006	0.38	0.305	-0.076	0.362	0.309	-0.066	
013	4	NLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.944	b77r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467	
014	4	NLS00	0.5	0.5	1.0	0.667	0.75	0.0	0.5	0.746	g98b	63.61	47.7	270.0	0.0	-47.69	30.72	32.32	86.13	0.206	0.217	0.347	0.365	0.972	0.31	0.657	0.988	0.443	0.651	0.976	
015	4	NLS00	0.5	1.0	0.0	0.5	0.5	0.0	1.0	0.349	j39g	47.71	82.62	120.0	-41.3	71.55	9.66	16.57	0.75	0.358	0.614	0.109	0.187	0.008	0.275	0.533	-0.298	0.372	0.528	-0.133	
016	4	NLS00	0.5	1.0	0.5	0.667	0.75	0.0	0.5	0.456	j82g	63.61	47.7	150.0	-41.3	23.85	20.91	32.32	19.86	0.286	0.442	0.236	0.365	0.224	0.336	0.712	0.456	0.479	0.706	0.467	
017	4	NLS00	0.5	1.0	1.0	0.833	0.75	0.0	0.5	0.609	g43b	79.51	47.7	210.0	-41.3	-23.84	38.63	55.82	91.21	0.208	0.301	0.436	0.63	1.029	-0.886	0.907	0.993	0.458	0.905	0.989	
018	4	NLS00	1.0	0.0	0.0	0.333	0.5	0.0	1.0	0.017	r06j	31.81	95.4	30.0	82.62	47.7	18.3	7.0	0.5	0.709	0.271	0.207	0.079	0.006	0.764	-0.665	0.017	0.64	-0.259	-0.039	
019	4	NLS00	1.0	0.0	0.5	0.5	0.5	0.0	1.0	0.944	b77r	47.71	82.62	0.0	82.62	0.0	34.67	16.57	18.04	0.5	0.239	0.391	0.187	0.204	0.945	-0.254	0.483	0.806	-0.168	0.47	
020	4	NLS00	1.0	0.0	1.0	0.667	0.5	0.0	1.0	0.878	b51r	63.61	95.4	330.0	82.62	-47.69	58.69	32.32	86.13	0.331	0.182	0.662	0.365	0.972	1.043	0.319	0.996	0.909	0.322	0.978	
021	4	NLS00	1.0	0.5	0.0	0.5	0.5	0.0	1.0	0.129	r51j	47.71	82.62	60.0	41.31	71.55	23.98	16.57	0.75	0.581	0.401	0.271	0.187	0.008	0.789	0.33	-0.182	0.691	0.333	-0.122	
022	4	NLS00	1.0	0.5	0.5	0.667	0.75	0.0	0.5	0.017	r06j	63.61	47.7	30.0	41.31	23.85	43.21	32.32	19.86	0.453	0.339	0.488	0.365	0.224	0.958	0.508	0.473	0.857	0.503	0.471	
023	4	NLS00	1.0	0.5	1.0	0.833	0.75	0.0	0.5	0.878	b51r	79.51	47.7	330.0	41.31	-23.84	70.68	55.82	91.21	0.325	0.256	0.798	0.63	1.029	1.044	0.703	1.002	0.962	0.697	0.991	
024	4	NLS00	1.0	1.0	0.0	0.667	0.5	0.0	1.0	0.241	r96j	63.61	95.4	90.0	0.0	95.4	30.72	32.32	1.0	0.48	0.505	0.347	0.365	0.011	0.772	0.625	-0.557	0.728	0.619	-0.193	
025	4	NLS00	1.0	1.0	0.5	0.833	0.75	0.0	0.5	0.241	r96j	79.51	47.7	90.0	0.0	47.7	53.05	55.82	21.79	0.406	0.427	0.599	0.63	0.246	0.931	0.805	0.443	0.894	0.8	0.462	
026	4	NLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.944	b77r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	

See for similar files: <http://www.ps.bam.de/YE79/>; [www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version2.1,io=1,1)

BAM registration: 20070501-YE79/10L/L79E04NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system NRS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (25.5, 92.3, 162.2, 217.0, 271.7, 328.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	5	NRS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.937	b74r	18.01	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198			
001	5	NRS18	0.0	0.0	0.5	0.25	0.25	0.5	0.5	0.751	b00r	37.36	38.6	272.0	1.35	-38.56	9.42	9.73	30.31	0.19	0.197	0.106	0.11	0.342	0.061	0.377	0.622	0.223	0.377	0.609		
002	5	NRS18	0.0	0.0	1.0	0.5	0.5	0.0	1.0	0.751	b00r	56.71	77.2	272.0	2.69	-77.14	24.02	24.63	113.05	0.149	0.152	0.271	0.278	1.276	-2.39	0.594	1.125	-0.239	0.589	1.113		
003	5	NRS18	0.0	0.5	0.0	0.25	0.25	0.5	0.5	0.499	j99g	37.36	38.6	162.0	-36.7	11.93	5.49	9.73	6.99	0.247	0.438	0.062	0.11	0.079	-0.094	0.423	0.282	0.224	0.421	0.294		
004	5	NRS18	0.0	0.5	0.5	0.25	0.25	0.5	0.5	0.625	g50b	37.36	38.69	217.0	-30.89	-23.27	6.0	9.73	20.86	0.164	0.266	0.068	0.11	0.235	-0.861	0.424	0.517	-0.088	0.422	0.509		
005	5	NRS18	0.0	0.5	1.0	0.5	0.5	0.0	1.0	0.687	g74b	56.71	68.72	244.0	-30.11	-61.75	17.29	24.63	89.19	0.132	0.188	0.195	0.278	1.007	-3.836	0.645	1.008	-0.359	0.64	0.996		
006	5	NRS18	0.0	1.0	0.0	0.5	0.5	0.0	1.0	0.499	j99g	56.71	77.2	162.0	-73.41	23.85	10.51	24.63	14.24	0.213	0.499	0.119	0.278	0.161	-1.588	0.675	0.381	0.202	0.669	0.398		
007	5	NRS18	0.0	1.0	0.5	0.5	0.5	0.0	1.0	0.563	g25b	56.71	68.72	190.0	-67.66	-11.92	11.28	24.63	35.23	0.159	0.346	0.127	0.278	0.398	-2.749	0.676	0.643	-0.214	0.67	0.638		
008	5	NRS18	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.625	g50b	56.71	77.37	217.0	-61.78	-46.55	12.11	24.63	69.18	0.114	0.233	0.137	0.278	0.781	-4.825	0.681	0.894	-0.417	0.675	0.884		
009	5	NRS18	0.5	0.0	0.0	0.25	0.25	0.5	0.5	0.999	b99r	37.36	38.53	25.0	34.92	16.28	14.14	9.73	5.91	0.475	0.327	0.16	0.11	0.067	0.597	0.258	0.265	0.523	0.266	0.272		
010	5	NRS18	0.5	0.0	0.5	0.25	0.25	0.5	0.5	0.876	b50r	37.36	38.56	329.0	33.05	-19.85	13.84	9.73	19.05	0.325	0.228	0.156	0.11	0.215	0.517	0.28	0.5	0.462	0.286	0.489		
011	5	NRS18	0.5	0.0	1.0	0.5	0.5	0.0	1.0	0.812	b24r	56.71	68.05	300.0	34.02	-58.92	31.89	24.63	85.21	0.225	0.174	0.36	0.278	0.962	0.546	0.499	0.991	0.529	0.495	0.976		
012	5	NRS18	0.5	0.5	0.0	0.25	0.25	0.5	0.5	0.249	r99j	37.36	38.56	92.0	-1.34	38.54	9.09	9.73	2.08	0.435	0.466	0.103	0.11	0.023	0.426	0.362	0.087	0.408	0.363	0.135		
013	5	NRS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.937	b74r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	5	NRS18	0.5	0.5	1.0	0.75	0.75	0.0	0.5	0.751	b00r	76.06	38.6	272.0	1.35	-38.56	48.0	49.98	104.55	0.237	0.247	0.542	0.564	1.18	0.584	0.787	1.068	0.644	0.782	1.061		
015	5	NRS18	0.5	1.0	0.0	0.5	0.5	0.0	1.0	0.374	j49g	56.71	63.44	127.0	-38.17	50.66	15.85	24.63	5.67	0.343	0.534	0.179	0.278	0.064	0.382	0.627	0.156	0.466	0.621	0.216		
016	5	NRS18	0.5	1.0	0.5	0.75	0.75	0.0	0.5	0.499	j99g	76.06	38.6	162.0	-36.7	11.93	35.51	49.98	43.06	0.276	0.389	0.401	0.564	0.486	0.472	0.849	0.681	0.606	0.845	0.683		
017	5	NRS18	0.5	1.0	1.0	0.75	0.75	0.0	0.5	0.625	g50b	76.06	38.69	217.0	-30.89	-23.27	37.25	49.98	82.07	0.22	0.295	0.42	0.564	0.926	0.201	0.849	0.949	0.503	0.844	0.943		
018	5	NRS18	1.0	0.0	0.0	0.5	0.5	0.0	1.0	0.999	b99r	56.71	77.05	25.0	69.83	32.56	42.8	24.63	10.88	0.547	0.314	0.483	0.278	0.123	1.033	0.268	0.349	0.897	0.275	0.348		
019	5	NRS18	1.0	0.0	0.5	0.5	0.5	0.0	1.0	0.937	b74r	56.71	68.06	357.0	67.97	-3.55	42.18	24.63	29.17	0.439	0.257	0.476	0.278	0.329	0.978	0.301	0.599	0.851	0.306	0.585		
020	5	NRS18	1.0	0.0	1.0	0.5	0.5	0.0	1.0	0.876	b50r	56.71	77.12	329.0	66.1	-39.71	41.56	24.63	61.24	0.326	0.193	0.469	0.278	0.691	0.88	0.342	0.854	0.77	0.344	0.836		
021	5	NRS18	1.0	0.5	0.0	0.5	0.5	0.0	1.0	0.125	r50j	56.71	64.6	59.0	33.27	55.38	31.68	24.63	4.67	0.52	0.404	0.358	0.278	0.053	0.857	0.458	0.147	0.765	0.455	0.188		
022	5	NRS18	1.0	0.5	0.5	0.75	0.75	0.0	0.5	0.999	b99r	76.06	38.53	25.0	34.92	16.28	61.19	49.98	39.34	0.407	0.332	0.691	0.564	0.444	1.063	0.671	0.66	0.971	0.665	0.654		
023	5	NRS18	1.0	0.5	1.0	0.75	0.75	0.0	0.5	0.876	b50r	76.06	38.56	329.0	33.05	-19.85	60.4	49.98	77.53	0.321	0.266	0.682	0.564	0.875	0.957	0.69	0.93	0.889	0.684	0.919		
024	5	NRS18	1.0	1.0	0.0	0.5	0.5	0.0	1.0	0.249	r99j	56.71	77.13	92.0	-2.68	77.08	22.81	24.63	1.53	0.466	0.503	0.257	0.278	0.017	0.664	0.559	-0.31	0.63	0.554	-0.13		
025	5	NRS18	1.0	1.0	0.5	0.75	0.75	0.0	0.5	0.249	r99j	76.06	38.56	92.0	-1.34	38.54	47.03	49.98	23.63	0.39	0.414	0.531	0.564	0.267	0.865	0.771	0.48	0.835	0.765	0.493		
026	5	NRS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.937	b74r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

BAM registration: 20070501-YE79/10L/L79E05NA.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

Colorimetric data of colours F for system SRS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (30.0, 90.0, 150.0, 210.0, 270.0, 330.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	6	SRS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.944	b77r	18.01	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198			
001	6	SRS18	0.0	0.0	0.5	0.25	0.25	0.5	0.5	0.746	g98b	37.36	38.7	270.0	0.0	-38.69	9.25	9.73	30.39	0.187	0.197	0.104	0.11	0.343	-0.019	0.38	0.623	0.212	0.38	0.61		
002	6	SRS18	0.0	0.0	1.0	0.5	0.5	0.0	1.0	0.746	g98b	56.71	77.4	270.0	0.0	-77.39	23.41	24.63	113.47	0.145	0.152	0.264	0.278	1.281	-2.708	0.6	1.126	-0.275	0.594	1.115		
003	6	SRS18	0.0	0.5	0.0	0.25	0.25	0.5	0.5	0.456	j82g	37.36	38.7	150.0	-33.5	19.35	5.77	9.73	5.22	0.278	0.47	0.065	0.11	0.059	0.116	0.417	0.231	0.257	0.416	0.251		
004	6	SRS18	0.0	0.5	0.5	0.25	0.25	0.5	0.5	0.609	g43b	37.36	38.7	210.0	-33.5	-19.34	5.77	9.73	18.79	0.168	0.284	0.065	0.11	0.212	-0.822	0.426	0.491	-0.062	0.424	0.485		
005	6	SRS18	0.0	0.5	1.0	0.5	0.5	0.0	1.0	0.678	g71b	56.71	67.03	240.0	-33.5	-58.04	16.67	24.63	83.99	0.133	0.197	0.188	0.278	0.948	-3.747	0.649	0.98	-0.349	0.643	0.968		
006	6	SRS18	0.0	1.0	0.0	0.5	0.5	0.0	1.0	0.456	j82g	56.71	77.4	150.0	-67.02	38.7	11.37	24.63	8.86	0.254	0.549	0.128	0.278	0.1	-0.79	0.666	0.263	0.299	0.66	0.299		
007	6	SRS18	0.0	1.0	0.5	0.5	0.5	0.0	1.0	0.541	g16b	56.71	67.03	180.0	-67.02	0.0	11.37	24.63	26.82	0.181	0.392	0.128	0.278	0.303	-2.095	0.672	0.557	0.035	0.666	0.557		
008	6	SRS18	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.609	g43b	56.71	77.4	210.0	-67.02	-38.69	11.37	24.63	60.11	0.118	0.256	0.128	0.278	0.678	-4.516	0.684	0.837	-0.393	0.678	0.826		
009	6	SRS18	0.5	0.0	0.0	0.25	0.25	0.5	0.5	0.017	r06j	37.36	38.7	30.0	33.52	19.35	13.91	9.73	5.22	0.482	0.337	0.157	0.11	0.059	0.593	0.263	0.244	0.521	0.27	0.254		
010	6	SRS18	0.5	0.0	0.5	0.25	0.25	0.5	0.5	0.878	b51r	37.36	38.7	330.0	33.52	-19.34	13.91	9.73	18.79	0.328	0.229	0.157	0.11	0.212	0.521	0.278	0.496	0.465	0.284	0.486		
011	6	SRS18	0.5	0.0	1.0	0.5	0.5	0.0	1.0	0.812	b24r	56.71	67.03	300.0	33.52	-58.04	31.75	24.63	83.99	0.226	0.175	0.358	0.278	0.948	0.548	0.5	0.985	0.53	0.496	0.97		
012	6	SRS18	0.5	0.5	0.0	0.25	0.25	0.5	0.5	0.241	r96j	37.36	38.7	90.0	0.0	38.7	9.25	9.73	2.06	0.44	0.462	0.104	0.11	0.023	0.434	0.359	0.086	0.413	0.36	0.134		
013	6	SRS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.944	b77r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	6	SRS18	0.5	0.5	1.0	0.75	0.75	0.0	0.5	0.746	g98b	76.06	38.7	270.0	0.0	-38.69	47.51	49.98	104.75	0.235	0.247	0.536	0.564	1.182	0.567	0.791	1.069	0.635	0.785	1.062		
015	6	SRS18	0.5	1.0	0.0	0.5	0.5	0.0	1.0	0.349	j39g	56.71	67.03	120.0	-33.51	58.05	16.67	24.63	4.15	0.367	0.542	0.188	0.278	0.047	0.436	0.619	0.043	0.493	0.613	0.158		
016	6	SRS18	0.5	1.0	0.5	0.75	0.75	0.0	0.5	0.456	j82g	76.06	38.7	150.0	-33.5	19.35	36.46	49.98	36.85	0.296	0.405	0.412	0.564	0.416	0.546	0.842	0.624	0.643	0.837	0.629		
017	6	SRS18	0.5	1.0	1.0	0.75	0.75	0.0	0.5	0.609	g43b	76.06	38.7	210.0	-33.5	-19.34	36.46	49.98	76.87	0.223	0.306	0.412	0.564	0.868	0.202	0.852	0.919	0.505	0.848	0.913		
018	6	SRS18	1.0	0.0	0.0	0.5	0.5	0.0	1.0	0.017	r06j	56.71	77.4	30.0	67.03	38.7	41.87	24.63	8.86	0.556	0.327	0.473	0.278	0.1	1.023	0.289	0.304	0.89	0.294	0.308		
019	6	SRS18	1.0	0.0	0.5	0.5	0.5	0.0	1.0	0.944	b77r	56.71	67.03	0.0	67.03	0.0	41.87	24.63	26.82	0.449	0.264	0.473	0.278	0.303	0.979	0.306	0.574	0.852	0.31	0.561		
020	6	SRS18	1.0	0.0	1.0	0.5	0.5	0.0	1.0	0.878	b51r	56.71	77.4	330.0	67.03	-38.69	41.87	24.63	60.11	0.331	0.195	0.473	0.278	0.678	0.889	0.335	0.847	0.777	0.337	0.829		
021	6	SRS18	1.0	0.5	0.0	0.5	0.5	0.0	1.0	0.129	r51j	56.71	67.03	60.0	33.52	58.05	31.75	24.63	4.15	0.525	0.407	0.358	0.278	0.047	0.86	0.457	0.117	0.767	0.454	0.167		
022	6	SRS18	1.0	0.5	0.5	0.75	0.75	0.0	0.5	0.017	r06j	76.06	38.7	30.0	33.52	19.35	60.59	49.98	36.85	0.411	0.339	0.684	0.564	0.416	1.06	0.675	0.636	0.969	0.669	0.632		
023	6	SRS18	1.0	0.5	1.0	0.75	0.75	0.0	0.5	0.878	b51r	76.06	38.7	330.0	33.52	-19.34	60.59	49.98	76.87	0.323	0.267	0.684	0.564	0.868	0.962	0.689	0.926	0.892	0.682	0.915		
024	6	SRS18	1.0	1.0	0.0	0.5	0.5	0.0	1.0	0.241	r96j	56.71	77.4	90.0	0.0	77.4	23.41	24.63	1.5	0.473	0.497	0.264	0.278	0.017	0.68	0.553	-0.31	0.641	0.548	-0.13		
025	6	SRS18	1.0	1.0	0.5	0.75	0.75	0.0	0.5	0.241	r96j	76.06	38.7	90.0	0.0	38.7	47.51	49.98	23.54	0.393	0.413	0.536	0.564	0.266	0.875	0.767	0.48	0.842	0.762	0.492		
026	6	SRS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.944	b77r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

BAM registration: 20070501-YE79/10L/L79E06NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS70 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZxyCIE,a,F$					$XYZRGB,F$				RGB^*_sRGB,F				$RGB^*_{AdobeRGB,F}$			
000	7	TLS70	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.931	b72r	69.7	0.0	0.0	0.0	0.0	38.33	40.32	43.91	0.313	0.329	0.433	0.455	0.496	0.705	0.705	0.705	0.699	0.699	0.699
001	7	TLS70	0.0	0.0	0.5	0.047	0.25	0.5	0.5	0.799	b19r	70.91	19.47	294.0	7.92	-17.78	42.57	42.06	64.13	0.286	0.283	0.48	0.475	0.724	0.713	0.705	0.852	0.705	0.699	0.842
002	7	TLS70	0.0	0.0	1.0	0.094	0.5	0.0	1.0	0.799	b19r	72.13	38.94	294.0	15.84	-35.56	47.11	43.85	89.76	0.261	0.243	0.532	0.495	1.013	0.707	0.705	1.0	0.7	0.699	0.989
003	7	TLS70	0.0	0.5	0.0	0.382	0.25	0.5	0.5	0.428	j71g	79.53	18.1	142.0	-14.25	11.14	47.76	55.86	49.3	0.312	0.365	0.539	0.63	0.556	0.736	0.845	0.728	0.764	0.841	0.728
004	7	TLS70	0.0	0.5	0.5	0.412	0.25	0.5	0.5	0.582	g32b	80.3	11.51	198.0	-10.93	-3.55	50.2	57.22	66.4	0.289	0.329	0.567	0.646	0.749	0.715	0.851	0.85	0.751	0.847	0.846
005	7	TLS70	0.0	0.5	1.0	0.458	0.5	0.0	1.0	0.691	g76b	81.49	15.44	246.0	-6.27	-14.1	53.93	59.36	82.32	0.276	0.303	0.609	0.67	0.929	0.722	0.857	0.945	0.758	0.853	0.94
006	7	TLS70	0.0	1.0	0.0	0.765	0.5	0.0	1.0	0.428	j71g	89.36	36.2	142.0	-28.52	22.29	58.63	74.94	55.11	0.311	0.397	0.662	0.846	0.622	0.757	0.987	0.75	0.827	0.987	0.756
007	7	TLS70	0.0	1.0	0.5	0.794	0.5	0.0	1.0	0.518	g07b	90.12	40.03	170.0	-39.41	6.95	55.54	76.57	74.24	0.269	0.371	0.627	0.864	0.838	0.57	1.021	0.878	0.731	1.022	0.881
008	7	TLS70	0.0	1.0	1.0	0.825	0.5	0.0	1.0	0.582	g32b	90.9	23.01	198.0	-21.88	-7.1	64.29	78.27	95.49	0.27	0.329	0.726	0.883	1.078	0.706	1.0	1.0	0.799	0.999	1.0
009	7	TLS70	0.5	0.0	0.0	0.131	0.25	0.5	0.5	0.992	b96r	73.07	14.14	22.0	13.11	5.3	47.6	45.28	44.38	0.347	0.33	0.537	0.511	0.501	0.857	0.708	0.705	0.814	0.702	0.699
010	7	TLS70	0.5	0.0	0.5	0.171	0.25	0.5	0.5	0.869	b47r	74.09	19.48	326.0	16.15	-10.88	50.32	46.85	62.52	0.315	0.293	0.568	0.529	0.706	0.841	0.716	0.838	0.803	0.71	0.829
011	7	TLS70	0.5	0.0	1.0	0.218	0.5	0.0	1.0	0.834	b33r	75.31	37.44	310.0	24.07	-28.67	55.39	48.77	87.75	0.289	0.254	0.625	0.55	0.99	0.847	0.714	0.986	0.807	0.708	0.976
012	7	TLS70	0.5	0.5	0.0	0.47	0.25	0.5	0.5	0.303	j21g	81.79	14.1	107.0	-4.11	13.48	55.29	59.91	50.81	0.333	0.361	0.624	0.676	0.573	0.853	0.848	0.737	0.847	0.843	0.737
013	7	TLS70	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.931	b72r	82.56	0.0	0.0	0.0	0.0	58.29	61.33	66.79	0.313	0.329	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846
014	7	TLS70	0.5	0.5	1.0	0.547	0.75	0.0	0.5	0.799	b19r	83.77	19.47	294.0	7.92	-17.78	63.88	63.62	93.08	0.29	0.288	0.721	0.718	1.051	0.859	0.85	1.002	0.853	0.846	0.996
015	7	TLS70	0.5	1.0	0.0	0.852	0.5	0.0	1.0	0.367	j46g	91.6	34.58	125.0	-19.83	28.33	66.54	79.81	52.87	0.334	0.401	0.751	0.901	0.597	0.882	0.994	0.728	0.913	0.994	0.736
016	7	TLS70	0.5	1.0	0.5	0.882	0.75	0.0	0.5	0.428	j71g	92.39	18.1	142.0	-14.25	11.14	70.65	81.58	73.87	0.312	0.361	0.797	0.921	0.834	0.882	0.995	0.875	0.914	0.995	0.876
017	7	TLS70	0.5	1.0	1.0	0.912	0.75	0.0	0.5	0.582	g32b	93.16	11.51	198.0	-10.93	-3.55	73.8	83.33	95.98	0.292	0.329	0.833	0.94	1.083	0.862	1.001	1.0	0.901	1.001	1.0
018	7	TLS70	1.0	0.0	0.0	0.262	0.5	0.0	1.0	0.992	b96r	76.45	28.28	22.0	26.22	10.59	58.25	50.62	44.85	0.379	0.329	0.657	0.571	0.506	1.0	0.706	0.705	0.926	0.699	0.699
019	7	TLS70	1.0	0.0	0.5	0.302	0.5	0.0	1.0	0.931	b72r	77.46	39.95	354.0	39.74	-4.17	65.93	52.31	61.51	0.367	0.291	0.744	0.59	0.694	1.066	0.677	0.829	0.975	0.671	0.819
020	7	TLS70	1.0	0.0	1.0	0.342	0.5	0.0	1.0	0.869	b47r	78.49	38.96	326.0	32.3	-21.77	64.58	54.04	85.76	0.316	0.264	0.729	0.61	0.968	0.974	0.721	0.973	0.909	0.715	0.963
021	7	TLS70	1.0	0.5	0.0	0.605	0.5	0.0	1.0	0.148	r59j	85.26	20.82	65.0	8.8	18.87	67.13	66.52	51.4	0.363	0.359	0.758	0.751	0.58	1.005	0.854	0.737	0.964	0.849	0.736
022	7	TLS70	1.0	0.5	0.5	0.631	0.75	0.0	0.5	0.992	b96r	85.93	14.14	22.0	13.11	5.3	70.43	67.84	67.4	0.342	0.33	0.795	0.766	0.761	1.009	0.853	0.85	0.967	0.849	0.846
023	7	TLS70	1.0	0.5	1.0	0.671	0.75	0.0	0.5	0.869	b47r	86.95	19.48	326.0	16.15	-10.88	73.96	69.9	91.01	0.315	0.298	0.835	0.789	1.027	0.991	0.862	0.987	0.955	0.858	0.982
024	7	TLS70	1.0	1.0	0.0	0.94	0.5	0.0	1.0	0.303	j21g	93.87	28.19	107.0	-8.23	26.96	76.63	84.98	58.39	0.348	0.386	0.865	0.959	0.659	1.0	0.995	0.767	0.998	0.995	0.773
025	7	TLS70	1.0	1.0	0.5	0.97	0.75	0.0	0.5	0.303	j21g	94.64	14.1	107.0	-4.11	13.48	80.36	86.77	75.85	0.331	0.357	0.907	0.979	0.856	1.003	0.997	0.884	1.001	0.997	0.885
026	7	TLS70	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.931	b72r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E07NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (40.0, 102.8, 136.0, 196.4, 306.3, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}					XYZxyCIE _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	8	TLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.953	b81r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006	
001	8	TLS00	0.0	0.0	0.5	0.16	0.25	0.5	0.5	0.825	b30r	15.27	23.88	306.0	14.04	-19.31	2.51	1.96	5.35	0.255	0.2	0.028	0.022	0.06	0.181	0.136	0.274	0.185	0.155	0.276
002	8	TLS00	0.0	0.0	1.0	0.32	0.5	0.0	1.0	0.825	b30r	30.54	47.76	306.0	28.07	-38.63	9.09	6.46	22.87	0.237	0.168	0.103	0.073	0.258	0.335	0.243	0.55	0.316	0.251	0.537
003	8	TLS00	0.0	0.5	0.0	0.438	0.25	0.5	0.5	0.406	j62g	41.82	46.54	136.0	-33.47	32.33	7.63	12.38	4.16	0.316	0.512	0.086	0.14	0.047	0.224	0.462	0.175	0.319	0.459	0.21
004	8	TLS00	0.0	0.5	0.5	0.455	0.25	0.5	0.5	0.577	g30b	43.44	57.31	196.0	-55.08	-15.79	6.18	13.45	22.52	0.147	0.319	0.07	0.152	0.254	-1.729	0.515	0.529	-0.205	0.51	0.524
005	8	TLS00	0.0	0.5	1.0	0.616	0.5	0.0	1.0	0.703	g81b	58.8	27.61	251.0	-8.98	-26.1	23.41	26.81	50.76	0.232	0.266	0.264	0.303	0.573	0.358	0.614	0.773	0.448	0.608	0.762
006	8	TLS00	0.0	1.0	0.0	0.876	0.5	0.0	1.0	0.406	j62g	83.62	93.08	136.0	-66.94	64.66	36.2	63.34	16.72	0.311	0.545	0.409	0.715	0.189	0.398	0.979	0.306	0.633	0.978	0.37
007	8	TLS00	0.0	1.0	0.5	0.893	0.5	0.0	1.0	0.509	g03b	85.24	99.44	166.0	-96.47	24.06	29.86	66.48	46.4	0.209	0.466	0.337	0.75	0.524	-4.164	1.044	0.679	0.324	1.045	0.694
008	8	TLS00	0.0	1.0	1.0	0.91	0.5	0.0	1.0	0.577	g30b	86.86	114.61	196.0	-110.16	-31.58	28.13	69.72	124.16	0.127	0.314	0.317	0.787	1.401	-11.364	1.094	1.136	-0.559	1.097	1.14
009	8	TLS00	0.5	0.0	0.0	0.265	0.25	0.5	0.5	0.054	r21j	25.26	55.48	40.0	42.5	35.66	8.13	4.5	0.55	0.617	0.341	0.092	0.051	0.006	0.502	0.075	0.017	0.43	0.102	0.053
010	8	TLS00	0.5	0.0	0.5	0.299	0.25	0.5	0.5	0.874	b49r	28.51	64.21	328.0	54.45	-34.02	11.36	5.65	18.5	0.32	0.159	0.128	0.064	0.209	0.499	0.051	0.501	0.427	0.081	0.488
011	8	TLS00	0.5	0.0	1.0	0.456	0.5	0.0	1.0	0.849	b39r	43.53	126.17	317.0	92.28	-86.04	32.28	13.51	91.44	0.235	0.098	0.364	0.153	1.032	0.688	-0.309	1.034	0.58	-0.183	1.016
012	8	TLS00	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15g	46.31	46.5	103.0	-10.45	45.31	13.08	15.5	3.26	0.411	0.487	0.148	0.175	0.037	0.474	0.469	0.109	0.47	0.466	0.164
013	8	TLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.953	b81r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467
014	8	TLS00	0.5	0.5	1.0	0.66	0.75	0.0	0.5	0.825	b30r	62.97	23.88	306.0	14.04	-19.31	33.86	31.55	51.16	0.29	0.271	0.382	0.356	0.577	0.667	0.603	0.773	0.644	0.597	0.761
015	8	TLS00	0.5	1.0	0.0	0.925	0.5	0.0	1.0	0.345	j38g	88.25	89.21	119.0	-43.24	78.02	50.93	72.59	14.33	0.369	0.527	0.575	0.819	0.162	0.75	0.994	0.209	0.825	0.994	0.308
016	8	TLS00	0.5	1.0	0.5	0.938	0.75	0.0	0.5	0.406	j62g	89.52	46.54	136.0	-33.47	32.33	56.87	75.26	45.57	0.32	0.424	0.642	0.849	0.514	0.747	0.997	0.67	0.824	0.997	0.681
017	8	TLS00	0.5	1.0	1.0	0.955	0.75	0.0	0.5	0.577	g30b	91.14	57.31	196.0	-55.08	-15.79	51.15	78.78	109.74	0.213	0.329	0.577	0.889	1.239	-1.465	1.067	1.067	0.532	1.07	1.07
018	8	TLS00	1.0	0.0	0.0	0.529	0.5	0.0	1.0	0.054	r21j	50.5	110.95	40.0	84.99	71.32	39.03	18.84	1.11	0.662	0.319	0.441	0.213	0.013	1.04	-0.351	-0.072	0.891	-0.194	-0.10
019	8	TLS00	1.0	0.0	0.5	0.565	0.5	0.0	1.0	0.953	b81r	53.92	89.9	4.0	89.69	6.27	45.47	21.9	20.31	0.519	0.25	0.513	0.247	0.229	1.071	-0.309	0.507	0.918	-0.183	0.492
020	8	TLS00	1.0	0.0	1.0	0.597	0.5	0.0	1.0	0.874	b49r	57.01	128.42	328.0	108.9	-68.04	57.8	24.93	99.29	0.318	0.137	0.652	0.281	1.121	1.052	-0.742	1.069	0.897	-0.273	1.05
021	8	TLS00	1.0	0.5	0.0	0.747	0.5	0.0	1.0	0.17	r68j	71.3	85.69	71.0	27.9	81.02	50.21	42.62	4.57	0.515	0.438	0.567	0.481	0.052	1.031	0.631	-0.155	0.937	0.625	0.071
022	8	TLS00	1.0	0.5	0.5	0.765	0.75	0.0	0.5	0.054	r21j	72.96	55.48	40.0	42.5	35.66	58.75	45.1	22.2	0.466	0.358	0.663	0.509	0.251	1.1	0.604	0.482	0.991	0.598	0.484
023	8	TLS00	1.0	0.5	1.0	0.799	0.75	0.0	0.5	0.874	b49r	76.21	64.21	328.0	54.45	-34.02	70.18	50.23	97.88	0.321	0.23	0.792	0.567	1.105	1.061	0.62	1.041	0.961	0.614	1.029
024	8	TLS00	1.0	1.0	0.0	0.971	0.5	0.0	1.0	0.288	j15g	92.62	93.0	103.0	-20.91	90.61	68.03	82.09	12.29	0.419	0.505	0.768	0.927	0.139	0.998	1.0	0.005	0.998	1.0	0.235
025	8	TLS00	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15g	94.01	46.5	103.0	-10.45	45.31	75.83	85.3	40.96	0.375	0.422	0.856	0.963	0.462	1.027	0.998	0.618	1.02	0.998	0.634
026	8	TLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.953	b81r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E08NA.PS/.TXT BAM material: code=rhadata
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (38.3, 102.9, 136.2, 196.4, 305.7, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	9	TLS06	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.951	b80r	5.69	0.0	0.0	0.0	0.6	0.63	0.69	0.313	0.329	0.007	0.007	0.008	0.079	0.079	0.079	0.106	0.105	0.105			
001	9	TLS06	0.0	0.0	0.5	0.147	0.25	0.5	0.5	0.825	b30r	18.88	62.35	306.0	36.65	-50.43	4.97	2.72	18.4	0.191	0.104	0.056	0.031	0.208	0.193	0.111	0.503	0.189	0.133	0.49		
002	9	TLS06	0.0	0.0	1.0	0.294	0.5	0.0	1.0	0.825	b30r	32.07	124.7	306.0	73.3	-100.88	16.78	7.11	84.46	0.155	0.066	0.189	0.08	0.953	0.128	0.077	1.001	0.137	0.103	0.982		
003	9	TLS06	0.0	0.5	0.0	0.435	0.25	0.5	0.5	0.406	j62g	44.74	45.73	136.0	-32.88	31.76	9.12	14.35	5.29	0.317	0.499	0.103	0.162	0.06	0.26	0.492	0.208	0.348	0.488	0.239		
004	9	TLS06	0.0	0.5	0.5	0.453	0.25	0.5	0.5	0.577	g30b	46.31	56.41	196.0	-54.22	-15.54	7.49	15.5	25.31	0.155	0.321	0.085	0.175	0.286	-1.775	0.545	0.557	-0.185	0.54	0.552		
005	9	TLS06	0.0	0.5	1.0	0.598	0.5	0.0	1.0	0.703	g81b	59.38	27.54	251.0	-8.96	-26.03	23.99	27.44	51.69	0.233	0.266	0.271	0.31	0.583	0.366	0.621	0.779	0.454	0.615	0.768		
006	9	TLS06	0.0	1.0	0.0	0.87	0.5	0.0	1.0	0.406	j62g	83.79	91.45	136.0	-65.78	63.53	36.77	63.65	17.39	0.312	0.54	0.415	0.718	0.196	0.414	0.979	0.321	0.639	0.979	0.381		
007	9	TLS06	0.0	1.0	0.5	0.887	0.5	0.0	1.0	0.509	g03b	85.31	98.01	166.0	-95.09	23.71	30.31	66.62	46.84	0.211	0.463	0.342	0.752	0.529	-4.015	1.043	0.683	0.337	1.045	0.697		
008	9	TLS06	0.0	1.0	1.0	0.905	0.5	0.0	1.0	0.577	g30b	86.92	112.82	196.0	-108.44	-31.09	28.63	69.84	123.47	0.129	0.315	0.323	0.788	1.394	-11.1021	0.093	1.133	-0.547	1.096	1.137		
009	9	TLS06	0.5	0.0	0.0	0.253	0.25	0.5	0.5	0.047	r18j	28.4	54.54	38.0	42.98	33.58	9.79	5.61	1.08	0.594	0.34	0.11	0.063	0.012	0.542	0.113	0.071	0.465	0.135	0.1		
010	9	TLS06	0.5	0.0	0.5	0.289	0.25	0.5	0.5	0.874	b49r	31.6	62.36	328.0	52.89	-33.04	13.07	6.91	20.77	0.321	0.17	0.148	0.078	0.234	0.528	0.119	0.527	0.454	0.139	0.513		
011	9	TLS06	0.5	0.0	1.0	0.436	0.5	0.0	1.0	0.849	b39r	44.79	122.42	317.0	89.53	-83.48	33.04	14.39	90.89	0.239	0.104	0.373	0.162	1.026	0.7	-0.179	1.031	0.592	-0.143	1.012		
012	9	TLS06	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15g	49.18	45.77	103.0	-10.29	44.6	15.07	17.74	4.24	0.407	0.479	0.17	0.2	0.048	0.506	0.499	0.148	0.5	0.495	0.194		
013	9	TLS06	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.951	b80r	50.55	0.0	0.0	0.0	0.0	17.95	18.88	20.56	0.313	0.329	0.203	0.213	0.232	0.499	0.499	0.499	0.495	0.495	0.495		
014	9	TLS06	0.5	0.5	1.0	0.647	0.75	0.0	0.5	0.825	b30r	63.74	62.35	306.0	36.65	-50.43	41.84	32.48	90.34	0.254	0.197	0.472	0.367	1.02	0.707	0.559	1.013	0.663	0.554	0.999		
015	9	TLS06	0.5	1.0	0.0	0.918	0.5	0.0	1.0	0.349	j39g	88.09	87.73	120.0	-43.85	75.98	50.44	72.25	15.09	0.366	0.524	0.569	0.815	0.17	0.74	0.994	0.236	0.818	0.993	0.324		
016	9	TLS06	0.5	1.0	0.5	0.935	0.75	0.0	0.5	0.406	j62g	89.6	45.73	136.0	-32.88	31.76	57.25	75.44	46.22	0.32	0.422	0.646	0.851	0.522	0.752	0.997	0.675	0.827	0.997	0.687		
017	9	TLS06	0.5	1.0	1.0	0.953	0.75	0.0	0.5	0.577	g30b	91.17	56.41	196.0	-54.22	-15.54	51.53	78.85	109.42	0.215	0.329	0.582	0.89	1.235	-1.279	1.066	1.066	0.541	1.069	1.068		
018	9	TLS06	1.0	0.0	0.0	0.506	0.5	0.0	1.0	0.047	r18j	51.11	109.08	38.0	85.96	67.16	40.17	19.36	1.56	0.658	0.317	0.453	0.219	0.018	1.053	-0.367	-0.009	0.902	-0.198	-0.05		
019	9	TLS06	1.0	0.0	0.5	0.543	0.5	0.0	1.0	0.951	b80r	54.43	89.63	3.0	89.51	4.69	46.19	22.39	21.66	0.512	0.248	0.521	0.253	0.244	1.075	-0.269	0.523	0.922	-0.172	0.508		
020	9	TLS06	1.0	0.0	1.0	0.578	0.5	0.0	1.0	0.874	b49r	57.51	124.73	328.0	105.77	-66.08	57.41	25.45	97.62	0.318	0.141	0.648	0.287	1.102	1.046	-0.554	1.06	0.894	-0.239	1.041		
021	9	TLS06	1.0	0.5	0.0	0.74	0.5	0.0	1.0	0.17	r68j	72.12	81.37	71.0	26.49	76.93	51.01	43.84	5.74	0.507	0.436	0.576	0.495	0.065	1.031	0.645	-0.004	0.94	0.639	0.148		
022	9	TLS06	1.0	0.5	0.5	0.753	0.75	0.0	0.5	0.047	r18j	73.26	54.54	38.0	42.98	33.58	59.5	45.56	23.71	0.462	0.354	0.672	0.514	0.268	1.104	0.606	0.501	0.995	0.6	0.502		
023	9	TLS06	1.0	0.5	1.0	0.789	0.75	0.0	0.5	0.874	b49r	76.46	62.36	328.0	52.89	-33.04	69.95	50.64	97.05	0.321	0.233	0.79	0.572	1.095	1.057	0.629	1.037	0.959	0.622	1.025		
024	9	TLS06	1.0	1.0	0.0	0.969	0.5	0.0	1.0	0.288	j15g	92.66	91.54	103.0	-20.58	89.19	68.28	82.2	12.87	0.418	0.503	0.771	0.928	0.145	0.999	1.0	0.08	1.0	1.0	0.252		
025	9	TLS06	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15g	94.04	45.77	103.0	-10.29	44.6	75.96	85.36	41.61	0.374	0.421	0.857	0.963	0.47	1.027	0.998	0.624	1.02	0.998	0.64		
026	9	TLS06	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.951	b80r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E09NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS11 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (37.0, 103.1, 136.5, 196.4, 305.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ohv* _{3,F}			ltnceu* _F			LCHAB* _{a,F}						XYZxyCIE,a,F						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	10	TLS11	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.951	b80r	10.99	0.0	0.0	0.0	0.0	1.2	1.26	1.37	0.313	0.329	0.014	0.014	0.015	0.124	0.124	0.124	0.145	0.145	0.145		
001	10	TLS11	0.0	0.0	0.5	0.131	0.25	0.5	0.5	0.823	b29r	22.09	23.46	305.0	13.45	-19.21	4.26	3.54	8.33	0.264	0.219	0.048	0.04	0.094	0.242	0.197	0.339	0.24	0.21	0.337		
002	10	TLS11	0.0	0.0	1.0	0.263	0.5	0.0	1.0	0.823	b29r	33.18	46.92	305.0	26.91	-38.42	10.37	7.62	25.47	0.239	0.175	0.117	0.086	0.288	0.355	0.272	0.577	0.337	0.278	0.564		
003	10	TLS11	0.0	0.5	0.0	0.432	0.25	0.5	0.5	0.406	j62g	47.46	44.94	136.0	-32.32	31.22	10.67	16.37	6.51	0.318	0.488	0.12	0.185	0.073	0.293	0.52	0.239	0.376	0.516	0.266		
004	10	TLS11	0.0	0.5	0.5	0.45	0.25	0.5	0.5	0.577	g30b	48.99	55.54	196.0	-53.37	-15.3	8.86	17.59	28.12	0.162	0.322	0.1	0.198	0.317	-1.797	0.574	0.584	-0.157	0.568	0.578		
005	10	TLS11	0.0	0.5	1.0	0.58	0.5	0.0	1.0	0.703	g81b	59.95	27.46	251.0	-8.93	-25.96	24.55	28.07	52.59	0.233	0.267	0.277	0.317	0.594	0.374	0.627	0.785	0.461	0.621	0.774		
006	10	TLS11	0.0	1.0	0.0	0.864	0.5	0.0	1.0	0.406	j62g	83.93	89.88	136.0	-64.64	62.44	37.31	63.94	18.05	0.313	0.536	0.421	0.722	0.204	0.428	0.98	0.335	0.645	0.979	0.391		
007	10	TLS11	0.0	1.0	0.5	0.881	0.5	0.0	1.0	0.509	g03b	85.39	96.61	166.0	-93.73	23.37	30.76	66.77	47.27	0.212	0.461	0.347	0.754	0.534	-3.868	1.043	0.687	0.349	1.044	0.7		
008	10	TLS11	0.0	1.0	1.0	0.9	0.5	0.0	1.0	0.577	g30b	86.99	111.07	196.0	-106.76	-30.61	29.14	69.98	122.82	0.131	0.315	0.329	0.79	1.386	-10.845	1.091	1.13	-0.534	1.095	1.134		
009	10	TLS11	0.5	0.0	0.0	0.241	0.25	0.5	0.5	0.043	r17j	31.33	46.41	37.0	37.06	27.93	10.65	6.79	2.11	0.545	0.347	0.12	0.077	0.024	0.547	0.184	0.134	0.474	0.198	0.155		
010	10	TLS11	0.5	0.0	0.5	0.278	0.25	0.5	0.5	0.874	b49r	34.5	60.64	328.0	51.42	-32.12	14.82	8.25	23.05	0.321	0.179	0.167	0.093	0.26	0.555	0.166	0.552	0.48	0.181	0.538		
011	10	TLS11	0.5	0.0	1.0	0.414	0.5	0.0	1.0	0.849	b39r	45.94	118.93	317.0	86.98	-81.1	33.73	15.23	90.32	0.242	0.109	0.381	0.172	1.019	0.709	-0.051	1.027	0.603	-0.082	1.009		
012	10	TLS11	0.5	0.5	0.0	0.484	0.25	0.5	0.5	0.288	j15g	51.83	46.4	103.0	-10.43	45.21	17.04	19.99	5.02	0.405	0.475	0.192	0.226	0.057	0.535	0.526	0.17	0.528	0.522	0.213		
013	10	TLS11	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.951	b80r	53.2	0.0	0.0	0.0	0.0	20.18	21.23	23.12	0.313	0.329	0.228	0.24	0.261	0.527	0.527	0.527	0.522	0.522	0.522		
014	10	TLS11	0.5	0.5	1.0	0.631	0.75	0.0	0.5	0.823	b29r	64.3	23.46	305.0	13.45	-19.21	35.35	33.17	53.34	0.29	0.272	0.399	0.374	0.602	0.678	0.619	0.787	0.656	0.613	0.776		
015	10	TLS11	0.5	1.0	0.0	0.914	0.5	0.0	1.0	0.349	j39g	88.19	86.3	120.0	-43.14	74.73	50.87	72.46	15.72	0.366	0.521	0.574	0.818	0.177	0.745	0.994	0.254	0.822	0.993	0.336		
016	10	TLS11	0.5	1.0	0.5	0.932	0.75	0.0	0.5	0.406	j62g	89.67	44.94	136.0	-32.32	31.22	57.62	75.6	46.84	0.32	0.42	0.65	0.853	0.529	0.756	0.997	0.681	0.83	0.997	0.692		
017	10	TLS11	0.5	1.0	1.0	0.95	0.75	0.0	0.5	0.577	g30b	91.2	55.54	196.0	-53.37	-15.3	51.9	78.92	109.12	0.216	0.329	0.586	0.891	1.232	-1.097	1.065	1.064	0.55	1.067	1.067		
018	10	TLS11	1.0	0.0	0.0	0.482	0.5	0.0	1.0	0.043	r17j	51.68	92.81	37.0	74.13	55.86	37.23	19.86	3.06	0.619	0.33	0.42	0.224	0.035	1.0	0.128	0.124	0.861	0.146	0.145		
019	10	TLS11	1.0	0.0	0.5	0.52	0.5	0.0	1.0	0.951	b80r	54.87	89.17	3.0	89.05	4.67	46.69	22.8	22.09	0.51	0.249	0.527	0.257	0.249	1.078	-0.223	0.528	0.926	-0.158	0.512		
020	10	TLS11	1.0	0.0	1.0	0.557	0.5	0.0	1.0	0.874	b49r	58.01	121.27	328.0	102.85	-64.26	57.08	25.97	96.14	0.319	0.145	0.644	0.293	1.085	1.041	-0.376	1.052	0.891	-0.2	1.034		
021	10	TLS11	1.0	0.5	0.0	0.725	0.5	0.0	1.0	0.167	r66j	72.17	77.84	70.0	26.62	73.14	51.14	43.91	6.68	0.503	0.432	0.577	0.496	0.075	1.031	0.645	0.105	0.94	0.639	0.189		
022	10	TLS11	1.0	0.5	0.5	0.741	0.75	0.0	0.5	0.043	r17j	73.54	46.41	37.0	37.06	27.93	57.56	46.0	27.53	0.439	0.351	0.65	0.519	0.311	1.064	0.632	0.546	0.966	0.626	0.545		
023	10	TLS11	1.0	0.5	1.0	0.778	0.75	0.0	0.5	0.874	b49r	76.71	60.64	328.0	51.42	-32.12	69.77	51.05	96.31	0.321	0.235	0.787	0.576	1.087	1.053	0.637	1.032	0.957	0.631	1.021		
024	10	TLS11	1.0	1.0	0.0	0.968	0.5	0.0	1.0	0.288	j15g	92.67	92.8	103.0	-20.87	90.42	68.15	82.21	12.4	0.419	0.505	0.769	0.928	0.14	0.998	1.001	0.019	0.999	1.0	0.238		
025	10	TLS11	1.0	1.0	0.5	0.984	0.75	0.0	0.5	0.288	j15g	94.04	46.4	103.0	-10.43	45.21	75.9	85.36	41.08	0.375	0.422	0.857	0.963	0.464	1.028	0.999	0.619	1.02	0.998	0.635		
026	10	TLS11	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.951	b80r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system TLS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (34.9, 103.3, 136.9, 196.5, 304.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	o1v* _{3,F}			ltnceu* _F			LCHAB* _{a,F}						XYZxyCIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	11	TLS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.946	b78r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198		
001	11	TLS18	0.0	0.0	0.5	0.114	0.25	0.5	0.5	0.821	b28r	26.82	22.98	304.0	12.85	-19.04	5.85	5.03	10.91	0.269	0.231	0.066	0.057	0.123	0.284	0.242	0.384	0.279	0.25	0.38		
002	11	TLS18	0.0	0.0	1.0	0.228	0.5	0.0	1.0	0.821	b28r	35.63	45.96	304.0	25.7	-38.09	11.63	8.82	27.96	0.24	0.182	0.131	0.1	0.316	0.374	0.299	0.602	0.356	0.303	0.587		
003	11	TLS18	0.0	0.5	0.0	0.426	0.25	0.5	0.5	0.41	j63g	51.01	54.04	137.0	-39.51	36.86	11.78	19.28	6.63	0.313	0.511	0.133	0.218	0.075	0.27	0.568	0.227	0.385	0.563	0.261		
004	11	TLS18	0.0	0.5	0.5	0.446	0.25	0.5	0.5	0.577	g30b	52.56	53.86	196.0	-51.76	-14.83	11.01	20.65	32.07	0.173	0.324	0.124	0.233	0.362	-1.754	0.611	0.62	-0.066	0.606	0.614		
005	11	TLS18	0.0	0.5	1.0	0.562	0.5	0.0	1.0	0.7	g80b	61.49	27.27	250.0	-9.32	-25.61	26.03	29.81	54.96	0.235	0.269	0.294	0.336	0.62	0.389	0.644	0.8	0.476	0.638	0.789		
006	11	TLS18	0.0	1.0	0.0	0.853	0.5	0.0	1.0	0.41	j63g	84.01	108.08	137.0	-79.03	73.71	33.17	64.08	13.09	0.301	0.581	0.374	0.723	0.148	0.182	1.0	0.188	0.583	1.0	0.297		
007	11	TLS18	0.0	1.0	0.5	0.873	0.5	0.0	1.0	0.511	g04b	85.59	93.91	167.0	-91.49	21.12	31.6	67.17	49.74	0.213	0.452	0.357	0.758	0.561	-3.739	1.043	0.707	0.361	1.044	0.72		
008	11	TLS18	0.0	1.0	1.0	0.893	0.5	0.0	1.0	0.577	g30b	87.12	107.71	196.0	-103.53	-29.68	30.13	70.24	121.57	0.136	0.316	0.34	0.793	1.372	-10.345	1.089	1.125	-0.508	1.092	1.128		
009	11	TLS18	0.5	0.0	0.0	0.225	0.25	0.5	0.5	0.036	r14j	35.43	43.57	35.0	35.69	24.99	12.96	8.71	3.52	0.515	0.346	0.146	0.098	0.04	0.587	0.233	0.19	0.512	0.243	0.205		
010	11	TLS18	0.5	0.0	0.5	0.264	0.25	0.5	0.5	0.874	b49r	38.48	57.55	328.0	48.8	-30.49	17.35	10.36	26.22	0.322	0.192	0.196	0.117	0.296	0.59	0.226	0.584	0.514	0.236	0.569		
011	11	TLS18	0.5	0.0	1.0	0.375	0.5	0.0	1.0	0.847	b38r	47.05	112.66	316.0	81.04	-78.25	33.39	16.05	88.96	0.241	0.116	0.377	0.181	1.004	0.696	0.136	1.02	0.596	0.154	1.001		
012	11	TLS18	0.5	0.5	0.0	0.482	0.25	0.5	0.5	0.288	j15g	55.3	43.51	103.0	-9.78	42.39	20.03	23.22	7.11	0.398	0.461	0.226	0.262	0.08	0.575	0.562	0.232	0.566	0.557	0.264		
013	11	TLS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.946	b78r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	11	TLS18	0.5	0.5	1.0	0.614	0.75	0.0	0.5	0.821	b28r	65.52	22.98	304.0	12.85	-19.04	36.74	34.71	55.34	0.29	0.274	0.415	0.392	0.625	0.687	0.633	0.8	0.667	0.628	0.789		
015	11	TLS18	0.5	1.0	0.0	0.909	0.5	0.0	1.0	0.349	j39g	88.39	83.57	120.0	-41.77	72.37	51.71	72.88	16.96	0.365	0.515	0.584	0.823	0.191	0.756	0.994	0.287	0.828	0.993	0.359		
016	11	TLS18	0.5	1.0	0.5	0.926	0.75	0.0	0.5	0.41	j63g	89.71	54.04	137.0	-39.51	36.86	54.79	75.67	41.84	0.318	0.439	0.618	0.854	0.472	0.705	1.01	0.634	0.803	1.01	0.649		
017	11	TLS18	0.5	1.0	1.0	0.946	0.75	0.0	0.5	0.577	g30b	91.26	53.86	196.0	-51.76	-14.83	52.63	79.06	108.54	0.219	0.329	0.594	0.892	1.225	-0.745	1.063	1.062	0.566	1.065	1.064		
018	11	TLS18	1.0	0.0	0.0	0.45	0.5	0.0	1.0	0.036	r14j	52.85	87.13	35.0	71.38	49.98	37.93	20.91	4.42	0.6	0.33	0.428	0.236	0.05	1.0	0.19	0.184	0.863	0.202	0.198		
019	11	TLS18	1.0	0.0	0.5	0.49	0.5	0.0	1.0	0.946	b78r	55.93	87.89	1.0	87.87	1.53	47.91	23.84	25.01	0.495	0.246	0.541	0.269	0.282	1.082	-0.093	0.56	0.931	-0.107	0.544		
020	11	TLS18	1.0	0.0	1.0	0.529	0.5	0.0	1.0	0.874	b49r	58.95	115.09	328.0	97.61	-60.98	56.6	26.97	93.68	0.319	0.152	0.639	0.304	1.057	1.032	-0.049	1.039	0.887	-0.082	1.021		
021	11	TLS18	1.0	0.5	0.0	0.707	0.5	0.0	1.0	0.163	r65j	72.72	72.19	69.0	25.87	67.39	51.75	44.73	8.53	0.493	0.426	0.584	0.505	0.096	1.03	0.654	0.194	0.941	0.648	0.246		
022	11	TLS18	1.0	0.5	0.5	0.725	0.75	0.0	0.5	0.036	r14j	74.13	43.57	35.0	35.69	24.99	58.03	46.9	30.19	0.429	0.347	0.655	0.529	0.341	1.059	0.644	0.574	0.963	0.638	0.571		
023	11	TLS18	1.0	0.5	1.0	0.764	0.75	0.0	0.5	0.874	b49r	77.18	57.55	328.0	48.8	-30.49	69.49	51.83	95.07	0.321	0.24	0.784	0.585	1.073	1.046	0.652	1.025	0.954	0.645	1.014		
024	11	TLS18	1.0	1.0	0.0	0.964	0.5	0.0	1.0	0.288	j15g	92.59	87.01	103.0	-19.56	84.78	68.59	82.02	14.63	0.415	0.496	0.774	0.926	0.165	1.001	0.997	0.186	1.0	0.997	0.295		
025	11	TLS18	1.0	1.0	0.5	0.982	0.75	0.0	0.5	0.288	j15g	94.0	43.51	103.0	-9.78	42.39	76.13	85.27	43.47	0.372	0.416	0.859	0.962	0.491	1.026	0.997	0.642	1.019	0.997	0.656		
026	11	TLS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.946	b78r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system TLS28 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (32.0, 103.7, 137.6, 196.6, 302.8, 327.9); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	o1v* _{3,F}			ltnceu* _F			LCHAB* _{a,F}						XYZxyCIE,a,F						XYZ _{RGB,F}				RGB' sRGB,F				RGB' AdobeRGB,F			
000	12	TLS28	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.944	b77r	26.85	0.0	0.0	0.0	4.79	5.04	5.49	0.313	0.329	0.054	0.057	0.062	0.265	0.265	0.265	0.272	0.272	0.272			
001	12	TLS28	0.0	0.0	0.5	0.095	0.25	0.5	0.5	0.819	b27r	33.37	52.29	303.0	28.48	-43.85	10.68	7.71	29.21	0.224	0.162	0.121	0.087	0.33	0.336	0.272	0.616	0.323	0.278	0.601		
002	12	TLS28	0.0	0.0	1.0	0.19	0.5	0.0	1.0	0.819	b27r	39.89	104.59	303.0	56.96	-87.7	20.1	11.19	84.91	0.173	0.096	0.227	0.126	0.958	0.279	0.265	1.0	0.281	0.271	0.982		
003	12	TLS28	0.0	0.5	0.0	0.42	0.25	0.5	0.5	0.413	j65g	55.62	50.84	138.0	-37.77	34.02	15.12	23.54	9.75	0.312	0.486	0.171	0.266	0.11	0.332	0.616	0.297	0.435	0.61	0.322		
004	12	TLS28	0.0	0.5	0.5	0.44	0.25	0.5	0.5	0.579	g31b	57.03	22.06	197.0	-21.08	-6.44	19.26	24.95	31.56	0.254	0.329	0.217	0.282	0.356	0.339	0.612	0.611	0.437	0.606	0.605		
005	12	TLS28	0.0	0.5	1.0	0.533	0.5	0.0	1.0	0.7	g80b	63.4	26.76	250.0	-9.14	-25.13	28.1	32.07	57.91	0.238	0.272	0.317	0.362	0.654	0.418	0.664	0.818	0.5	0.658	0.808		
006	12	TLS28	0.0	1.0	0.0	0.839	0.5	0.0	1.0	0.413	j65g	84.39	101.67	138.0	-75.55	68.03	34.64	64.82	15.78	0.301	0.562	0.391	0.732	0.178	0.257	1.0	0.274	0.599	1.0	0.35		
007	12	TLS28	0.0	1.0	0.5	0.861	0.5	0.0	1.0	0.511	g04b	85.88	88.84	167.0	-86.56	19.99	33.33	67.75	51.35	0.219	0.444	0.376	0.765	0.58	-3.17	1.04	0.72	0.404	1.042	0.732		
008	12	TLS28	0.0	1.0	1.0	0.88	0.5	0.0	1.0	0.579	g31b	87.2	44.11	197.0	-42.18	-12.89	49.64	70.42	94.6	0.231	0.328	0.56	0.795	1.068	0.275	0.997	0.999	0.601	0.997	0.999		
009	12	TLS28	0.5	0.0	0.0	0.205	0.25	0.5	0.5	0.024	r09j	40.88	39.36	32.0	33.38	20.86	16.43	11.79	6.26	0.477	0.342	0.185	0.133	0.071	0.635	0.299	0.267	0.56	0.304	0.275		
010	12	TLS28	0.5	0.0	0.5	0.246	0.25	0.5	0.5	0.874	b49r	43.74	49.89	328.0	42.31	-26.43	20.49	13.66	29.52	0.322	0.215	0.231	0.154	0.333	0.623	0.311	0.613	0.552	0.315	0.598		
011	12	TLS28	0.5	0.0	1.0	0.336	0.5	0.0	1.0	0.845	b38r	49.89	102.18	315.0	72.25	-72.24	34.38	18.33	87.39	0.245	0.131	0.388	0.207	0.986	0.7	0.255	1.01	0.609	0.263	0.992		
012	12	TLS28	0.5	0.5	0.0	0.48	0.25	0.5	0.5	0.292	j16g	59.79	40.99	104.0	-9.91	39.77	24.17	27.89	10.23	0.388	0.448	0.273	0.315	0.115	0.62	0.611	0.299	0.612	0.605	0.323		
013	12	TLS28	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.944	b77r	61.13	0.0	0.0	0.0	0.0	27.94	29.4	32.01	0.313	0.329	0.315	0.332	0.361	0.611	0.611	0.611	0.606	0.606	0.606		
014	12	TLS28	0.5	0.5	1.0	0.595	0.75	0.0	0.5	0.819	b27r	67.65	52.29	303.0	28.48	-43.85	44.78	37.5	90.57	0.259	0.217	0.505	0.423	1.022	0.72	0.624	1.01	0.689	0.618	0.997		
015	12	TLS28	0.5	1.0	0.0	0.899	0.5	0.0	1.0	0.353	j41g	88.51	78.55	121.0	-40.45	67.33	52.41	73.12	19.57	0.361	0.504	0.592	0.825	0.221	0.76	0.993	0.346	0.831	0.993	0.402		
016	12	TLS28	0.5	1.0	0.5	0.92	0.75	0.0	0.5	0.413	j65g	89.9	50.84	138.0	-37.77	34.02	55.81	76.09	44.64	0.316	0.431	0.63	0.859	0.504	0.715	1.009	0.659	0.809	1.01	0.673		
017	12	TLS28	0.5	1.0	1.0	0.94	0.75	0.0	0.5	0.579	g31b	91.31	22.06	197.0	-21.08	-6.44	65.41	79.16	95.53	0.272	0.33	0.738	0.893	1.078	0.723	1.002	0.999	0.811	1.002	0.999		
018	12	TLS28	1.0	0.0	0.0	0.409	0.5	0.0	1.0	0.024	r09j	54.9	78.73	32.0	66.77	41.72	39.27	22.84	7.11	0.567	0.33	0.443	0.258	0.08	1.0	0.266	0.265	0.868	0.273	0.272		
019	12	TLS28	1.0	0.0	0.5	0.451	0.5	0.0	1.0	0.944	b77r	57.75	84.68	0.0	84.68	0.0	49.61	25.7	27.99	0.48	0.249	0.56	0.29	0.316	1.088	0.128	0.589	0.939	0.146	0.573		
020	12	TLS28	1.0	0.0	1.0	0.493	0.5	0.0	1.0	0.874	b49r	60.63	99.77	328.0	84.61	-52.86	54.32	28.83	86.18	0.321	0.17	0.613	0.325	0.973	1.001	0.265	0.998	0.868	0.271	0.98		
021	12	TLS28	1.0	0.5	0.0	0.687	0.5	0.0	1.0	0.159	r63j	73.95	63.85	68.0	23.92	59.2	53.04	46.63	12.0	0.475	0.418	0.599	0.526	0.135	1.027	0.675	0.292	0.943	0.669	0.323		
022	12	TLS28	1.0	0.5	0.5	0.705	0.75	0.0	0.5	0.024	r09j	75.16	39.36	32.0	33.38	20.86	58.91	48.53	34.47	0.415	0.342	0.665	0.548	0.389	1.05	0.665	0.615	0.96	0.659	0.612		
023	12	TLS28	1.0	0.5	1.0	0.746	0.75	0.0	0.5	0.874	b49r	78.02	49.89	328.0	42.31	-26.43	68.17	53.25	91.23	0.321	0.25	0.769	0.601	1.03	1.024	0.683	1.004	0.942	0.677	0.993		
024	12	TLS28	1.0	1.0	0.0	0.961	0.5	0.0	1.0	0.292	j16g	92.73	81.98	104.0	-19.82	79.55	68.76	82.36	17.11	0.409	0.49	0.776	0.93	0.193	0.995	1.0	0.267	0.997	1.0	0.345		
025	12	TLS28	1.0	1.0	0.5	0.98	0.75	0.0	0.5	0.292	j16g	94.07	40.99	104.0	-9.91	39.77	76.22	85.44	45.95	0.367	0.412	0.86	0.964	0.519	1.02	0.999	0.665	1.015	0.999	0.677		
026	12	TLS28	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.944	b77r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

BAM registration: 20070501-YE79/10L/L79E0CNA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS38 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (28.5, 104.3, 138.8, 196.8, 300.4, 327.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	o1v* _{3,F}			ltnceu* _F			LCHAB* _{a,F}							XYZxyCIE,a,F							XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	13	TLS38	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.94	b75r	37.99	0.0	0.0	0.0	9.58	10.08	10.98	0.313	0.329	0.108	0.114	0.124	0.372	0.372	0.372	0.372	0.372	0.372	0.372				
001	13	TLS38	0.0	0.0	0.5	0.077	0.25	0.5	0.5	0.812	b24r	42.4	20.4	300.0	10.2	-17.66	13.66	12.76	22.57	0.279	0.26	0.154	0.144	0.255	0.425	0.398	0.536	0.416	0.397	0.526				
002	13	TLS38	0.0	0.0	1.0	0.153	0.5	0.0	1.0	0.812	b24r	46.8	40.8	300.0	20.4	-35.32	18.76	15.87	40.32	0.25	0.212	0.212	0.179	0.455	0.466	0.423	0.706	0.452	0.422	0.691				
003	13	TLS38	0.0	0.5	0.0	0.41	0.25	0.5	0.5	0.417	j66g	61.55	45.48	139.0	-34.32	29.84	20.52	29.88	15.26	0.313	0.455	0.232	0.337	0.172	0.419	0.677	0.39	0.505	0.671	0.406				
004	13	TLS38	0.0	0.5	0.5	0.434	0.25	0.5	0.5	0.579	g31b	62.91	20.47	197.0	-19.57	-5.98	25.04	31.48	39.0	0.262	0.33	0.283	0.355	0.44	0.424	0.673	0.672	0.507	0.667	0.666				
005	13	TLS38	0.0	0.5	1.0	0.507	0.5	0.0	1.0	0.698	g79b	67.11	25.45	249.0	-9.11	-23.75	32.36	36.78	63.46	0.244	0.277	0.365	0.415	0.716	0.471	0.705	0.85	0.546	0.699	0.841				
006	13	TLS38	0.0	1.0	0.0	0.821	0.5	0.0	1.0	0.417	j66g	85.12	90.97	139.0	-68.64	59.68	37.65	66.24	20.52	0.303	0.532	0.425	0.748	0.232	0.369	1.0	0.375	0.633	1.0	0.425				
007	13	TLS38	0.0	1.0	0.5	0.845	0.5	0.0	1.0	0.513	g05b	86.53	79.73	168.0	-77.98	16.58	36.65	69.04	55.96	0.227	0.427	0.414	0.779	0.632	-2.224	1.037	0.756	0.466	1.039	0.765				
008	13	TLS38	0.0	1.0	1.0	0.868	0.5	0.0	1.0	0.579	g31b	87.82	40.95	197.0	-39.15	-11.96	51.78	71.7	94.82	0.237	0.328	0.584	0.809	1.07	0.375	0.998	0.999	0.634	0.998	0.999				
009	13	TLS38	0.5	0.0	0.0	0.181	0.25	0.5	0.5	0.009	r03j	48.4	44.74	28.0	39.51	21.01	24.24	17.11	9.93	0.473	0.334	0.274	0.193	0.112	0.757	0.352	0.34	0.667	0.354	0.342				
010	13	TLS38	0.5	0.0	0.5	0.224	0.25	0.5	0.5	0.874	b49r	50.83	44.78	328.0	37.97	-23.72	26.36	19.12	36.52	0.321	0.233	0.297	0.216	0.412	0.685	0.401	0.671	0.615	0.401	0.657				
011	13	TLS38	0.5	0.0	1.0	0.299	0.5	0.0	1.0	0.843	b37r	55.18	86.29	314.0	59.94	-62.06	37.51	23.1	85.9	0.256	0.158	0.423	0.261	0.97	0.727	0.38	0.998	0.646	0.38	0.981				
012	13	TLS38	0.5	0.5	0.0	0.477	0.25	0.5	0.5	0.292	j16g	65.41	33.1	104.0	-8.0	32.12	30.65	34.56	17.26	0.372	0.419	0.346	0.39	0.195	0.683	0.669	0.418	0.673	0.663	0.43				
013	13	TLS38	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.94	b75r	66.7	0.0	0.0	0.0	0.0	34.44	36.24	39.46	0.313	0.329	0.389	0.409	0.445	0.672	0.672	0.672	0.666	0.666	0.666				
014	13	TLS38	0.5	0.5	1.0	0.577	0.75	0.0	0.5	0.812	b24r	71.11	20.4	300.0	10.2	-17.66	43.62	42.34	64.37	0.29	0.282	0.492	0.478	0.727	0.734	0.701	0.853	0.719	0.695	0.843				
015	13	TLS38	0.5	1.0	0.0	0.887	0.5	0.0	1.0	0.356	j42g	88.95	69.81	122.0	-36.98	59.2	54.49	74.05	24.56	0.356	0.484	0.615	0.836	0.277	0.78	0.993	0.432	0.844	0.992	0.471				
016	13	TLS38	0.5	1.0	0.5	0.91	0.75	0.0	0.5	0.417	j66g	90.26	45.48	139.0	-34.32	29.84	57.84	76.88	49.11	0.315	0.418	0.653	0.868	0.554	0.739	1.008	0.698	0.823	1.008	0.709				
017	13	TLS38	0.5	1.0	1.0	0.934	0.75	0.0	0.5	0.579	g31b	91.62	20.47	197.0	-19.57	-5.98	66.69	79.85	95.65	0.275	0.33	0.753	0.901	1.08	0.745	1.003	1.0	0.825	1.003	1.0				
018	13	TLS38	1.0	0.0	0.0	0.363	0.5	0.0	1.0	0.009	r03j	58.81	89.49	28.0	79.01	42.01	49.2	26.82	8.96	0.579	0.316	0.555	0.303	0.101	1.116	0.203	0.306	0.967	0.215	0.307				
019	13	TLS38	1.0	0.0	0.5	0.405	0.5	0.0	1.0	0.94	b75r	61.24	77.53	358.0	77.48	-2.7	52.57	29.53	34.15	0.452	0.254	0.593	0.333	0.385	1.09	0.286	0.644	0.948	0.291	0.628				
020	13	TLS38	1.0	0.0	1.0	0.447	0.5	0.0	1.0	0.874	b49r	63.68	89.55	328.0	75.95	-47.45	56.09	32.4	85.95	0.322	0.186	0.633	0.366	0.97	1.002	0.371	0.994	0.878	0.371	0.977				
021	13	TLS38	1.0	0.5	0.0	0.656	0.5	0.0	1.0	0.152	r60j	75.69	52.46	66.0	21.34	47.93	54.95	49.38	18.19	0.449	0.403	0.62	0.557	0.205	1.022	0.704	0.407	0.944	0.698	0.423				
022	13	TLS38	1.0	0.5	0.5	0.681	0.75	0.0	0.5	0.009	r03j	77.11	44.74	28.0	39.51	21.01	65.15	51.71	36.98	0.423	0.336	0.735	0.584	0.417	1.113	0.665	0.637	1.012	0.659	0.632				
023	13	TLS38	1.0	0.5	1.0	0.724	0.75	0.0	0.5	0.874	b49r	79.54	44.78	328.0	37.97	-23.72	69.2	55.88	91.11	0.32	0.258	0.781	0.631	1.028	1.021	0.715	1.001	0.945	0.709	0.991				
024	13	TLS38	1.0	1.0	0.0	0.955	0.5	0.0	1.0	0.292	j16g	92.82	66.2	104.0	-16.0	64.23	70.71	82.57	25.58	0.395	0.462	0.798	0.932	0.289	1.004	0.994	0.436	1.002	0.994	0.474				
025	13	TLS38	1.0	1.0	0.5	0.977	0.75	0.0	0.5	0.292	j16g	94.12	33.1	104.0	-8.0	32.12	77.26	85.54	53.43	0.357	0.396	0.872	0.966	0.603	1.018	0.996	0.728	1.012	0.996	0.736				
026	13	TLS38	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.94	b75r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0				

Colorimetric data of colours F for system TLS50 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (25.0, 105.5, 140.4, 197.1, 297.3, 327.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZxyCIE,a,F$					$XYZRGB,F$				$RGB^{'s}RGB,F$				$RGB^{'A}AdobeRGB,F$			
000	14	TLS50	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.935	b74r	52.02	0.0	0.0	0.0	0.0	19.16	20.16	21.96	0.313	0.329	0.216	0.228	0.248	0.514	0.514	0.514	0.51	0.51	0.51
001	14	TLS50	0.0	0.0	0.5	0.06	0.25	0.5	0.5	0.806	b22r	54.64	17.26	297.0	7.84	-15.37	23.17	22.59	35.14	0.286	0.279	0.261	0.255	0.397	0.545	0.528	0.651	0.535	0.524	0.641
002	14	TLS50	0.0	0.0	1.0	0.121	0.5	0.0	1.0	0.806	b22r	57.27	34.52	297.0	15.67	-30.75	27.69	25.2	52.75	0.262	0.238	0.313	0.284	0.595	0.565	0.542	0.791	0.553	0.537	0.778
003	14	TLS50	0.0	0.5	0.0	0.399	0.25	0.5	0.5	0.421	j68g	69.33	29.13	140.0	-22.3	18.72	31.35	39.8	28.81	0.314	0.398	0.354	0.449	0.325	0.579	0.744	0.558	0.626	0.738	0.562
004	14	TLS50	0.0	0.5	0.5	0.425	0.25	0.5	0.5	0.579	g31b	70.48	36.47	197.0	-34.87	-10.65	29.33	41.43	55.51	0.232	0.328	0.331	0.468	0.626	0.225	0.787	0.789	0.476	0.782	0.784
005	14	TLS50	0.0	0.5	1.0	0.486	0.5	0.0	1.0	0.694	g77b	73.13	22.29	247.0	-8.7	-20.51	40.25	45.36	71.94	0.255	0.288	0.454	0.512	0.812	0.566	0.77	0.896	0.627	0.764	0.888
006	14	TLS50	0.0	1.0	0.0	0.798	0.5	0.0	1.0	0.421	j68g	86.63	58.26	140.0	-44.62	37.45	47.85	69.26	36.96	0.311	0.45	0.54	0.782	0.417	0.618	0.982	0.594	0.741	0.982	0.611
007	14	TLS50	0.0	1.0	0.5	0.824	0.5	0.0	1.0	0.515	g06b	87.75	64.28	169.0	-63.09	12.26	43.1	71.55	62.97	0.243	0.403	0.486	0.808	0.711	-0.252	1.032	0.806	0.571	1.033	0.812
008	14	TLS50	0.0	1.0	1.0	0.851	0.5	0.0	1.0	0.579	g31b	88.93	72.94	197.0	-69.74	-21.32	42.57	74.02	112.61	0.186	0.323	0.48	0.835	1.271	-4.663	1.065	1.083	0.3	1.067	1.086
009	14	TLS50	0.5	0.0	0.0	0.156	0.25	0.5	0.5	0.999	b99r	58.78	24.84	25.0	22.51	10.5	31.18	26.79	22.61	0.387	0.332	0.352	0.302	0.255	0.766	0.524	0.514	0.702	0.519	0.511
010	14	TLS50	0.5	0.0	0.5	0.198	0.25	0.5	0.5	0.871	b48r	60.62	33.42	327.0	28.03	-18.19	34.97	28.82	46.22	0.318	0.262	0.395	0.325	0.522	0.748	0.537	0.74	0.69	0.532	0.727
011	14	TLS50	0.5	0.0	1.0	0.256	0.5	0.0	1.0	0.838	b35r	63.13	64.61	312.0	43.23	-48.01	43.16	31.75	85.43	0.269	0.198	0.487	0.358	0.964	0.766	0.527	0.988	0.702	0.523	0.974
012	14	TLS50	0.5	0.5	0.0	0.475	0.25	0.5	0.5	0.299	j19g	72.61	29.12	106.0	-8.02	27.99	39.75	44.58	26.45	0.359	0.402	0.449	0.503	0.299	0.756	0.749	0.525	0.749	0.744	0.532
013	14	TLS50	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.935	b74r	73.72	0.0	0.0	0.0	0.0	43.97	46.26	50.38	0.313	0.329	0.496	0.522	0.569	0.75	0.75	0.75	0.744	0.744	0.744
014	14	TLS50	0.5	0.5	1.0	0.56	0.75	0.0	0.5	0.806	b22r	76.34	17.26	297.0	7.84	-15.37	50.83	50.44	72.43	0.293	0.29	0.574	0.569	0.818	0.784	0.765	0.896	0.773	0.759	0.888
015	14	TLS50	0.5	1.0	0.0	0.873	0.5	0.0	1.0	0.36	j43g	89.92	55.7	123.0	-30.33	46.72	58.87	76.13	34.17	0.348	0.45	0.664	0.859	0.386	0.821	0.993	0.556	0.871	0.993	0.577
016	14	TLS50	0.5	1.0	0.5	0.899	0.75	0.0	0.5	0.421	j68g	91.02	29.13	140.0	-22.3	18.72	64.33	78.53	62.04	0.314	0.383	0.726	0.886	0.7	0.822	0.995	0.798	0.872	0.995	0.802
017	14	TLS50	0.5	1.0	1.0	0.925	0.75	0.0	0.5	0.579	g31b	92.17	36.47	197.0	-34.87	-10.65	61.04	81.09	104.34	0.248	0.329	0.689	0.915	1.178	0.526	1.042	1.041	0.719	1.043	1.043
018	14	TLS50	1.0	0.0	0.0	0.312	0.5	0.0	1.0	0.999	b99r	65.54	49.68	25.0	45.03	21.0	47.4	34.73	23.28	0.45	0.329	0.535	0.392	0.263	1.0	0.515	0.514	0.893	0.51	0.51
019	14	TLS50	1.0	0.0	0.5	0.354	0.5	0.0	1.0	0.935	b74r	67.37	63.57	356.0	63.41	-4.42	57.47	37.13	44.29	0.414	0.267	0.649	0.419	0.5	1.087	0.46	0.721	0.96	0.457	0.707
020	14	TLS50	1.0	0.0	1.0	0.396	0.5	0.0	1.0	0.871	b48r	69.22	66.84	327.0	56.06	-36.4	57.71	39.65	83.88	0.318	0.219	0.651	0.447	0.947	0.978	0.535	0.976	0.878	0.53	0.961
021	14	TLS50	1.0	0.5	0.0	0.629	0.5	0.0	1.0	0.148	r59j	79.33	37.93	65.0	16.03	34.37	59.18	55.51	29.9	0.409	0.384	0.668	0.627	0.338	1.014	0.763	0.553	0.95	0.757	0.558
022	14	TLS50	1.0	0.5	0.5	0.656	0.75	0.0	0.5	0.999	b99r	80.48	24.84	25.0	22.51	10.5	64.05	57.53	51.52	0.37	0.332	0.723	0.649	0.581	1.024	0.762	0.75	0.957	0.757	0.745
023	14	TLS50	1.0	0.5	1.0	0.698	0.75	0.0	0.5	0.871	b48r	82.31	33.42	327.0	28.03	-18.19	70.12	60.88	90.03	0.317	0.275	0.791	0.687	1.016	1.001	0.776	0.99	0.942	0.771	0.982
024	14	TLS50	1.0	1.0	0.0	0.949	0.5	0.0	1.0	0.299	j19g	93.2	58.24	106.0	-16.04	55.98	71.46	83.43	31.52	0.383	0.448	0.807	0.942	0.356	0.995	1.0	0.516	0.996	1.0	0.543
025	14	TLS50	1.0	1.0	0.5	0.975	0.75	0.0	0.5	0.299	j19g	94.31	29.12	106.0	-8.02	27.99	77.66	85.99	58.08	0.35	0.388	0.877	0.971	0.656	1.01	0.999	0.763	1.007	0.999	0.77
026	14	TLS50	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.935	b74r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E0ENA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS70 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZ_{xyCIE,a,F}$					$XYZ_{RGB,F}$				$RGB'_{sRGB,F}$				$RGB'_{AdobeRGB,F}$			
000	15	TLS70	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.931	b72r	69.7	0.0	0.0	0.0	0.0	38.33	40.32	43.91	0.313	0.329	0.433	0.455	0.496	0.705	0.705	0.705	0.699	0.699	0.699
001	15	TLS70	0.0	0.0	0.5	0.047	0.25	0.5	0.5	0.799	b19r	70.91	19.47	294.0	7.92	-17.78	42.57	42.06	64.13	0.286	0.283	0.48	0.475	0.724	0.713	0.705	0.852	0.705	0.699	0.842
002	15	TLS70	0.0	0.0	1.0	0.094	0.5	0.0	1.0	0.799	b19r	72.13	38.94	294.0	15.84	-35.56	47.11	43.85	89.76	0.261	0.243	0.532	0.495	1.013	0.707	0.705	1.0	0.7	0.699	0.989
003	15	TLS70	0.0	0.5	0.0	0.382	0.25	0.5	0.5	0.428	j71g	79.53	18.1	142.0	-14.25	11.14	47.76	55.86	49.3	0.312	0.365	0.539	0.63	0.556	0.736	0.845	0.728	0.764	0.841	0.728
004	15	TLS70	0.0	0.5	0.5	0.412	0.25	0.5	0.5	0.582	g32b	80.3	11.51	198.0	-10.93	-3.55	50.2	57.22	66.4	0.289	0.329	0.567	0.646	0.749	0.715	0.851	0.85	0.751	0.847	0.846
005	15	TLS70	0.0	0.5	1.0	0.458	0.5	0.0	1.0	0.691	g76b	81.49	15.44	246.0	-6.27	-14.1	53.93	59.36	82.32	0.276	0.303	0.609	0.67	0.929	0.722	0.857	0.945	0.758	0.853	0.94
006	15	TLS70	0.0	1.0	0.0	0.765	0.5	0.0	1.0	0.428	j71g	89.36	36.2	142.0	-28.52	22.29	58.63	74.94	55.11	0.311	0.397	0.662	0.846	0.622	0.757	0.987	0.75	0.827	0.987	0.756
007	15	TLS70	0.0	1.0	0.5	0.794	0.5	0.0	1.0	0.518	g07b	90.12	40.03	170.0	-39.41	6.95	55.54	76.57	74.24	0.269	0.371	0.627	0.864	0.838	0.57	1.021	0.878	0.731	1.022	0.881
008	15	TLS70	0.0	1.0	1.0	0.825	0.5	0.0	1.0	0.582	g32b	90.9	23.01	198.0	-21.88	-7.1	64.29	78.27	95.49	0.27	0.329	0.726	0.883	1.078	0.706	1.0	1.0	0.799	0.999	1.0
009	15	TLS70	0.5	0.0	0.0	0.131	0.25	0.5	0.5	0.992	b96r	73.07	14.14	22.0	13.11	5.3	47.6	45.28	44.38	0.347	0.33	0.537	0.511	0.501	0.857	0.708	0.705	0.814	0.702	0.699
010	15	TLS70	0.5	0.0	0.5	0.171	0.25	0.5	0.5	0.869	b47r	74.09	19.48	326.0	16.15	-10.88	50.32	46.85	62.52	0.315	0.293	0.568	0.529	0.706	0.841	0.716	0.838	0.803	0.71	0.829
011	15	TLS70	0.5	0.0	1.0	0.218	0.5	0.0	1.0	0.834	b33r	75.31	37.44	310.0	24.07	-28.67	55.39	48.77	87.75	0.289	0.254	0.625	0.55	0.99	0.847	0.714	0.986	0.807	0.708	0.976
012	15	TLS70	0.5	0.5	0.0	0.47	0.25	0.5	0.5	0.303	j21g	81.79	14.1	107.0	-4.11	13.48	55.29	59.91	50.81	0.333	0.361	0.624	0.676	0.573	0.853	0.848	0.737	0.847	0.843	0.737
013	15	TLS70	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.931	b72r	82.56	0.0	0.0	0.0	0.0	58.29	61.33	66.79	0.313	0.329	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846
014	15	TLS70	0.5	0.5	1.0	0.547	0.75	0.0	0.5	0.799	b19r	83.77	19.47	294.0	7.92	-17.78	63.88	63.62	93.08	0.29	0.288	0.721	0.718	1.051	0.859	0.85	1.002	0.853	0.846	0.996
015	15	TLS70	0.5	1.0	0.0	0.852	0.5	0.0	1.0	0.367	j46g	91.6	34.58	125.0	-19.83	28.33	66.54	79.81	52.87	0.334	0.401	0.751	0.901	0.597	0.882	0.994	0.728	0.913	0.994	0.736
016	15	TLS70	0.5	1.0	0.5	0.882	0.75	0.0	0.5	0.428	j71g	92.39	18.1	142.0	-14.25	11.14	70.65	81.58	73.87	0.312	0.361	0.797	0.921	0.834	0.882	0.995	0.875	0.914	0.995	0.876
017	15	TLS70	0.5	1.0	1.0	0.912	0.75	0.0	0.5	0.582	g32b	93.16	11.51	198.0	-10.93	-3.55	73.8	83.33	95.98	0.292	0.329	0.833	0.94	1.083	0.862	1.001	1.0	0.901	1.001	1.0
018	15	TLS70	1.0	0.0	0.0	0.262	0.5	0.0	1.0	0.992	b96r	76.45	28.28	22.0	26.22	10.59	58.25	50.62	44.85	0.379	0.329	0.657	0.571	0.506	1.0	0.706	0.705	0.926	0.699	0.699
019	15	TLS70	1.0	0.0	0.5	0.302	0.5	0.0	1.0	0.931	b72r	77.46	39.95	354.0	39.74	-4.17	65.93	52.31	61.51	0.367	0.291	0.744	0.59	0.694	1.066	0.677	0.829	0.975	0.671	0.819
020	15	TLS70	1.0	0.0	1.0	0.342	0.5	0.0	1.0	0.869	b47r	78.49	38.96	326.0	32.3	-21.77	64.58	54.04	85.76	0.316	0.264	0.729	0.61	0.968	0.974	0.721	0.973	0.909	0.715	0.963
021	15	TLS70	1.0	0.5	0.0	0.605	0.5	0.0	1.0	0.148	r59j	85.26	20.82	65.0	8.8	18.87	67.13	66.52	51.4	0.363	0.359	0.758	0.751	0.58	1.005	0.854	0.737	0.964	0.849	0.736
022	15	TLS70	1.0	0.5	0.5	0.631	0.75	0.0	0.5	0.992	b96r	85.93	14.14	22.0	13.11	5.3	70.43	67.84	67.4	0.342	0.33	0.795	0.766	0.761	1.009	0.853	0.85	0.967	0.849	0.846
023	15	TLS70	1.0	0.5	1.0	0.671	0.75	0.0	0.5	0.869	b47r	86.95	19.48	326.0	16.15	-10.88	73.96	69.9	91.01	0.315	0.298	0.835	0.789	1.027	0.991	0.862	0.987	0.955	0.858	0.982
024	15	TLS70	1.0	1.0	0.0	0.94	0.5	0.0	1.0	0.303	j21g	93.87	28.19	107.0	-8.23	26.96	76.63	84.98	58.39	0.348	0.386	0.865	0.959	0.659	1.0	0.995	0.767	0.998	0.995	0.773
025	15	TLS70	1.0	1.0	0.5	0.97	0.75	0.0	0.5	0.303	j21g	94.64	14.1	107.0	-4.11	13.48	80.36	86.77	75.85	0.331	0.357	0.907	0.979	0.856	1.003	0.997	0.884	1.001	0.997	0.885
026	15	TLS70	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.931	b72r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system OLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (46.6, 96.1, 150.0, 235.1, 309.2, 353.5); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}				
000	16	OLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.988	b95r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006				
001	16	OLS00	0.0	0.0	0.5	0.087	0.25	0.5	0.5	0.832	b32r	8.3	28.84	309.0	18.15	-22.4	1.41	0.92	3.62	0.237	0.154	0.016	0.01	0.041	0.13	0.068	0.226	0.137	0.096	0.233			
002	16	OLS00	0.0	0.0	1.0	0.174	0.5	0.0	1.0	0.832	b32r	16.59	57.68	309.0	36.3	-44.82	4.2	2.22	14.03	0.205	0.108	0.047	0.025	0.158	0.21	0.083	0.443	0.197	0.109	0.433			
003	16	OLS00	0.0	0.5	0.0	0.254	0.25	0.5	0.5	0.456	j82g	24.24	50.02	150.0	-43.31	25.01	1.68	4.17	1.19	0.238	0.593	0.019	0.047	0.013	-0.229	0.295	0.067	0.107	0.3	0.113			
004	16	OLS00	0.0	0.5	0.5	0.298	0.25	0.5	0.5	0.666	g66b	28.44	42.2	235.0	-24.19	-34.56	3.56	5.62	18.71	0.128	0.202	0.04	0.063	0.211	-0.936	0.33	0.498	-0.191	0.333	0.489			
005	16	OLS00	0.0	0.5	1.0	0.385	0.5	0.0	1.0	0.751	b00r	36.75	46.15	272.0	1.61	-46.11	9.13	9.4	35.06	0.17	0.175	0.103	0.106	0.396	-0.341	0.375	0.667	0.144	0.375	0.652			
006	16	OLS00	0.0	1.0	0.0	0.508	0.5	0.0	1.0	0.456	j82g	48.47	100.05	150.0	-86.63	50.02	5.32	17.17	3.11	0.208	0.671	0.06	0.194	0.035	-1.56	0.59	0.012	0.043	0.584	0.141			
007	16	OLS00	0.0	1.0	0.5	0.552	0.5	0.0	1.0	0.57	g28b	52.71	62.27	193.0	-60.67	-14.0	9.93	20.78	31.65	0.159	0.333	0.112	0.235	0.357	-2.266	0.623	0.615	-0.192	0.617	0.609			
008	16	OLS00	0.0	1.0	1.0	0.596	0.5	0.0	1.0	0.666	g66b	56.87	84.39	235.0	-48.4	-69.12	14.26	24.79	100.59	0.102	0.178	0.161	0.28	1.135	-6.13	0.677	1.064	-0.502	0.671	1.054			
009	16	OLS00	0.5	0.0	0.0	0.238	0.25	0.5	0.5	0.081	r32j	22.75	51.81	47.0	35.33	37.89	6.3	3.73	0.09	0.623	0.368	0.071	0.042	0.001	0.443	0.1	-0.044	0.383	0.123	-0.07			
010	16	OLS00	0.5	0.0	0.5	0.238	0.25	0.5	0.5	0.931	b72r	22.68	41.02	354.0	40.79	-4.28	6.8	3.71	4.87	0.442	0.241	0.077	0.042	0.055	0.433	0.074	0.257	0.373	0.101	0.26			
011	16	OLS00	0.5	0.0	1.0	0.322	0.5	0.0	1.0	0.88	b52r	30.69	67.18	331.0	58.76	-32.56	13.36	6.52	19.67	0.338	0.165	0.151	0.074	0.222	0.552	0.015	0.515	0.47	0.045	0.501			
012	16	OLS00	0.5	0.5	0.0	0.472	0.25	0.5	0.5	0.263	j05g	45.08	51.93	96.0	-5.42	51.64	13.03	14.6	2.1	0.438	0.491	0.147	0.165	0.024	0.497	0.446	-0.003	0.48	0.444	0.102			
013	16	OLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.988	b95r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467			
014	16	OLS00	0.5	0.5	1.0	0.587	0.75	0.0	0.5	0.832	b32r	56.0	28.84	309.0	18.15	-22.4	26.95	23.91	42.84	0.288	0.255	0.304	0.27	0.484	0.61	0.519	0.717	0.58	0.514	0.705			
015	16	OLS00	0.5	1.0	0.0	0.727	0.5	0.0	1.0	0.36	j43g	69.38	89.19	123.0	-48.56	74.8	24.78	39.87	5.17	0.355	0.571	0.28	0.45	0.058	0.468	0.783	-0.187	0.576	0.778	0.121			
016	16	OLS00	0.5	1.0	0.5	0.754	0.75	0.0	0.5	0.456	j82g	71.94	50.02	150.0	-43.31	25.01	28.78	43.57	27.63	0.288	0.436	0.325	0.492	0.312	0.411	0.81	0.534	0.558	0.805	0.545			
017	16	OLS00	0.5	1.0	1.0	0.798	0.75	0.0	0.5	0.666	g66b	76.14	42.2	235.0	-24.19	-34.56	39.45	50.12	98.52	0.21	0.266	0.445	0.566	1.112	0.147	0.841	1.036	0.488	0.837	1.03			
018	16	OLS00	1.0	0.0	0.0	0.477	0.5	0.0	1.0	0.081	r32j	45.48	103.61	47.0	70.66	75.78	28.76	14.89	0.18	0.656	0.34	0.325	0.168	0.002	0.903	0.012	-0.18	0.773	0.037	-0.14			
019	16	OLS00	1.0	0.0	0.5	0.474	0.5	0.0	1.0	0.988	b95r	45.25	73.69	20.0	69.24	25.2	28.14	14.72	7.07	0.564	0.295	0.318	0.166	0.08	0.873	0.081	0.29	0.747	0.106	0.29			
020	16	OLS00	1.0	0.0	1.0	0.475	0.5	0.0	1.0	0.931	b72r	45.36	82.04	354.0	81.59	-8.57	31.51	14.8	20.36	0.473	0.222	0.356	0.167	0.23	0.897	-0.279	0.515	0.764	-0.175	0.501			
021	16	OLS00	1.0	0.5	0.0	0.706	0.5	0.0	1.0	0.17	r68j	67.36	94.4	71.0	30.73	89.25	45.12	37.11	2.2	0.534	0.44	0.509	0.419	0.025	0.997	0.578	-0.397	0.901	0.572	-0.15			
022	16	OLS00	1.0	0.5	0.5	0.738	0.75	0.0	0.5	0.081	r32j	70.45	51.81	47.0	35.33	37.89	51.62	41.39	18.69	0.462	0.37	0.583	0.467	0.211	1.028	0.602	0.437	0.93	0.596	0.443			
023	16	OLS00	1.0	0.5	1.0	0.738	0.75	0.0	0.5	0.931	b72r	70.38	41.02	354.0	40.79	-4.28	53.62	41.3	48.97	0.373	0.287	0.605	0.466	0.553	0.986	0.594	0.75	0.894	0.588	0.739			
024	16	OLS00	1.0	1.0	0.0	0.945	0.5	0.0	1.0	0.263	j05g	90.15	103.86	96.0	-10.85	103.29	67.77	76.62	6.9	0.448	0.506	0.765	0.865	0.078	1.047	0.947	-0.665	1.021	0.946	-0.13			
025	16	OLS00	1.0	1.0	0.5	0.972	0.75	0.0	0.5	0.263	j05g	92.78	51.93	96.0	-5.42	51.64	75.69	82.46	34.17	0.394	0.429	0.854	0.931	0.386	1.061	0.971	0.552	1.038	0.969	0.572			
026	16	OLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.988	b95r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0		

BAM registration: 20070501-YE79/10L/L79E0GNA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/YE79/>; [www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version2.1,io=1,1)

Technical information: <http://www.ps.bam.de>

YE790-7, Tables 3x3x3 colours, page 18/24

BAM registration: 20070501-YE79/10L/L79E0HNA.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta

BAM-test chart YE79; Colorimetric workflow, data OLS06
D65: 3x3x3 colorimetric data; 24 standard systems; page 18/24

input: `olv* setrgbcolor`
output: no change compared to input

www.ps.bam.de/YE79/10L/L79E0HNA.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system OLS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (43.8, 96.2, 150.3, 235.3, 307.8, 353.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lnce ^u * _F			LCHAB* _{a,F}					XYZ _{xy} CIE _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	17	OLS06	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.986	b94r	5.69	0.0	0.0	0.0	0.0	0.6	0.63	0.69	0.313	0.329	0.007	0.007	0.008	0.079	0.079	0.079	0.106	0.105	0.105
001	17	OLS06	0.0	0.0	0.5	0.076	0.25	0.5	0.5	0.83	b31r	12.53	33.17	308.0	20.42	-26.13	2.24	1.49	5.82	0.235	0.156	0.025	0.017	0.066	0.166	0.098	0.288	0.167	0.122	0.289
002	17	OLS06	0.0	0.0	1.0	0.152	0.5	0.0	1.0	0.83	b31r	19.37	66.34	308.0	40.84	-52.26	5.49	2.83	19.77	0.195	0.101	0.062	0.032	0.223	0.222	0.095	0.52	0.208	0.119	0.506
003	17	OLS06	0.0	0.5	0.0	0.243	0.25	0.5	0.5	0.456	j82g	27.5	48.86	150.0	-42.3	24.43	2.33	5.27	1.76	0.249	0.563	0.026	0.06	0.02	-0.209	0.326	0.102	0.14	0.33	0.141
004	17	OLS06	0.0	0.5	0.5	0.288	0.25	0.5	0.5	0.666	g66b	31.49	40.25	235.0	-23.07	-32.96	4.56	6.86	20.62	0.142	0.214	0.051	0.077	0.233	-0.884	0.358	0.52	-0.164	0.359	0.51
005	17	OLS06	0.0	0.5	1.0	0.361	0.5	0.0	1.0	0.751	b00r	38.07	45.9	272.0	1.6	-45.86	9.83	10.13	36.63	0.174	0.179	0.111	0.114	0.413	-0.289	0.387	0.68	0.166	0.387	0.665
006	17	OLS06	0.0	1.0	0.0	0.486	0.5	0.0	1.0	0.456	j82g	49.31	97.72	150.0	-84.62	48.86	5.8	17.85	3.53	0.214	0.657	0.066	0.201	0.04	-1.514	0.598	0.057	0.099	0.592	0.159
007	17	OLS06	0.0	1.0	0.5	0.53	0.5	0.0	1.0	0.57	g28b	53.22	59.64	193.0	-58.1	-13.41	10.55	21.25	31.86	0.166	0.334	0.119	0.24	0.36	-2.095	0.626	0.616	-0.154	0.62	0.611
008	17	OLS06	0.0	1.0	1.0	0.575	0.5	0.0	1.0	0.666	g66b	57.3	80.49	235.0	-46.16	-65.93	14.93	25.23	96.82	0.109	0.184	0.169	0.285	1.093	-5.639	0.677	1.045	-0.473	0.671	1.035
009	17	OLS06	0.5	0.0	0.0	0.225	0.25	0.5	0.5	0.069	r27j	25.85	48.3	44.0	34.74	33.55	7.57	4.7	0.77	0.581	0.36	0.085	0.053	0.009	0.474	0.138	0.041	0.411	0.157	0.078
010	17	OLS06	0.5	0.0	0.5	0.225	0.25	0.5	0.5	0.931	b72r	25.88	40.17	354.0	39.95	-4.19	8.15	4.71	6.07	0.431	0.249	0.092	0.053	0.069	0.464	0.12	0.286	0.401	0.14	0.288
011	17	OLS06	0.5	0.0	1.0	0.303	0.5	0.0	1.0	0.88	b52r	32.85	61.2	331.0	53.53	-29.66	14.0	7.47	20.11	0.337	0.18	0.158	0.084	0.227	0.556	0.125	0.518	0.478	0.145	0.505
012	17	OLS06	0.5	0.5	0.0	0.47	0.25	0.5	0.5	0.263	j05g	47.9	48.3	96.0	-5.04	48.04	15.03	16.72	3.27	0.429	0.477	0.17	0.189	0.037	0.529	0.474	0.099	0.51	0.471	0.158
013	17	OLS06	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.986	b94r	50.55	0.0	0.0	0.0	0.0	17.95	18.88	20.56	0.313	0.329	0.203	0.213	0.232	0.499	0.499	0.499	0.495	0.495	0.495
014	17	OLS06	0.5	0.5	1.0	0.576	0.75	0.0	0.5	0.83	b31r	57.39	33.17	308.0	20.42	-26.13	29.04	25.32	48.44	0.282	0.246	0.328	0.286	0.547	0.626	0.528	0.76	0.595	0.524	0.746
015	17	OLS06	0.5	1.0	0.0	0.715	0.5	0.0	1.0	0.36	j43g	69.84	87.25	123.0	-47.51	73.17	25.5	40.52	5.7	0.356	0.565	0.288	0.457	0.064	0.482	0.787	-0.118	0.585	0.782	0.149
016	17	OLS06	0.5	1.0	0.5	0.743	0.75	0.0	0.5	0.456	j82g	72.36	48.86	150.0	-42.3	24.43	29.51	44.2	28.49	0.289	0.432	0.333	0.499	0.322	0.426	0.813	0.544	0.567	0.808	0.553
017	17	OLS06	0.5	1.0	1.0	0.788	0.75	0.0	0.5	0.666	g66b	76.35	40.25	235.0	-23.07	-32.96	40.1	50.47	96.65	0.214	0.27	0.453	0.57	1.091	0.24	0.841	1.027	0.509	0.836	1.021
018	17	OLS06	1.0	0.0	0.0	0.449	0.5	0.0	1.0	0.069	r27j	46.02	96.6	44.0	69.49	67.1	29.05	15.28	0.86	0.643	0.338	0.328	0.172	0.01	0.903	0.073	-0.086	0.774	0.099	-0.098
019	17	OLS06	1.0	0.0	0.5	0.449	0.5	0.0	1.0	0.986	b94r	45.97	73.0	19.0	69.02	23.77	28.88	15.25	7.81	0.556	0.294	0.326	0.172	0.088	0.88	0.105	0.306	0.754	0.126	0.305
020	17	OLS06	1.0	0.0	1.0	0.45	0.5	0.0	1.0	0.931	b72r	46.07	80.34	354.0	79.9	-8.39	31.89	15.32	20.93	0.468	0.225	0.36	0.173	0.236	0.898	-0.187	0.521	0.766	-0.146	0.507
021	17	OLS06	1.0	0.5	0.0	0.695	0.5	0.0	1.0	0.167	r66j	68.07	86.83	70.0	29.7	81.59	45.82	38.06	3.46	0.525	0.436	0.517	0.43	0.039	0.998	0.59	-0.226	0.903	0.584	-0.082
022	17	OLS06	1.0	0.5	0.5	0.725	0.75	0.0	0.5	0.069	r27j	70.71	48.3	44.0	34.74	33.55	51.84	41.77	21.22	0.451	0.364	0.585	0.471	0.24	1.022	0.608	0.473	0.927	0.602	0.476
023	17	OLS06	1.0	0.5	1.0	0.725	0.75	0.0	0.5	0.931	b72r	70.74	40.17	354.0	39.95	-4.19	53.89	41.81	49.47	0.371	0.288	0.608	0.472	0.558	0.985	0.601	0.753	0.895	0.595	0.742
024	17	OLS06	1.0	1.0	0.0	0.941	0.5	0.0	1.0	0.263	j05g	90.12	96.61	96.0	-10.09	96.08	68.05	76.56	8.93	0.443	0.499	0.768	0.864	0.101	1.047	0.946	-0.348	1.02	0.944	0.125
025	17	OLS06	1.0	1.0	0.5	0.97	0.75	0.0	0.5	0.263	j05g	92.76	48.3	96.0	-5.04	48.04	75.84	82.43	36.94	0.389	0.422	0.856	0.93	0.417	1.058	0.97	0.583	1.035	0.969	0.6
026	17	OLS06	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.986	b94r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

YE790-7, Tables 3x3x3 colours, page 18/24

BAM-test chart YE79; Colorimetric workflow, data OLS06
D65: 3x3x3 colorimetric data; 24 standard systems; page 18/24

input: `olv* setrgbcolor`
output: no change compared to input

www.ps.bam.de/YE79/10L/L79E0HNA.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Colorimetric data of colours F for system OLS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (43.8, 96.2, 150.3, 235.3, 307.8, 353.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j no. System $olv^*_{3,F}$ $ltnceu^*_F$ $LCHAB^*_{a,F}$ $XYZxyCIE,a,F$ $XYZRGB,F$ RGB^*_sRGB,F $RGB^*_{AdobeRGB,F}$

000 17 OLS06 0.0 0.0 0.0 0.0 0.0 1.0 0.0 0.986 b94r 5.69 0.0 0.0 0.0 0.0 0.6 0.63 0.69 0.313 0.329 0.007 0.007 0.008 0.079 0.079 0.079 0.106 0.105 0.105

001 17 OLS06 0.0 0.0 0.5 0.076 0.25 0.5 0.5 0.83 b31r 12.53 33.17 308.0 20.42 -26.13 2.24 1.49 5.82 0.235 0.156 0.025 0.017 0.066 0.166 0.098 0.288 0.167 0.122 0.289

002 17 OLS06 0.0 0.0 1.0 0.152 0.5 0.0 1.0 0.83 b31r 19.37 66.34 308.0 40.84 -52.26 5.49 2.83 19.77 0.195 0.101 0.062 0.032 0.223 0.222 0.095 0.52 0.208 0.119 0.506

003 17 OLS06 0.0 0.5 0.0 0.243 0.25 0.5 0.5 0.456 j82g 27.5 48.86 150.0 -42.3 24.43 2.33 5.27 1.76 0.249 0.563 0.026 0.06 0.02 -0.209 0.326 0.102 0.14 0.33 0.141

004 17 OLS06 0.0 0.5 0.5 0.288 0.25 0.5 0.5 0.666 g66b 31.49 40.25 235.0 -23.07 -32.96 4.56 6.86 20.62 0.142 0.214 0.051 0.077 0.233 -0.884 0.358 0.52 -0.164 0.359 0.51

005 17 OLS06 0.0 0.5 1.0 0.361 0.5 0.0 1.0 0.751 b00r 38.07 45.9 272.0 1.6 -45.86 9.83 10.13 36.63 0.174 0.179 0.111 0.114 0.413 -0.289 0.387 0.68 0.166 0.387 0.665

006 17 OLS06 0.0 1.0 0.0 0.486 0.5 0.0 1.0 0.456 j82g 49.31 97.72 150.0 -84.62 48.86 5.8 17.85 3.53 0.214 0.657 0.066 0.201 0.04 -1.514 0.598 0.057 0.099 0.592 0.159

007 17 OLS06 0.0 1.0 0.5 0.53 0.5 0.0 1.0 0.57 g28b 53.22 59.64 193.0 -58.1 -13.41 10.55 21.25 31.86 0.166 0.334 0.119 0.24 0.36 -2.095 0.626 0.616 -0.154 0.62 0.611

008 17 OLS06 0.0 1.0 1.0 0.575 0.5 0.0 1.0 0.666 g66b 57.3 80.49 235.0 -46.16 -65.93 14.93 25.23 96.82 0.109 0.184 0.169 0.285 1.093 -5.639 0.677 1.045 -0.473 0.671 1.035

009 17 OLS06 0.5 0.0 0.0 0.225 0.25 0.5 0.5 0.069 r27j 25.85 48.3 44.0 34.74 33.55 7.57 4.7 0.77 0.581 0.36 0.085 0.053 0.009 0.474 0.138 0.041 0.411 0.157 0.078

010 17 OLS06 0.5 0.0 0.5 0.225 0.25 0.5 0.5 0.931 b72r 25.88 40.17 354.0 39.95 -4.19 8.15 4.71 6.07 0.431 0.249 0.092 0.053 0.069 0.464 0.12 0.286 0.401 0.14 0.288

011 17 OLS06 0.5 0.0 1.0 0.303 0.5 0.0 1.0 0.88 b52r 32.85 61.2 331.0 53.53 -29.66 14.0 7.47 20.11 0.337 0.18 0.158 0.084 0.227 0.556 0.125 0.518 0.478 0.145 0.505

012 17 OLS06 0.5 0.5 0.0 0.47 0.25 0.5 0.5 0.263 j05g 47.9 48.3 96.0 -5.04 48.04 15.03 16.72 3.27 0.429 0.477 0.17 0.189 0.037 0.529 0.474 0.099 0.51 0.471 0.158

013 17 OLS06 0.5 0.5 0.5 0.5 0.5 0.5 0.0 0.986 b94r 50.55 0.0 0.0 0.0 0.0 17.95 18.88 20.56 0.313 0.329 0.203 0.213 0.232 0.499 0.499 0.499 0.495 0.495 0.495

014 17 OLS06 0.5 0.5 1.0 0.576 0.75 0.0 0.5 0.83 b31r 57.39 33.17 308.0 20.42 -26.13 29.04 25.32 48.44 0.282 0.246 0.328 0.286 0.547 0.626 0.528 0.76 0.595 0.524 0.746

015 17 OLS06 0.5 1.0 0.0 0.715 0.5 0.0 1.0 0.36 j43g 69.84 87.25 123.0 -47.51 73.17 25.5 40.52 5.7 0.356 0.565 0.288 0.457 0.064 0.482 0.78

Colorimetric data of colours F for system OLS11 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (41.1, 96.2, 150.5, 235.6, 306.7, 353.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}					XYZ _{xy} CIE, _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	18	OLS11	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.981	b92r	10.99	0.0	0.0	0.0	1.2	1.26	1.37	0.313	0.329	0.014	0.014	0.015	0.124	0.124	0.124	0.145	0.145	0.145	
001	18	OLS11	0.0	0.0	0.5	0.064	0.25	0.5	0.5	0.828	b31r	16.41	30.72	307.0	18.49	-24.53	3.01	2.18	7.08	0.245	0.178	0.034	0.025	0.08	0.198	0.136	0.316	0.196	0.155	0.315
002	18	OLS11	0.0	0.0	1.0	0.128	0.5	0.0	1.0	0.828	b31r	21.83	61.45	307.0	36.98	-49.06	6.09	3.47	20.32	0.204	0.116	0.069	0.039	0.229	0.243	0.135	0.525	0.229	0.154	0.512
003	18	OLS11	0.0	0.5	0.0	0.23	0.25	0.5	0.5	0.46	j83g	30.37	38.54	151.0	-33.69	18.68	3.49	6.39	3.13	0.268	0.491	0.039	0.072	0.035	-0.01	0.347	0.171	0.195	0.349	0.196
004	18	OLS11	0.0	0.5	0.5	0.276	0.25	0.5	0.5	0.668	g67b	34.26	27.85	236.0	-15.56	-23.08	6.18	8.13	17.99	0.191	0.252	0.07	0.092	0.203	-0.21	0.37	0.484	0.171	0.371	0.477
005	18	OLS11	0.0	0.5	1.0	0.341	0.5	0.0	1.0	0.748	g99b	39.78	45.56	271.0	0.8	-45.54	10.67	11.12	38.75	0.176	0.184	0.12	0.126	0.437	-0.265	0.406	0.697	0.184	0.405	0.682
006	18	OLS11	0.0	1.0	0.0	0.459	0.5	0.0	1.0	0.46	j83g	49.74	77.07	151.0	-67.4	37.37	7.66	18.21	5.97	0.241	0.572	0.086	0.205	0.067	-0.894	0.588	0.203	0.224	0.582	0.245
007	18	OLS11	0.0	1.0	0.5	0.506	0.5	0.0	1.0	0.57	g28b	53.73	57.23	193.0	-55.76	-12.87	11.15	21.72	32.09	0.172	0.334	0.126	0.245	0.362	-1.931	0.629	0.618	-0.1	0.623	0.613
008	18	OLS11	0.0	1.0	1.0	0.551	0.5	0.0	1.0	0.668	g67b	57.53	55.7	236.0	-31.14	-46.17	17.75	25.47	70.44	0.156	0.224	0.2	0.288	0.795	-2.441	0.649	0.903	-0.194	0.643	0.891
009	18	OLS11	0.5	0.0	0.0	0.211	0.25	0.5	0.5	0.058	r23j	28.78	39.43	41.0	29.76	25.87	8.41	5.75	1.84	0.525	0.36	0.095	0.065	0.021	0.482	0.192	0.123	0.422	0.205	0.147
010	18	OLS11	0.5	0.0	0.5	0.212	0.25	0.5	0.5	0.931	b72r	28.88	39.35	354.0	39.14	-4.1	9.57	5.79	7.37	0.421	0.255	0.108	0.065	0.083	0.493	0.158	0.314	0.428	0.174	0.314
011	18	OLS11	0.5	0.0	1.0	0.274	0.5	0.0	1.0	0.878	b51r	34.14	56.5	330.0	48.93	-28.24	14.16	8.07	20.54	0.331	0.189	0.16	0.091	0.232	0.549	0.175	0.522	0.475	0.189	0.509
012	18	OLS11	0.5	0.5	0.0	0.469	0.25	0.5	0.5	0.263	j05g	50.55	45.22	96.0	-4.72	44.97	17.07	18.88	4.62	0.421	0.465	0.193	0.213	0.052	0.557	0.501	0.162	0.537	0.497	0.204
013	18	OLS11	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.981	b92r	53.2	0.0	0.0	0.0	0.0	20.18	21.23	23.12	0.313	0.329	0.228	0.24	0.261	0.527	0.527	0.527	0.522	0.522	0.522
014	18	OLS11	0.5	0.5	1.0	0.564	0.75	0.0	0.5	0.828	b31r	58.62	30.72	307.0	18.49	-24.53	29.92	26.62	48.94	0.284	0.252	0.338	0.3	0.552	0.632	0.546	0.762	0.603	0.541	0.749
015	18	OLS11	0.5	1.0	0.0	0.702	0.5	0.0	1.0	0.36	j43g	70.28	85.44	123.0	-46.52	71.66	26.19	41.15	6.24	0.356	0.559	0.296	0.464	0.07	0.494	0.791	-0.049	0.593	0.785	0.171
016	18	OLS11	0.5	1.0	0.5	0.73	0.75	0.0	0.5	0.46	j83g	72.58	38.54	151.0	-33.69	18.68	32.07	44.52	32.78	0.293	0.407	0.362	0.503	0.37	0.502	0.802	0.591	0.602	0.797	0.596
017	18	OLS11	0.5	1.0	1.0	0.776	0.75	0.0	0.5	0.668	g67b	76.47	27.85	236.0	-15.56	-23.08	42.73	50.66	82.78	0.243	0.288	0.482	0.572	0.934	0.504	0.823	0.954	0.612	0.819	0.947
018	18	OLS11	1.0	0.0	0.0	0.421	0.5	0.0	1.0	0.058	r23j	46.57	78.86	41.0	59.52	51.74	27.13	15.69	2.41	0.6	0.347	0.306	0.177	0.027	0.858	0.211	0.098	0.74	0.222	0.127
019	18	OLS11	1.0	0.0	0.5	0.423	0.5	0.0	1.0	0.981	b92r	46.67	72.25	17.0	69.09	21.12	29.68	15.77	8.94	0.546	0.29	0.335	0.178	0.101	0.887	0.121	0.33	0.761	0.141	0.328
020	18	OLS11	1.0	0.0	1.0	0.424	0.5	0.0	1.0	0.931	b72r	46.77	78.7	354.0	78.27	-8.22	32.27	15.84	21.49	0.464	0.228	0.364	0.179	0.243	0.899	-0.094	0.527	0.768	-0.107	0.513
021	18	OLS11	1.0	0.5	0.0	0.683	0.5	0.0	1.0	0.163	r65j	68.68	80.36	69.0	28.8	75.02	46.44	38.9	4.87	0.515	0.431	0.524	0.439	0.055	0.998	0.6	-0.029	0.905	0.594	0.128
022	18	OLS11	1.0	0.5	0.5	0.711	0.75	0.0	0.5	0.058	r23j	70.99	39.43	41.0	29.76	25.87	50.41	42.17	26.03	0.425	0.356	0.569	0.476	0.294	0.985	0.629	0.532	0.899	0.623	0.532
023	18	OLS11	1.0	0.5	1.0	0.712	0.75	0.0	0.5	0.931	b72r	71.09	39.35	354.0	39.14	-4.1	54.16	42.32	49.98	0.37	0.289	0.611	0.478	0.564	0.985	0.607	0.757	0.895	0.602	0.746
024	18	OLS11	1.0	1.0	0.0	0.937	0.5	0.0	1.0	0.263	j05g	90.1	90.44	96.0	-9.44	89.95	68.32	76.53	10.94	0.439	0.491	0.771	0.864	0.124	1.047	0.945	-0.034	1.02	0.943	0.214
025	18	OLS11	1.0	1.0	0.5	0.969	0.75	0.0	0.5	0.263	j05g	92.76	45.22	96.0	-4.72	44.97	75.99	82.41	39.42	0.384	0.417	0.858	0.93	0.445	1.054	0.97	0.608	1.032	0.969	0.623
026	18	OLS11	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.981	b92r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system OLS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (37.7, 96.4, 150.9, 236.0, 305.0, 353.7); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	19	OLS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.979	b91r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198		
001	19	OLS18	0.0	0.0	0.5	0.05	0.25	0.5	0.5	0.823	b29r	21.87	27.14	305.0	15.57	-22.22	4.35	3.48	9.12	0.256	0.205	0.049	0.039	0.103	0.241	0.191	0.355	0.238	0.204	0.352		
002	19	OLS18	0.0	0.0	1.0	0.1	0.5	0.0	1.0	0.823	b29r	25.72	54.27	305.0	31.13	-44.45	7.14	4.65	21.47	0.215	0.14	0.081	0.053	0.242	0.271	0.191	0.537	0.259	0.205	0.523		
003	19	OLS18	0.0	0.5	0.0	0.213	0.25	0.5	0.5	0.46	j83g	34.46	35.9	151.0	-31.39	17.4	4.9	8.23	4.59	0.277	0.464	0.055	0.093	0.052	0.104	0.385	0.218	0.238	0.385	0.237		
004	19	OLS18	0.0	0.5	0.5	0.262	0.25	0.5	0.5	0.668	g67b	38.31	35.94	236.0	-20.09	-29.79	7.45	10.27	25.6	0.172	0.237	0.084	0.116	0.289	-0.639	0.421	0.572	0.102	0.419	0.561		
005	19	OLS18	0.0	0.5	1.0	0.309	0.5	0.0	1.0	0.748	g99b	41.94	44.74	271.0	0.78	-44.72	11.95	12.46	41.18	0.182	0.19	0.135	0.141	0.465	-0.137	0.427	0.715	0.22	0.425	0.7		
006	19	OLS18	0.0	1.0	0.0	0.425	0.5	0.0	1.0	0.46	j83g	50.91	71.8	151.0	-62.78	34.81	8.73	19.19	7.11	0.249	0.548	0.099	0.217	0.08	-0.692	0.596	0.238	0.259	0.591	0.272		
007	19	OLS18	0.0	1.0	0.5	0.474	0.5	0.0	1.0	0.57	g28b	54.72	52.97	193.0	-51.6	-11.9	12.34	22.66	32.64	0.183	0.335	0.139	0.256	0.368	-1.617	0.634	0.622	0.139	0.628	0.617		
008	19	OLS18	0.0	1.0	1.0	0.525	0.5	0.0	1.0	0.668	g67b	58.62	71.88	236.0	-40.19	-59.58	16.95	26.62	90.8	0.126	0.198	0.191	0.3	1.025	-4.558	0.681	1.014	-0.398	0.675	1.003		
009	19	OLS18	0.5	0.0	0.0	0.195	0.25	0.5	0.5	0.047	r18j	33.09	41.19	38.0	32.46	25.36	11.05	7.58	2.83	0.515	0.353	0.125	0.086	0.032	0.544	0.224	0.165	0.476	0.234	0.184		
010	19	OLS18	0.5	0.0	0.5	0.195	0.25	0.5	0.5	0.931	b72r	33.07	37.78	354.0	37.58	-3.94	11.75	7.57	9.45	0.408	0.263	0.133	0.085	0.107	0.532	0.21	0.354	0.465	0.221	0.351		
011	19	OLS18	0.5	0.0	1.0	0.242	0.5	0.0	1.0	0.876	b50r	36.77	49.4	329.0	42.34	-25.43	14.93	9.41	21.48	0.326	0.205	0.169	0.106	0.242	0.549	0.238	0.531	0.482	0.247	0.518		
012	19	OLS18	0.5	0.5	0.0	0.466	0.25	0.5	0.5	0.263	j05g	54.05	41.16	96.0	-4.29	40.94	20.05	22.02	6.93	0.409	0.449	0.226	0.249	0.078	0.595	0.537	0.234	0.574	0.533	0.263		
013	19	OLS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.979	b91r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	19	OLS18	0.5	0.5	1.0	0.55	0.75	0.0	0.5	0.823	b29r	60.57	27.14	305.0	15.57	-22.22	31.39	28.76	49.95	0.285	0.261	0.354	0.325	0.564	0.641	0.574	0.767	0.617	0.569	0.755		
015	19	OLS18	0.5	1.0	0.0	0.677	0.5	0.0	1.0	0.363	j45g	70.38	82.07	124.0	-45.88	68.04	26.45	41.29	7.2	0.353	0.551	0.299	0.466	0.081	0.496	0.791	0.082	0.594	0.786	0.207		
016	19	OLS18	0.5	1.0	0.5	0.713	0.75	0.0	0.5	0.46	j83g	73.16	35.9	151.0	-31.39	17.4	33.42	45.41	34.48	0.295	0.401	0.377	0.512	0.389	0.528	0.805	0.608	0.618	0.8	0.612		
017	19	OLS18	0.5	1.0	1.0	0.762	0.75	0.0	0.5	0.668	g67b	77.01	35.94	236.0	-20.09	-29.79	42.0	51.56	93.61	0.224	0.275	0.474	0.582	1.057	0.373	0.841	1.011	0.556	0.837	1.005		
018	19	OLS18	1.0	0.0	0.0	0.39	0.5	0.0	1.0	0.047	r18j	48.16	82.38	38.0	64.92	50.72	30.28	16.92	2.93	0.604	0.338	0.342	0.191	0.033	0.905	0.185	0.128	0.78	0.198	0.15		
019	19	OLS18	1.0	0.0	0.5	0.388	0.5	0.0	1.0	0.979	b91r	48.03	70.22	16.0	67.5	19.36	30.82	16.82	10.27	0.532	0.29	0.348	0.19	0.116	0.895	0.168	0.355	0.77	0.183	0.351		
020	19	OLS18	1.0	0.0	1.0	0.389	0.5	0.0	1.0	0.931	b72r	48.13	75.56	354.0	75.15	-7.89	33.04	16.9	22.63	0.455	0.233	0.373	0.191	0.255	0.9	0.079	0.539	0.772	0.104	0.524		
021	19	OLS18	1.0	0.5	0.0	0.66	0.5	0.0	1.0	0.155	r62j	69.13	72.03	67.0	28.14	66.3	46.89	39.52	7.09	0.501	0.423	0.529	0.446	0.08	0.995	0.608	0.165	0.904	0.602	0.219		
022	19	OLS18	1.0	0.5	0.5	0.695	0.75	0.0	0.5	0.047	r18j	71.79	41.19	38.0	32.46	25.36	52.74	43.34	27.23	0.428	0.352	0.595	0.489	0.307	1.01	0.629	0.545	0.92	0.623	0.544		
023	19	OLS18	1.0	0.5	1.0	0.695	0.75	0.0	0.5	0.931	b72r	71.77	37.78	354.0	37.58	-3.94	54.7	43.32	50.96	0.367	0.291	0.617	0.489	0.575	0.983	0.62	0.763	0.896	0.614	0.752		
024	19	OLS18	1.0	1.0	0.0	0.931	0.5	0.0	1.0	0.263	j05g	90.09	82.33	96.0	-8.6	81.88	68.69	76.51	14.04	0.431	0.48	0.775	0.864	0.159	1.045	0.943	0.205	1.018	0.941	0.297		
025	19	OLS18	1.0	1.0	0.5	0.966	0.75	0.0	0.5	0.263	j05g	92.75	41.16	96.0	-4.29	40.94	76.19	82.4	42.86	0.378	0.409	0.86	0.93	0.484	1.049	0.969	0.642	1.028	0.968	0.654		
026	19	OLS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.979	b91r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E0JNA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system OLS28 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (33.7, 96.6, 151.4, 236.9, 302.8, 353.8); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZxyCIE,a,F$					$XYZ_{RGB,F}$				$RGB^*_{sRGB,F}$				$RGB^*_{AdobeRGB,F}$			
000	20	OLS28	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.975	b89r	26.85	0.0	0.0	0.0	0.0	4.79	5.04	5.49	0.313	0.329	0.054	0.057	0.062	0.265	0.265	0.265	0.272	0.272	0.272
001	20	OLS28	0.0	0.0	0.5	0.039	0.25	0.5	0.5	0.819	b27r	29.5	22.15	303.0	12.06	-18.56	6.86	6.03	12.43	0.271	0.238	0.077	0.068	0.14	0.306	0.268	0.408	0.301	0.275	0.403
002	20	OLS28	0.0	0.0	1.0	0.077	0.5	0.0	1.0	0.819	b27r	32.15	44.3	303.0	24.13	-37.14	9.45	7.15	23.62	0.235	0.178	0.107	0.081	0.267	0.33	0.27	0.558	0.318	0.276	0.544
003	20	OLS28	0.0	0.5	0.0	0.194	0.25	0.5	0.5	0.46	j83g	40.15	42.73	151.0	-37.36	20.72	6.52	11.34	6.0	0.273	0.475	0.074	0.128	0.068	0.085	0.451	0.247	0.266	0.449	0.267
004	20	OLS28	0.0	0.5	0.5	0.243	0.25	0.5	0.5	0.671	g68b	43.54	25.49	237.0	-13.87	-21.37	10.88	13.52	25.97	0.216	0.268	0.123	0.153	0.293	0.139	0.461	0.571	0.285	0.458	0.562
005	20	OLS28	0.0	0.5	1.0	0.281	0.5	0.0	1.0	0.746	g98b	46.09	42.84	270.0	0.0	-42.83	14.58	15.34	45.84	0.192	0.202	0.165	0.173	0.517	0.094	0.469	0.749	0.278	0.466	0.734
006	20	OLS28	0.0	1.0	0.0	0.388	0.5	0.0	1.0	0.46	j83g	53.46	85.46	151.0	-74.74	41.43	8.62	21.47	6.54	0.235	0.586	0.097	0.242	0.074	-1.213	0.637	0.203	0.221	0.631	0.25
007	20	OLS28	0.0	1.0	0.5	0.436	0.5	0.0	1.0	0.573	g29b	56.72	46.05	194.0	-44.67	-11.13	14.76	24.64	34.63	0.199	0.333	0.167	0.278	0.391	-1.064	0.647	0.639	0.252	0.641	0.633
008	20	OLS28	0.0	1.0	1.0	0.487	0.5	0.0	1.0	0.671	g68b	60.22	50.97	237.0	-27.75	-42.74	20.69	28.37	71.92	0.171	0.235	0.234	0.32	0.812	-1.81	0.671	0.909	0.153	0.665	0.898
009	20	OLS28	0.5	0.0	0.0	0.174	0.25	0.5	0.5	0.032	r12j	38.78	36.05	34.0	29.88	20.16	14.31	10.53	5.58	0.47	0.346	0.162	0.119	0.063	0.592	0.291	0.251	0.523	0.297	0.261
010	20	OLS28	0.5	0.0	0.5	0.174	0.25	0.5	0.5	0.931	b72r	38.76	34.91	354.0	34.72	-3.64	15.1	10.52	12.84	0.393	0.274	0.17	0.119	0.145	0.581	0.28	0.408	0.513	0.286	0.403
011	20	OLS28	0.5	0.0	1.0	0.21	0.5	0.0	1.0	0.874	b49r	41.27	40.06	328.0	33.97	-21.22	16.84	12.03	23.5	0.322	0.23	0.19	0.136	0.265	0.561	0.317	0.55	0.502	0.32	0.538
012	20	OLS28	0.5	0.5	0.0	0.463	0.25	0.5	0.5	0.267	j06g	58.56	42.75	97.0	-5.2	42.43	24.04	26.56	8.7	0.405	0.448	0.271	0.3	0.098	0.642	0.587	0.266	0.621	0.581	0.294
013	20	OLS28	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.975	b89r	61.13	0.0	0.0	0.0	0.0	27.94	29.4	32.01	0.313	0.329	0.315	0.332	0.361	0.611	0.611	0.611	0.606	0.606	0.606
014	20	OLS28	0.5	0.5	1.0	0.539	0.75	0.0	0.5	0.819	b27r	63.78	22.15	303.0	12.06	-18.56	34.29	32.53	51.8	0.289	0.274	0.387	0.367	0.585	0.664	0.616	0.776	0.645	0.611	0.765
015	20	OLS28	0.5	1.0	0.0	0.657	0.5	0.0	1.0	0.363	j45g	71.87	76.16	124.0	-42.58	63.14	28.88	43.46	9.39	0.353	0.532	0.326	0.491	0.106	0.537	0.803	0.19	0.622	0.798	0.265
016	20	OLS28	0.5	1.0	0.5	0.694	0.75	0.0	0.5	0.46	j83g	74.43	42.73	151.0	-37.36	20.72	33.29	47.38	33.64	0.291	0.415	0.376	0.535	0.38	0.491	0.829	0.595	0.607	0.825	0.602
017	20	OLS28	0.5	1.0	1.0	0.743	0.75	0.0	0.5	0.671	g68b	77.82	25.49	237.0	-13.87	-21.37	45.28	52.9	83.6	0.249	0.291	0.511	0.597	0.944	0.554	0.835	0.957	0.645	0.83	0.95
018	20	OLS28	1.0	0.0	0.0	0.348	0.5	0.0	1.0	0.032	r12j	50.7	72.1	34.0	59.77	40.32	31.85	19.01	5.67	0.563	0.336	0.359	0.215	0.064	0.908	0.265	0.232	0.787	0.271	0.243
019	20	OLS28	1.0	0.0	0.5	0.346	0.5	0.0	1.0	0.975	b89r	50.59	65.71	14.0	63.76	15.9	32.83	18.92	13.18	0.506	0.291	0.371	0.214	0.149	0.905	0.242	0.402	0.783	0.251	0.396
020	20	OLS28	1.0	0.0	1.0	0.348	0.5	0.0	1.0	0.931	b72r	50.68	69.82	354.0	69.43	-7.29	34.55	18.99	24.88	0.441	0.242	0.39	0.214	0.281	0.903	0.209	0.561	0.78	0.22	0.547
021	20	OLS28	1.0	0.5	0.0	0.635	0.5	0.0	1.0	0.148	r59j	70.41	61.69	65.0	26.07	55.91	48.12	41.33	10.97	0.479	0.412	0.543	0.466	0.124	0.992	0.629	0.285	0.905	0.623	0.313
022	20	OLS28	1.0	0.5	0.5	0.674	0.75	0.0	0.5	0.032	r12j	73.06	36.05	34.0	29.88	20.16	53.86	45.25	32.3	0.41	0.344	0.608	0.511	0.365	1.001	0.653	0.597	0.917	0.647	0.594
023	20	OLS28	1.0	0.5	1.0	0.674	0.75	0.0	0.5	0.931	b72r	73.04	34.91	354.0	34.72	-3.64	55.75	45.23	52.85	0.362	0.294	0.629	0.511	0.597	0.981	0.644	0.774	0.899	0.638	0.764
024	20	OLS28	1.0	1.0	0.0	0.925	0.5	0.0	1.0	0.267	j06g	90.28	85.5	97.0	-10.41	84.86	68.22	76.9	12.96	0.432	0.486	0.77	0.868	0.146	1.038	0.949	0.153	1.014	0.947	0.27
025	20	OLS28	1.0	1.0	0.5	0.963	0.75	0.0	0.5	0.267	j06g	92.84	42.75	97.0	-5.2	42.43	75.93	82.61	41.7	0.379	0.413	0.857	0.932	0.471	1.047	0.972	0.63	1.027	0.971	0.643
026	20	OLS28	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.975	b89r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E0KNA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system OLS38 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (29.6, 97.1, 152.0, 238.3, 300.3, 354.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZxyCIE,a,F$					$XYZRGB,F$				$RGB'_{sRGB,F}$				$RGB'_{AdobeRGB,F}$			
000	21	OLS38	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.97	b88r	37.99	0.0	0.0	0.0	0.0	9.58	10.08	10.98	0.313	0.329	0.108	0.114	0.124	0.372	0.372	0.372	0.372	0.372	0.372
001	21	OLS38	0.0	0.0	0.5	0.03	0.25	0.5	0.5	0.812	b24r	39.68	22.59	300.0	11.29	-19.55	12.07	11.06	21.01	0.273	0.251	0.136	0.125	0.237	0.398	0.369	0.52	0.39	0.37	0.51
002	21	OLS38	0.0	0.0	1.0	0.059	0.5	0.0	1.0	0.812	b24r	41.38	45.17	300.0	22.59	-39.11	14.95	12.1	35.81	0.238	0.193	0.169	0.137	0.404	0.404	0.365	0.672	0.393	0.366	0.657
003	21	OLS38	0.0	0.5	0.0	0.169	0.25	0.5	0.5	0.463	j85g	47.67	24.82	152.0	-21.9	11.65	12.25	16.54	12.86	0.294	0.397	0.138	0.187	0.145	0.329	0.509	0.386	0.391	0.505	0.391
004	21	OLS38	0.0	0.5	0.5	0.221	0.25	0.5	0.5	0.673	g69b	50.68	24.72	238.0	-13.09	-20.95	15.7	18.99	34.19	0.228	0.276	0.177	0.214	0.386	0.253	0.534	0.645	0.363	0.529	0.635
005	21	OLS38	0.0	0.5	1.0	0.252	0.5	0.0	1.0	0.744	g97b	52.43	38.85	269.0	-0.67	-38.83	19.38	20.53	52.51	0.21	0.222	0.219	0.232	0.593	0.265	0.535	0.793	0.369	0.53	0.779
006	21	OLS38	0.0	1.0	0.0	0.337	0.5	0.0	1.0	0.463	j85g	57.35	49.64	152.0	-43.82	23.3	15.36	25.29	14.95	0.276	0.455	0.173	0.285	0.169	0.218	0.646	0.396	0.402	0.64	0.409
007	21	OLS38	0.0	1.0	0.5	0.39	0.5	0.0	1.0	0.575	g29b	60.36	36.23	195.0	-34.99	-9.37	19.35	28.53	38.19	0.225	0.331	0.218	0.322	0.431	-0.025	0.673	0.667	0.375	0.667	0.661
008	21	OLS38	0.0	1.0	1.0	0.442	0.5	0.0	1.0	0.673	g69b	63.37	49.44	238.0	-26.19	-41.92	23.97	32.03	77.78	0.179	0.239	0.271	0.362	0.878	-1.505	0.703	0.94	0.245	0.697	0.93
009	21	OLS38	0.5	0.0	0.0	0.151	0.25	0.5	0.5	0.017	r06j	46.68	29.41	30.0	25.47	14.7	19.65	15.77	11.08	0.423	0.339	0.222	0.178	0.125	0.652	0.388	0.363	0.586	0.387	0.365
010	21	OLS38	0.5	0.0	0.5	0.15	0.25	0.5	0.5	0.931	b72r	46.63	30.03	354.0	29.87	-3.13	20.49	15.74	18.68	0.373	0.287	0.231	0.178	0.211	0.643	0.378	0.484	0.578	0.378	0.477
011	21	OLS38	0.5	0.0	1.0	0.178	0.5	0.0	1.0	0.871	b48r	48.23	29.46	327.0	24.71	-16.03	20.85	16.97	27.74	0.318	0.259	0.235	0.192	0.313	0.594	0.416	0.588	0.546	0.415	0.577
012	21	OLS38	0.5	0.5	0.0	0.46	0.25	0.5	0.5	0.267	j06g	64.39	29.53	97.0	-3.59	29.31	30.66	33.28	17.77	0.375	0.407	0.346	0.376	0.201	0.697	0.648	0.43	0.678	0.642	0.439
013	21	OLS38	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.97	b88r	66.7	0.0	0.0	0.0	0.0	34.44	36.24	39.46	0.313	0.329	0.389	0.409	0.445	0.672	0.672	0.672	0.666	0.666	0.666
014	21	OLS38	0.5	0.5	1.0	0.53	0.75	0.0	0.5	0.812	b24r	68.39	22.59	300.0	11.29	-19.55	40.12	38.51	61.22	0.287	0.275	0.453	0.435	0.691	0.705	0.669	0.836	0.689	0.663	0.826
015	21	OLS38	0.5	1.0	0.0	0.624	0.5	0.0	1.0	0.367	j46g	73.8	66.52	125.0	-38.14	54.49	32.3	46.39	13.75	0.349	0.502	0.365	0.524	0.155	0.583	0.818	0.309	0.655	0.814	0.352
016	21	OLS38	0.5	1.0	0.5	0.669	0.75	0.0	0.5	0.463	j85g	76.38	24.82	152.0	-21.9	11.65	40.51	50.51	43.8	0.3	0.375	0.457	0.57	0.494	0.633	0.825	0.688	0.689	0.82	0.689
017	21	OLS38	0.5	1.0	1.0	0.721	0.75	0.0	0.5	0.673	g69b	79.39	24.72	238.0	-13.09	-20.95	47.96	55.61	86.79	0.252	0.292	0.541	0.628	0.98	0.585	0.851	0.972	0.669	0.847	0.966
018	21	OLS38	1.0	0.0	0.0	0.303	0.5	0.0	1.0	0.017	r06j	55.36	58.81	30.0	50.93	29.41	35.05	23.28	11.18	0.504	0.335	0.396	0.263	0.126	0.914	0.374	0.352	0.802	0.374	0.355
019	21	OLS38	1.0	0.0	0.5	0.3	0.5	0.0	1.0	0.97	b88r	55.2	57.2	12.0	55.95	11.89	36.32	23.12	18.55	0.466	0.296	0.41	0.261	0.209	0.918	0.351	0.474	0.803	0.352	0.467
020	21	OLS38	1.0	0.0	1.0	0.301	0.5	0.0	1.0	0.931	b72r	55.27	60.06	354.0	59.73	-6.27	37.57	23.19	29.33	0.417	0.257	0.424	0.262	0.331	0.91	0.339	0.601	0.795	0.341	0.588
021	21	OLS38	1.0	0.5	0.0	0.606	0.5	0.0	1.0	0.14	r56j	72.81	49.14	63.0	22.31	43.79	50.55	44.87	17.79	0.447	0.396	0.571	0.506	0.201	0.987	0.669	0.411	0.908	0.663	0.424
022	21	OLS38	1.0	0.5	0.5	0.651	0.75	0.0	0.5	0.017	r06j	75.39	29.41	30.0	25.47	14.7	56.09	48.9	39.69	0.388	0.338	0.633	0.552	0.448	0.991	0.695	0.662	0.917	0.689	0.658
023	21	OLS38	1.0	0.5	1.0	0.65	0.75	0.0	0.5	0.931	b72r	75.34	30.03	354.0	29.87	-3.13	57.79	48.82	56.41	0.354	0.299	0.652	0.551	0.637	0.977	0.686	0.796	0.904	0.68	0.787
024	21	OLS38	1.0	1.0	0.0	0.919	0.5	0.0	1.0	0.267	j06g	90.78	59.05	97.0	-7.19	58.61	70.72	78.01	26.91	0.403	0.444	0.798	0.88	0.304	1.035	0.95	0.468	1.012	0.949	0.497
025	21	OLS38	1.0	1.0	0.5	0.96	0.75	0.0	0.5	0.267	j06g	93.1	29.53	97.0	-3.59	29.31	77.27	83.19	54.5	0.359	0.387	0.872	0.939	0.615	1.033	0.974	0.74	1.017	0.973	0.746
026	21	OLS38	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.97	b88r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E0LNA.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta

Colorimetric data of colours F for system OLS50 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (25.8, 97.8, 152.5, 240.4, 298.2, 354.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ohv* _{3,F}			ltnceu* _F			LCHAB* _{a,F}						XYZ _{xy} CIE, _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	22	OLS50	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.966	b86r	52.02	0.0	0.0	0.0	0.0	19.16	20.16	21.96	0.313	0.329	0.216	0.228	0.248	0.514	0.514	0.514	0.51	0.51	0.51		
001	22	OLS50	0.0	0.0	0.5	0.022	0.25	0.5	0.5	0.808	b23r	52.97	17.93	298.0	8.42	-15.82	21.72	21.02	33.3	0.286	0.276	0.245	0.237	0.376	0.53	0.51	0.636	0.52	0.505	0.626		
002	22	OLS50	0.0	0.0	1.0	0.044	0.5	0.0	1.0	0.808	b23r	53.91	35.87	298.0	16.84	-31.66	24.5	21.89	48.0	0.26	0.232	0.276	0.247	0.542	0.533	0.504	0.76	0.521	0.5	0.746		
003	22	OLS50	0.0	0.5	0.0	0.146	0.25	0.5	0.5	0.463	j85g	58.37	29.1	152.0	-25.69	13.66	19.49	26.35	20.47	0.294	0.397	0.22	0.297	0.231	0.411	0.63	0.48	0.483	0.624	0.483		
004	22	OLS50	0.0	0.5	0.5	0.195	0.25	0.5	0.5	0.678	g71b	60.49	16.83	240.0	-8.41	-14.57	25.22	28.67	42.76	0.261	0.297	0.285	0.324	0.483	0.466	0.627	0.708	0.514	0.621	0.699		
005	22	OLS50	0.0	0.5	1.0	0.219	0.5	0.0	1.0	0.744	g97b	61.5	31.46	269.0	-0.54	-31.44	28.21	29.82	61.23	0.237	0.25	0.318	0.337	0.691	0.449	0.628	0.843	0.504	0.622	0.831		
006	22	OLS50	0.0	1.0	0.0	0.293	0.5	0.0	1.0	0.463	j85g	64.72	58.21	152.0	-51.39	27.33	19.83	33.7	19.05	0.273	0.464	0.224	0.38	0.215	0.201	0.739	0.439	0.444	0.733	0.454		
007	22	OLS50	0.0	1.0	0.5	0.339	0.5	0.0	1.0	0.577	g30b	66.71	24.4	196.0	-23.44	-6.71	28.1	36.25	45.33	0.256	0.331	0.317	0.409	0.512	0.415	0.723	0.719	0.522	0.717	0.713		
008	22	OLS50	0.0	1.0	1.0	0.39	0.5	0.0	1.0	0.678	g71b	68.96	33.67	240.0	-16.82	-29.15	32.43	39.29	73.76	0.223	0.27	0.366	0.443	0.832	0.331	0.743	0.911	0.491	0.737	0.902		
009	22	OLS50	0.5	0.0	0.0	0.126	0.25	0.5	0.5	0.002	r00j	57.5	21.26	26.0	19.11	9.32	28.82	25.44	22.03	0.378	0.333	0.325	0.287	0.249	0.728	0.521	0.509	0.671	0.516	0.505		
010	22	OLS50	0.5	0.0	0.5	0.126	0.25	0.5	0.5	0.931	b72r	57.49	10.67	354.0	10.61	-1.1	26.68	25.43	28.43	0.331	0.316	0.301	0.287	0.321	0.646	0.547	0.582	0.614	0.542	0.575		
011	22	OLS50	0.5	0.0	1.0	0.147	0.5	0.0	1.0	0.869	b47r	58.4	18.87	326.0	15.64	-10.54	28.93	26.39	36.43	0.315	0.288	0.327	0.298	0.411	0.662	0.546	0.659	0.626	0.541	0.649		
012	22	OLS50	0.5	0.5	0.0	0.453	0.25	0.5	0.5	0.27	j08g	71.68	29.18	98.0	-4.05	28.89	39.74	43.19	24.89	0.369	0.401	0.449	0.487	0.281	0.776	0.73	0.509	0.758	0.724	0.516		
013	22	OLS50	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.966	b86r	73.72	0.0	0.0	0.0	0.0	43.97	46.26	50.38	0.313	0.329	0.496	0.522	0.569	0.75	0.75	0.75	0.744	0.744	0.744		
014	22	OLS50	0.5	0.5	1.0	0.522	0.75	0.0	0.5	0.808	b23r	74.66	17.93	298.0	8.42	-15.82	48.38	47.74	69.45	0.292	0.288	0.546	0.539	0.784	0.768	0.745	0.88	0.756	0.739	0.872		
015	22	OLS50	0.5	1.0	0.0	0.6	0.5	0.0	1.0	0.367	j46g	78.04	51.93	125.0	-29.78	42.54	40.27	53.27	23.28	0.345	0.456	0.455	0.601	0.263	0.678	0.853	0.462	0.728	0.849	0.483		
016	22	OLS50	0.5	1.0	0.5	0.646	0.75	0.0	0.5	0.463	j85g	80.07	29.1	152.0	-25.69	13.66	44.55	56.8	47.77	0.299	0.381	0.503	0.641	0.539	0.646	0.874	0.713	0.715	0.871	0.715		
017	22	OLS50	0.5	1.0	1.0	0.695	0.75	0.0	0.5	0.678	g71b	82.18	16.83	240.0	-8.41	-14.57	54.27	60.64	84.61	0.272	0.304	0.612	0.684	0.955	0.706	0.87	0.956	0.752	0.867	0.952		
018	22	OLS50	1.0	0.0	0.0	0.253	0.5	0.0	1.0	0.002	r00j	62.98	42.52	26.0	38.21	18.64	41.28	31.56	22.1	0.435	0.332	0.466	0.356	0.249	0.925	0.514	0.503	0.83	0.51	0.5		
019	22	OLS50	1.0	0.0	0.5	0.252	0.5	0.0	1.0	0.966	b86r	62.95	43.48	10.0	42.82	7.55	42.76	31.53	28.93	0.414	0.305	0.483	0.356	0.327	0.933	0.499	0.583	0.835	0.495	0.575		
020	22	OLS50	1.0	0.0	1.0	0.252	0.5	0.0	1.0	0.931	b72r	62.97	21.33	354.0	21.21	-2.22	35.95	31.55	36.07	0.347	0.305	0.406	0.356	0.407	0.776	0.576	0.65	0.721	0.571	0.641		
021	22	OLS50	1.0	0.5	0.0	0.581	0.5	0.0	1.0	0.137	r54j	77.25	34.48	62.0	16.19	30.45	55.58	51.94	30.13	0.404	0.377	0.627	0.586	0.34	0.983	0.739	0.561	0.92	0.734	0.564		
022	22	OLS50	1.0	0.5	0.5	0.626	0.75	0.0	0.5	0.002	r00j	79.2	21.26	26.0	19.11	9.32	60.22	55.27	50.51	0.363	0.333	0.68	0.624	0.57	0.982	0.758	0.744	0.923	0.753	0.739		
023	22	OLS50	1.0	0.5	1.0	0.626	0.75	0.0	0.5	0.931	b72r	79.19	10.67	354.0	10.61	-1.1	56.7	55.26	61.41	0.327	0.319	0.64	0.624	0.693	0.891	0.785	0.822	0.859	0.78	0.815		
024	22	OLS50	1.0	1.0	0.0	0.906	0.5	0.0	1.0	0.27	j08g	91.35	58.36	98.0	-8.11	57.79	71.43	79.26	28.08	0.4	0.443	0.806	0.895	0.317	1.034	0.959	0.482	1.014	0.958	0.509		
025	22	OLS50	1.0	1.0	0.5	0.953	0.75	0.0	0.5	0.27	j08g	93.38	29.18	98.0	-4.05	28.89	77.65	83.84	55.43	0.358	0.386	0.876	0.946	0.626	1.032	0.979	0.747	1.017	0.978	0.752		
026	22	OLS50	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.966	b86r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E0MNA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system OLS70 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}					XYZ _{xy} CIE, _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	23	OLS70	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.964	b85r	69.7	0.0	0.0	0.0	0.0	38.33	40.32	43.91	0.313	0.329	0.433	0.455	0.496	0.705	0.705	0.705	0.699	0.699	0.699
001	23	OLS70	0.0	0.0	0.5	0.017	0.25	0.5	0.5	0.806	b22r	70.14	5.27	297.0	2.39	-4.69	39.67	40.94	48.96	0.306	0.316	0.448	0.462	0.553	0.712	0.706	0.745	0.704	0.7	0.738
002	23	OLS70	0.0	0.0	1.0	0.034	0.5	0.0	1.0	0.806	b22r	70.57	10.55	297.0	4.79	-9.39	41.05	41.57	54.37	0.3	0.303	0.463	0.469	0.614	0.718	0.706	0.785	0.709	0.7	0.777
003	23	OLS70	0.0	0.5	0.0	0.12	0.25	0.5	0.5	0.467	j86g	72.78	8.68	153.0	-7.73	3.94	40.08	44.83	45.15	0.308	0.345	0.452	0.506	0.51	0.69	0.756	0.709	0.704	0.751	0.705
004	23	OLS70	0.0	0.5	0.5	0.169	0.25	0.5	0.5	0.684	g73b	74.03	8.7	243.0	-3.94	-7.74	43.1	46.76	58.93	0.29	0.314	0.486	0.528	0.665	0.69	0.765	0.811	0.706	0.76	0.804
005	23	OLS70	0.0	0.5	1.0	0.184	0.5	0.0	1.0	0.746	g98b	74.43	19.54	270.0	0.0	-19.53	45.03	47.38	73.52	0.271	0.286	0.508	0.535	0.83	0.674	0.764	0.905	0.695	0.759	0.896
006	23	OLS70	0.0	1.0	0.0	0.24	0.5	0.0	1.0	0.467	j86g	75.87	17.37	153.0	-15.47	7.89	41.89	49.67	46.41	0.304	0.36	0.473	0.561	0.524	0.672	0.807	0.712	0.708	0.802	0.711
007	23	OLS70	0.0	1.0	0.5	0.288	0.5	0.0	1.0	0.582	g32b	77.12	12.29	198.0	-11.68	-3.79	44.99	51.73	60.42	0.286	0.329	0.508	0.584	0.682	0.671	0.816	0.815	0.711	0.811	0.811
008	23	OLS70	0.0	1.0	1.0	0.337	0.5	0.0	1.0	0.684	g73b	78.37	17.4	243.0	-7.89	-15.49	48.25	53.84	77.03	0.269	0.301	0.545	0.608	0.869	0.663	0.826	0.919	0.709	0.821	0.913
009	23	OLS70	0.5	0.0	0.0	0.104	0.25	0.5	0.5	0.995	b97r	72.37	11.66	23.0	10.73	4.55	45.68	44.22	43.96	0.341	0.33	0.516	0.499	0.496	0.83	0.707	0.702	0.792	0.701	0.697
010	23	OLS70	0.5	0.0	0.5	0.104	0.25	0.5	0.5	0.931	b72r	72.37	5.27	354.0	5.24	-0.54	43.78	44.21	48.66	0.32	0.324	0.494	0.499	0.549	0.774	0.722	0.739	0.754	0.716	0.733
011	23	OLS70	0.5	0.0	1.0	0.122	0.5	0.0	1.0	0.869	b47r	72.84	9.27	326.0	7.68	-5.17	45.32	44.92	54.06	0.314	0.311	0.512	0.507	0.61	0.782	0.723	0.78	0.76	0.717	0.772
012	23	OLS70	0.5	0.5	0.0	0.445	0.25	0.5	0.5	0.274	j09g	81.15	17.62	99.0	-2.75	17.4	54.74	58.75	46.04	0.343	0.368	0.618	0.663	0.52	0.867	0.836	0.7	0.855	0.832	0.701
013	23	OLS70	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.964	b85r	82.56	0.0	0.0	0.0	0.0	58.29	61.33	66.79	0.313	0.329	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846
014	23	OLS70	0.5	0.5	1.0	0.517	0.75	0.0	0.5	0.806	b22r	82.99	5.27	297.0	2.39	-4.69	60.07	62.15	73.42	0.307	0.318	0.678	0.701	0.829	0.857	0.851	0.891	0.851	0.846	0.887
015	23	OLS70	0.5	1.0	0.0	0.564	0.5	0.0	1.0	0.37	j48g	84.2	31.44	126.0	-18.47	25.43	53.74	64.46	43.53	0.332	0.399	0.607	0.728	0.491	0.799	0.905	0.669	0.827	0.902	0.675
016	23	OLS70	0.5	1.0	0.5	0.62	0.75	0.0	0.5	0.467	j86g	85.64	8.68	153.0	-7.73	3.94	60.61	67.26	68.42	0.309	0.343	0.684	0.759	0.772	0.835	0.903	0.854	0.851	0.9	0.852
017	23	OLS70	0.5	1.0	1.0	0.669	0.75	0.0	0.5	0.684	g73b	86.89	8.7	243.0	-3.94	-7.74	64.57	69.78	86.39	0.293	0.316	0.729	0.788	0.975	0.835	0.912	0.96	0.854	0.909	0.956
018	23	OLS70	1.0	0.0	0.0	0.208	0.5	0.0	1.0	0.995	b97r	75.05	23.31	23.0	21.46	9.11	53.92	48.35	44.01	0.369	0.331	0.609	0.546	0.497	0.948	0.705	0.7	0.884	0.699	0.694
019	23	OLS70	1.0	0.0	0.5	0.208	0.5	0.0	1.0	0.964	b85r	75.04	24.81	9.0	24.5	3.88	55.1	48.34	48.83	0.362	0.317	0.622	0.546	0.551	0.956	0.697	0.739	0.889	0.691	0.732
020	23	OLS70	1.0	0.0	1.0	0.207	0.5	0.0	1.0	0.931	b72r	75.03	10.54	354.0	10.48	-1.09	49.72	48.33	53.75	0.328	0.318	0.561	0.545	0.607	0.842	0.739	0.774	0.81	0.733	0.767
021	23	OLS70	1.0	0.5	0.0	0.551	0.5	0.0	1.0	0.133	r53j	83.86	18.4	61.0	8.92	16.1	64.48	63.79	51.75	0.358	0.354	0.728	0.72	0.584	0.982	0.838	0.743	0.942	0.833	0.741
022	23	OLS70	1.0	0.5	0.5	0.604	0.75	0.0	0.5	0.995	b97r	85.23	11.66	23.0	10.73	4.55	67.94	66.46	66.85	0.338	0.33	0.767	0.75	0.755	0.98	0.852	0.847	0.944	0.848	0.843
023	23	OLS70	1.0	0.5	1.0	0.604	0.75	0.0	0.5	0.931	b72r	85.22	5.27	354.0	5.24	-0.54	65.46	66.44	73.04	0.319	0.324	0.739	0.75	0.824	0.921	0.868	0.886	0.904	0.864	0.882
024	23	OLS70	1.0	1.0	0.0	0.891	0.5	0.0	1.0	0.274	j09g	92.61	35.24	99.0	-5.5	34.8	75.28	82.07	48.23	0.366	0.399	0.85	0.926	0.544	1.025	0.972	0.69	1.011	0.971	0.699
025	23	OLS70	1.0	1.0	0.5	0.945	0.75	0.0	0.5	0.274	j09g	94.01	17.62	99.0	-2.75	17.4	79.66	85.29	69.59	0.34	0.364	0.899	0.963	0.785	1.018	0.986	0.846	1.009	0.985	0.848
026	23	OLS70	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.964	b85r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E0NNA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems