

Colorimetric data of colours F for system ORS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (37.7, 96.4, 150.9, 236.0, 305.0, 353.7); Four hue angles of the elementary colours: (24.7, 91.8, 164.5, 271.4)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	0	ORS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.981	b92r	18.01	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198			
001	0	ORS18	0.0	0.0	0.5	0.05	0.25	0.5	0.5	0.824	b29r	21.87	27.15	305.0	15.57	-22.23	4.35	3.48	9.13	0.256	0.205	0.049	0.039	0.103	0.241	0.191	0.355	0.238	0.204	0.352		
002	0	ORS18	0.0	0.0	1.0	0.1	0.5	0.0	1.0	0.824	b29r	25.72	54.3	305.0	31.14	-44.47	7.14	4.65	21.47	0.215	0.14	0.081	0.053	0.242	0.271	0.191	0.537	0.259	0.204	0.524		
003	0	ORS18	0.0	0.5	0.0	0.213	0.25	0.5	0.5	0.454	j81g	34.46	35.9	151.0	-31.39	17.41	4.9	8.23	4.59	0.277	0.465	0.055	0.093	0.052	0.104	0.385	0.218	0.238	0.385	0.237		
004	0	ORS18	0.0	0.5	0.5	0.262	0.25	0.5	0.5	0.667	g66b	38.31	35.94	236.0	-20.09	-29.79	7.45	10.27	25.61	0.172	0.237	0.084	0.116	0.289	-0.64	0.421	0.572	0.102	0.419	0.561		
005	0	ORS18	0.0	0.5	1.0	0.309	0.5	0.0	1.0	0.749	g99b	41.94	44.75	271.0	0.78	-44.74	11.95	12.46	41.19	0.182	0.19	0.135	0.141	0.465	-0.138	0.427	0.715	0.22	0.425	0.7		
006	0	ORS18	0.0	1.0	0.0	0.425	0.5	0.0	1.0	0.454	j81g	50.91	71.8	151.0	-62.79	34.81	8.73	19.19	7.11	0.249	0.548	0.099	0.217	0.08	-0.692	0.596	0.238	0.259	0.591	0.272		
007	0	ORS18	0.0	1.0	0.5	0.474	0.5	0.0	1.0	0.567	g26b	54.72	52.97	193.0	-51.6	-11.91	12.34	22.66	32.64	0.182	0.335	0.139	0.256	0.368	-1.618	0.634	0.622	0.139	0.628	0.617		
008	0	ORS18	0.0	1.0	1.0	0.525	0.5	0.0	1.0	0.667	g66b	58.62	71.89	236.0	-40.19	-59.59	16.95	26.62	90.81	0.126	0.198	0.191	0.3	1.025	-4.558	0.681	1.014	-0.398	0.675	1.003		
009	0	ORS18	0.5	0.0	0.0	0.195	0.25	0.5	0.5	0.05	r19j	33.09	41.19	38.0	32.46	25.36	11.05	7.58	2.83	0.515	0.353	0.125	0.086	0.032	0.544	0.224	0.165	0.476	0.234	0.184		
010	0	ORS18	0.5	0.0	0.5	0.195	0.25	0.5	0.5	0.932	b72r	33.07	37.78	354.0	37.57	-3.94	11.75	7.57	9.45	0.408	0.263	0.133	0.085	0.107	0.532	0.21	0.354	0.465	0.221	0.351		
011	0	ORS18	0.5	0.0	1.0	0.242	0.5	0.0	1.0	0.877	b50r	36.77	49.4	329.0	42.35	-25.43	14.94	9.42	21.49	0.326	0.205	0.169	0.106	0.243	0.549	0.238	0.531	0.482	0.247	0.519		
012	0	ORS18	0.5	0.5	0.0	0.466	0.25	0.5	0.5	0.264	j05g	54.05	41.16	96.0	-4.29	40.93	20.05	22.02	6.93	0.409	0.449	0.226	0.249	0.078	0.595	0.537	0.234	0.574	0.533	0.263		
013	0	ORS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.981	b92r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	0	ORS18	0.5	0.5	1.0	0.55	0.75	0.0	0.5	0.824	b29r	60.57	27.15	305.0	15.57	-22.23	31.39	28.76	49.96	0.285	0.261	0.354	0.325	0.564	0.641	0.574	0.767	0.617	0.569	0.755		
015	0	ORS18	0.5	1.0	0.0	0.677	0.5	0.0	1.0	0.361	j44g	70.38	82.07	124.0	-45.88	68.04	26.45	41.29	7.21	0.353	0.551	0.299	0.466	0.081	0.496	0.791	0.083	0.594	0.786	0.207		
016	0	ORS18	0.5	1.0	0.5	0.713	0.75	0.0	0.5	0.454	j81g	73.16	35.9	151.0	-31.39	17.41	33.42	45.41	34.48	0.295	0.401	0.377	0.512	0.389	0.528	0.805	0.608	0.617	0.8	0.612		
017	0	ORS18	0.5	1.0	1.0	0.762	0.75	0.0	0.5	0.667	g66b	77.01	35.94	236.0	-20.09	-29.79	42.0	51.56	93.61	0.224	0.275	0.474	0.582	1.057	0.373	0.841	1.011	0.556	0.837	1.005		
018	0	ORS18	1.0	0.0	0.0	0.39	0.5	0.0	1.0	0.05	r19j	48.16	82.38	38.0	64.92	50.72	30.28	16.92	2.93	0.604	0.338	0.342	0.191	0.033	0.905	0.185	0.128	0.78	0.198	0.15		
019	0	ORS18	1.0	0.0	0.5	0.388	0.5	0.0	1.0	0.981	b92r	48.03	70.22	16.0	67.5	19.36	30.82	16.82	10.27	0.532	0.29	0.348	0.19	0.116	0.895	0.168	0.355	0.77	0.183	0.351		
020	0	ORS18	1.0	0.0	1.0	0.389	0.5	0.0	1.0	0.932	b72r	48.13	75.56	354.0	75.15	-7.89	33.04	16.9	22.63	0.455	0.233	0.373	0.191	0.255	0.9	0.079	0.539	0.772	0.104	0.524		
021	0	ORS18	1.0	0.5	0.0	0.66	0.5	0.0	1.0	0.158	r63j	69.13	72.02	67.0	28.14	66.3	46.89	39.52	7.09	0.501	0.423	0.529	0.446	0.08	0.995	0.608	0.165	0.904	0.602	0.219		
022	0	ORS18	1.0	0.5	0.5	0.695	0.75	0.0	0.5	0.05	r19j	71.79	41.19	38.0	32.46	25.36	52.73	43.34	27.23	0.428	0.352	0.595	0.489	0.307	1.01	0.629	0.545	0.92	0.623	0.544		
023	0	ORS18	1.0	0.5	1.0	0.695	0.75	0.0	0.5	0.932	b72r	71.77	37.78	354.0	37.57	-3.94	54.7	43.32	50.96	0.367	0.291	0.617	0.489	0.575	0.983	0.62	0.763	0.896	0.614	0.752		
024	0	ORS18	1.0	1.0	0.0	0.931	0.5	0.0	1.0	0.264	j05g	90.09	82.32	96.0	-8.59	81.87	68.69	76.5	14.05	0.431	0.48	0.775	0.863	0.159	1.045	0.943	0.205	1.018	0.941	0.297		
025	0	ORS18	1.0	1.0	0.5	0.966	0.75	0.0	0.5	0.264	j05g	92.75	41.16	96.0	-4.29	40.93	76.18	82.4	42.86	0.378	0.409	0.86	0.93	0.484	1.049	0.969	0.642	1.028	0.968	0.654		
026	0	ORS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.981	b92r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system TLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (40.0, 102.8, 136.0, 196.4, 306.3, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE, _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}					
000	1	TLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.953	b81r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006					
001	1	TLS00	0.0	0.0	0.5	0.16	0.25	0.5	0.5	0.825	b30r	15.27	23.89	306.0	14.04	-19.32	2.51	1.96	5.35	0.255	0.2	0.028	0.022	0.06	0.181	0.136	0.274	0.185	0.155	0.276				
002	1	TLS00	0.0	0.0	1.0	0.32	0.5	0.0	1.0	0.825	b30r	30.54	47.78	306.0	28.09	-38.65	9.09	6.46	22.88	0.237	0.168	0.103	0.073	0.258	0.335	0.243	0.55	0.316	0.251	0.537				
003	1	TLS00	0.0	0.5	0.0	0.438	0.25	0.5	0.5	0.406	j62g	41.82	46.54	136.0	-33.47	32.33	7.64	12.38	4.16	0.316	0.512	0.086	0.14	0.047	0.224	0.462	0.175	0.319	0.459	0.21				
004	1	TLS00	0.0	0.5	0.5	0.455	0.25	0.5	0.5	0.577	g30b	43.44	57.31	196.0	-55.08	-15.79	6.18	13.45	22.52	0.147	0.319	0.07	0.152	0.254	-1.729	0.515	0.529	-0.205	0.51	0.524				
005	1	TLS00	0.0	0.5	1.0	0.616	0.5	0.0	1.0	0.703	g81b	58.8	27.63	251.0	-8.99	-26.11	23.41	26.81	50.78	0.232	0.265	0.264	0.303	0.573	0.358	0.614	0.773	0.448	0.609	0.762				
006	1	TLS00	0.0	1.0	0.0	0.877	0.5	0.0	1.0	0.406	j62g	83.63	93.08	136.0	-66.94	64.66	36.22	63.36	16.73	0.311	0.545	0.409	0.715	0.189	0.398	0.979	0.307	0.633	0.978	0.37				
007	1	TLS00	0.0	1.0	0.5	0.893	0.5	0.0	1.0	0.509	g03b	85.24	99.44	166.0	-96.48	24.06	29.86	66.49	46.41	0.209	0.466	0.337	0.75	0.524	-4.165	1.044	0.679	0.323	1.046	0.694				
008	1	TLS00	0.0	1.0	1.0	0.91	0.5	0.0	1.0	0.577	g30b	86.86	114.61	196.0	-110.16	-31.58	28.13	69.72	124.16	0.127	0.314	0.317	0.787	1.401	-11.364	1.094	1.136	-0.559	1.097	1.14				
009	1	TLS00	0.5	0.0	0.0	0.265	0.25	0.5	0.5	0.054	r21j	25.26	55.48	40.0	42.5	35.66	8.13	4.5	0.55	0.617	0.341	0.092	0.051	0.006	0.502	0.075	0.017	0.43	0.102	0.053				
010	1	TLS00	0.5	0.0	0.5	0.299	0.25	0.5	0.5	0.874	b49r	28.51	64.21	328.0	54.45	-34.02	11.36	5.65	18.5	0.32	0.159	0.128	0.064	0.209	0.499	0.051	0.501	0.427	0.081	0.488				
011	1	TLS00	0.5	0.0	1.0	0.456	0.5	0.0	1.0	0.849	b39r	43.53	126.17	317.0	92.28	-86.04	32.28	13.51	91.44	0.235	0.098	0.364	0.153	1.032	0.688	-0.309	1.034	0.58	-0.183	1.016				
012	1	TLS00	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15g	46.31	46.5	103.0	-10.45	45.31	13.08	15.5	3.26	0.411	0.487	0.148	0.175	0.037	0.474	0.469	0.109	0.47	0.466	0.164				
013	1	TLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.953	b81r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467				
014	1	TLS00	0.5	0.5	1.0	0.66	0.75	0.0	0.5	0.825	b30r	62.97	23.89	306.0	14.04	-19.32	33.86	31.55	51.17	0.29	0.271	0.382	0.356	0.578	0.667	0.603	0.773	0.644	0.597	0.762				
015	1	TLS00	0.5	1.0	0.0	0.925	0.5	0.0	1.0	0.345	j38g	88.26	89.21	119.0	-43.24	78.03	50.95	72.61	14.33	0.369	0.527	0.575	0.82	0.162	0.75	0.994	0.209	0.825	0.994	0.308				
016	1	TLS00	0.5	1.0	0.5	0.938	0.75	0.0	0.5	0.406	j62g	89.52	46.54	136.0	-33.47	32.33	56.88	75.27	45.58	0.32	0.424	0.642	0.85	0.514	0.747	0.997	0.67	0.824	0.997	0.682				
017	1	TLS00	0.5	1.0	1.0	0.955	0.75	0.0	0.5	0.577	g30b	91.14	57.31	196.0	-55.08	-15.79	51.15	78.78	109.74	0.213	0.329	0.577	0.889	1.239	-1.464	1.067	1.067	0.532	1.07	1.07				
018	1	TLS00	1.0	0.0	0.0	0.529	0.5	0.0	1.0	0.054	r21j	50.5	110.97	40.0	85.01	71.33	39.03	18.84	1.11	0.662	0.319	0.441	0.213	0.012	1.04	-0.352	-0.072	0.891	-0.194	-0.10				
019	1	TLS00	1.0	0.0	0.5	0.565	0.5	0.0	1.0	0.953	b81r	53.91	89.91	4.0	89.69	6.27	45.47	21.89	20.31	0.519	0.25	0.513	0.247	0.229	1.071	-0.31	0.507	0.918	-0.184	0.492				
020	1	TLS00	1.0	0.0	1.0	0.598	0.5	0.0	1.0	0.874	b49r	57.01	128.42	328.0	108.91	-68.04	57.8	24.94	99.29	0.318	0.137	0.652	0.281	1.121	1.052	-0.742	1.069	0.897	-0.273	1.05				
021	1	TLS00	1.0	0.5	0.0	0.747	0.5	0.0	1.0	0.17	r68j	71.29	85.69	71.0	27.9	81.02	50.2	42.62	4.57	0.515	0.438	0.567	0.481	0.052	1.031	0.631	-0.155	0.937	0.625	0.071				
022	1	TLS00	1.0	0.5	0.5	0.765	0.75	0.0	0.5	0.054	r21j	72.96	55.48	40.0	42.5	35.66	58.76	45.1	22.2	0.466	0.358	0.663	0.509	0.251	1.1	0.604	0.482	0.991	0.598	0.484				
023	1	TLS00	1.0	0.5	1.0	0.799	0.75	0.0	0.5	0.874	b49r	76.21	64.21	328.0	54.45	-34.02	70.18	50.23	97.88	0.322	0.23	0.792	0.567	1.105	1.061	0.62	1.041	0.961	0.614	1.029				
024	1	TLS00	1.0	1.0	0.0	0.971	0.5	0.0	1.0	0.288	j15g	92.62	93.01	103.0	-20.91	90.62	68.03	82.1	12.29	0.419	0.505	0.768	0.927	0.139	0.998	1.0	0.005	0.998	1.0	0.235				
025	1	TLS00	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15g	94.01	46.5	103.0	-10.45	45.31	75.83	85.31	40.96	0.375	0.422	0.856	0.963	0.462	1.027	0.998	0.618	1.02	0.998	0.634				
026	1	TLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.953	b81r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0			

Colorimetric data of colours F for system FRS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (36.7, 91.6, 143.4, 232.0, 312.1, 337.2); Four hue angles of the elementary colours: (27.4, 91.9, 157.6, 273.4)

j	no.	System	ol ^v * _{3,F}			ltnce ^u * _F				LCHAB* _{a,F}				XYZxyCIE,a,F				XYZRGB,F				RGB'sRGB,F				RGB'AdobeRGB,F					
000	2	FRS06	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.955	b82r	6.25	0.0	0.0	0.0	0.66	0.69	0.75	0.313	0.329	0.007	0.008	0.009	0.085	0.085	0.085	0.11	0.11	0.11		
001	2	FRS06	0.0	0.0	0.5	0.023	0.25	0.5	0.5	0.835	b33r	8.23	21.72	312.0	14.53	-16.13	1.28	0.91	2.64	0.265	0.188	0.014	0.01	0.03	0.134	0.075	0.191	0.141	0.101	0.201	
002	2	FRS06	0.0	0.0	1.0	0.046	0.5	0.0	1.0	0.835	b33r	10.2	43.44	312.0	29.06	-32.27	2.18	1.15	6.32	0.226	0.119	0.025	0.013	0.071	0.168	0.046	0.302	0.162	0.077	0.301	
003	2	FRS06	0.0	0.5	0.0	0.196	0.25	0.5	0.5	0.444	j77g	23.02	56.81	143.0	-45.36	34.19	1.41	3.81	0.38	0.252	0.68	0.016	0.043	0.004	-0.214	0.284	-0.041	0.103	0.289	-0.029	
004	2	FRS06	0.0	0.5	0.5	0.243	0.25	0.5	0.5	0.661	g64b	27.04	21.73	232.0	-13.37	-17.11	3.88	5.11	10.37	0.2	0.264	0.044	0.058	0.117	-0.065	0.295	0.373	0.155	0.3	0.37	
005	2	FRS06	0.0	0.5	1.0	0.266	0.5	0.0	1.0	0.747	g98b	29.02	33.28	272.0	1.16	-33.25	5.66	5.85	18.56	0.188	0.194	0.064	0.066	0.209	0.013	0.295	0.497	0.172	0.3	0.487	
006	2	FRS06	0.0	1.0	0.0	0.391	0.5	0.0	1.0	0.444	j77g	39.79	113.61	143.0	-90.73	68.37	2.55	11.13	0.02	0.186	0.812	0.029	0.126	0.0	-1.288	0.493	-0.307	-0.134	0.489	-0.144	
007	2	FRS06	0.0	1.0	0.5	0.437	0.5	0.0	1.0	0.566	g26b	43.67	55.11	188.0	-54.56	-7.66	6.33	13.61	18.39	0.165	0.355	0.071	0.154	0.208	-1.398	0.514	0.476	-0.136	0.51	0.474	
008	2	FRS06	0.0	1.0	1.0	0.485	0.5	0.0	1.0	0.661	g64b	47.84	43.46	232.0	-26.75	-34.24	11.66	16.67	40.91	0.168	0.241	0.132	0.188	0.462	-1.202	0.532	0.706	0.072	0.527	0.694	
009	2	FRS06	0.5	0.0	0.0	0.155	0.25	0.5	0.5	0.037	r14j	19.54	38.78	37.0	30.97	23.34	4.75	2.88	0.72	0.569	0.344	0.054	0.032	0.008	0.381	0.095	0.061	0.332	0.119	0.091	
010	2	FRS06	0.5	0.0	0.5	0.164	0.25	0.5	0.5	0.889	b55r	20.28	41.09	337.0	37.82	-16.05	5.57	3.06	6.61	0.365	0.201	0.063	0.035	0.075	0.371	0.078	0.304	0.323	0.104	0.303	
011	2	FRS06	0.5	0.0	1.0	0.192	0.5	0.0	1.0	0.863	b45r	22.68	80.28	325.0	65.76	-46.04	9.55	3.71	19.5	0.292	0.113	0.108	0.042	0.22	0.456	-0.216	0.517	0.382	-0.155	0.502	
012	2	FRS06	0.5	0.5	0.0	0.444	0.25	0.5	0.5	0.25	j00g	44.32	56.82	92.0	-1.97	56.79	13.06	14.06	1.43	0.457	0.492	0.147	0.159	0.016	0.512	0.431	-0.09	0.487	0.429	-0.027	
013	2	FRS06	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.955	b82r	49.11	0.0	0.0	0.0	0.0	16.81	17.68	19.26	0.313	0.329	0.19	0.2	0.217	0.484	0.484	0.484	0.481	0.481	0.481	
014	2	FRS06	0.5	0.5	1.0	0.523	0.75	0.0	0.5	0.835	b33r	51.09	21.72	312.0	14.53	-16.13	21.3	19.34	31.17	0.297	0.269	0.24	0.218	0.352	0.555	0.475	0.619	0.529	0.471	0.608	
015	2	FRS06	0.5	1.0	0.0	0.635	0.5	0.0	1.0	0.349	j39g	60.68	102.56	118.0	-48.14	90.56	17.12	28.88	0.98	0.364	0.615	0.193	0.326	0.011	0.38	0.683	-0.568	0.488	0.677	-0.185	
016	2	FRS06	0.5	1.0	0.5	0.696	0.75	0.0	0.5	0.444	j77g	65.88	56.81	143.0	-45.36	34.19	22.12	35.17	16.67	0.299	0.476	0.25	0.397	0.188	0.358	0.742	0.398	0.503	0.737	0.419	
017	2	FRS06	0.5	1.0	1.0	0.743	0.75	0.0	0.5	0.661	g64b	69.9	21.73	232.0	-13.37	-17.11	34.57	40.61	61.41	0.253	0.297	0.39	0.458	0.693	0.5	0.742	0.833	0.577	0.737	0.825	
018	2	FRS06	1.0	0.0	0.0	0.31	0.5	0.0	1.0	0.037	r14j	32.83	77.56	37.0	61.94	46.67	15.37	7.46	0.69	0.653	0.317	0.173	0.084	0.008	0.686	-0.126	0.01	0.582	-0.122	0.026	
019	2	FRS06	1.0	0.0	0.5	0.318	0.5	0.0	1.0	0.955	b82r	33.53	75.98	7.0	75.41	9.26	18.34	7.79	6.01	0.571	0.242	0.207	0.088	0.068	0.737	-0.423	0.283	0.62	-0.211	0.281	
020	2	FRS06	1.0	0.0	1.0	0.327	0.5	0.0	1.0	0.889	b55r	34.31	82.18	337.0	75.65	-32.1	19.03	8.16	22.86	0.38	0.163	0.215	0.092	0.258	0.684	-0.317	0.552	0.576	-0.185	0.536	
021	2	FRS06	1.0	0.5	0.0	0.598	0.5	0.0	1.0	0.142	r56j	57.51	69.01	64.0	30.25	62.02	31.8	25.45	3.69	0.522	0.418	0.359	0.287	0.042	0.855	0.476	0.065	0.766	0.473	0.139	
022	2	FRS06	1.0	0.5	0.5	0.655	0.75	0.0	0.5	0.037	r14j	62.4	38.78	37.0	30.97	23.34	38.17	30.87	19.04	0.433	0.35	0.431	0.348	0.215	0.883	0.532	0.461	0.798	0.528	0.462	
023	2	FRS06	1.0	0.5	1.0	0.664	0.75	0.0	0.5	0.889	b55r	63.14	41.09	337.0	37.82	-16.05	41.38	31.76	48.28	0.341	0.262	0.467	0.358	0.545	0.849	0.53	0.754	0.77	0.525	0.741	
024	2	FRS06	1.0	1.0	0.0	0.888	0.5	0.0	1.0	0.25	j00g	82.39	113.64	92.0	-3.96	113.57	56.39	61.02	2.4	0.471	0.509	0.636	0.689	0.027	0.996	0.842	-0.987	0.954	0.837	-0.244	
025	2	FRS06	1.0	1.0	0.5	0.944	0.75	0.0	0.5	0.25	j00g	87.18	56.82	92.0	-1.97	56.79	66.0	70.38	24.18	0.411	0.438	0.745	0.794	0.273	1.025	0.896	0.447	0.99	0.893	0.473	
026	2	FRS06	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.955	b82r	91.97	0.0	0.0	0.0	0.0	76.65	80.64	87.81	0.313	0.329	0.865	0.91	0.991	0.959	0.96	0.959	0.958	0.958	0.958	

Colorimetric data of colours F for system TLS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (34.9, 103.3, 136.9, 196.5, 304.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	o1v* _{3,F}			ltnceu* _F			LCHAB* _{a,F}						XYZxyCIE,a,F						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	3	TLS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.946	b78r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198		
001	3	TLS18	0.0	0.0	0.5	0.114	0.25	0.5	0.5	0.821	b28r	26.82	22.98	304.0	12.85	-19.04	5.85	5.03	10.91	0.269	0.231	0.066	0.057	0.123	0.284	0.242	0.384	0.279	0.25	0.38		
002	3	TLS18	0.0	0.0	1.0	0.228	0.5	0.0	1.0	0.821	b28r	35.63	45.96	304.0	25.7	-38.09	11.63	8.82	27.96	0.24	0.182	0.131	0.1	0.316	0.374	0.299	0.602	0.356	0.303	0.587		
003	3	TLS18	0.0	0.5	0.0	0.426	0.25	0.5	0.5	0.41	j63g	51.01	54.04	137.0	-39.51	36.86	11.78	19.28	6.63	0.313	0.511	0.133	0.218	0.075	0.27	0.568	0.227	0.385	0.563	0.261		
004	3	TLS18	0.0	0.5	0.5	0.446	0.25	0.5	0.5	0.577	g30b	52.56	53.86	196.0	-51.76	-14.83	11.01	20.65	32.07	0.173	0.324	0.124	0.233	0.362	-1.754	0.611	0.62	-0.066	0.606	0.614		
005	3	TLS18	0.0	0.5	1.0	0.562	0.5	0.0	1.0	0.7	g80b	61.49	27.27	250.0	-9.32	-25.61	26.03	29.81	54.96	0.235	0.269	0.294	0.336	0.62	0.389	0.644	0.8	0.476	0.638	0.789		
006	3	TLS18	0.0	1.0	0.0	0.853	0.5	0.0	1.0	0.41	j63g	84.01	108.08	137.0	-79.03	73.71	33.17	64.08	13.09	0.301	0.581	0.374	0.723	0.148	0.182	1.0	0.188	0.583	1.0	0.297		
007	3	TLS18	0.0	1.0	0.5	0.873	0.5	0.0	1.0	0.511	g04b	85.59	93.91	167.0	-91.49	21.12	31.6	67.17	49.74	0.213	0.452	0.357	0.758	0.561	-3.739	1.043	0.707	0.361	1.044	0.72		
008	3	TLS18	0.0	1.0	1.0	0.893	0.5	0.0	1.0	0.577	g30b	87.12	107.71	196.0	-103.53	-29.68	30.13	70.24	121.57	0.136	0.316	0.34	0.793	1.372	-10.345	1.089	1.125	-0.508	1.092	1.128		
009	3	TLS18	0.5	0.0	0.0	0.225	0.25	0.5	0.5	0.036	r14j	35.43	43.57	35.0	35.69	24.99	12.96	8.71	3.52	0.515	0.346	0.146	0.098	0.04	0.587	0.233	0.19	0.512	0.243	0.205		
010	3	TLS18	0.5	0.0	0.5	0.264	0.25	0.5	0.5	0.874	b49r	38.48	57.55	328.0	48.8	-30.49	17.35	10.36	26.22	0.322	0.192	0.196	0.117	0.296	0.59	0.226	0.584	0.514	0.236	0.569		
011	3	TLS18	0.5	0.0	1.0	0.375	0.5	0.0	1.0	0.847	b38r	47.05	112.66	316.0	81.04	-78.25	33.39	16.05	88.96	0.241	0.116	0.377	0.181	1.004	0.696	0.136	1.02	0.596	0.154	1.001		
012	3	TLS18	0.5	0.5	0.0	0.482	0.25	0.5	0.5	0.288	j15g	55.3	43.51	103.0	-9.78	42.39	20.03	23.22	7.11	0.398	0.461	0.226	0.262	0.08	0.575	0.562	0.232	0.566	0.557	0.264		
013	3	TLS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.946	b78r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	3	TLS18	0.5	0.5	1.0	0.614	0.75	0.0	0.5	0.821	b28r	65.52	22.98	304.0	12.85	-19.04	36.74	34.71	55.34	0.29	0.274	0.415	0.392	0.625	0.687	0.633	0.8	0.667	0.628	0.789		
015	3	TLS18	0.5	1.0	0.0	0.909	0.5	0.0	1.0	0.349	j39g	88.39	83.57	120.0	-41.77	72.37	51.71	72.88	16.96	0.365	0.515	0.584	0.823	0.191	0.756	0.994	0.287	0.828	0.993	0.359		
016	3	TLS18	0.5	1.0	0.5	0.926	0.75	0.0	0.5	0.41	j63g	89.71	54.04	137.0	-39.51	36.86	54.79	75.67	41.84	0.318	0.439	0.618	0.854	0.472	0.705	1.01	0.634	0.803	1.01	0.649		
017	3	TLS18	0.5	1.0	1.0	0.946	0.75	0.0	0.5	0.577	g30b	91.26	53.86	196.0	-51.76	-14.83	52.63	79.06	108.54	0.219	0.329	0.594	0.892	1.225	-0.745	1.063	1.062	0.566	1.065	1.064		
018	3	TLS18	1.0	0.0	0.0	0.45	0.5	0.0	1.0	0.036	r14j	52.85	87.13	35.0	71.38	49.98	37.93	20.91	4.42	0.6	0.33	0.428	0.236	0.05	1.0	0.19	0.184	0.863	0.202	0.198		
019	3	TLS18	1.0	0.0	0.5	0.49	0.5	0.0	1.0	0.946	b78r	55.93	87.89	1.0	87.87	1.53	47.91	23.84	25.01	0.495	0.246	0.541	0.269	0.282	1.082	-0.093	0.56	0.931	-0.107	0.544		
020	3	TLS18	1.0	0.0	1.0	0.529	0.5	0.0	1.0	0.874	b49r	58.95	115.09	328.0	97.61	-60.98	56.6	26.97	93.68	0.319	0.152	0.639	0.304	1.057	1.032	-0.049	1.039	0.887	-0.082	1.021		
021	3	TLS18	1.0	0.5	0.0	0.707	0.5	0.0	1.0	0.163	r65j	72.72	72.19	69.0	25.87	67.39	51.75	44.73	8.53	0.493	0.426	0.584	0.505	0.096	1.03	0.654	0.194	0.941	0.648	0.246		
022	3	TLS18	1.0	0.5	0.5	0.725	0.75	0.0	0.5	0.036	r14j	74.13	43.57	35.0	35.69	24.99	58.03	46.9	30.19	0.429	0.347	0.655	0.529	0.341	1.059	0.644	0.574	0.963	0.638	0.571		
023	3	TLS18	1.0	0.5	1.0	0.764	0.75	0.0	0.5	0.874	b49r	77.18	57.55	328.0	48.8	-30.49	69.49	51.83	95.07	0.321	0.24	0.784	0.585	1.073	1.046	0.652	1.025	0.954	0.645	1.014		
024	3	TLS18	1.0	1.0	0.0	0.964	0.5	0.0	1.0	0.288	j15g	92.59	87.01	103.0	-19.56	84.78	68.59	82.02	14.63	0.415	0.496	0.774	0.926	0.165	1.001	0.997	0.186	1.0	0.997	0.295		
025	3	TLS18	1.0	1.0	0.5	0.982	0.75	0.0	0.5	0.288	j15g	94.0	43.51	103.0	-9.78	42.39	76.13	85.27	43.47	0.372	0.416	0.859	0.962	0.491	1.026	0.997	0.642	1.019	0.997	0.656		
026	3	TLS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.946	b78r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system NLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (30.0, 90.0, 150.0, 210.0, 270.0, 330.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^{v*} _{3,F}			ln ^{ceu*} _F			LCHAB [*] _{a,F}					XYZxyCIE _{a,F}					XYZRGB _F				RGB ['] _{sRGB,F}				RGB ['] _{AdobeRGB,F}				
000	4	NLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.944	b77r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006		
001	4	NLS00	0.0	0.0	0.5	0.167	0.25	0.5	0.5	0.746	g98b	15.91	47.7	270.0	0.0	-47.69	1.98	2.08	14.75	0.105	0.111	0.022	0.023	0.167	-0.603	0.188	0.452	-0.186	0.201	0.443	
002	4	NLS00	0.0	0.0	1.0	0.333	0.5	0.0	1.0	0.746	g98b	31.81	95.4	270.0	0.0	-95.39	6.65	7.0	76.55	0.074	0.078	0.075	0.079	0.864	-3.99	0.368	0.955	-0.468	0.369	0.938	
003	4	NLS00	0.0	0.5	0.0	0.167	0.25	0.5	0.5	0.456	j82g	15.91	47.7	150.0	-41.3	23.85	0.67	2.08	0.25	0.222	0.694	0.008	0.023	0.003	-0.169	0.212	-0.017	0.045	0.223	0.02	
004	4	NLS00	0.0	0.5	0.5	0.333	0.25	0.5	0.5	0.609	g43b	31.81	47.7	210.0	-41.3	-23.84	3.4	7.0	16.34	0.127	0.262	0.038	0.079	0.184	-1.149	0.379	0.463	-0.202	0.379	0.457	
005	4	NLS00	0.0	0.5	1.0	0.5	0.5	0.0	1.0	0.678	g71b	47.71	82.62	240.0	-41.3	-71.54	9.66	16.57	81.25	0.09	0.154	0.109	0.187	0.917	-5.057	0.569	0.972	-0.479	0.564	0.958	
006	4	NLS00	0.0	1.0	0.0	0.333	0.5	0.0	1.0	0.456	j82g	31.81	95.4	150.0	-82.61	47.7	1.43	7.0	0.5	0.16	0.784	0.016	0.079	0.006	-0.929	0.4	-0.119	-0.141	0.399	-0.075	
007	4	NLS00	0.0	1.0	0.5	0.5	0.5	0.0	1.0	0.541	g16b	47.71	82.62	180.0	-82.61	0.0	5.38	16.57	18.04	0.135	0.414	0.061	0.187	0.204	-2.481	0.584	0.462	-0.259	0.579	0.465	
008	4	NLS00	0.0	1.0	1.0	0.667	0.5	0.0	1.0	0.609	g43b	63.61	95.4	210.0	-82.61	-47.69	13.45	32.32	86.13	0.102	0.245	0.152	0.365	0.972	-7.153	0.784	0.983	-0.513	0.779	0.975	
009	4	NLS00	0.5	0.0	0.0	0.167	0.25	0.5	0.5	0.017	r06j	15.91	47.7	30.0	41.31	23.85	4.35	2.08	0.25	0.651	0.312	0.049	0.023	0.003	0.383	-0.043	0.012	0.328	-0.074	0.038	
010	4	NLS00	0.5	0.0	0.5	0.333	0.25	0.5	0.5	0.878	b51r	31.81	47.7	330.0	41.31	-23.84	11.51	7.0	16.34	0.33	0.201	0.13	0.079	0.184	0.493	0.19	0.469	0.431	0.203	0.458	
011	4	NLS00	0.5	0.0	1.0	0.5	0.5	0.0	1.0	0.812	b24r	47.71	82.62	300.0	41.31	-71.54	23.98	16.57	81.25	0.197	0.136	0.271	0.187	0.917	0.399	0.391	0.976	0.396	0.391	0.959	
012	4	NLS00	0.5	0.5	0.0	0.333	0.25	0.5	0.5	0.241	r96j	31.81	47.7	90.0	0.0	47.7	6.65	7.0	0.5	0.47	0.495	0.075	0.079	0.006	0.38	0.305	-0.076	0.362	0.309	-0.066	
013	4	NLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.944	b77r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467	
014	4	NLS00	0.5	0.5	1.0	0.667	0.75	0.0	0.5	0.746	g98b	63.61	47.7	270.0	0.0	-47.69	30.72	32.32	86.13	0.206	0.217	0.347	0.365	0.972	0.31	0.657	0.988	0.443	0.651	0.976	
015	4	NLS00	0.5	1.0	0.0	0.5	0.5	0.0	1.0	0.349	j39g	47.71	82.62	120.0	-41.3	71.55	9.66	16.57	0.75	0.358	0.614	0.109	0.187	0.008	0.275	0.533	-0.298	0.372	0.528	-0.133	
016	4	NLS00	0.5	1.0	0.5	0.667	0.75	0.0	0.5	0.456	j82g	63.61	47.7	150.0	-41.3	23.85	20.91	32.32	19.86	0.286	0.442	0.236	0.365	0.224	0.336	0.712	0.456	0.479	0.706	0.467	
017	4	NLS00	0.5	1.0	1.0	0.833	0.75	0.0	0.5	0.609	g43b	79.51	47.7	210.0	-41.3	-23.84	38.63	55.82	91.21	0.208	0.301	0.436	0.63	1.029	-0.886	0.907	0.993	0.458	0.905	0.989	
018	4	NLS00	1.0	0.0	0.0	0.333	0.5	0.0	1.0	0.017	r06j	31.81	95.4	30.0	82.62	47.7	18.3	7.0	0.5	0.709	0.271	0.207	0.079	0.006	0.764	-0.665	0.017	0.64	-0.259	-0.039	
019	4	NLS00	1.0	0.0	0.5	0.5	0.5	0.0	1.0	0.944	b77r	47.71	82.62	0.0	82.62	0.0	34.67	16.57	18.04	0.5	0.239	0.391	0.187	0.204	0.945	-0.254	0.483	0.806	-0.168	0.47	
020	4	NLS00	1.0	0.0	1.0	0.667	0.5	0.0	1.0	0.878	b51r	63.61	95.4	330.0	82.62	-47.69	58.69	32.32	86.13	0.331	0.182	0.662	0.365	0.972	1.043	0.319	0.996	0.909	0.322	0.978	
021	4	NLS00	1.0	0.5	0.0	0.5	0.5	0.0	1.0	0.129	r51j	47.71	82.62	60.0	41.31	71.55	23.98	16.57	0.75	0.581	0.401	0.271	0.187	0.008	0.789	0.33	-0.182	0.691	0.333	-0.122	
022	4	NLS00	1.0	0.5	0.5	0.667	0.75	0.0	0.5	0.017	r06j	63.61	47.7	30.0	41.31	23.85	43.21	32.32	19.86	0.453	0.339	0.488	0.365	0.224	0.958	0.508	0.473	0.857	0.503	0.471	
023	4	NLS00	1.0	0.5	1.0	0.833	0.75	0.0	0.5	0.878	b51r	79.51	47.7	330.0	41.31	-23.84	70.68	55.82	91.21	0.325	0.256	0.798	0.63	1.029	1.044	0.703	1.002	0.962	0.697	0.991	
024	4	NLS00	1.0	1.0	0.0	0.667	0.5	0.0	1.0	0.241	r96j	63.61	95.4	90.0	0.0	95.4	30.72	32.32	1.0	0.48	0.505	0.347	0.365	0.011	0.772	0.625	-0.557	0.728	0.619	-0.193	
025	4	NLS00	1.0	1.0	0.5	0.833	0.75	0.0	0.5	0.241	r96j	79.51	47.7	90.0	0.0	47.7	53.05	55.82	21.79	0.406	0.427	0.599	0.63	0.246	0.931	0.805	0.443	0.894	0.8	0.462	
026	4	NLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.944	b77r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	

Colorimetric data of colours F for system NRS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (25.5, 92.3, 162.2, 217.0, 271.7, 328.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZxyCIE,a,F$					$XYZ_{RGB,F}$				$RGB^*_{sRGB,F}$				$RGB^*_{AdobeRGB,F}$			
000	5	NRS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.937	b74r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
001	5	NRS18	0.0	0.0	0.5	0.25	0.25	0.5	0.5	0.751	b00r	37.36	38.6	272.0	1.35	-38.56	9.42	9.73	30.31	0.19	0.197	0.106	0.11	0.342	0.061	0.377	0.622	0.223	0.377	0.609
002	5	NRS18	0.0	0.0	1.0	0.5	0.5	0.0	1.0	0.751	b00r	56.71	77.2	272.0	2.69	-77.14	24.02	24.63	113.05	0.149	0.152	0.271	0.278	1.276	-2.39	0.594	1.125	-0.239	0.589	1.113
003	5	NRS18	0.0	0.5	0.0	0.25	0.25	0.5	0.5	0.499	j99g	37.36	38.6	162.0	-36.7	11.93	5.49	9.73	6.99	0.247	0.438	0.062	0.11	0.079	-0.094	0.423	0.282	0.224	0.421	0.294
004	5	NRS18	0.0	0.5	0.5	0.25	0.25	0.5	0.5	0.625	g50b	37.36	38.69	217.0	-30.89	-23.27	6.0	9.73	20.86	0.164	0.266	0.068	0.11	0.235	-0.861	0.424	0.517	-0.088	0.422	0.509
005	5	NRS18	0.0	0.5	1.0	0.5	0.5	0.0	1.0	0.687	g74b	56.71	68.72	244.0	-30.11	-61.75	17.29	24.63	89.19	0.132	0.188	0.195	0.278	1.007	-3.836	0.645	1.008	-0.359	0.64	0.996
006	5	NRS18	0.0	1.0	0.0	0.5	0.5	0.0	1.0	0.499	j99g	56.71	77.2	162.0	-73.41	23.85	10.51	24.63	14.24	0.213	0.499	0.119	0.278	0.161	-1.588	0.675	0.381	0.202	0.669	0.398
007	5	NRS18	0.0	1.0	0.5	0.5	0.5	0.0	1.0	0.563	g25b	56.71	68.72	190.0	-67.66	-11.92	11.28	24.63	35.23	0.159	0.346	0.127	0.278	0.398	-2.749	0.676	0.643	-0.214	0.67	0.638
008	5	NRS18	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.625	g50b	56.71	77.37	217.0	-61.78	-46.55	12.11	24.63	69.18	0.114	0.233	0.137	0.278	0.781	-4.825	0.681	0.894	-0.417	0.675	0.884
009	5	NRS18	0.5	0.0	0.0	0.25	0.25	0.5	0.5	0.999	b99r	37.36	38.53	25.0	34.92	16.28	14.14	9.73	5.91	0.475	0.327	0.16	0.11	0.067	0.597	0.258	0.265	0.523	0.266	0.272
010	5	NRS18	0.5	0.0	0.5	0.25	0.25	0.5	0.5	0.876	b50r	37.36	38.56	329.0	33.05	-19.85	13.84	9.73	19.05	0.325	0.228	0.156	0.11	0.215	0.517	0.28	0.5	0.462	0.286	0.489
011	5	NRS18	0.5	0.0	1.0	0.5	0.5	0.0	1.0	0.812	b24r	56.71	68.05	300.0	34.02	-58.92	31.89	24.63	85.21	0.225	0.174	0.36	0.278	0.962	0.546	0.499	0.991	0.529	0.495	0.976
012	5	NRS18	0.5	0.5	0.0	0.25	0.25	0.5	0.5	0.249	r99j	37.36	38.56	92.0	-1.34	38.54	9.09	9.73	2.08	0.435	0.466	0.103	0.11	0.023	0.426	0.362	0.087	0.408	0.363	0.135
013	5	NRS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.937	b74r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
014	5	NRS18	0.5	0.5	1.0	0.75	0.75	0.0	0.5	0.751	b00r	76.06	38.6	272.0	1.35	-38.56	48.0	49.98	104.55	0.237	0.247	0.542	0.564	1.18	0.584	0.787	1.068	0.644	0.782	1.061
015	5	NRS18	0.5	1.0	0.0	0.5	0.5	0.0	1.0	0.374	j49g	56.71	63.44	127.0	-38.17	50.66	15.85	24.63	5.67	0.343	0.534	0.179	0.278	0.064	0.382	0.627	0.156	0.466	0.621	0.216
016	5	NRS18	0.5	1.0	0.5	0.75	0.75	0.0	0.5	0.499	j99g	76.06	38.6	162.0	-36.7	11.93	35.51	49.98	43.06	0.276	0.389	0.401	0.564	0.486	0.472	0.849	0.681	0.606	0.845	0.683
017	5	NRS18	0.5	1.0	1.0	0.75	0.75	0.0	0.5	0.625	g50b	76.06	38.69	217.0	-30.89	-23.27	37.25	49.98	82.07	0.22	0.295	0.42	0.564	0.926	0.201	0.849	0.949	0.503	0.844	0.943
018	5	NRS18	1.0	0.0	0.0	0.5	0.5	0.0	1.0	0.999	b99r	56.71	77.05	25.0	69.83	32.56	42.8	24.63	10.88	0.547	0.314	0.483	0.278	0.123	1.033	0.268	0.349	0.897	0.275	0.348
019	5	NRS18	1.0	0.0	0.5	0.5	0.5	0.0	1.0	0.937	b74r	56.71	68.06	357.0	67.97	-3.55	42.18	24.63	29.17	0.439	0.257	0.476	0.278	0.329	0.978	0.301	0.599	0.851	0.306	0.585
020	5	NRS18	1.0	0.0	1.0	0.5	0.5	0.0	1.0	0.876	b50r	56.71	77.12	329.0	66.1	-39.71	41.56	24.63	61.24	0.326	0.193	0.469	0.278	0.691	0.88	0.342	0.854	0.77	0.344	0.836
021	5	NRS18	1.0	0.5	0.0	0.5	0.5	0.0	1.0	0.125	r50j	56.71	64.6	59.0	33.27	55.38	31.68	24.63	4.67	0.52	0.404	0.358	0.278	0.053	0.857	0.458	0.147	0.765	0.455	0.188
022	5	NRS18	1.0	0.5	0.5	0.75	0.75	0.0	0.5	0.999	b99r	76.06	38.53	25.0	34.92	16.28	61.19	49.98	39.34	0.407	0.332	0.691	0.564	0.444	1.063	0.671	0.66	0.971	0.665	0.654
023	5	NRS18	1.0	0.5	1.0	0.75	0.75	0.0	0.5	0.876	b50r	76.06	38.56	329.0	33.05	-19.85	60.4	49.98	77.53	0.321	0.266	0.682	0.564	0.875	0.957	0.69	0.93	0.889	0.684	0.919
024	5	NRS18	1.0	1.0	0.0	0.5	0.5	0.0	1.0	0.249	r99j	56.71	77.13	92.0	-2.68	77.08	22.81	24.63	1.53	0.466	0.503	0.257	0.278	0.017	0.664	0.559	-0.31	0.63	0.554	-0.132
025	5	NRS18	1.0	1.0	0.5	0.75	0.75	0.0	0.5	0.249	r99j	76.06	38.56	92.0	-1.34	38.54	47.03	49.98	23.63	0.39	0.414	0.531	0.564	0.267	0.865	0.771	0.48	0.835	0.765	0.493
026	5	NRS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.937	b74r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E05NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system SRS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (30.0, 90.0, 150.0, 210.0, 270.0, 330.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol [*] _{3,F}			l [*] _{nceu} _F				LCHAB [*] _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	6	SRS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.944	b77r	18.01	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198				
001	6	SRS18	0.0	0.0	0.5	0.25	0.25	0.5	0.5	0.746	g98b	37.36	38.7	270.0	0.0	-38.69	9.25	9.73	30.39	0.187	0.197	0.104	0.11	0.343	-0.019	0.38	0.623	0.212	0.38	0.61			
002	6	SRS18	0.0	0.0	1.0	0.5	0.5	0.0	1.0	0.746	g98b	56.71	77.4	270.0	0.0	-77.39	23.41	24.63	113.47	0.145	0.152	0.264	0.278	1.281	-2.708	0.6	1.126	-0.275	0.594	1.115			
003	6	SRS18	0.0	0.5	0.0	0.25	0.25	0.5	0.5	0.456	j82g	37.36	38.7	150.0	-33.5	19.35	5.77	9.73	5.22	0.278	0.47	0.065	0.11	0.059	0.116	0.417	0.231	0.257	0.416	0.251			
004	6	SRS18	0.0	0.5	0.5	0.25	0.25	0.5	0.5	0.609	g43b	37.36	38.7	210.0	-33.5	-19.34	5.77	9.73	18.79	0.168	0.284	0.065	0.11	0.212	-0.822	0.426	0.491	-0.062	0.424	0.485			
005	6	SRS18	0.0	0.5	1.0	0.5	0.5	0.0	1.0	0.678	g71b	56.71	67.03	240.0	-33.5	-58.04	16.67	24.63	83.99	0.133	0.197	0.188	0.278	0.948	-3.747	0.649	0.98	-0.349	0.643	0.968			
006	6	SRS18	0.0	1.0	0.0	0.5	0.5	0.0	1.0	0.456	j82g	56.71	77.4	150.0	-67.02	38.7	11.37	24.63	8.86	0.254	0.549	0.128	0.278	0.1	-0.79	0.666	0.263	0.299	0.66	0.299			
007	6	SRS18	0.0	1.0	0.5	0.5	0.5	0.0	1.0	0.541	g16b	56.71	67.03	180.0	-67.02	0.0	11.37	24.63	26.82	0.181	0.392	0.128	0.278	0.303	-2.095	0.672	0.557	0.035	0.666	0.557			
008	6	SRS18	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.609	g43b	56.71	77.4	210.0	-67.02	-38.69	11.37	24.63	60.11	0.118	0.256	0.128	0.278	0.678	-4.516	0.684	0.837	-0.393	0.678	0.826			
009	6	SRS18	0.5	0.0	0.0	0.25	0.25	0.5	0.5	0.017	r06j	37.36	38.7	30.0	33.52	19.35	13.91	9.73	5.22	0.482	0.337	0.157	0.11	0.059	0.593	0.263	0.244	0.521	0.27	0.254			
010	6	SRS18	0.5	0.0	0.5	0.25	0.25	0.5	0.5	0.878	b51r	37.36	38.7	330.0	33.52	-19.34	13.91	9.73	18.79	0.328	0.229	0.157	0.11	0.212	0.521	0.278	0.496	0.465	0.284	0.486			
011	6	SRS18	0.5	0.0	1.0	0.5	0.5	0.0	1.0	0.812	b24r	56.71	67.03	300.0	33.52	-58.04	31.75	24.63	83.99	0.226	0.175	0.358	0.278	0.948	0.548	0.5	0.985	0.53	0.496	0.97			
012	6	SRS18	0.5	0.5	0.0	0.25	0.25	0.5	0.5	0.241	r96j	37.36	38.7	90.0	0.0	38.7	9.25	9.73	2.06	0.44	0.462	0.104	0.11	0.023	0.434	0.359	0.086	0.413	0.36	0.134			
013	6	SRS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.944	b77r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559			
014	6	SRS18	0.5	0.5	1.0	0.75	0.75	0.0	0.5	0.746	g98b	76.06	38.7	270.0	0.0	-38.69	47.51	49.98	104.75	0.235	0.247	0.536	0.564	1.182	0.567	0.791	1.069	0.635	0.785	1.062			
015	6	SRS18	0.5	1.0	0.0	0.5	0.5	0.0	1.0	0.349	j39g	56.71	67.03	120.0	-33.51	58.05	16.67	24.63	4.15	0.367	0.542	0.188	0.278	0.047	0.436	0.619	0.043	0.493	0.613	0.158			
016	6	SRS18	0.5	1.0	0.5	0.75	0.75	0.0	0.5	0.456	j82g	76.06	38.7	150.0	-33.5	19.35	36.46	49.98	36.85	0.296	0.405	0.412	0.564	0.416	0.546	0.842	0.624	0.643	0.837	0.629			
017	6	SRS18	0.5	1.0	1.0	0.75	0.75	0.0	0.5	0.609	g43b	76.06	38.7	210.0	-33.5	-19.34	36.46	49.98	76.87	0.223	0.306	0.412	0.564	0.868	0.202	0.852	0.919	0.505	0.848	0.913			
018	6	SRS18	1.0	0.0	0.0	0.5	0.5	0.0	1.0	0.017	r06j	56.71	77.4	30.0	67.03	38.7	41.87	24.63	8.86	0.556	0.327	0.473	0.278	0.1	1.023	0.289	0.304	0.89	0.294	0.308			
019	6	SRS18	1.0	0.0	0.5	0.5	0.5	0.0	1.0	0.944	b77r	56.71	67.03	0.0	67.03	0.0	41.87	24.63	26.82	0.449	0.264	0.473	0.278	0.303	0.979	0.306	0.574	0.852	0.31	0.561			
020	6	SRS18	1.0	0.0	1.0	0.5	0.5	0.0	1.0	0.878	b51r	56.71	77.4	330.0	67.03	-38.69	41.87	24.63	60.11	0.331	0.195	0.473	0.278	0.678	0.889	0.335	0.847	0.777	0.337	0.829			
021	6	SRS18	1.0	0.5	0.0	0.5	0.5	0.0	1.0	0.129	r51j	56.71	67.03	60.0	33.52	58.05	31.75	24.63	4.15	0.525	0.407	0.358	0.278	0.047	0.86	0.457	0.117	0.767	0.454	0.167			
022	6	SRS18	1.0	0.5	0.5	0.75	0.75	0.0	0.5	0.017	r06j	76.06	38.7	30.0	33.52	19.35	60.59	49.98	36.85	0.411	0.339	0.684	0.564	0.416	1.06	0.675	0.636	0.969	0.669	0.632			
023	6	SRS18	1.0	0.5	1.0	0.75	0.75	0.0	0.5	0.878	b51r	76.06	38.7	330.0	33.52	-19.34	60.59	49.98	76.87	0.323	0.267	0.684	0.564	0.868	0.962	0.689	0.926	0.892	0.682	0.915			
024	6	SRS18	1.0	1.0	0.0	0.5	0.5	0.0	1.0	0.241	r96j	56.71	77.4	90.0	0.0	77.4	23.41	24.63	1.5	0.473	0.497	0.264	0.278	0.017	0.68	0.553	-0.31	0.641	0.548	-0.13			
025	6	SRS18	1.0	1.0	0.5	0.75	0.75	0.0	0.5	0.241	r96j	76.06	38.7	90.0	0.0	38.7	47.51	49.98	23.54	0.393	0.413	0.536	0.564	0.266	0.875	0.767	0.48	0.842	0.762	0.492			
026	6	SRS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.944	b77r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0			

BAM registration: 20070501-YE79/10L/L79E06NP.PS/.PDF BAM material: code=rhadata
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS70 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol [*] _{3,F}			lt ^{ceu} _F			LCHAB [*] _{a,F}							XYZ _{xy} CIE _{a,F}					XYZ _{RGB,F}				RGB ['] _{sRGB,F}				RGB ['] _{AdobeRGB,F}			
000	7	TLS70	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.931	b72r	69.7	0.0	0.0	0.0	0.0	38.33	40.32	43.91	0.313	0.329	0.433	0.455	0.496	0.705	0.705	0.705	0.699	0.699	0.699		
001	7	TLS70	0.0	0.0	0.5	0.047	0.25	0.5	0.5	0.799	b19r	70.91	19.47	294.0	7.92	-17.78	42.57	42.06	64.13	0.286	0.283	0.48	0.475	0.724	0.713	0.705	0.852	0.705	0.699	0.842		
002	7	TLS70	0.0	0.0	1.0	0.094	0.5	0.0	1.0	0.799	b19r	72.13	38.94	294.0	15.84	-35.56	47.11	43.85	89.76	0.261	0.243	0.532	0.495	1.013	0.707	0.705	1.0	0.7	0.699	0.989		
003	7	TLS70	0.0	0.5	0.0	0.382	0.25	0.5	0.5	0.428	j71g	79.53	18.1	142.0	-14.25	11.14	47.76	55.86	49.3	0.312	0.365	0.539	0.63	0.556	0.736	0.845	0.728	0.764	0.841	0.728		
004	7	TLS70	0.0	0.5	0.5	0.412	0.25	0.5	0.5	0.582	g32b	80.3	11.51	198.0	-10.93	-3.55	50.2	57.22	66.4	0.289	0.329	0.567	0.646	0.749	0.715	0.851	0.85	0.751	0.847	0.846		
005	7	TLS70	0.0	0.5	1.0	0.458	0.5	0.0	1.0	0.691	g76b	81.49	15.44	246.0	-6.27	-14.1	53.93	59.36	82.32	0.276	0.303	0.609	0.67	0.929	0.722	0.857	0.945	0.758	0.853	0.94		
006	7	TLS70	0.0	1.0	0.0	0.765	0.5	0.0	1.0	0.428	j71g	89.36	36.2	142.0	-28.52	22.29	58.63	74.94	55.11	0.311	0.397	0.662	0.846	0.622	0.757	0.987	0.75	0.827	0.987	0.756		
007	7	TLS70	0.0	1.0	0.5	0.794	0.5	0.0	1.0	0.518	g07b	90.12	40.03	170.0	-39.41	6.95	55.54	76.57	74.24	0.269	0.371	0.627	0.864	0.838	0.57	1.021	0.878	0.731	1.022	0.881		
008	7	TLS70	0.0	1.0	1.0	0.825	0.5	0.0	1.0	0.582	g32b	90.9	23.01	198.0	-21.88	-7.1	64.29	78.27	95.49	0.27	0.329	0.726	0.883	1.078	0.706	1.0	1.0	0.799	0.999	1.0		
009	7	TLS70	0.5	0.0	0.0	0.131	0.25	0.5	0.5	0.992	b96r	73.07	14.14	22.0	13.11	5.3	47.6	45.28	44.38	0.347	0.33	0.537	0.511	0.501	0.857	0.708	0.705	0.814	0.702	0.699		
010	7	TLS70	0.5	0.0	0.5	0.171	0.25	0.5	0.5	0.869	b47r	74.09	19.48	326.0	16.15	-10.88	50.32	46.85	62.52	0.315	0.293	0.568	0.529	0.706	0.841	0.716	0.838	0.803	0.71	0.829		
011	7	TLS70	0.5	0.0	1.0	0.218	0.5	0.0	1.0	0.834	b33r	75.31	37.44	310.0	24.07	-28.67	55.39	48.77	87.75	0.289	0.254	0.625	0.55	0.99	0.847	0.714	0.986	0.807	0.708	0.976		
012	7	TLS70	0.5	0.5	0.0	0.47	0.25	0.5	0.5	0.303	j21g	81.79	14.1	107.0	-4.11	13.48	55.29	59.91	50.81	0.333	0.361	0.624	0.676	0.573	0.853	0.848	0.737	0.847	0.843	0.737		
013	7	TLS70	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.931	b72r	82.56	0.0	0.0	0.0	0.0	58.29	61.33	66.79	0.313	0.329	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846		
014	7	TLS70	0.5	0.5	1.0	0.547	0.75	0.0	0.5	0.799	b19r	83.77	19.47	294.0	7.92	-17.78	63.88	63.62	93.08	0.29	0.288	0.721	0.718	1.051	0.859	0.85	1.002	0.853	0.846	0.996		
015	7	TLS70	0.5	1.0	0.0	0.852	0.5	0.0	1.0	0.367	j46g	91.6	34.58	125.0	-19.83	28.33	66.54	79.81	52.87	0.334	0.401	0.751	0.901	0.597	0.882	0.994	0.728	0.913	0.994	0.736		
016	7	TLS70	0.5	1.0	0.5	0.882	0.75	0.0	0.5	0.428	j71g	92.39	18.1	142.0	-14.25	11.14	70.65	81.58	73.87	0.312	0.361	0.797	0.921	0.834	0.882	0.995	0.875	0.914	0.995	0.876		
017	7	TLS70	0.5	1.0	1.0	0.912	0.75	0.0	0.5	0.582	g32b	93.16	11.51	198.0	-10.93	-3.55	73.8	83.33	95.98	0.292	0.329	0.833	0.94	1.083	0.862	1.001	1.0	0.901	1.001	1.0		
018	7	TLS70	1.0	0.0	0.0	0.262	0.5	0.0	1.0	0.992	b96r	76.45	28.28	22.0	26.22	10.59	58.25	50.62	44.85	0.379	0.329	0.657	0.571	0.506	1.0	0.706	0.705	0.926	0.699	0.699		
019	7	TLS70	1.0	0.0	0.5	0.302	0.5	0.0	1.0	0.931	b72r	77.46	39.95	354.0	39.74	-4.17	65.93	52.31	61.51	0.367	0.291	0.744	0.59	0.694	1.066	0.677	0.829	0.975	0.671	0.819		
020	7	TLS70	1.0	0.0	1.0	0.342	0.5	0.0	1.0	0.869	b47r	78.49	38.96	326.0	32.3	-21.77	64.58	54.04	85.76	0.316	0.264	0.729	0.61	0.968	0.974	0.721	0.973	0.909	0.715	0.963		
021	7	TLS70	1.0	0.5	0.0	0.605	0.5	0.0	1.0	0.148	r59j	85.26	20.82	65.0	8.8	18.87	67.13	66.52	51.4	0.363	0.359	0.758	0.751	0.58	1.005	0.854	0.737	0.964	0.849	0.736		
022	7	TLS70	1.0	0.5	0.5	0.631	0.75	0.0	0.5	0.992	b96r	85.93	14.14	22.0	13.11	5.3	70.43	67.84	67.4	0.342	0.33	0.795	0.766	0.761	1.009	0.853	0.85	0.967	0.849	0.846		
023	7	TLS70	1.0	0.5	1.0	0.671	0.75	0.0	0.5	0.869	b47r	86.95	19.48	326.0	16.15	-10.88	73.96	69.9	91.01	0.315	0.298	0.835	0.789	1.027	0.991	0.862	0.987	0.955	0.858	0.982		
024	7	TLS70	1.0	1.0	0.0	0.94	0.5	0.0	1.0	0.303	j21g	93.87	28.19	107.0	-8.23	26.96	76.63	84.98	58.39	0.348	0.386	0.865	0.959	0.659	1.0	0.995	0.767	0.998	0.995	0.773		
025	7	TLS70	1.0	1.0	0.5	0.97	0.75	0.0	0.5	0.303	j21g	94.64	14.1	107.0	-4.11	13.48	80.36	86.77	75.85	0.331	0.357	0.907	0.979	0.856	1.003	0.997	0.884	1.001	0.997	0.885		
026	7	TLS70	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.931	b72r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system TLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (40.0, 102.8, 136.0, 196.4, 306.3, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lnce ^u * _F			LCHAB* _{a,F}						XYZ _{xyCIE,a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}					
000	8	TLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.953	b81r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006					
001	8	TLS00	0.0	0.0	0.5	0.16	0.25	0.5	0.5	0.825	b30r	15.27	23.88	306.0	14.04	-19.31	2.51	1.96	5.35	0.255	0.2	0.028	0.022	0.06	0.181	0.136	0.274	0.185	0.155	0.276				
002	8	TLS00	0.0	0.0	1.0	0.32	0.5	0.0	1.0	0.825	b30r	30.54	47.76	306.0	28.07	-38.63	9.09	6.46	22.87	0.237	0.168	0.103	0.073	0.258	0.335	0.243	0.55	0.316	0.251	0.537				
003	8	TLS00	0.0	0.5	0.0	0.438	0.25	0.5	0.5	0.406	j62g	41.82	46.54	136.0	-33.47	32.33	7.63	12.38	4.16	0.316	0.512	0.086	0.14	0.047	0.224	0.462	0.175	0.319	0.459	0.21				
004	8	TLS00	0.0	0.5	0.5	0.455	0.25	0.5	0.5	0.577	g30b	43.44	57.31	196.0	-55.08	-15.79	6.18	13.45	22.52	0.147	0.319	0.07	0.152	0.254	-1.729	0.515	0.529	-0.205	0.51	0.524				
005	8	TLS00	0.0	0.5	1.0	0.616	0.5	0.0	1.0	0.703	g81b	58.8	27.61	251.0	-8.98	-26.1	23.41	26.81	50.76	0.232	0.266	0.264	0.303	0.573	0.358	0.614	0.773	0.448	0.608	0.762				
006	8	TLS00	0.0	1.0	0.0	0.876	0.5	0.0	1.0	0.406	j62g	83.62	93.08	136.0	-66.94	64.66	36.2	63.34	16.72	0.311	0.545	0.409	0.715	0.189	0.398	0.979	0.306	0.633	0.978	0.37				
007	8	TLS00	0.0	1.0	0.5	0.893	0.5	0.0	1.0	0.509	g03b	85.24	99.44	166.0	-96.47	24.06	29.86	66.48	46.4	0.209	0.466	0.337	0.75	0.524	-4.164	1.044	0.679	0.324	1.045	0.694				
008	8	TLS00	0.0	1.0	1.0	0.91	0.5	0.0	1.0	0.577	g30b	86.86	114.61	196.0	-110.16	-31.58	28.13	69.72	124.16	0.127	0.314	0.317	0.787	1.401	-11.364	1.094	1.136	-0.559	1.097	1.14				
009	8	TLS00	0.5	0.0	0.0	0.265	0.25	0.5	0.5	0.054	r21j	25.26	55.48	40.0	42.5	35.66	8.13	4.5	0.55	0.617	0.341	0.092	0.051	0.006	0.502	0.075	0.017	0.43	0.102	0.053				
010	8	TLS00	0.5	0.0	0.5	0.299	0.25	0.5	0.5	0.874	b49r	28.51	64.21	328.0	54.45	-34.02	11.36	5.65	18.5	0.32	0.159	0.128	0.064	0.209	0.499	0.051	0.501	0.427	0.081	0.488				
011	8	TLS00	0.5	0.0	1.0	0.456	0.5	0.0	1.0	0.849	b39r	43.53	126.17	317.0	92.28	-86.04	32.28	13.51	91.44	0.235	0.098	0.364	0.153	1.032	0.688	-0.309	1.034	0.58	-0.183	1.016				
012	8	TLS00	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15g	46.31	46.5	103.0	-10.45	45.31	13.08	15.5	3.26	0.411	0.487	0.148	0.175	0.037	0.474	0.469	0.109	0.47	0.466	0.164				
013	8	TLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.953	b81r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467				
014	8	TLS00	0.5	0.5	1.0	0.66	0.75	0.0	0.5	0.825	b30r	62.97	23.88	306.0	14.04	-19.31	33.86	31.55	51.16	0.29	0.271	0.382	0.356	0.577	0.667	0.603	0.773	0.644	0.597	0.761				
015	8	TLS00	0.5	1.0	0.0	0.925	0.5	0.0	1.0	0.345	j38g	88.25	89.21	119.0	-43.24	78.02	50.93	72.59	14.33	0.369	0.527	0.575	0.819	0.162	0.75	0.994	0.209	0.825	0.994	0.308				
016	8	TLS00	0.5	1.0	0.5	0.938	0.75	0.0	0.5	0.406	j62g	89.52	46.54	136.0	-33.47	32.33	56.87	75.26	45.57	0.32	0.424	0.642	0.849	0.514	0.747	0.997	0.67	0.824	0.997	0.681				
017	8	TLS00	0.5	1.0	1.0	0.955	0.75	0.0	0.5	0.577	g30b	91.14	57.31	196.0	-55.08	-15.79	51.15	78.78	109.74	0.213	0.329	0.577	0.889	1.239	-1.465	1.067	1.067	0.532	1.07	1.07				
018	8	TLS00	1.0	0.0	0.0	0.529	0.5	0.0	1.0	0.054	r21j	50.5	110.95	40.0	84.99	71.32	39.03	18.84	1.11	0.662	0.319	0.441	0.213	0.013	1.04	-0.351	-0.072	0.891	-0.194	-0.101				
019	8	TLS00	1.0	0.0	0.5	0.565	0.5	0.0	1.0	0.953	b81r	53.92	89.9	4.0	89.69	6.27	45.47	21.9	20.31	0.519	0.25	0.513	0.247	0.229	1.071	-0.309	0.507	0.918	-0.183	0.492				
020	8	TLS00	1.0	0.0	1.0	0.597	0.5	0.0	1.0	0.874	b49r	57.01	128.42	328.0	108.9	-68.04	57.8	24.93	99.29	0.318	0.137	0.652	0.281	1.121	1.052	-0.742	1.069	0.897	-0.273	1.05				
021	8	TLS00	1.0	0.5	0.0	0.747	0.5	0.0	1.0	0.17	r68j	71.3	85.69	71.0	27.9	81.02	50.21	42.62	4.57	0.515	0.438	0.567	0.481	0.052	1.031	0.631	-0.155	0.937	0.625	0.071				
022	8	TLS00	1.0	0.5	0.5	0.765	0.75	0.0	0.5	0.054	r21j	72.96	55.48	40.0	42.5	35.66	58.75	45.1	22.2	0.466	0.358	0.663	0.509	0.251	1.1	0.604	0.482	0.991	0.598	0.484				
023	8	TLS00	1.0	0.5	1.0	0.799	0.75	0.0	0.5	0.874	b49r	76.21	64.21	328.0	54.45	-34.02	70.18	50.23	97.88	0.321	0.23	0.792	0.567	1.105	1.061	0.62	1.041	0.961	0.614	1.029				
024	8	TLS00	1.0	1.0	0.0	0.971	0.5	0.0	1.0	0.288	j15g	92.62	93.0	103.0	-20.91	90.61	68.03	82.09	12.29	0.419	0.505	0.768	0.927	0.139	0.998	1.0	0.005	0.998	1.0	0.235				
025	8	TLS00	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15g	94.01	46.5	103.0	-10.45	45.31	75.83	85.3	40.96	0.375	0.422	0.856	0.963	0.462	1.027	0.998	0.618	1.02	0.998	0.634				
026	8	TLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.953	b81r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0			

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E08NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (38.3, 102.9, 136.2, 196.4, 305.7, 328.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			l ^{nceu} * _F			LCHAB* _{a,F}					XYZ _{xy} CIE, _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	9	TLS06	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.951	b80r	5.69	0.0	0.0	0.0	0.6	0.63	0.69	0.313	0.329	0.007	0.007	0.008	0.079	0.079	0.079	0.106	0.105	0.105	
001	9	TLS06	0.0	0.0	0.5	0.147	0.25	0.5	0.5	0.825	b30r	18.88	62.35	306.0	36.65	-50.43	4.97	2.72	18.4	0.191	0.104	0.056	0.031	0.208	0.193	0.111	0.503	0.189	0.133	0.49
002	9	TLS06	0.0	0.0	1.0	0.294	0.5	0.0	1.0	0.825	b30r	32.07	124.7	306.0	73.3	-100.88	16.78	7.11	84.46	0.155	0.066	0.189	0.08	0.953	0.128	0.077	1.001	0.137	0.103	0.982
003	9	TLS06	0.0	0.5	0.0	0.435	0.25	0.5	0.5	0.406	j62g	44.74	45.73	136.0	-32.88	31.76	9.12	14.35	5.29	0.317	0.499	0.103	0.162	0.06	0.26	0.492	0.208	0.348	0.488	0.239
004	9	TLS06	0.0	0.5	0.5	0.453	0.25	0.5	0.5	0.577	g30b	46.31	56.41	196.0	-54.22	-15.54	7.49	15.5	25.31	0.155	0.321	0.085	0.175	0.286	-1.775	0.545	0.557	-0.185	0.54	0.552
005	9	TLS06	0.0	0.5	1.0	0.598	0.5	0.0	1.0	0.703	g81b	59.38	27.54	251.0	-8.96	-26.03	23.99	27.44	51.69	0.233	0.266	0.271	0.31	0.583	0.366	0.621	0.779	0.454	0.615	0.768
006	9	TLS06	0.0	1.0	0.0	0.87	0.5	0.0	1.0	0.406	j62g	83.79	91.45	136.0	-65.78	63.53	36.77	63.65	17.39	0.312	0.54	0.415	0.718	0.196	0.414	0.979	0.321	0.639	0.979	0.381
007	9	TLS06	0.0	1.0	0.5	0.887	0.5	0.0	1.0	0.509	g03b	85.31	98.01	166.0	-95.09	23.71	30.31	66.62	46.84	0.211	0.463	0.342	0.752	0.529	-4.015	1.043	0.683	0.337	1.045	0.697
008	9	TLS06	0.0	1.0	1.0	0.905	0.5	0.0	1.0	0.577	g30b	86.92	112.82	196.0	-108.44	-31.09	28.63	69.84	123.47	0.129	0.315	0.323	0.788	1.394	-11.102	1.093	1.133	-0.547	1.096	1.137
009	9	TLS06	0.5	0.0	0.0	0.253	0.25	0.5	0.5	0.047	r18j	28.4	54.54	38.0	42.98	33.58	9.79	5.61	1.08	0.594	0.34	0.11	0.063	0.012	0.542	0.113	0.071	0.465	0.135	0.1
010	9	TLS06	0.5	0.0	0.5	0.289	0.25	0.5	0.5	0.874	b49r	31.6	62.36	328.0	52.89	-33.04	13.07	6.91	20.77	0.321	0.17	0.148	0.078	0.234	0.528	0.119	0.527	0.454	0.139	0.513
011	9	TLS06	0.5	0.0	1.0	0.436	0.5	0.0	1.0	0.849	b39r	44.79	122.42	317.0	89.53	-83.48	33.04	14.39	90.89	0.239	0.104	0.373	0.162	1.026	0.7	-0.179	1.031	0.592	-0.143	1.012
012	9	TLS06	0.5	0.5	0.0	0.485	0.25	0.5	0.5	0.288	j15g	49.18	45.77	103.0	-10.29	44.6	15.07	17.74	4.24	0.407	0.479	0.17	0.2	0.048	0.506	0.499	0.148	0.5	0.495	0.194
013	9	TLS06	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.951	b80r	50.55	0.0	0.0	0.0	0.0	17.95	18.88	20.56	0.313	0.329	0.203	0.213	0.232	0.499	0.499	0.499	0.495	0.495	0.495
014	9	TLS06	0.5	0.5	1.0	0.647	0.75	0.0	0.5	0.825	b30r	63.74	62.35	306.0	36.65	-50.43	41.84	32.48	90.34	0.254	0.197	0.472	0.367	1.02	0.707	0.559	1.013	0.663	0.554	0.999
015	9	TLS06	0.5	1.0	0.0	0.918	0.5	0.0	1.0	0.349	j39g	88.09	87.73	120.0	-43.85	75.98	50.44	72.25	15.09	0.366	0.524	0.569	0.815	0.17	0.74	0.994	0.236	0.818	0.993	0.324
016	9	TLS06	0.5	1.0	0.5	0.935	0.75	0.0	0.5	0.406	j62g	89.6	45.73	136.0	-32.88	31.76	57.25	75.44	46.22	0.32	0.422	0.646	0.851	0.522	0.752	0.997	0.675	0.827	0.997	0.687
017	9	TLS06	0.5	1.0	1.0	0.953	0.75	0.0	0.5	0.577	g30b	91.17	56.41	196.0	-54.22	-15.54	51.53	78.85	109.42	0.215	0.329	0.582	0.89	1.235	-1.279	1.066	1.066	0.541	1.069	1.068
018	9	TLS06	1.0	0.0	0.0	0.506	0.5	0.0	1.0	0.047	r18j	51.11	109.08	38.0	85.96	67.16	40.17	19.36	1.56	0.658	0.317	0.453	0.219	0.018	1.053	-0.367	-0.009	0.902	-0.198	-0.05
019	9	TLS06	1.0	0.0	0.5	0.543	0.5	0.0	1.0	0.951	b80r	54.43	89.63	3.0	89.51	4.69	46.19	22.39	21.66	0.512	0.248	0.521	0.253	0.244	1.075	-0.269	0.523	0.922	-0.172	0.508
020	9	TLS06	1.0	0.0	1.0	0.578	0.5	0.0	1.0	0.874	b49r	57.51	124.73	328.0	105.77	-66.08	57.41	25.45	97.62	0.318	0.141	0.648	0.287	1.102	1.046	-0.554	1.06	0.894	-0.239	1.041
021	9	TLS06	1.0	0.5	0.0	0.74	0.5	0.0	1.0	0.17	r68j	72.12	81.37	71.0	26.49	76.93	51.01	43.84	5.74	0.507	0.436	0.576	0.495	0.065	1.031	0.645	-0.004	0.94	0.639	0.148
022	9	TLS06	1.0	0.5	0.5	0.753	0.75	0.0	0.5	0.047	r18j	73.26	54.54	38.0	42.98	33.58	59.5	45.56	23.71	0.462	0.354	0.672	0.514	0.268	1.104	0.606	0.501	0.995	0.6	0.502
023	9	TLS06	1.0	0.5	1.0	0.789	0.75	0.0	0.5	0.874	b49r	76.46	62.36	328.0	52.89	-33.04	69.95	50.64	97.05	0.321	0.233	0.79	0.572	1.095	1.057	0.629	1.037	0.959	0.622	1.025
024	9	TLS06	1.0	1.0	0.0	0.969	0.5	0.0	1.0	0.288	j15g	92.66	91.54	103.0	-20.58	89.19	68.28	82.2	12.87	0.418	0.503	0.771	0.928	0.145	0.999	1.0	0.08	1.0	1.0	0.252
025	9	TLS06	1.0	1.0	0.5	0.985	0.75	0.0	0.5	0.288	j15g	94.04	45.77	103.0	-10.29	44.6	75.96	85.36	41.61	0.374	0.421	0.857	0.963	0.47	1.027	0.998	0.624	1.02	0.998	0.64
026	9	TLS06	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.951	b80r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system TLS11 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (37.0, 103.1, 136.5, 196.4, 305.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ohv* _{3,F}			ltnceu* _F			LCHAB* _{a,F}						XYZ _{xy} CIE, _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	10	TLS11	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.951	b80r	10.99	0.0	0.0	0.0	0.0	1.2	1.26	1.37	0.313	0.329	0.014	0.014	0.015	0.124	0.124	0.124	0.145	0.145	0.145		
001	10	TLS11	0.0	0.0	0.5	0.131	0.25	0.5	0.5	0.823	b29r	22.09	23.46	305.0	13.45	-19.21	4.26	3.54	8.33	0.264	0.219	0.048	0.04	0.094	0.242	0.197	0.339	0.24	0.21	0.337		
002	10	TLS11	0.0	0.0	1.0	0.263	0.5	0.0	1.0	0.823	b29r	33.18	46.92	305.0	26.91	-38.42	10.37	7.62	25.47	0.239	0.175	0.117	0.086	0.288	0.355	0.272	0.577	0.337	0.278	0.564		
003	10	TLS11	0.0	0.5	0.0	0.432	0.25	0.5	0.5	0.406	j62g	47.46	44.94	136.0	-32.32	31.22	10.67	16.37	6.51	0.318	0.488	0.12	0.185	0.073	0.293	0.52	0.239	0.376	0.516	0.266		
004	10	TLS11	0.0	0.5	0.5	0.45	0.25	0.5	0.5	0.577	g30b	48.99	55.54	196.0	-53.37	-15.3	8.86	17.59	28.12	0.162	0.322	0.1	0.198	0.317	-1.797	0.574	0.584	-0.157	0.568	0.578		
005	10	TLS11	0.0	0.5	1.0	0.58	0.5	0.0	1.0	0.703	g81b	59.95	27.46	251.0	-8.93	-25.96	24.55	28.07	52.59	0.233	0.267	0.277	0.317	0.594	0.374	0.627	0.785	0.461	0.621	0.774		
006	10	TLS11	0.0	1.0	0.0	0.864	0.5	0.0	1.0	0.406	j62g	83.93	89.88	136.0	-64.64	62.44	37.31	63.94	18.05	0.313	0.536	0.421	0.722	0.204	0.428	0.98	0.335	0.645	0.979	0.391		
007	10	TLS11	0.0	1.0	0.5	0.881	0.5	0.0	1.0	0.509	g03b	85.39	96.61	166.0	-93.73	23.37	30.76	66.77	47.27	0.212	0.461	0.347	0.754	0.534	-3.868	1.043	0.687	0.349	1.044	0.7		
008	10	TLS11	0.0	1.0	1.0	0.9	0.5	0.0	1.0	0.577	g30b	86.99	111.07	196.0	-106.76	-30.61	29.14	69.98	122.82	0.131	0.315	0.329	0.79	1.386	-10.845	1.091	1.13	-0.534	1.095	1.134		
009	10	TLS11	0.5	0.0	0.0	0.241	0.25	0.5	0.5	0.043	r17j	31.33	46.41	37.0	37.06	27.93	10.65	6.79	2.11	0.545	0.347	0.12	0.077	0.024	0.547	0.184	0.134	0.474	0.198	0.155		
010	10	TLS11	0.5	0.0	0.5	0.278	0.25	0.5	0.5	0.874	b49r	34.5	60.64	328.0	51.42	-32.12	14.82	8.25	23.05	0.321	0.179	0.167	0.093	0.26	0.555	0.166	0.552	0.48	0.181	0.538		
011	10	TLS11	0.5	0.0	1.0	0.414	0.5	0.0	1.0	0.849	b39r	45.94	118.93	317.0	86.98	-81.1	33.73	15.23	90.32	0.242	0.109	0.381	0.172	1.019	0.709	-0.051	1.027	0.603	-0.082	1.009		
012	10	TLS11	0.5	0.5	0.0	0.484	0.25	0.5	0.5	0.288	j15g	51.83	46.4	103.0	-10.43	45.21	17.04	19.99	5.02	0.405	0.475	0.192	0.226	0.057	0.535	0.526	0.17	0.528	0.522	0.213		
013	10	TLS11	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.951	b80r	53.2	0.0	0.0	0.0	0.0	20.18	21.23	23.12	0.313	0.329	0.228	0.24	0.261	0.527	0.527	0.527	0.522	0.522	0.522		
014	10	TLS11	0.5	0.5	1.0	0.631	0.75	0.0	0.5	0.823	b29r	64.3	23.46	305.0	13.45	-19.21	35.35	33.17	53.34	0.29	0.272	0.399	0.374	0.602	0.678	0.619	0.787	0.656	0.613	0.776		
015	10	TLS11	0.5	1.0	0.0	0.914	0.5	0.0	1.0	0.349	j39g	88.19	86.3	120.0	-43.14	74.73	50.87	72.46	15.72	0.366	0.521	0.574	0.818	0.177	0.745	0.994	0.254	0.822	0.993	0.336		
016	10	TLS11	0.5	1.0	0.5	0.932	0.75	0.0	0.5	0.406	j62g	89.67	44.94	136.0	-32.32	31.22	57.62	75.6	46.84	0.32	0.42	0.65	0.853	0.529	0.756	0.997	0.681	0.83	0.997	0.692		
017	10	TLS11	0.5	1.0	1.0	0.95	0.75	0.0	0.5	0.577	g30b	91.2	55.54	196.0	-53.37	-15.3	51.9	78.92	109.12	0.216	0.329	0.586	0.891	1.232	-1.097	1.065	1.064	0.55	1.067	1.067		
018	10	TLS11	1.0	0.0	0.0	0.482	0.5	0.0	1.0	0.043	r17j	51.68	92.81	37.0	74.13	55.86	37.23	19.86	3.06	0.619	0.33	0.42	0.224	0.035	1.0	0.128	0.124	0.861	0.146	0.145		
019	10	TLS11	1.0	0.0	0.5	0.52	0.5	0.0	1.0	0.951	b80r	54.87	89.17	3.0	89.05	4.67	46.69	22.8	22.09	0.51	0.249	0.527	0.257	0.249	1.078	-0.223	0.528	0.926	-0.158	0.512		
020	10	TLS11	1.0	0.0	1.0	0.557	0.5	0.0	1.0	0.874	b49r	58.01	121.27	328.0	102.85	-64.26	57.08	25.97	96.14	0.319	0.145	0.644	0.293	1.085	1.041	-0.376	1.052	0.891	-0.2	1.034		
021	10	TLS11	1.0	0.5	0.0	0.725	0.5	0.0	1.0	0.167	r66j	72.17	77.84	70.0	26.62	73.14	51.14	43.91	6.68	0.503	0.432	0.577	0.496	0.075	1.031	0.645	0.105	0.94	0.639	0.189		
022	10	TLS11	1.0	0.5	0.5	0.741	0.75	0.0	0.5	0.043	r17j	73.54	46.41	37.0	37.06	27.93	57.56	46.0	27.53	0.439	0.351	0.65	0.519	0.311	1.064	0.632	0.546	0.966	0.626	0.545		
023	10	TLS11	1.0	0.5	1.0	0.778	0.75	0.0	0.5	0.874	b49r	76.71	60.64	328.0	51.42	-32.12	69.77	51.05	96.31	0.321	0.235	0.787	0.576	1.087	1.053	0.637	1.032	0.957	0.631	1.021		
024	10	TLS11	1.0	1.0	0.0	0.968	0.5	0.0	1.0	0.288	j15g	92.67	92.8	103.0	-20.87	90.42	68.15	82.21	12.4	0.419	0.505	0.769	0.928	0.14	0.998	1.001	0.019	0.999	1.0	0.238		
025	10	TLS11	1.0	1.0	0.5	0.984	0.75	0.0	0.5	0.288	j15g	94.04	46.4	103.0	-10.43	45.21	75.9	85.36	41.08	0.375	0.422	0.857	0.963	0.464	1.028	0.999	0.619	1.02	0.998	0.635		
026	10	TLS11	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.951	b80r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system TLS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (34.9, 103.3, 136.9, 196.5, 304.3, 328.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$						$XYZxyCIE,a,F$				$XYZRGB,F$				$RGB^*_{sRGB,F}$				$RGB^*_{AdobeRGB,F}$			
000	11	TLS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.946	b78r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
001	11	TLS18	0.0	0.0	0.5	0.114	0.25	0.5	0.5	0.821	b28r	26.82	22.98	304.0	12.85	-19.04	5.85	5.03	10.91	0.269	0.231	0.066	0.057	0.123	0.284	0.242	0.384	0.279	0.25	0.38
002	11	TLS18	0.0	0.0	1.0	0.228	0.5	0.0	1.0	0.821	b28r	35.63	45.96	304.0	25.7	-38.09	11.63	8.82	27.96	0.24	0.182	0.131	0.1	0.316	0.374	0.299	0.602	0.356	0.303	0.587
003	11	TLS18	0.0	0.5	0.0	0.426	0.25	0.5	0.5	0.41	j63g	51.01	54.04	137.0	-39.51	36.86	11.78	19.28	6.63	0.313	0.511	0.133	0.218	0.075	0.27	0.568	0.227	0.385	0.563	0.261
004	11	TLS18	0.0	0.5	0.5	0.446	0.25	0.5	0.5	0.577	g30b	52.56	53.86	196.0	-51.76	-14.83	11.01	20.65	32.07	0.173	0.324	0.124	0.233	0.362	-1.754	0.611	0.62	-0.066	0.606	0.614
005	11	TLS18	0.0	0.5	1.0	0.562	0.5	0.0	1.0	0.7	g80b	61.49	27.27	250.0	-9.32	-25.61	26.03	29.81	54.96	0.235	0.269	0.294	0.336	0.62	0.389	0.644	0.8	0.476	0.638	0.789
006	11	TLS18	0.0	1.0	0.0	0.853	0.5	0.0	1.0	0.41	j63g	84.01	108.08	137.0	-79.03	73.71	33.17	64.08	13.09	0.301	0.581	0.374	0.723	0.148	0.182	1.0	0.188	0.583	1.0	0.297
007	11	TLS18	0.0	1.0	0.5	0.873	0.5	0.0	1.0	0.511	g04b	85.59	93.91	167.0	-91.49	21.12	31.6	67.17	49.74	0.213	0.452	0.357	0.758	0.561	-3.739	1.043	0.707	0.361	1.044	0.72
008	11	TLS18	0.0	1.0	1.0	0.893	0.5	0.0	1.0	0.577	g30b	87.12	107.71	196.0	-103.53	-29.68	30.13	70.24	121.57	0.136	0.316	0.34	0.793	1.372	-10.345	1.089	1.125	-0.508	1.092	1.128
009	11	TLS18	0.5	0.0	0.0	0.225	0.25	0.5	0.5	0.036	r14j	35.43	43.57	35.0	35.69	24.99	12.96	8.71	3.52	0.515	0.346	0.146	0.098	0.04	0.587	0.233	0.19	0.512	0.243	0.205
010	11	TLS18	0.5	0.0	0.5	0.264	0.25	0.5	0.5	0.874	b49r	38.48	57.55	328.0	48.8	-30.49	17.35	10.36	26.22	0.322	0.192	0.196	0.117	0.296	0.59	0.226	0.584	0.514	0.236	0.569
011	11	TLS18	0.5	0.0	1.0	0.375	0.5	0.0	1.0	0.847	b38r	47.05	112.66	316.0	81.04	-78.25	33.39	16.05	88.96	0.241	0.116	0.377	0.181	1.004	0.696	0.136	1.02	0.596	0.154	1.001
012	11	TLS18	0.5	0.5	0.0	0.482	0.25	0.5	0.5	0.288	j15g	55.3	43.51	103.0	-9.78	42.39	20.03	23.22	7.11	0.398	0.461	0.226	0.262	0.08	0.575	0.562	0.232	0.566	0.557	0.264
013	11	TLS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.946	b78r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
014	11	TLS18	0.5	0.5	1.0	0.614	0.75	0.0	0.5	0.821	b28r	65.52	22.98	304.0	12.85	-19.04	36.74	34.71	55.34	0.29	0.274	0.415	0.392	0.625	0.687	0.633	0.8	0.667	0.628	0.789
015	11	TLS18	0.5	1.0	0.0	0.909	0.5	0.0	1.0	0.349	j39g	88.39	83.57	120.0	-41.77	72.37	51.71	72.88	16.96	0.365	0.515	0.584	0.823	0.191	0.756	0.994	0.287	0.828	0.993	0.359
016	11	TLS18	0.5	1.0	0.5	0.926	0.75	0.0	0.5	0.41	j63g	89.71	54.04	137.0	-39.51	36.86	54.79	75.67	41.84	0.318	0.439	0.618	0.854	0.472	0.705	1.01	0.634	0.803	1.01	0.649
017	11	TLS18	0.5	1.0	1.0	0.946	0.75	0.0	0.5	0.577	g30b	91.26	53.86	196.0	-51.76	-14.83	52.63	79.06	108.54	0.219	0.329	0.594	0.892	1.225	-0.745	1.063	1.062	0.566	1.065	1.064
018	11	TLS18	1.0	0.0	0.0	0.45	0.5	0.0	1.0	0.036	r14j	52.85	87.13	35.0	71.38	49.98	37.93	20.91	4.42	0.6	0.33	0.428	0.236	0.05	1.0	0.19	0.184	0.863	0.202	0.198
019	11	TLS18	1.0	0.0	0.5	0.49	0.5	0.0	1.0	0.946	b78r	55.93	87.89	1.0	87.87	1.53	47.91	23.84	25.01	0.495	0.246	0.541	0.269	0.282	1.082	-0.093	0.56	0.931	-0.107	0.544
020	11	TLS18	1.0	0.0	1.0	0.529	0.5	0.0	1.0	0.874	b49r	58.95	115.09	328.0	97.61	-60.98	56.6	26.97	93.68	0.319	0.152	0.639	0.304	1.057	1.032	-0.049	1.039	0.887	-0.082	1.021
021	11	TLS18	1.0	0.5	0.0	0.707	0.5	0.0	1.0	0.163	r65j	72.72	72.19	69.0	25.87	67.39	51.75	44.73	8.53	0.493	0.426	0.584	0.505	0.096	1.03	0.654	0.194	0.941	0.648	0.246
022	11	TLS18	1.0	0.5	0.5	0.725	0.75	0.0	0.5	0.036	r14j	74.13	43.57	35.0	35.69	24.99	58.03	46.9	30.19	0.429	0.347	0.655	0.529	0.341	1.059	0.644	0.574	0.963	0.638	0.571
023	11	TLS18	1.0	0.5	1.0	0.764	0.75	0.0	0.5	0.874	b49r	77.18	57.55	328.0	48.8	-30.49	69.49	51.83	95.07	0.321	0.24	0.784	0.585	1.073	1.046	0.652	1.025	0.954	0.645	1.014
024	11	TLS18	1.0	1.0	0.0	0.964	0.5	0.0	1.0	0.288	j15g	92.59	87.01	103.0	-19.56	84.78	68.59	82.02	14.63	0.415	0.496	0.774	0.926	0.165	1.001	0.997	0.186	1.0	0.997	0.295
025	11	TLS18	1.0	1.0	0.5	0.982	0.75	0.0	0.5	0.288	j15g	94.0	43.51	103.0	-9.78	42.39	76.13	85.27	43.47	0.372	0.416	0.859	0.962	0.491	1.026	0.997	0.642	1.019	0.997	0.656
026	11	TLS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.946	b78r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system TLS28 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (32.0, 103.7, 137.6, 196.6, 302.8, 327.9); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	o1v* _{3,F}			lnceu* _F			LCHAB* _{a,F}						XYZ _{xy} CIE, _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	12	TLS28	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.944	b77r	26.85	0.0	0.0	0.0	4.79	5.04	5.49	0.313	0.329	0.054	0.057	0.062	0.265	0.265	0.265	0.272	0.272	0.272			
001	12	TLS28	0.0	0.0	0.5	0.095	0.25	0.5	0.5	0.819	b27r	33.37	52.29	303.0	28.48	-43.85	10.68	7.71	29.21	0.224	0.162	0.121	0.087	0.33	0.336	0.272	0.616	0.323	0.278	0.601		
002	12	TLS28	0.0	0.0	1.0	0.19	0.5	0.0	1.0	0.819	b27r	39.89	104.59	303.0	56.96	-87.7	20.1	11.19	84.91	0.173	0.096	0.227	0.126	0.958	0.279	0.265	1.0	0.281	0.271	0.982		
003	12	TLS28	0.0	0.5	0.0	0.42	0.25	0.5	0.5	0.413	j65g	55.62	50.84	138.0	-37.77	34.02	15.12	23.54	9.75	0.312	0.486	0.171	0.266	0.11	0.332	0.616	0.297	0.435	0.61	0.322		
004	12	TLS28	0.0	0.5	0.5	0.44	0.25	0.5	0.5	0.579	g31b	57.03	22.06	197.0	-21.08	-6.44	19.26	24.95	31.56	0.254	0.329	0.217	0.282	0.356	0.339	0.612	0.611	0.437	0.606	0.605		
005	12	TLS28	0.0	0.5	1.0	0.533	0.5	0.0	1.0	0.7	g80b	63.4	26.76	250.0	-9.14	-25.13	28.1	32.07	57.91	0.238	0.272	0.317	0.362	0.654	0.418	0.664	0.818	0.5	0.658	0.808		
006	12	TLS28	0.0	1.0	0.0	0.839	0.5	0.0	1.0	0.413	j65g	84.39	101.67	138.0	-75.55	68.03	34.64	64.82	15.78	0.301	0.562	0.391	0.732	0.178	0.257	1.0	0.274	0.599	1.0	0.35		
007	12	TLS28	0.0	1.0	0.5	0.861	0.5	0.0	1.0	0.511	g04b	85.88	88.84	167.0	-86.56	19.99	33.33	67.75	51.35	0.219	0.444	0.376	0.765	0.58	-3.17	1.04	0.72	0.404	1.042	0.732		
008	12	TLS28	0.0	1.0	1.0	0.88	0.5	0.0	1.0	0.579	g31b	87.2	44.11	197.0	-42.18	-12.89	49.64	70.42	94.6	0.231	0.328	0.56	0.795	1.068	0.275	0.997	0.999	0.601	0.997	0.999		
009	12	TLS28	0.5	0.0	0.0	0.205	0.25	0.5	0.5	0.024	r09j	40.88	39.36	32.0	33.38	20.86	16.43	11.79	6.26	0.477	0.342	0.185	0.133	0.071	0.635	0.299	0.267	0.56	0.304	0.275		
010	12	TLS28	0.5	0.0	0.5	0.246	0.25	0.5	0.5	0.874	b49r	43.74	49.89	328.0	42.31	-26.43	20.49	13.66	29.52	0.322	0.215	0.231	0.154	0.333	0.623	0.311	0.613	0.552	0.315	0.598		
011	12	TLS28	0.5	0.0	1.0	0.336	0.5	0.0	1.0	0.845	b38r	49.89	102.18	315.0	72.25	-72.24	34.38	18.33	87.39	0.245	0.131	0.388	0.207	0.986	0.7	0.255	1.01	0.609	0.263	0.992		
012	12	TLS28	0.5	0.5	0.0	0.48	0.25	0.5	0.5	0.292	j16g	59.79	40.99	104.0	-9.91	39.77	24.17	27.89	10.23	0.388	0.448	0.273	0.315	0.115	0.62	0.611	0.299	0.612	0.605	0.323		
013	12	TLS28	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.944	b77r	61.13	0.0	0.0	0.0	0.0	27.94	29.4	32.01	0.313	0.329	0.315	0.332	0.361	0.611	0.611	0.611	0.606	0.606	0.606		
014	12	TLS28	0.5	0.5	1.0	0.595	0.75	0.0	0.5	0.819	b27r	67.65	52.29	303.0	28.48	-43.85	44.78	37.5	90.57	0.259	0.217	0.505	0.423	1.022	0.72	0.624	1.01	0.689	0.618	0.997		
015	12	TLS28	0.5	1.0	0.0	0.899	0.5	0.0	1.0	0.353	j41g	88.51	78.55	121.0	-40.45	67.33	52.41	73.12	19.57	0.361	0.504	0.592	0.825	0.221	0.76	0.993	0.346	0.831	0.993	0.402		
016	12	TLS28	0.5	1.0	0.5	0.92	0.75	0.0	0.5	0.413	j65g	89.9	50.84	138.0	-37.77	34.02	55.81	76.09	44.64	0.316	0.431	0.63	0.859	0.504	0.715	1.009	0.659	0.809	1.01	0.673		
017	12	TLS28	0.5	1.0	1.0	0.94	0.75	0.0	0.5	0.579	g31b	91.31	22.06	197.0	-21.08	-6.44	65.41	79.16	95.53	0.272	0.33	0.738	0.893	1.078	0.723	1.002	0.999	0.811	1.002	0.999		
018	12	TLS28	1.0	0.0	0.0	0.409	0.5	0.0	1.0	0.024	r09j	54.9	78.73	32.0	66.77	41.72	39.27	22.84	7.11	0.567	0.33	0.443	0.258	0.08	1.0	0.266	0.265	0.868	0.273	0.272		
019	12	TLS28	1.0	0.0	0.5	0.451	0.5	0.0	1.0	0.944	b77r	57.75	84.68	0.0	84.68	0.0	49.61	25.7	27.99	0.48	0.249	0.56	0.29	0.316	1.088	0.128	0.589	0.939	0.146	0.573		
020	12	TLS28	1.0	0.0	1.0	0.493	0.5	0.0	1.0	0.874	b49r	60.63	99.77	328.0	84.61	-52.86	54.32	28.83	86.18	0.321	0.17	0.613	0.325	0.973	1.001	0.265	0.998	0.868	0.271	0.98		
021	12	TLS28	1.0	0.5	0.0	0.687	0.5	0.0	1.0	0.159	r63j	73.95	63.85	68.0	23.92	59.2	53.04	46.63	12.0	0.475	0.418	0.599	0.526	0.135	1.027	0.675	0.292	0.943	0.669	0.323		
022	12	TLS28	1.0	0.5	0.5	0.705	0.75	0.0	0.5	0.024	r09j	75.16	39.36	32.0	33.38	20.86	58.91	48.53	34.47	0.415	0.342	0.665	0.548	0.389	1.05	0.665	0.615	0.96	0.659	0.612		
023	12	TLS28	1.0	0.5	1.0	0.746	0.75	0.0	0.5	0.874	b49r	78.02	49.89	328.0	42.31	-26.43	68.17	53.25	91.23	0.321	0.25	0.769	0.601	1.03	1.024	0.683	1.004	0.942	0.677	0.993		
024	12	TLS28	1.0	1.0	0.0	0.961	0.5	0.0	1.0	0.292	j16g	92.73	81.98	104.0	-19.82	79.55	68.76	82.36	17.11	0.409	0.49	0.776	0.93	0.193	0.995	1.0	0.267	0.997	1.0	0.345		
025	12	TLS28	1.0	1.0	0.5	0.98	0.75	0.0	0.5	0.292	j16g	94.07	40.99	104.0	-9.91	39.77	76.22	85.44	45.95	0.367	0.412	0.86	0.964	0.519	1.02	0.999	0.665	1.015	0.999	0.677		
026	12	TLS28	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.944	b77r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system TLS38 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (28.5, 104.3, 138.8, 196.8, 300.4, 327.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZxyCIE,a,F$					$XYZRGB,F$				$RGB^*_{sRGB,F}$				$RGB^*_{AdobeRGB,F}$			
000	13	TLS38	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.94	b75r	37.99	0.0	0.0	0.0	0.0	9.58	10.08	10.98	0.313	0.329	0.108	0.114	0.124	0.372	0.372	0.372	0.372	0.372	0.372
001	13	TLS38	0.0	0.0	0.5	0.077	0.25	0.5	0.5	0.812	b24r	42.4	20.4	300.0	10.2	-17.66	13.66	12.76	22.57	0.279	0.26	0.154	0.144	0.255	0.425	0.398	0.536	0.416	0.397	0.526
002	13	TLS38	0.0	0.0	1.0	0.153	0.5	0.0	1.0	0.812	b24r	46.8	40.8	300.0	20.4	-35.32	18.76	15.87	40.32	0.25	0.212	0.212	0.179	0.455	0.466	0.423	0.706	0.452	0.422	0.691
003	13	TLS38	0.0	0.5	0.0	0.41	0.25	0.5	0.5	0.417	j66g	61.55	45.48	139.0	-34.32	29.84	20.52	29.88	15.26	0.313	0.455	0.232	0.337	0.172	0.419	0.677	0.39	0.505	0.671	0.406
004	13	TLS38	0.0	0.5	0.5	0.434	0.25	0.5	0.5	0.579	g31b	62.91	20.47	197.0	-19.57	-5.98	25.04	31.48	39.0	0.262	0.33	0.283	0.355	0.44	0.424	0.673	0.672	0.507	0.667	0.666
005	13	TLS38	0.0	0.5	1.0	0.507	0.5	0.0	1.0	0.698	g79b	67.11	25.45	249.0	-9.11	-23.75	32.36	36.78	63.46	0.244	0.277	0.365	0.415	0.716	0.471	0.705	0.85	0.546	0.699	0.841
006	13	TLS38	0.0	1.0	0.0	0.821	0.5	0.0	1.0	0.417	j66g	85.12	90.97	139.0	-68.64	59.68	37.65	66.24	20.52	0.303	0.532	0.425	0.748	0.232	0.369	1.0	0.375	0.633	1.0	0.425
007	13	TLS38	0.0	1.0	0.5	0.845	0.5	0.0	1.0	0.513	g05b	86.53	79.73	168.0	-77.98	16.58	36.65	69.04	55.96	0.227	0.427	0.414	0.779	0.632	-2.224	1.037	0.756	0.466	1.039	0.765
008	13	TLS38	0.0	1.0	1.0	0.868	0.5	0.0	1.0	0.579	g31b	87.82	40.95	197.0	-39.15	-11.96	51.78	71.7	94.82	0.237	0.328	0.584	0.809	1.07	0.375	0.998	0.999	0.634	0.998	0.999
009	13	TLS38	0.5	0.0	0.0	0.181	0.25	0.5	0.5	0.009	r03j	48.4	44.74	28.0	39.51	21.01	24.24	17.11	9.93	0.473	0.334	0.274	0.193	0.112	0.757	0.352	0.34	0.667	0.354	0.342
010	13	TLS38	0.5	0.0	0.5	0.224	0.25	0.5	0.5	0.874	b49r	50.83	44.78	328.0	37.97	-23.72	26.36	19.12	36.52	0.321	0.233	0.297	0.216	0.412	0.685	0.401	0.671	0.615	0.401	0.657
011	13	TLS38	0.5	0.0	1.0	0.299	0.5	0.0	1.0	0.843	b37r	55.18	86.29	314.0	59.94	-62.06	37.51	23.1	85.9	0.256	0.158	0.423	0.261	0.97	0.727	0.38	0.998	0.646	0.38	0.981
012	13	TLS38	0.5	0.5	0.0	0.477	0.25	0.5	0.5	0.292	j16g	65.41	33.1	104.0	-8.0	32.12	30.65	34.56	17.26	0.372	0.419	0.346	0.39	0.195	0.683	0.669	0.418	0.673	0.663	0.43
013	13	TLS38	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.94	b75r	66.7	0.0	0.0	0.0	0.0	34.44	36.24	39.46	0.313	0.329	0.389	0.409	0.445	0.672	0.672	0.672	0.666	0.666	0.666
014	13	TLS38	0.5	0.5	1.0	0.577	0.75	0.0	0.5	0.812	b24r	71.11	20.4	300.0	10.2	-17.66	43.62	42.34	64.37	0.29	0.282	0.492	0.478	0.727	0.734	0.701	0.853	0.719	0.695	0.843
015	13	TLS38	0.5	1.0	0.0	0.887	0.5	0.0	1.0	0.356	j42g	88.95	69.81	122.0	-36.98	59.2	54.49	74.05	24.56	0.356	0.484	0.615	0.836	0.277	0.78	0.993	0.432	0.844	0.992	0.471
016	13	TLS38	0.5	1.0	0.5	0.91	0.75	0.0	0.5	0.417	j66g	90.26	45.48	139.0	-34.32	29.84	57.84	76.88	49.11	0.315	0.418	0.653	0.868	0.554	0.739	1.008	0.698	0.823	1.008	0.709
017	13	TLS38	0.5	1.0	1.0	0.934	0.75	0.0	0.5	0.579	g31b	91.62	20.47	197.0	-19.57	-5.98	66.69	79.85	95.65	0.275	0.33	0.753	0.901	1.08	0.745	1.003	1.0	0.825	1.003	1.0
018	13	TLS38	1.0	0.0	0.0	0.363	0.5	0.0	1.0	0.009	r03j	58.81	89.49	28.0	79.01	42.01	49.2	26.82	8.96	0.579	0.316	0.555	0.303	0.101	1.116	0.203	0.306	0.967	0.215	0.307
019	13	TLS38	1.0	0.0	0.5	0.405	0.5	0.0	1.0	0.94	b75r	61.24	77.53	358.0	77.48	-2.7	52.57	29.53	34.15	0.452	0.254	0.593	0.333	0.385	1.09	0.286	0.644	0.948	0.291	0.628
020	13	TLS38	1.0	0.0	1.0	0.447	0.5	0.0	1.0	0.874	b49r	63.68	89.55	328.0	75.95	-47.45	56.09	32.4	85.95	0.322	0.186	0.633	0.366	0.97	1.002	0.371	0.994	0.878	0.371	0.977
021	13	TLS38	1.0	0.5	0.0	0.656	0.5	0.0	1.0	0.152	r60j	75.69	52.46	66.0	21.34	47.93	54.95	49.38	18.19	0.449	0.403	0.62	0.557	0.205	1.022	0.704	0.407	0.944	0.698	0.423
022	13	TLS38	1.0	0.5	0.5	0.681	0.75	0.0	0.5	0.009	r03j	77.11	44.74	28.0	39.51	21.01	65.15	51.71	36.98	0.423	0.336	0.735	0.584	0.417	1.113	0.665	0.637	1.012	0.659	0.632
023	13	TLS38	1.0	0.5	1.0	0.724	0.75	0.0	0.5	0.874	b49r	79.54	44.78	328.0	37.97	-23.72	69.2	55.88	91.11	0.32	0.258	0.781	0.631	1.028	1.021	0.715	1.001	0.945	0.709	0.991
024	13	TLS38	1.0	1.0	0.0	0.955	0.5	0.0	1.0	0.292	j16g	92.82	66.2	104.0	-16.0	64.23	70.71	82.57	25.58	0.395	0.462	0.798	0.932	0.289	1.004	0.994	0.436	1.002	0.994	0.474
025	13	TLS38	1.0	1.0	0.5	0.977	0.75	0.0	0.5	0.292	j16g	94.12	33.1	104.0	-8.0	32.12	77.26	85.54	53.43	0.357	0.396	0.872	0.966	0.603	1.018	0.996	0.728	1.012	0.996	0.736
026	13	TLS38	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.94	b75r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system TLS50 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (25.0, 105.5, 140.4, 197.1, 297.3, 327.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$lnceu^*_F$				$LCHAB^*_{a,F}$					$XYZxyCIE,a,F$					$XYZRGB,F$				$RGB^*_{sRGB,F}$				$RGB^*_{AdobeRGB,F}$			
000	14	TLS50	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.935	b74r	52.02	0.0	0.0	0.0	0.0	19.16	20.16	21.96	0.313	0.329	0.216	0.228	0.248	0.514	0.514	0.514	0.51	0.51	0.51
001	14	TLS50	0.0	0.0	0.5	0.06	0.25	0.5	0.5	0.806	b22r	54.64	17.26	297.0	7.84	-15.37	23.17	22.59	35.14	0.286	0.279	0.261	0.255	0.397	0.545	0.528	0.651	0.535	0.524	0.641
002	14	TLS50	0.0	0.0	1.0	0.121	0.5	0.0	1.0	0.806	b22r	57.27	34.52	297.0	15.67	-30.75	27.69	25.2	52.75	0.262	0.238	0.313	0.284	0.595	0.565	0.542	0.791	0.553	0.537	0.778
003	14	TLS50	0.0	0.5	0.0	0.399	0.25	0.5	0.5	0.421	j68g	69.33	29.13	140.0	-22.3	18.72	31.35	39.8	28.81	0.314	0.398	0.354	0.449	0.325	0.579	0.744	0.558	0.626	0.738	0.562
004	14	TLS50	0.0	0.5	0.5	0.425	0.25	0.5	0.5	0.579	g31b	70.48	36.47	197.0	-34.87	-10.65	29.33	41.43	55.51	0.232	0.328	0.331	0.468	0.626	0.225	0.787	0.789	0.476	0.782	0.784
005	14	TLS50	0.0	0.5	1.0	0.486	0.5	0.0	1.0	0.694	g77b	73.13	22.29	247.0	-8.7	-20.51	40.25	45.36	71.94	0.255	0.288	0.454	0.512	0.812	0.566	0.77	0.896	0.627	0.764	0.888
006	14	TLS50	0.0	1.0	0.0	0.798	0.5	0.0	1.0	0.421	j68g	86.63	58.26	140.0	-44.62	37.45	47.85	69.26	36.96	0.311	0.45	0.54	0.782	0.417	0.618	0.982	0.594	0.741	0.982	0.611
007	14	TLS50	0.0	1.0	0.5	0.824	0.5	0.0	1.0	0.515	g06b	87.75	64.28	169.0	-63.09	12.26	43.1	71.55	62.97	0.243	0.403	0.486	0.808	0.711	-0.252	1.032	0.806	0.571	1.033	0.812
008	14	TLS50	0.0	1.0	1.0	0.851	0.5	0.0	1.0	0.579	g31b	88.93	72.94	197.0	-69.74	-21.32	42.57	74.02	112.61	0.186	0.323	0.48	0.835	1.271	-4.663	1.065	1.083	0.3	1.067	1.086
009	14	TLS50	0.5	0.0	0.0	0.156	0.25	0.5	0.5	0.999	b99r	58.78	24.84	25.0	22.51	10.5	31.18	26.79	22.61	0.387	0.332	0.352	0.302	0.255	0.766	0.524	0.514	0.702	0.519	0.511
010	14	TLS50	0.5	0.0	0.5	0.198	0.25	0.5	0.5	0.871	b48r	60.62	33.42	327.0	28.03	-18.19	34.97	28.82	46.22	0.318	0.262	0.395	0.325	0.522	0.748	0.537	0.74	0.69	0.532	0.727
011	14	TLS50	0.5	0.0	1.0	0.256	0.5	0.0	1.0	0.838	b35r	63.13	64.61	312.0	43.23	-48.01	43.16	31.75	85.43	0.269	0.198	0.487	0.358	0.964	0.766	0.527	0.988	0.702	0.523	0.974
012	14	TLS50	0.5	0.5	0.0	0.475	0.25	0.5	0.5	0.299	j19g	72.61	29.12	106.0	-8.02	27.99	39.75	44.58	26.45	0.359	0.402	0.449	0.503	0.299	0.756	0.749	0.525	0.749	0.744	0.532
013	14	TLS50	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.935	b74r	73.72	0.0	0.0	0.0	0.0	43.97	46.26	50.38	0.313	0.329	0.496	0.522	0.569	0.75	0.75	0.75	0.744	0.744	0.744
014	14	TLS50	0.5	0.5	1.0	0.56	0.75	0.0	0.5	0.806	b22r	76.34	17.26	297.0	7.84	-15.37	50.83	50.44	72.43	0.293	0.29	0.574	0.569	0.818	0.784	0.765	0.896	0.773	0.759	0.888
015	14	TLS50	0.5	1.0	0.0	0.873	0.5	0.0	1.0	0.36	j43g	89.92	55.7	123.0	-30.33	46.72	58.87	76.13	34.17	0.348	0.45	0.664	0.859	0.386	0.821	0.993	0.556	0.871	0.993	0.577
016	14	TLS50	0.5	1.0	0.5	0.899	0.75	0.0	0.5	0.421	j68g	91.02	29.13	140.0	-22.3	18.72	64.33	78.53	62.04	0.314	0.383	0.726	0.886	0.7	0.822	0.995	0.798	0.872	0.995	0.802
017	14	TLS50	0.5	1.0	1.0	0.925	0.75	0.0	0.5	0.579	g31b	92.17	36.47	197.0	-34.87	-10.65	61.04	81.09	104.34	0.248	0.329	0.689	0.915	1.178	0.526	1.042	1.041	0.719	1.043	1.043
018	14	TLS50	1.0	0.0	0.0	0.312	0.5	0.0	1.0	0.999	b99r	65.54	49.68	25.0	45.03	21.0	47.4	34.73	23.28	0.45	0.329	0.535	0.392	0.263	1.0	0.515	0.514	0.893	0.51	0.51
019	14	TLS50	1.0	0.0	0.5	0.354	0.5	0.0	1.0	0.935	b74r	67.37	63.57	356.0	63.41	-4.42	57.47	37.13	44.29	0.414	0.267	0.649	0.419	0.5	1.087	0.46	0.721	0.96	0.457	0.707
020	14	TLS50	1.0	0.0	1.0	0.396	0.5	0.0	1.0	0.871	b48r	69.22	66.84	327.0	56.06	-36.4	57.71	39.65	83.88	0.318	0.219	0.651	0.447	0.947	0.978	0.535	0.976	0.878	0.53	0.961
021	14	TLS50	1.0	0.5	0.0	0.629	0.5	0.0	1.0	0.148	r59j	79.33	37.93	65.0	16.03	34.37	59.18	55.51	29.9	0.409	0.384	0.668	0.627	0.338	1.014	0.763	0.553	0.95	0.757	0.558
022	14	TLS50	1.0	0.5	0.5	0.656	0.75	0.0	0.5	0.999	b99r	80.48	24.84	25.0	22.51	10.5	64.05	57.53	51.52	0.37	0.332	0.723	0.649	0.581	1.024	0.762	0.75	0.957	0.757	0.745
023	14	TLS50	1.0	0.5	1.0	0.698	0.75	0.0	0.5	0.871	b48r	82.31	33.42	327.0	28.03	-18.19	70.12	60.88	90.03	0.317	0.275	0.791	0.687	1.016	1.001	0.776	0.99	0.942	0.771	0.982
024	14	TLS50	1.0	1.0	0.0	0.949	0.5	0.0	1.0	0.299	j19g	93.2	58.24	106.0	-16.04	55.98	71.46	83.43	31.52	0.383	0.448	0.807	0.942	0.356	0.995	1.0	0.516	0.996	1.0	0.543
025	14	TLS50	1.0	1.0	0.5	0.975	0.75	0.0	0.5	0.299	j19g	94.31	29.12	106.0	-8.02	27.99	77.66	85.99	58.08	0.35	0.388	0.877	0.971	0.656	1.01	0.999	0.763	1.007	0.999	0.77
026	14	TLS50	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.935	b74r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E0ENP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system TLS70 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	o1v* _{3,F}			ltnceu* _F			LCHAB* _{a,F}							XYZ _{xy} CIE, _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}		
000	15	TLS70	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.931	b72r	69.7	0.0	0.0	0.0	0.0	38.33	40.32	43.91	0.313	0.329	0.433	0.455	0.496	0.705	0.705	0.705	0.699	0.699	0.699	
001	15	TLS70	0.0	0.0	0.5	0.047	0.25	0.5	0.5	0.799	b19r	70.91	19.47	294.0	7.92	-17.78	42.57	42.06	64.13	0.286	0.283	0.48	0.475	0.724	0.713	0.705	0.852	0.705	0.699	0.842	
002	15	TLS70	0.0	0.0	1.0	0.094	0.5	0.0	1.0	0.799	b19r	72.13	38.94	294.0	15.84	-35.56	47.11	43.85	89.76	0.261	0.243	0.532	0.495	1.013	0.707	0.705	1.0	0.7	0.699	0.989	
003	15	TLS70	0.0	0.5	0.0	0.382	0.25	0.5	0.5	0.428	j71g	79.53	18.1	142.0	-14.25	11.14	47.76	55.86	49.3	0.312	0.365	0.539	0.63	0.556	0.736	0.845	0.728	0.764	0.841	0.728	
004	15	TLS70	0.0	0.5	0.5	0.412	0.25	0.5	0.5	0.582	g32b	80.3	11.51	198.0	-10.93	-3.55	50.2	57.22	66.4	0.289	0.329	0.567	0.646	0.749	0.715	0.851	0.85	0.751	0.847	0.846	
005	15	TLS70	0.0	0.5	1.0	0.458	0.5	0.0	1.0	0.691	g76b	81.49	15.44	246.0	-6.27	-14.1	53.93	59.36	82.32	0.276	0.303	0.609	0.67	0.929	0.722	0.857	0.945	0.758	0.853	0.94	
006	15	TLS70	0.0	1.0	0.0	0.765	0.5	0.0	1.0	0.428	j71g	89.36	36.2	142.0	-28.52	22.29	58.63	74.94	55.11	0.311	0.397	0.662	0.846	0.622	0.757	0.987	0.75	0.827	0.987	0.756	
007	15	TLS70	0.0	1.0	0.5	0.794	0.5	0.0	1.0	0.518	g07b	90.12	40.03	170.0	-39.41	6.95	55.54	76.57	74.24	0.269	0.371	0.627	0.864	0.838	0.57	1.021	0.878	0.731	1.022	0.881	
008	15	TLS70	0.0	1.0	1.0	0.825	0.5	0.0	1.0	0.582	g32b	90.9	23.01	198.0	-21.88	-7.1	64.29	78.27	95.49	0.27	0.329	0.726	0.883	1.078	0.706	1.0	1.0	0.799	0.999	1.0	
009	15	TLS70	0.5	0.0	0.0	0.131	0.25	0.5	0.5	0.992	b96r	73.07	14.14	22.0	13.11	5.3	47.6	45.28	44.38	0.347	0.33	0.537	0.511	0.501	0.857	0.708	0.705	0.814	0.702	0.699	
010	15	TLS70	0.5	0.0	0.5	0.171	0.25	0.5	0.5	0.869	b47r	74.09	19.48	326.0	16.15	-10.88	50.32	46.85	62.52	0.315	0.293	0.568	0.529	0.706	0.841	0.716	0.838	0.803	0.71	0.829	
011	15	TLS70	0.5	0.0	1.0	0.218	0.5	0.0	1.0	0.834	b33r	75.31	37.44	310.0	24.07	-28.67	55.39	48.77	87.75	0.289	0.254	0.625	0.55	0.99	0.847	0.714	0.986	0.807	0.708	0.976	
012	15	TLS70	0.5	0.5	0.0	0.47	0.25	0.5	0.5	0.303	j21g	81.79	14.1	107.0	-4.11	13.48	55.29	59.91	50.81	0.333	0.361	0.624	0.676	0.573	0.853	0.848	0.737	0.847	0.843	0.737	
013	15	TLS70	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.931	b72r	82.56	0.0	0.0	0.0	0.0	58.29	61.33	66.79	0.313	0.329	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846	
014	15	TLS70	0.5	0.5	1.0	0.547	0.75	0.0	0.5	0.799	b19r	83.77	19.47	294.0	7.92	-17.78	63.88	63.62	93.08	0.29	0.288	0.721	0.718	1.051	0.859	0.85	1.002	0.853	0.846	0.996	
015	15	TLS70	0.5	1.0	0.0	0.852	0.5	0.0	1.0	0.367	j46g	91.6	34.58	125.0	-19.83	28.33	66.54	79.81	52.87	0.334	0.401	0.751	0.901	0.597	0.882	0.994	0.728	0.913	0.994	0.736	
016	15	TLS70	0.5	1.0	0.5	0.882	0.75	0.0	0.5	0.428	j71g	92.39	18.1	142.0	-14.25	11.14	70.65	81.58	73.87	0.312	0.361	0.797	0.921	0.834	0.882	0.995	0.875	0.914	0.995	0.876	
017	15	TLS70	0.5	1.0	1.0	0.912	0.75	0.0	0.5	0.582	g32b	93.16	11.51	198.0	-10.93	-3.55	73.8	83.33	95.98	0.292	0.329	0.833	0.94	1.083	0.862	1.001	1.0	0.901	1.001	1.0	
018	15	TLS70	1.0	0.0	0.0	0.262	0.5	0.0	1.0	0.992	b96r	76.45	28.28	22.0	26.22	10.59	58.25	50.62	44.85	0.379	0.329	0.657	0.571	0.506	1.0	0.706	0.705	0.926	0.699	0.699	
019	15	TLS70	1.0	0.0	0.5	0.302	0.5	0.0	1.0	0.931	b72r	77.46	39.95	354.0	39.74	-4.17	65.93	52.31	61.51	0.367	0.291	0.744	0.59	0.694	1.066	0.677	0.829	0.975	0.671	0.819	
020	15	TLS70	1.0	0.0	1.0	0.342	0.5	0.0	1.0	0.869	b47r	78.49	38.96	326.0	32.3	-21.77	64.58	54.04	85.76	0.316	0.264	0.729	0.61	0.968	0.974	0.721	0.973	0.909	0.715	0.963	
021	15	TLS70	1.0	0.5	0.0	0.605	0.5	0.0	1.0	0.148	r59j	85.26	20.82	65.0	8.8	18.87	67.13	66.52	51.4	0.363	0.359	0.758	0.751	0.58	1.005	0.854	0.737	0.964	0.849	0.736	
022	15	TLS70	1.0	0.5	0.5	0.631	0.75	0.0	0.5	0.992	b96r	85.93	14.14	22.0	13.11	5.3	70.43	67.84	67.4	0.342	0.33	0.795	0.766	0.761	1.009	0.853	0.85	0.967	0.849	0.846	
023	15	TLS70	1.0	0.5	1.0	0.671	0.75	0.0	0.5	0.869	b47r	86.95	19.48	326.0	16.15	-10.88	73.96	69.9	91.01	0.315	0.298	0.835	0.789	1.027	0.991	0.862	0.987	0.955	0.858	0.982	
024	15	TLS70	1.0	1.0	0.0	0.94	0.5	0.0	1.0	0.303	j21g	93.87	28.19	107.0	-8.23	26.96	76.63	84.98	58.39	0.348	0.386	0.865	0.959	0.659	1.0	0.995	0.767	0.998	0.995	0.773	
025	15	TLS70	1.0	1.0	0.5	0.97	0.75	0.0	0.5	0.303	j21g	94.64	14.1	107.0	-4.11	13.48	80.36	86.77	75.85	0.331	0.357	0.907	0.979	0.856	1.003	0.997	0.884	1.001	0.997	0.885	
026	15	TLS70	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.931	b72r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	

Colorimetric data of colours F for system OLS00 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (46.6, 96.1, 150.0, 235.1, 309.2, 353.5); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE, _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	16	OLS00	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.988	b95r	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.313	0.329	0.0	0.0	0.0	0.0	0.0	0.0	0.006	0.006	0.006			
001	16	OLS00	0.0	0.0	0.5	0.087	0.25	0.5	0.5	0.832	b32r	8.3	28.84	309.0	18.15	-22.4	1.41	0.92	3.62	0.237	0.154	0.016	0.01	0.041	0.13	0.068	0.226	0.137	0.096	0.233		
002	16	OLS00	0.0	0.0	1.0	0.174	0.5	0.0	1.0	0.832	b32r	16.59	57.68	309.0	36.3	-44.82	4.2	2.22	14.03	0.205	0.108	0.047	0.025	0.158	0.21	0.083	0.443	0.197	0.109	0.433		
003	16	OLS00	0.0	0.5	0.0	0.254	0.25	0.5	0.5	0.456	j82g	24.24	50.02	150.0	-43.31	25.01	1.68	4.17	1.19	0.238	0.593	0.019	0.047	0.013	-0.229	0.295	0.067	0.107	0.3	0.113		
004	16	OLS00	0.0	0.5	0.5	0.298	0.25	0.5	0.5	0.666	g66b	28.44	42.2	235.0	-24.19	-34.56	3.56	5.62	18.71	0.128	0.202	0.04	0.063	0.211	-0.936	0.33	0.498	-0.191	0.333	0.489		
005	16	OLS00	0.0	0.5	1.0	0.385	0.5	0.0	1.0	0.751	b00r	36.75	46.15	272.0	1.61	-46.11	9.13	9.4	35.06	0.17	0.175	0.103	0.106	0.396	-0.341	0.375	0.667	0.144	0.375	0.652		
006	16	OLS00	0.0	1.0	0.0	0.508	0.5	0.0	1.0	0.456	j82g	48.47	100.05	150.0	-86.63	50.02	5.32	17.17	3.11	0.208	0.671	0.06	0.194	0.035	-1.56	0.59	0.012	0.043	0.584	0.141		
007	16	OLS00	0.0	1.0	0.5	0.552	0.5	0.0	1.0	0.57	g28b	52.71	62.27	193.0	-60.67	-14.0	9.93	20.78	31.65	0.159	0.333	0.112	0.235	0.357	-2.266	0.623	0.615	-0.192	0.617	0.609		
008	16	OLS00	0.0	1.0	1.0	0.596	0.5	0.0	1.0	0.666	g66b	56.87	84.39	235.0	-48.4	-69.12	14.26	24.79	100.59	0.102	0.178	0.161	0.28	1.135	-6.13	0.677	1.064	-0.502	0.671	1.054		
009	16	OLS00	0.5	0.0	0.0	0.238	0.25	0.5	0.5	0.081	r32j	22.75	51.81	47.0	35.33	37.89	6.3	3.73	0.09	0.623	0.368	0.071	0.042	0.001	0.443	0.1	-0.044	0.383	0.123	-0.07		
010	16	OLS00	0.5	0.0	0.5	0.238	0.25	0.5	0.5	0.931	b72r	22.68	41.02	354.0	40.79	-4.28	6.8	3.71	4.87	0.442	0.241	0.077	0.042	0.055	0.433	0.074	0.257	0.373	0.101	0.26		
011	16	OLS00	0.5	0.0	1.0	0.322	0.5	0.0	1.0	0.88	b52r	30.69	67.18	331.0	58.76	-32.56	13.36	6.52	19.67	0.338	0.165	0.151	0.074	0.222	0.552	0.015	0.515	0.47	0.045	0.501		
012	16	OLS00	0.5	0.5	0.0	0.472	0.25	0.5	0.5	0.263	j05g	45.08	51.93	96.0	-5.42	51.64	13.03	14.6	2.1	0.438	0.491	0.147	0.165	0.024	0.497	0.446	-0.003	0.48	0.444	0.102		
013	16	OLS00	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.988	b95r	47.71	0.0	0.0	0.0	0.0	15.75	16.57	18.04	0.313	0.329	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467		
014	16	OLS00	0.5	0.5	1.0	0.587	0.75	0.0	0.5	0.832	b32r	56.0	28.84	309.0	18.15	-22.4	26.95	23.91	42.84	0.288	0.255	0.304	0.27	0.484	0.61	0.519	0.717	0.58	0.514	0.705		
015	16	OLS00	0.5	1.0	0.0	0.727	0.5	0.0	1.0	0.36	j43g	69.38	89.19	123.0	-48.56	74.8	24.78	39.87	5.17	0.355	0.571	0.28	0.45	0.058	0.468	0.783	-0.187	0.576	0.778	0.121		
016	16	OLS00	0.5	1.0	0.5	0.754	0.75	0.0	0.5	0.456	j82g	71.94	50.02	150.0	-43.31	25.01	28.78	43.57	27.63	0.288	0.436	0.325	0.492	0.312	0.411	0.81	0.534	0.558	0.805	0.545		
017	16	OLS00	0.5	1.0	1.0	0.798	0.75	0.0	0.5	0.666	g66b	76.14	42.2	235.0	-24.19	-34.56	39.45	50.12	98.52	0.21	0.266	0.445	0.566	1.112	0.147	0.841	1.036	0.488	0.837	1.03		
018	16	OLS00	1.0	0.0	0.0	0.477	0.5	0.0	1.0	0.081	r32j	45.48	103.61	47.0	70.66	75.78	28.76	14.89	0.18	0.656	0.34	0.325	0.168	0.002	0.903	0.012	-0.18	0.773	0.037	-0.14		
019	16	OLS00	1.0	0.0	0.5	0.474	0.5	0.0	1.0	0.988	b95r	45.25	73.69	20.0	69.24	25.2	28.14	14.72	7.07	0.564	0.295	0.318	0.166	0.08	0.873	0.081	0.29	0.747	0.106	0.29		
020	16	OLS00	1.0	0.0	1.0	0.475	0.5	0.0	1.0	0.931	b72r	45.36	82.04	354.0	81.59	-8.57	31.51	14.8	20.36	0.473	0.222	0.356	0.167	0.23	0.897	-0.279	0.515	0.764	-0.175	0.501		
021	16	OLS00	1.0	0.5	0.0	0.706	0.5	0.0	1.0	0.17	r68j	67.36	94.4	71.0	30.73	89.25	45.12	37.11	2.2	0.534	0.44	0.509	0.419	0.025	0.997	0.578	-0.397	0.901	0.572	-0.15		
022	16	OLS00	1.0	0.5	0.5	0.738	0.75	0.0	0.5	0.081	r32j	70.45	51.81	47.0	35.33	37.89	51.62	41.39	18.69	0.462	0.37	0.583	0.467	0.211	1.028	0.602	0.437	0.93	0.596	0.443		
023	16	OLS00	1.0	0.5	1.0	0.738	0.75	0.0	0.5	0.931	b72r	70.38	41.02	354.0	40.79	-4.28	53.62	41.3	48.97	0.373	0.287	0.605	0.466	0.553	0.986	0.594	0.75	0.894	0.588	0.739		
024	16	OLS00	1.0	1.0	0.0	0.945	0.5	0.0	1.0	0.263	j05g	90.15	103.86	96.0	-10.85	103.29	67.77	76.62	6.9	0.448	0.506	0.765	0.865	0.078	1.047	0.947	-0.665	1.021	0.946	-0.13		
025	16	OLS00	1.0	1.0	0.5	0.972	0.75	0.0	0.5	0.263	j05g	92.78	51.93	96.0	-5.42	51.64	75.69	82.46	34.17	0.394	0.429	0.854	0.931	0.386	1.061	0.971	0.552	1.038	0.969	0.572		
026	16	OLS00	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.988	b95r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system OLS06 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (43.8, 96.2, 150.3, 235.3, 307.8, 353.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE,* _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}					
000	17	OLS06	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.986	b94r	5.69	0.0	0.0	0.0	0.6	0.63	0.69	0.313	0.329	0.007	0.007	0.008	0.079	0.079	0.079	0.106	0.105	0.105					
001	17	OLS06	0.0	0.0	0.5	0.076	0.25	0.5	0.5	0.83	b31r	12.53	33.17	308.0	20.42	-26.13	2.24	1.49	5.82	0.235	0.156	0.025	0.017	0.066	0.166	0.098	0.288	0.167	0.122	0.289				
002	17	OLS06	0.0	0.0	1.0	0.152	0.5	0.0	1.0	0.83	b31r	19.37	66.34	308.0	40.84	-52.26	5.49	2.83	19.77	0.195	0.101	0.062	0.032	0.223	0.222	0.095	0.52	0.208	0.119	0.506				
003	17	OLS06	0.0	0.5	0.0	0.243	0.25	0.5	0.5	0.456	j82g	27.5	48.86	150.0	-42.3	24.43	2.33	5.27	1.76	0.249	0.563	0.026	0.06	0.02	-0.209	0.326	0.102	0.14	0.33	0.141				
004	17	OLS06	0.0	0.5	0.5	0.288	0.25	0.5	0.5	0.666	g66b	31.49	40.25	235.0	-23.07	-32.96	4.56	6.86	20.62	0.142	0.214	0.051	0.077	0.233	-0.884	0.358	0.52	-0.164	0.359	0.51				
005	17	OLS06	0.0	0.5	1.0	0.361	0.5	0.0	1.0	0.751	b00r	38.07	45.9	272.0	1.6	-45.86	9.83	10.13	36.63	0.174	0.179	0.111	0.114	0.413	-0.289	0.387	0.68	0.166	0.387	0.665				
006	17	OLS06	0.0	1.0	0.0	0.486	0.5	0.0	1.0	0.456	j82g	49.31	97.72	150.0	-84.62	48.86	5.8	17.85	3.53	0.214	0.657	0.066	0.201	0.04	-1.514	0.598	0.057	0.099	0.592	0.159				
007	17	OLS06	0.0	1.0	0.5	0.53	0.5	0.0	1.0	0.57	g28b	53.22	59.64	193.0	-58.1	-13.41	10.55	21.25	31.86	0.166	0.334	0.119	0.24	0.36	-2.095	0.626	0.616	-0.154	0.62	0.611				
008	17	OLS06	0.0	1.0	1.0	0.575	0.5	0.0	1.0	0.666	g66b	57.3	80.49	235.0	-46.16	-65.93	14.93	25.23	96.82	0.109	0.184	0.169	0.285	1.093	-5.639	0.677	1.045	-0.473	0.671	1.035				
009	17	OLS06	0.5	0.0	0.0	0.225	0.25	0.5	0.5	0.069	r27j	25.85	48.3	44.0	34.74	33.55	7.57	4.7	0.77	0.581	0.36	0.085	0.053	0.009	0.474	0.138	0.041	0.411	0.157	0.078				
010	17	OLS06	0.5	0.0	0.5	0.225	0.25	0.5	0.5	0.931	b72r	25.88	40.17	354.0	39.95	-4.19	8.15	4.71	6.07	0.431	0.249	0.092	0.053	0.069	0.464	0.12	0.286	0.401	0.14	0.288				
011	17	OLS06	0.5	0.0	1.0	0.303	0.5	0.0	1.0	0.88	b52r	32.85	61.2	331.0	53.53	-29.66	14.0	7.47	20.11	0.337	0.18	0.158	0.084	0.227	0.556	0.125	0.518	0.478	0.145	0.505				
012	17	OLS06	0.5	0.5	0.0	0.47	0.25	0.5	0.5	0.263	j05g	47.9	48.3	96.0	-5.04	48.04	15.03	16.72	3.27	0.429	0.477	0.17	0.189	0.037	0.529	0.474	0.099	0.51	0.471	0.158				
013	17	OLS06	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.986	b94r	50.55	0.0	0.0	0.0	0.0	17.95	18.88	20.56	0.313	0.329	0.203	0.213	0.232	0.499	0.499	0.499	0.495	0.495	0.495				
014	17	OLS06	0.5	0.5	1.0	0.576	0.75	0.0	0.5	0.83	b31r	57.39	33.17	308.0	20.42	-26.13	29.04	25.32	48.44	0.282	0.246	0.328	0.286	0.547	0.626	0.528	0.76	0.595	0.524	0.746				
015	17	OLS06	0.5	1.0	0.0	0.715	0.5	0.0	1.0	0.36	j43g	69.84	87.25	123.0	-47.51	73.17	25.5	40.52	5.7	0.356	0.565	0.288	0.457	0.064	0.482	0.787	-0.118	0.585	0.782	0.149				
016	17	OLS06	0.5	1.0	0.5	0.743	0.75	0.0	0.5	0.456	j82g	72.36	48.86	150.0	-42.3	24.43	29.51	44.2	28.49	0.289	0.432	0.333	0.499	0.322	0.426	0.813	0.544	0.567	0.808	0.553				
017	17	OLS06	0.5	1.0	1.0	0.788	0.75	0.0	0.5	0.666	g66b	76.35	40.25	235.0	-23.07	-32.96	40.1	50.47	96.65	0.214	0.27	0.453	0.57	1.091	0.24	0.841	1.027	0.509	0.836	1.021				
018	17	OLS06	1.0	0.0	0.0	0.449	0.5	0.0	1.0	0.069	r27j	46.02	96.6	44.0	69.49	67.1	29.05	15.28	0.86	0.643	0.338	0.328	0.172	0.01	0.903	0.073	-0.086	0.774	0.099	-0.098				
019	17	OLS06	1.0	0.0	0.5	0.449	0.5	0.0	1.0	0.986	b94r	45.97	73.0	19.0	69.02	23.77	28.88	15.25	7.81	0.556	0.294	0.326	0.172	0.088	0.88	0.105	0.306	0.754	0.126	0.305				
020	17	OLS06	1.0	0.0	1.0	0.45	0.5	0.0	1.0	0.931	b72r	46.07	80.34	354.0	79.9	-8.39	31.89	15.32	20.93	0.468	0.225	0.36	0.173	0.236	0.898	-0.187	0.521	0.766	-0.146	0.507				
021	17	OLS06	1.0	0.5	0.0	0.695	0.5	0.0	1.0	0.167	r66j	68.07	86.83	70.0	29.7	81.59	45.82	38.06	3.46	0.525	0.436	0.517	0.43	0.039	0.998	0.59	-0.226	0.903	0.584	-0.082				
022	17	OLS06	1.0	0.5	0.5	0.725	0.75	0.0	0.5	0.069	r27j	70.71	48.3	44.0	34.74	33.55	51.84	41.77	21.22	0.451	0.364	0.585	0.471	0.24	1.022	0.608	0.473	0.927	0.602	0.476				
023	17	OLS06	1.0	0.5	1.0	0.725	0.75	0.0	0.5	0.931	b72r	70.74	40.17	354.0	39.95	-4.19	53.89	41.81	49.47	0.371	0.288	0.608	0.472	0.558	0.985	0.601	0.753	0.895	0.595	0.742				
024	17	OLS06	1.0	1.0	0.0	0.941	0.5	0.0	1.0	0.263	j05g	90.12	96.61	96.0	-10.09	96.08	68.05	76.56	8.93	0.443	0.499	0.768	0.864	0.101	1.047	0.946	-0.348	1.02	0.944	0.125				
025	17	OLS06	1.0	1.0	0.5	0.97	0.75	0.0	0.5	0.263	j05g	92.76	48.3	96.0	-5.04	48.04	75.84	82.43	36.94	0.389	0.422	0.856	0.93	0.417	1.058	0.97	0.583	1.035	0.969	0.6				
026	17	OLS06	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.986	b94r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0			

Colorimetric data of colours F for system OLS11 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (41.1, 96.2, 150.5, 235.6, 306.7, 353.6); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}					XYZ _{xy} CIE, _{a,F}					XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	18	OLS11	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.981	b92r	10.99	0.0	0.0	0.0	1.2	1.26	1.37	0.313	0.329	0.014	0.014	0.015	0.124	0.124	0.124	0.145	0.145	0.145	
001	18	OLS11	0.0	0.0	0.5	0.064	0.25	0.5	0.5	0.828	b31r	16.41	30.72	307.0	18.49	-24.53	3.01	2.18	7.08	0.245	0.178	0.034	0.025	0.08	0.198	0.136	0.316	0.196	0.155	0.315
002	18	OLS11	0.0	0.0	1.0	0.128	0.5	0.0	1.0	0.828	b31r	21.83	61.45	307.0	36.98	-49.06	6.09	3.47	20.32	0.204	0.116	0.069	0.039	0.229	0.243	0.135	0.525	0.229	0.154	0.512
003	18	OLS11	0.0	0.5	0.0	0.23	0.25	0.5	0.5	0.46	j83g	30.37	38.54	151.0	-33.69	18.68	3.49	6.39	3.13	0.268	0.491	0.039	0.072	0.035	-0.01	0.347	0.171	0.195	0.349	0.196
004	18	OLS11	0.0	0.5	0.5	0.276	0.25	0.5	0.5	0.668	g67b	34.26	27.85	236.0	-15.56	-23.08	6.18	8.13	17.99	0.191	0.252	0.07	0.092	0.203	-0.21	0.37	0.484	0.171	0.371	0.477
005	18	OLS11	0.0	0.5	1.0	0.341	0.5	0.0	1.0	0.748	g99b	39.78	45.56	271.0	0.8	-45.54	10.67	11.12	38.75	0.176	0.184	0.12	0.126	0.437	-0.265	0.406	0.697	0.184	0.405	0.682
006	18	OLS11	0.0	1.0	0.0	0.459	0.5	0.0	1.0	0.46	j83g	49.74	77.07	151.0	-67.4	37.37	7.66	18.21	5.97	0.241	0.572	0.086	0.205	0.067	-0.894	0.588	0.203	0.224	0.582	0.245
007	18	OLS11	0.0	1.0	0.5	0.506	0.5	0.0	1.0	0.57	g28b	53.73	57.23	193.0	-55.76	-12.87	11.15	21.72	32.09	0.172	0.334	0.126	0.245	0.362	-1.931	0.629	0.618	-0.1	0.623	0.613
008	18	OLS11	0.0	1.0	1.0	0.551	0.5	0.0	1.0	0.668	g67b	57.53	55.7	236.0	-31.14	-46.17	17.75	25.47	70.44	0.156	0.224	0.2	0.288	0.795	-2.441	0.649	0.903	-0.194	0.643	0.891
009	18	OLS11	0.5	0.0	0.0	0.211	0.25	0.5	0.5	0.058	r23j	28.78	39.43	41.0	29.76	25.87	8.41	5.75	1.84	0.525	0.36	0.095	0.065	0.021	0.482	0.192	0.123	0.422	0.205	0.147
010	18	OLS11	0.5	0.0	0.5	0.212	0.25	0.5	0.5	0.931	b72r	28.88	39.35	354.0	39.14	-4.1	9.57	5.79	7.37	0.421	0.255	0.108	0.065	0.083	0.493	0.158	0.314	0.428	0.174	0.314
011	18	OLS11	0.5	0.0	1.0	0.274	0.5	0.0	1.0	0.878	b51r	34.14	56.5	330.0	48.93	-28.24	14.16	8.07	20.54	0.331	0.189	0.16	0.091	0.232	0.549	0.175	0.522	0.475	0.189	0.509
012	18	OLS11	0.5	0.5	0.0	0.469	0.25	0.5	0.5	0.263	j05g	50.55	45.22	96.0	-4.72	44.97	17.07	18.88	4.62	0.421	0.465	0.193	0.213	0.052	0.557	0.501	0.162	0.537	0.497	0.204
013	18	OLS11	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.981	b92r	53.2	0.0	0.0	0.0	0.0	20.18	21.23	23.12	0.313	0.329	0.228	0.24	0.261	0.527	0.527	0.527	0.522	0.522	0.522
014	18	OLS11	0.5	0.5	1.0	0.564	0.75	0.0	0.5	0.828	b31r	58.62	30.72	307.0	18.49	-24.53	29.92	26.62	48.94	0.284	0.252	0.338	0.3	0.552	0.632	0.546	0.762	0.603	0.541	0.749
015	18	OLS11	0.5	1.0	0.0	0.702	0.5	0.0	1.0	0.36	j43g	70.28	85.44	123.0	-46.52	71.66	26.19	41.15	6.24	0.356	0.559	0.296	0.464	0.07	0.494	0.791	-0.049	0.593	0.785	0.171
016	18	OLS11	0.5	1.0	0.5	0.73	0.75	0.0	0.5	0.46	j83g	72.58	38.54	151.0	-33.69	18.68	32.07	44.52	32.78	0.293	0.407	0.362	0.503	0.37	0.502	0.802	0.591	0.602	0.797	0.596
017	18	OLS11	0.5	1.0	1.0	0.776	0.75	0.0	0.5	0.668	g67b	76.47	27.85	236.0	-15.56	-23.08	42.73	50.66	82.78	0.243	0.288	0.482	0.572	0.934	0.504	0.823	0.954	0.612	0.819	0.947
018	18	OLS11	1.0	0.0	0.0	0.421	0.5	0.0	1.0	0.058	r23j	46.57	78.86	41.0	59.52	51.74	27.13	15.69	2.41	0.6	0.347	0.306	0.177	0.027	0.858	0.211	0.098	0.74	0.222	0.127
019	18	OLS11	1.0	0.0	0.5	0.423	0.5	0.0	1.0	0.981	b92r	46.67	72.25	17.0	69.09	21.12	29.68	15.77	8.94	0.546	0.29	0.335	0.178	0.101	0.887	0.121	0.33	0.761	0.141	0.328
020	18	OLS11	1.0	0.0	1.0	0.424	0.5	0.0	1.0	0.931	b72r	46.77	78.7	354.0	78.27	-8.22	32.27	15.84	21.49	0.464	0.228	0.364	0.179	0.243	0.899	-0.094	0.527	0.768	-0.107	0.513
021	18	OLS11	1.0	0.5	0.0	0.683	0.5	0.0	1.0	0.163	r65j	68.68	80.36	69.0	28.8	75.02	46.44	38.9	4.87	0.515	0.431	0.524	0.439	0.055	0.998	0.6	-0.029	0.905	0.594	0.128
022	18	OLS11	1.0	0.5	0.5	0.711	0.75	0.0	0.5	0.058	r23j	70.99	39.43	41.0	29.76	25.87	50.41	42.17	26.03	0.425	0.356	0.569	0.476	0.294	0.985	0.629	0.532	0.899	0.623	0.532
023	18	OLS11	1.0	0.5	1.0	0.712	0.75	0.0	0.5	0.931	b72r	71.09	39.35	354.0	39.14	-4.1	54.16	42.32	49.98	0.37	0.289	0.611	0.478	0.564	0.985	0.607	0.757	0.895	0.602	0.746
024	18	OLS11	1.0	1.0	0.0	0.937	0.5	0.0	1.0	0.263	j05g	90.1	90.44	96.0	-9.44	89.95	68.32	76.53	10.94	0.439	0.491	0.771	0.864	0.124	1.047	0.945	-0.034	1.02	0.943	0.214
025	18	OLS11	1.0	1.0	0.5	0.969	0.75	0.0	0.5	0.263	j05g	92.76	45.22	96.0	-4.72	44.97	75.99	82.41	39.42	0.384	0.417	0.858	0.93	0.445	1.054	0.97	0.608	1.032	0.969	0.623
026	18	OLS11	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.981	b92r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

Colorimetric data of colours F for system OLS18 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (37.7, 96.4, 150.9, 236.0, 305.0, 353.7); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			lt ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE, _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	19	OLS18	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.979	b91r	18.01	0.0	0.0	0.0	0.0	2.4	2.52	2.74	0.313	0.329	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198		
001	19	OLS18	0.0	0.0	0.5	0.05	0.25	0.5	0.5	0.823	b29r	21.87	27.14	305.0	15.57	-22.22	4.35	3.48	9.12	0.256	0.205	0.049	0.039	0.103	0.241	0.191	0.355	0.238	0.204	0.352		
002	19	OLS18	0.0	0.0	1.0	0.1	0.5	0.0	1.0	0.823	b29r	25.72	54.27	305.0	31.13	-44.45	7.14	4.65	21.47	0.215	0.14	0.081	0.053	0.242	0.271	0.191	0.537	0.259	0.205	0.523		
003	19	OLS18	0.0	0.5	0.0	0.213	0.25	0.5	0.5	0.46	j83g	34.46	35.9	151.0	-31.39	17.4	4.9	8.23	4.59	0.277	0.464	0.055	0.093	0.052	0.104	0.385	0.218	0.238	0.385	0.237		
004	19	OLS18	0.0	0.5	0.5	0.262	0.25	0.5	0.5	0.668	g67b	38.31	35.94	236.0	-20.09	-29.79	7.45	10.27	25.6	0.172	0.237	0.084	0.116	0.289	-0.639	0.421	0.572	0.102	0.419	0.561		
005	19	OLS18	0.0	0.5	1.0	0.309	0.5	0.0	1.0	0.748	g99b	41.94	44.74	271.0	0.78	-44.72	11.95	12.46	41.18	0.182	0.19	0.135	0.141	0.465	-0.137	0.427	0.715	0.22	0.425	0.7		
006	19	OLS18	0.0	1.0	0.0	0.425	0.5	0.0	1.0	0.46	j83g	50.91	71.8	151.0	-62.78	34.81	8.73	19.19	7.11	0.249	0.548	0.099	0.217	0.08	-0.692	0.596	0.238	0.259	0.591	0.272		
007	19	OLS18	0.0	1.0	0.5	0.474	0.5	0.0	1.0	0.57	g28b	54.72	52.97	193.0	-51.6	-11.9	12.34	22.66	32.64	0.183	0.335	0.139	0.256	0.368	-1.617	0.634	0.622	0.139	0.628	0.617		
008	19	OLS18	0.0	1.0	1.0	0.525	0.5	0.0	1.0	0.668	g67b	58.62	71.88	236.0	-40.19	-59.58	16.95	26.62	90.8	0.126	0.198	0.191	0.3	1.025	-4.558	0.681	1.014	-0.398	0.675	1.003		
009	19	OLS18	0.5	0.0	0.0	0.195	0.25	0.5	0.5	0.047	r18j	33.09	41.19	38.0	32.46	25.36	11.05	7.58	2.83	0.515	0.353	0.125	0.086	0.032	0.544	0.224	0.165	0.476	0.234	0.184		
010	19	OLS18	0.5	0.0	0.5	0.195	0.25	0.5	0.5	0.931	b72r	33.07	37.78	354.0	37.58	-3.94	11.75	7.57	9.45	0.408	0.263	0.133	0.085	0.107	0.532	0.21	0.354	0.465	0.221	0.351		
011	19	OLS18	0.5	0.0	1.0	0.242	0.5	0.0	1.0	0.876	b50r	36.77	49.4	329.0	42.34	-25.43	14.93	9.41	21.48	0.326	0.205	0.169	0.106	0.242	0.549	0.238	0.531	0.482	0.247	0.518		
012	19	OLS18	0.5	0.5	0.0	0.466	0.25	0.5	0.5	0.263	j05g	54.05	41.16	96.0	-4.29	40.94	20.05	22.02	6.93	0.409	0.449	0.226	0.249	0.078	0.595	0.537	0.234	0.574	0.533	0.263		
013	19	OLS18	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.979	b91r	56.71	0.0	0.0	0.0	0.0	23.41	24.63	26.82	0.313	0.329	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559		
014	19	OLS18	0.5	0.5	1.0	0.55	0.75	0.0	0.5	0.823	b29r	60.57	27.14	305.0	15.57	-22.22	31.39	28.76	49.95	0.285	0.261	0.354	0.325	0.564	0.641	0.574	0.767	0.617	0.569	0.755		
015	19	OLS18	0.5	1.0	0.0	0.677	0.5	0.0	1.0	0.363	j45g	70.38	82.07	124.0	-45.88	68.04	26.45	41.29	7.2	0.353	0.551	0.299	0.466	0.081	0.496	0.791	0.082	0.594	0.786	0.207		
016	19	OLS18	0.5	1.0	0.5	0.713	0.75	0.0	0.5	0.46	j83g	73.16	35.9	151.0	-31.39	17.4	33.42	45.41	34.48	0.295	0.401	0.377	0.512	0.389	0.528	0.805	0.608	0.618	0.8	0.612		
017	19	OLS18	0.5	1.0	1.0	0.762	0.75	0.0	0.5	0.668	g67b	77.01	35.94	236.0	-20.09	-29.79	42.0	51.56	93.61	0.224	0.275	0.474	0.582	1.057	0.373	0.841	1.011	0.556	0.837	1.005		
018	19	OLS18	1.0	0.0	0.0	0.39	0.5	0.0	1.0	0.047	r18j	48.16	82.38	38.0	64.92	50.72	30.28	16.92	2.93	0.604	0.338	0.342	0.191	0.033	0.905	0.185	0.128	0.78	0.198	0.15		
019	19	OLS18	1.0	0.0	0.5	0.388	0.5	0.0	1.0	0.979	b91r	48.03	70.22	16.0	67.5	19.36	30.82	16.82	10.27	0.532	0.29	0.348	0.19	0.116	0.895	0.168	0.355	0.77	0.183	0.351		
020	19	OLS18	1.0	0.0	1.0	0.389	0.5	0.0	1.0	0.931	b72r	48.13	75.56	354.0	75.15	-7.89	33.04	16.9	22.63	0.455	0.233	0.373	0.191	0.255	0.9	0.079	0.539	0.772	0.104	0.524		
021	19	OLS18	1.0	0.5	0.0	0.66	0.5	0.0	1.0	0.155	r62j	69.13	72.03	67.0	28.14	66.3	46.89	39.52	7.09	0.501	0.423	0.529	0.446	0.08	0.995	0.608	0.165	0.904	0.602	0.219		
022	19	OLS18	1.0	0.5	0.5	0.695	0.75	0.0	0.5	0.047	r18j	71.79	41.19	38.0	32.46	25.36	52.74	43.34	27.23	0.428	0.352	0.595	0.489	0.307	1.01	0.629	0.545	0.92	0.623	0.544		
023	19	OLS18	1.0	0.5	1.0	0.695	0.75	0.0	0.5	0.931	b72r	71.77	37.78	354.0	37.58	-3.94	54.7	43.32	50.96	0.367	0.291	0.617	0.489	0.575	0.983	0.62	0.763	0.896	0.614	0.752		
024	19	OLS18	1.0	1.0	0.0	0.931	0.5	0.0	1.0	0.263	j05g	90.09	82.33	96.0	-8.6	81.88	68.69	76.51	14.04	0.431	0.48	0.775	0.864	0.159	1.045	0.943	0.205	1.018	0.941	0.297		
025	19	OLS18	1.0	1.0	0.5	0.966	0.75	0.0	0.5	0.263	j05g	92.75	41.16	96.0	-4.29	40.94	76.19	82.4	42.86	0.378	0.409	0.86	0.93	0.484	1.049	0.969	0.642	1.028	0.968	0.654		
026	19	OLS18	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.979	b91r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

Colorimetric data of colours F for system OLS28 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (33.7, 96.6, 151.4, 236.9, 302.8, 353.8); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$						$XYZxyCIE,a,F$				$XYZRGB,F$				$RGB^*_{sRGB,F}$				$RGB^*_{AdobeRGB,F}$			
000	20	OLS28	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.975	b89r	26.85	0.0	0.0	0.0	0.0	4.79	5.04	5.49	0.313	0.329	0.054	0.057	0.062	0.265	0.265	0.265	0.272	0.272	0.272
001	20	OLS28	0.0	0.0	0.5	0.039	0.25	0.5	0.5	0.819	b27r	29.5	22.15	303.0	12.06	-18.56	6.86	6.03	12.43	0.271	0.238	0.077	0.068	0.14	0.306	0.268	0.408	0.301	0.275	0.403
002	20	OLS28	0.0	0.0	1.0	0.077	0.5	0.0	1.0	0.819	b27r	32.15	44.3	303.0	24.13	-37.14	9.45	7.15	23.62	0.235	0.178	0.107	0.081	0.267	0.33	0.27	0.558	0.318	0.276	0.544
003	20	OLS28	0.0	0.5	0.0	0.194	0.25	0.5	0.5	0.46	j83g	40.15	42.73	151.0	-37.36	20.72	6.52	11.34	6.0	0.273	0.475	0.074	0.128	0.068	0.085	0.451	0.247	0.266	0.449	0.267
004	20	OLS28	0.0	0.5	0.5	0.243	0.25	0.5	0.5	0.671	g68b	43.54	25.49	237.0	-13.87	-21.37	10.88	13.52	25.97	0.216	0.268	0.123	0.153	0.293	0.139	0.461	0.571	0.285	0.458	0.562
005	20	OLS28	0.0	0.5	1.0	0.281	0.5	0.0	1.0	0.746	g98b	46.09	42.84	270.0	0.0	-42.83	14.58	15.34	45.84	0.192	0.202	0.165	0.173	0.517	0.094	0.469	0.749	0.278	0.466	0.734
006	20	OLS28	0.0	1.0	0.0	0.388	0.5	0.0	1.0	0.46	j83g	53.46	85.46	151.0	-74.74	41.43	8.62	21.47	6.54	0.235	0.586	0.097	0.242	0.074	-1.213	0.637	0.203	0.221	0.631	0.25
007	20	OLS28	0.0	1.0	0.5	0.436	0.5	0.0	1.0	0.573	g29b	56.72	46.05	194.0	-44.67	-11.13	14.76	24.64	34.63	0.199	0.333	0.167	0.278	0.391	-1.064	0.647	0.639	0.252	0.641	0.633
008	20	OLS28	0.0	1.0	1.0	0.487	0.5	0.0	1.0	0.671	g68b	60.22	50.97	237.0	-27.75	-42.74	20.69	28.37	71.92	0.171	0.235	0.234	0.32	0.812	-1.81	0.671	0.909	0.153	0.665	0.898
009	20	OLS28	0.5	0.0	0.0	0.174	0.25	0.5	0.5	0.032	r12j	38.78	36.05	34.0	29.88	20.16	14.31	10.53	5.58	0.47	0.346	0.162	0.119	0.063	0.592	0.291	0.251	0.523	0.297	0.261
010	20	OLS28	0.5	0.0	0.5	0.174	0.25	0.5	0.5	0.931	b72r	38.76	34.91	354.0	34.72	-3.64	15.1	10.52	12.84	0.393	0.274	0.17	0.119	0.145	0.581	0.28	0.408	0.513	0.286	0.403
011	20	OLS28	0.5	0.0	1.0	0.21	0.5	0.0	1.0	0.874	b49r	41.27	40.06	328.0	33.97	-21.22	16.84	12.03	23.5	0.322	0.23	0.19	0.136	0.265	0.561	0.317	0.55	0.502	0.32	0.538
012	20	OLS28	0.5	0.5	0.0	0.463	0.25	0.5	0.5	0.267	j06g	58.56	42.75	97.0	-5.2	42.43	24.04	26.56	8.7	0.405	0.448	0.271	0.3	0.098	0.642	0.587	0.266	0.621	0.581	0.294
013	20	OLS28	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.975	b89r	61.13	0.0	0.0	0.0	0.0	27.94	29.4	32.01	0.313	0.329	0.315	0.332	0.361	0.611	0.611	0.611	0.606	0.606	0.606
014	20	OLS28	0.5	0.5	1.0	0.539	0.75	0.0	0.5	0.819	b27r	63.78	22.15	303.0	12.06	-18.56	34.29	32.53	51.8	0.289	0.274	0.387	0.367	0.585	0.664	0.616	0.776	0.645	0.611	0.765
015	20	OLS28	0.5	1.0	0.0	0.657	0.5	0.0	1.0	0.363	j45g	71.87	76.16	124.0	-42.58	63.14	28.88	43.46	9.39	0.353	0.532	0.326	0.491	0.106	0.537	0.803	0.19	0.622	0.798	0.265
016	20	OLS28	0.5	1.0	0.5	0.694	0.75	0.0	0.5	0.46	j83g	74.43	42.73	151.0	-37.36	20.72	33.29	47.38	33.64	0.291	0.415	0.376	0.535	0.38	0.491	0.829	0.595	0.607	0.825	0.602
017	20	OLS28	0.5	1.0	1.0	0.743	0.75	0.0	0.5	0.671	g68b	77.82	25.49	237.0	-13.87	-21.37	45.28	52.9	83.6	0.249	0.291	0.511	0.597	0.944	0.554	0.835	0.957	0.645	0.83	0.95
018	20	OLS28	1.0	0.0	0.0	0.348	0.5	0.0	1.0	0.032	r12j	50.7	72.1	34.0	59.77	40.32	31.85	19.01	5.67	0.563	0.336	0.359	0.215	0.064	0.908	0.265	0.232	0.787	0.271	0.243
019	20	OLS28	1.0	0.0	0.5	0.346	0.5	0.0	1.0	0.975	b89r	50.59	65.71	14.0	63.76	15.9	32.83	18.92	13.18	0.506	0.291	0.371	0.214	0.149	0.905	0.242	0.402	0.783	0.251	0.396
020	20	OLS28	1.0	0.0	1.0	0.348	0.5	0.0	1.0	0.931	b72r	50.68	69.82	354.0	69.43	-7.29	34.55	18.99	24.88	0.441	0.242	0.39	0.214	0.281	0.903	0.209	0.561	0.78	0.22	0.547
021	20	OLS28	1.0	0.5	0.0	0.635	0.5	0.0	1.0	0.148	r59j	70.41	61.69	65.0	26.07	55.91	48.12	41.33	10.97	0.479	0.412	0.543	0.466	0.124	0.992	0.629	0.285	0.905	0.623	0.313
022	20	OLS28	1.0	0.5	0.5	0.674	0.75	0.0	0.5	0.032	r12j	73.06	36.05	34.0	29.88	20.16	53.86	45.25	32.3	0.41	0.344	0.608	0.511	0.365	1.001	0.653	0.597	0.917	0.647	0.594
023	20	OLS28	1.0	0.5	1.0	0.674	0.75	0.0	0.5	0.931	b72r	73.04	34.91	354.0	34.72	-3.64	55.75	45.23	52.85	0.362	0.294	0.629	0.511	0.597	0.981	0.644	0.774	0.899	0.638	0.764
024	20	OLS28	1.0	1.0	0.0	0.925	0.5	0.0	1.0	0.267	j06g	90.28	85.5	97.0	-10.41	84.86	68.22	76.9	12.96	0.432	0.486	0.77	0.868	0.146	1.038	0.949	0.153	1.014	0.947	0.27
025	20	OLS28	1.0	1.0	0.5	0.963	0.75	0.0	0.5	0.267	j06g	92.84	42.75	97.0	-5.2	42.43	75.93	82.61	41.7	0.379	0.413	0.857	0.932	0.471	1.047	0.972	0.63	1.027	0.971	0.643
026	20	OLS28	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.975	b89r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E0KNP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system OLS38 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (29.6, 97.1, 152.0, 238.3, 300.3, 354.0); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			l ^{nceu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE, _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	21	OLS38	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.97	b88r	37.99	0.0	0.0	0.0	0.0	9.58	10.08	10.98	0.313	0.329	0.108	0.114	0.124	0.372	0.372	0.372	0.372	0.372	0.372	0.372	
001	21	OLS38	0.0	0.0	0.5	0.03	0.25	0.5	0.5	0.812	b24r	39.68	22.59	300.0	11.29	-19.55	12.07	11.06	21.01	0.273	0.251	0.136	0.125	0.237	0.398	0.369	0.52	0.39	0.37	0.51		
002	21	OLS38	0.0	0.0	1.0	0.059	0.5	0.0	1.0	0.812	b24r	41.38	45.17	300.0	22.59	-39.11	14.95	12.1	35.81	0.238	0.193	0.169	0.137	0.404	0.404	0.365	0.672	0.393	0.366	0.657		
003	21	OLS38	0.0	0.5	0.0	0.169	0.25	0.5	0.5	0.463	j85g	47.67	24.82	152.0	-21.9	11.65	12.25	16.54	12.86	0.294	0.397	0.138	0.187	0.145	0.329	0.509	0.386	0.391	0.505	0.391		
004	21	OLS38	0.0	0.5	0.5	0.221	0.25	0.5	0.5	0.673	g69b	50.68	24.72	238.0	-13.09	-20.95	15.7	18.99	34.19	0.228	0.276	0.177	0.214	0.386	0.253	0.534	0.645	0.363	0.529	0.635		
005	21	OLS38	0.0	0.5	1.0	0.252	0.5	0.0	1.0	0.744	g97b	52.43	38.85	269.0	-0.67	-38.83	19.38	20.53	52.51	0.21	0.222	0.219	0.232	0.593	0.265	0.535	0.793	0.369	0.53	0.779		
006	21	OLS38	0.0	1.0	0.0	0.337	0.5	0.0	1.0	0.463	j85g	57.35	49.64	152.0	-43.82	23.3	15.36	25.29	14.95	0.276	0.455	0.173	0.285	0.169	0.218	0.646	0.396	0.402	0.64	0.409		
007	21	OLS38	0.0	1.0	0.5	0.39	0.5	0.0	1.0	0.575	g29b	60.36	36.23	195.0	-34.99	-9.37	19.35	28.53	38.19	0.225	0.331	0.218	0.322	0.431	-0.025	0.673	0.667	0.375	0.667	0.661		
008	21	OLS38	0.0	1.0	1.0	0.442	0.5	0.0	1.0	0.673	g69b	63.37	49.44	238.0	-26.19	-41.92	23.97	32.03	77.78	0.179	0.239	0.271	0.362	0.878	-1.505	0.703	0.94	0.245	0.697	0.93		
009	21	OLS38	0.5	0.0	0.0	0.151	0.25	0.5	0.5	0.017	r06j	46.68	29.41	30.0	25.47	14.7	19.65	15.77	11.08	0.423	0.339	0.222	0.178	0.125	0.652	0.388	0.363	0.586	0.387	0.365		
010	21	OLS38	0.5	0.0	0.5	0.15	0.25	0.5	0.5	0.931	b72r	46.63	30.03	354.0	29.87	-3.13	20.49	15.74	18.68	0.373	0.287	0.231	0.178	0.211	0.643	0.378	0.484	0.578	0.378	0.477		
011	21	OLS38	0.5	0.0	1.0	0.178	0.5	0.0	1.0	0.871	b48r	48.23	29.46	327.0	24.71	-16.03	20.85	16.97	27.74	0.318	0.259	0.235	0.192	0.313	0.594	0.416	0.588	0.546	0.415	0.577		
012	21	OLS38	0.5	0.5	0.0	0.46	0.25	0.5	0.5	0.267	j06g	64.39	29.53	97.0	-3.59	29.31	30.66	33.28	17.77	0.375	0.407	0.346	0.376	0.201	0.697	0.648	0.43	0.678	0.642	0.439		
013	21	OLS38	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.97	b88r	66.7	0.0	0.0	0.0	0.0	34.44	36.24	39.46	0.313	0.329	0.389	0.409	0.445	0.672	0.672	0.672	0.666	0.666	0.666		
014	21	OLS38	0.5	0.5	1.0	0.53	0.75	0.0	0.5	0.812	b24r	68.39	22.59	300.0	11.29	-19.55	40.12	38.51	61.22	0.287	0.275	0.453	0.435	0.691	0.705	0.669	0.836	0.689	0.663	0.826		
015	21	OLS38	0.5	1.0	0.0	0.624	0.5	0.0	1.0	0.367	j46g	73.8	66.52	125.0	-38.14	54.49	32.3	46.39	13.75	0.349	0.502	0.365	0.524	0.155	0.583	0.818	0.309	0.655	0.814	0.352		
016	21	OLS38	0.5	1.0	0.5	0.669	0.75	0.0	0.5	0.463	j85g	76.38	24.82	152.0	-21.9	11.65	40.51	50.51	43.8	0.3	0.375	0.457	0.57	0.494	0.633	0.825	0.688	0.689	0.82	0.689		
017	21	OLS38	0.5	1.0	1.0	0.721	0.75	0.0	0.5	0.673	g69b	79.39	24.72	238.0	-13.09	-20.95	47.96	55.61	86.79	0.252	0.292	0.541	0.628	0.98	0.585	0.851	0.972	0.669	0.847	0.966		
018	21	OLS38	1.0	0.0	0.0	0.303	0.5	0.0	1.0	0.017	r06j	55.36	58.81	30.0	50.93	29.41	35.05	23.28	11.18	0.504	0.335	0.396	0.263	0.126	0.914	0.374	0.352	0.802	0.374	0.355		
019	21	OLS38	1.0	0.0	0.5	0.3	0.5	0.0	1.0	0.97	b88r	55.2	57.2	12.0	55.95	11.89	36.32	23.12	18.55	0.466	0.296	0.41	0.261	0.209	0.918	0.351	0.474	0.803	0.352	0.467		
020	21	OLS38	1.0	0.0	1.0	0.301	0.5	0.0	1.0	0.931	b72r	55.27	60.06	354.0	59.73	-6.27	37.57	23.19	29.33	0.417	0.257	0.424	0.262	0.331	0.91	0.339	0.601	0.795	0.341	0.588		
021	21	OLS38	1.0	0.5	0.0	0.606	0.5	0.0	1.0	0.14	r56j	72.81	49.14	63.0	22.31	43.79	50.55	44.87	17.79	0.447	0.396	0.571	0.506	0.201	0.987	0.669	0.411	0.908	0.663	0.424		
022	21	OLS38	1.0	0.5	0.5	0.651	0.75	0.0	0.5	0.017	r06j	75.39	29.41	30.0	25.47	14.7	56.09	48.9	39.69	0.388	0.338	0.633	0.552	0.448	0.991	0.695	0.662	0.917	0.689	0.658		
023	21	OLS38	1.0	0.5	1.0	0.65	0.75	0.0	0.5	0.931	b72r	75.34	30.03	354.0	29.87	-3.13	57.79	48.82	56.41	0.354	0.299	0.652	0.551	0.637	0.977	0.686	0.796	0.904	0.68	0.787		
024	21	OLS38	1.0	1.0	0.0	0.919	0.5	0.0	1.0	0.267	j06g	90.78	59.05	97.0	-7.19	58.61	70.72	78.01	26.91	0.403	0.444	0.798	0.88	0.304	1.035	0.95	0.468	1.012	0.949	0.497		
025	21	OLS38	1.0	1.0	0.5	0.96	0.75	0.0	0.5	0.267	j06g	93.1	29.53	97.0	-3.59	29.31	77.27	83.19	54.5	0.359	0.387	0.872	0.939	0.615	1.033	0.974	0.74	1.017	0.973	0.746		
026	21	OLS38	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.97	b88r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

BAM registration: 20070501-YE79/10L/L79E0LNP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system OLS50 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (25.8, 97.8, 152.5, 240.4, 298.2, 354.2); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	ol ^v * _{3,F}			ltnc ^{eu} * _F			LCHAB* _{a,F}						XYZ _{xy} CIE _{a,F}						XYZ _{RGB,F}				RGB' _{sRGB,F}				RGB' _{AdobeRGB,F}			
000	22	OLS50	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.966	b86r	52.02	0.0	0.0	0.0	0.0	19.16	20.16	21.96	0.313	0.329	0.216	0.228	0.248	0.514	0.514	0.514	0.51	0.51	0.51		
001	22	OLS50	0.0	0.0	0.5	0.022	0.25	0.5	0.5	0.808	b23r	52.97	17.93	298.0	8.42	-15.82	21.72	21.02	33.3	0.286	0.276	0.245	0.237	0.376	0.53	0.51	0.636	0.52	0.505	0.626		
002	22	OLS50	0.0	0.0	1.0	0.044	0.5	0.0	1.0	0.808	b23r	53.91	35.87	298.0	16.84	-31.66	24.5	21.89	48.0	0.26	0.232	0.276	0.247	0.542	0.533	0.504	0.76	0.521	0.5	0.746		
003	22	OLS50	0.0	0.5	0.0	0.146	0.25	0.5	0.5	0.463	j85g	58.37	29.1	152.0	-25.69	13.66	19.49	26.35	20.47	0.294	0.397	0.22	0.297	0.231	0.411	0.63	0.48	0.483	0.624	0.483		
004	22	OLS50	0.0	0.5	0.5	0.195	0.25	0.5	0.5	0.678	g71b	60.49	16.83	240.0	-8.41	-14.57	25.22	28.67	42.76	0.261	0.297	0.285	0.324	0.483	0.466	0.627	0.708	0.514	0.621	0.699		
005	22	OLS50	0.0	0.5	1.0	0.219	0.5	0.0	1.0	0.744	g97b	61.5	31.46	269.0	-0.54	-31.44	28.21	29.82	61.23	0.237	0.25	0.318	0.337	0.691	0.449	0.628	0.843	0.504	0.622	0.831		
006	22	OLS50	0.0	1.0	0.0	0.293	0.5	0.0	1.0	0.463	j85g	64.72	58.21	152.0	-51.39	27.33	19.83	33.7	19.05	0.273	0.464	0.224	0.38	0.215	0.201	0.739	0.439	0.444	0.733	0.454		
007	22	OLS50	0.0	1.0	0.5	0.339	0.5	0.0	1.0	0.577	g30b	66.71	24.4	196.0	-23.44	-6.71	28.1	36.25	45.33	0.256	0.331	0.317	0.409	0.512	0.415	0.723	0.719	0.522	0.717	0.713		
008	22	OLS50	0.0	1.0	1.0	0.39	0.5	0.0	1.0	0.678	g71b	68.96	33.67	240.0	-16.82	-29.15	32.43	39.29	73.76	0.223	0.27	0.366	0.443	0.832	0.331	0.743	0.911	0.491	0.737	0.902		
009	22	OLS50	0.5	0.0	0.0	0.126	0.25	0.5	0.5	0.002	r00j	57.5	21.26	26.0	19.11	9.32	28.82	25.44	22.03	0.378	0.333	0.325	0.287	0.249	0.728	0.521	0.509	0.671	0.516	0.505		
010	22	OLS50	0.5	0.0	0.5	0.126	0.25	0.5	0.5	0.931	b72r	57.49	10.67	354.0	10.61	-1.1	26.68	25.43	28.43	0.331	0.316	0.301	0.287	0.321	0.646	0.547	0.582	0.614	0.542	0.575		
011	22	OLS50	0.5	0.0	1.0	0.147	0.5	0.0	1.0	0.869	b47r	58.4	18.87	326.0	15.64	-10.54	28.93	26.39	36.43	0.315	0.288	0.327	0.298	0.411	0.662	0.546	0.659	0.626	0.541	0.649		
012	22	OLS50	0.5	0.5	0.0	0.453	0.25	0.5	0.5	0.27	j08g	71.68	29.18	98.0	-4.05	28.89	39.74	43.19	24.89	0.369	0.401	0.449	0.487	0.281	0.776	0.73	0.509	0.758	0.724	0.516		
013	22	OLS50	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.966	b86r	73.72	0.0	0.0	0.0	0.0	43.97	46.26	50.38	0.313	0.329	0.496	0.522	0.569	0.75	0.75	0.75	0.744	0.744	0.744		
014	22	OLS50	0.5	0.5	1.0	0.522	0.75	0.0	0.5	0.808	b23r	74.66	17.93	298.0	8.42	-15.82	48.38	47.74	69.45	0.292	0.288	0.546	0.539	0.784	0.768	0.745	0.88	0.756	0.739	0.872		
015	22	OLS50	0.5	1.0	0.0	0.6	0.5	0.0	1.0	0.367	j46g	78.04	51.93	125.0	-29.78	42.54	40.27	53.27	23.28	0.345	0.456	0.455	0.601	0.263	0.678	0.853	0.462	0.728	0.849	0.483		
016	22	OLS50	0.5	1.0	0.5	0.646	0.75	0.0	0.5	0.463	j85g	80.07	29.1	152.0	-25.69	13.66	44.55	56.8	47.77	0.299	0.381	0.503	0.641	0.539	0.646	0.874	0.713	0.715	0.871	0.715		
017	22	OLS50	0.5	1.0	1.0	0.695	0.75	0.0	0.5	0.678	g71b	82.18	16.83	240.0	-8.41	-14.57	54.27	60.64	84.61	0.272	0.304	0.612	0.684	0.955	0.706	0.87	0.956	0.752	0.867	0.952		
018	22	OLS50	1.0	0.0	0.0	0.253	0.5	0.0	1.0	0.002	r00j	62.98	42.52	26.0	38.21	18.64	41.28	31.56	22.1	0.435	0.332	0.466	0.356	0.249	0.925	0.514	0.503	0.83	0.51	0.5		
019	22	OLS50	1.0	0.0	0.5	0.252	0.5	0.0	1.0	0.966	b86r	62.95	43.48	10.0	42.82	7.55	42.76	31.53	28.93	0.414	0.305	0.483	0.356	0.327	0.933	0.499	0.583	0.835	0.495	0.575		
020	22	OLS50	1.0	0.0	1.0	0.252	0.5	0.0	1.0	0.931	b72r	62.97	21.33	354.0	21.21	-2.22	35.95	31.55	36.07	0.347	0.305	0.406	0.356	0.407	0.776	0.576	0.65	0.721	0.571	0.641		
021	22	OLS50	1.0	0.5	0.0	0.581	0.5	0.0	1.0	0.137	r54j	77.25	34.48	62.0	16.19	30.45	55.58	51.94	30.13	0.404	0.377	0.627	0.586	0.34	0.983	0.739	0.561	0.92	0.734	0.564		
022	22	OLS50	1.0	0.5	0.5	0.626	0.75	0.0	0.5	0.002	r00j	79.2	21.26	26.0	19.11	9.32	60.22	55.27	50.51	0.363	0.333	0.68	0.624	0.57	0.982	0.758	0.744	0.923	0.753	0.739		
023	22	OLS50	1.0	0.5	1.0	0.626	0.75	0.0	0.5	0.931	b72r	79.19	10.67	354.0	10.61	-1.1	56.7	55.26	61.41	0.327	0.319	0.64	0.624	0.693	0.891	0.785	0.822	0.859	0.78	0.815		
024	22	OLS50	1.0	1.0	0.0	0.906	0.5	0.0	1.0	0.27	j08g	91.35	58.36	98.0	-8.11	57.79	71.43	79.26	28.08	0.4	0.443	0.806	0.895	0.317	1.034	0.959	0.482	1.014	0.958	0.509		
025	22	OLS50	1.0	1.0	0.5	0.953	0.75	0.0	0.5	0.27	j08g	93.38	29.18	98.0	-4.05	28.89	77.65	83.84	55.43	0.358	0.386	0.876	0.946	0.626	1.032	0.979	0.747	1.017	0.978	0.752		
026	22	OLS50	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.966	b86r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0		

See for similar files: <http://www.ps.bam.de/YE79/>; www.ps.bam.de/YE79/; www.ps.bam.de/YE79/.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

BAM registration: 20070501-YE79/10L/L79E0MNP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Colorimetric data of colours F for system OLS70 for input of $olv^*_{3,F}$; Six hue angles of the colour device: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Four hue angles of the elementary colours: (25.5, 92.3, 162.2, 271.7)

j	no.	System	$olv^*_{3,F}$		$ltnceu^*_F$				$LCHAB^*_{a,F}$					$XYZ_{xyCIE,a,F}$					$XYZ_{RGB,F}$				$RGB'_{sRGB,F}$				$RGB'_{AdobeRGB,F}$			
000	23	OLS70	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.964	b85r	69.7	0.0	0.0	0.0	0.0	38.33	40.32	43.91	0.313	0.329	0.433	0.455	0.496	0.705	0.705	0.705	0.699	0.699	0.699
001	23	OLS70	0.0	0.0	0.5	0.017	0.25	0.5	0.5	0.806	b22r	70.14	5.27	297.0	2.39	-4.69	39.67	40.94	48.96	0.306	0.316	0.448	0.462	0.553	0.712	0.706	0.745	0.704	0.7	0.738
002	23	OLS70	0.0	0.0	1.0	0.034	0.5	0.0	1.0	0.806	b22r	70.57	10.55	297.0	4.79	-9.39	41.05	41.57	54.37	0.3	0.303	0.463	0.469	0.614	0.718	0.706	0.785	0.709	0.7	0.777
003	23	OLS70	0.0	0.5	0.0	0.12	0.25	0.5	0.5	0.467	j86g	72.78	8.68	153.0	-7.73	3.94	40.08	44.83	45.15	0.308	0.345	0.452	0.506	0.51	0.69	0.756	0.709	0.704	0.751	0.705
004	23	OLS70	0.0	0.5	0.5	0.169	0.25	0.5	0.5	0.684	g73b	74.03	8.7	243.0	-3.94	-7.74	43.1	46.76	58.93	0.29	0.314	0.486	0.528	0.665	0.69	0.765	0.811	0.706	0.76	0.804
005	23	OLS70	0.0	0.5	1.0	0.184	0.5	0.0	1.0	0.746	g98b	74.43	19.54	270.0	0.0	-19.53	45.03	47.38	73.52	0.271	0.286	0.508	0.535	0.83	0.674	0.764	0.905	0.695	0.759	0.896
006	23	OLS70	0.0	1.0	0.0	0.24	0.5	0.0	1.0	0.467	j86g	75.87	17.37	153.0	-15.47	7.89	41.89	49.67	46.41	0.304	0.36	0.473	0.561	0.524	0.672	0.807	0.712	0.708	0.802	0.711
007	23	OLS70	0.0	1.0	0.5	0.288	0.5	0.0	1.0	0.582	g32b	77.12	12.29	198.0	-11.68	-3.79	44.99	51.73	60.42	0.286	0.329	0.508	0.584	0.682	0.671	0.816	0.815	0.711	0.811	0.811
008	23	OLS70	0.0	1.0	1.0	0.337	0.5	0.0	1.0	0.684	g73b	78.37	17.4	243.0	-7.89	-15.49	48.25	53.84	77.03	0.269	0.301	0.545	0.608	0.869	0.663	0.826	0.919	0.709	0.821	0.913
009	23	OLS70	0.5	0.0	0.0	0.104	0.25	0.5	0.5	0.995	b97r	72.37	11.66	23.0	10.73	4.55	45.68	44.22	43.96	0.341	0.33	0.516	0.499	0.496	0.83	0.707	0.702	0.792	0.701	0.697
010	23	OLS70	0.5	0.0	0.5	0.104	0.25	0.5	0.5	0.931	b72r	72.37	5.27	354.0	5.24	-0.54	43.78	44.21	48.66	0.32	0.324	0.494	0.499	0.549	0.774	0.722	0.739	0.754	0.716	0.733
011	23	OLS70	0.5	0.0	1.0	0.122	0.5	0.0	1.0	0.869	b47r	72.84	9.27	326.0	7.68	-5.17	45.32	44.92	54.06	0.314	0.311	0.512	0.507	0.61	0.782	0.723	0.78	0.76	0.717	0.772
012	23	OLS70	0.5	0.5	0.0	0.445	0.25	0.5	0.5	0.274	j09g	81.15	17.62	99.0	-2.75	17.4	54.74	58.75	46.04	0.343	0.368	0.618	0.663	0.52	0.867	0.836	0.7	0.855	0.832	0.701
013	23	OLS70	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.964	b85r	82.56	0.0	0.0	0.0	0.0	58.29	61.33	66.79	0.313	0.329	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846
014	23	OLS70	0.5	0.5	1.0	0.517	0.75	0.0	0.5	0.806	b22r	82.99	5.27	297.0	2.39	-4.69	60.07	62.15	73.42	0.307	0.318	0.678	0.701	0.829	0.857	0.851	0.891	0.851	0.846	0.887
015	23	OLS70	0.5	1.0	0.0	0.564	0.5	0.0	1.0	0.37	j48g	84.2	31.44	126.0	-18.47	25.43	53.74	64.46	43.53	0.332	0.399	0.607	0.728	0.491	0.799	0.905	0.669	0.827	0.902	0.675
016	23	OLS70	0.5	1.0	0.5	0.62	0.75	0.0	0.5	0.467	j86g	85.64	8.68	153.0	-7.73	3.94	60.61	67.26	68.42	0.309	0.343	0.684	0.759	0.772	0.835	0.903	0.854	0.851	0.9	0.852
017	23	OLS70	0.5	1.0	1.0	0.669	0.75	0.0	0.5	0.684	g73b	86.89	8.7	243.0	-3.94	-7.74	64.57	69.78	86.39	0.293	0.316	0.729	0.788	0.975	0.835	0.912	0.96	0.854	0.909	0.956
018	23	OLS70	1.0	0.0	0.0	0.208	0.5	0.0	1.0	0.995	b97r	75.05	23.31	23.0	21.46	9.11	53.92	48.35	44.01	0.369	0.331	0.609	0.546	0.497	0.948	0.705	0.7	0.884	0.699	0.694
019	23	OLS70	1.0	0.0	0.5	0.208	0.5	0.0	1.0	0.964	b85r	75.04	24.81	9.0	24.5	3.88	55.1	48.34	48.83	0.362	0.317	0.622	0.546	0.551	0.956	0.697	0.739	0.889	0.691	0.732
020	23	OLS70	1.0	0.0	1.0	0.207	0.5	0.0	1.0	0.931	b72r	75.03	10.54	354.0	10.48	-1.09	49.72	48.33	53.75	0.328	0.318	0.561	0.545	0.607	0.842	0.739	0.774	0.81	0.733	0.767
021	23	OLS70	1.0	0.5	0.0	0.551	0.5	0.0	1.0	0.133	r53j	83.86	18.4	61.0	8.92	16.1	64.48	63.79	51.75	0.358	0.354	0.728	0.72	0.584	0.982	0.838	0.743	0.942	0.833	0.741
022	23	OLS70	1.0	0.5	0.5	0.604	0.75	0.0	0.5	0.995	b97r	85.23	11.66	23.0	10.73	4.55	67.94	66.46	66.85	0.338	0.33	0.767	0.75	0.755	0.98	0.852	0.847	0.944	0.848	0.843
023	23	OLS70	1.0	0.5	1.0	0.604	0.75	0.0	0.5	0.931	b72r	85.22	5.27	354.0	5.24	-0.54	65.46	66.44	73.04	0.319	0.324	0.739	0.75	0.824	0.921	0.868	0.886	0.904	0.864	0.882
024	23	OLS70	1.0	1.0	0.0	0.891	0.5	0.0	1.0	0.274	j09g	92.61	35.24	99.0	-5.5	34.8	75.28	82.07	48.23	0.366	0.399	0.85	0.926	0.544	1.025	0.972	0.69	1.011	0.971	0.699
025	23	OLS70	1.0	1.0	0.5	0.945	0.75	0.0	0.5	0.274	j09g	94.01	17.62	99.0	-2.75	17.4	79.66	85.29	69.59	0.34	0.364	0.899	0.963	0.785	1.018	0.986	0.846	1.009	0.985	0.848
026	23	OLS70	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.964	b85r	95.41	0.0	0.0	0.0	0.0	84.21	88.59	96.48	0.313	0.329	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0

BAM registration: 20070501-YE79/10L/L79E0NNP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems