


T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-refΔH*	ΔE*	Start-Ausgabe S1							
N	1	28.9	4.3	1.8	23	28.9	4.3	1.8	23	0.0	0.0	0.0	0.0	0.0	Kennzeichnung nach
	2	30.1	0.2	3.5	87	31.1	-2.0	3.0	125	1.0	-2.2	-0.4	2.3	2.5	ISO/IEC 15775 Anhang G
	3	31.2	-3.9	5.2	127	32.5	-8.6	4.3	154	1.2	-4.6	-0.8	4.8	5.0	und DIN 33866-1 Anhang G
	4	32.4	-8.0	6.9	139	33.2	-15.0	6.1	158	0.8	-6.9	-0.7	7.1	7.1	relative CIELAB Daten für "aus"
	5	33.5	-12.1	8.7	145	33.8	-19.0	7.9	158	0.3	-6.8	-0.7	6.9	6.9	ΔL* = 47.32 - 28.93
	6	34.7	-16.3	10.4	148	35.2	-24.7	9.9	158	0.5	-8.3	-0.4	8.5	8.5	Gleichmäßigkeit
	7	35.8	-20.4	12.1	149	36.1	-28.2	11.7	158	0.3	-7.7	-0.3	7.8	7.8	g* = 86.2
	8	37.0	-24.5	13.8	151	37.1	-32.0	14.1	156	0.1	-7.4	0.3	7.5	7.5	
	9	38.1	-28.7	15.5	152	38.1	-34.8	15.4	156	0.0	-6.1	0.0	6.2	6.2	Helligkeitsumfang relativ zu Offset
	10	39.3	-32.8	17.2	152	39.4	-38.8	16.8	157	0.1	-5.9	-0.3	6.0	6.0	f* = 23.8
	11	40.4	-36.9	18.9	153	40.7	-42.2	19.0	156	0.3	-5.2	0.1	5.3	5.3	
L	12	41.6	-41.0	20.6	153	41.7	-45.4	19.8	156	0.1	-4.3	-0.7	4.4	4.4	Schwarz - Laubgrün
	13	42.7	-45.2	22.4	154	42.5	-48.7	22.1	156	-0.1	-3.4	-0.2	3.5	3.5	rgb: N - L
	14	43.9	-49.3	24.1	154	43.4	-51.7	22.1	157	-0.4	-2.3	-1.9	3.1	3.1	
	15	45.0	-53.4	25.8	154	44.6	-54.2	24.2	156	-0.3	-0.7	-1.5	1.7	1.8	Mittlerer CIELAB-Abstand (17 Stufen)
	16	46.2	-57.6	27.5	155	46.1	-58.2	27.0	155	0.0	-0.5	-0.4	0.8	0.8	ΔH*CIELAB = 4.5
	17	47.3	-61.7	29.2	155	47.3	-61.7	29.2	155	0.0	0.0	0.0	0.0	0.0	ΔE*CIELAB = 4.5
	18	28.9	4.3	1.8	23	28.9	4.3	1.8	23	0.0	0.0	0.0	0.0	0.0	
	19	33.5	-12.1	8.7	145	33.8	-19.0	7.9	158	0.3	-6.8	-0.7	6.9	6.9	
	20	38.1	-28.7	15.5	152	38.1	-34.8	15.4	156	0.0	-6.1	0.0	6.2	6.2	Mittlerer CIELAB-Abstand (5 Stufen)
	21	42.7	-45.2	22.4	154	42.5	-48.7	22.1	156	-0.1	-3.4	-0.2	3.5	3.5	ΔH*CIELAB = 3.3
	22	47.3	-61.7	29.2	155	47.3	-61.7	29.2	155	0.0	0.0	0.0	0.0	0.0	ΔE*CIELAB = 3.3
Mittlerer Farbwiedergabe-Index: R*ab,m = 81															


YG320-3N, Gerät: XcmyNP_D50_L; Messung: L27G00NP.PDF; Datum: 20070202

T	i	LAB*a,ref	hab,ref	LAB*a,out	hab,out	LAB*a,out/c-ref	ΔH*	ΔE*	Start-Ausgabe S1						
N	1	29.0	3.9	1.6	22	29.0	3.9	1.6	22	0.0	0.0	0.0	0.0	0.0	Kennzeichnung nach
	2	30.2	-0.3	3.5	96	31.3	-2.6	3.1	131	1.1	-2.2	-0.3	2.4	2.6	ISO/IEC 15775 Anhang G
	3	31.4	-4.6	5.4	131	32.7	-9.3	4.7	153	1.4	-4.6	-0.6	4.8	5.0	und DIN 33866-1 Anhang G
	4	32.6	-8.8	7.3	141	33.5	-15.8	6.8	157	1.0	-6.9	-0.4	7.0	7.1	relative CIELAB Daten für "aus"
	5	33.8	-13.1	9.2	145	34.2	-20.0	8.8	156	0.5	-6.8	-0.3	6.9	6.9	ΔL* = 48.19 - 28.95
	6	35.0	-17.4	11.1	148	35.6	-25.7	11.0	157	0.7	-8.2	0.0	8.3	8.4	Gleichmäßigkeit
	7	36.2	-21.7	13.0	149	36.6	-29.4	13.0	156	0.4	-7.6	0.0	7.8	7.8	g* = 83.4
	8	37.4	-25.9	14.9	150	37.6	-33.5	15.5	155	0.3	-7.5	0.6	7.6	7.6	
	9	38.6	-30.2	16.8	151	38.7	-36.3	17.0	155	0.1	-6.0	0.3	6.1	6.1	Helligkeitsumfang relativ zu Offset
	10	39.8	-34.5	18.6	152	40.0	-40.5	18.5	156	0.2	-5.9	0.0	6.0	6.0	f* = 24.9
L	11	41.0	-38.8	20.5	152	41.4	-44.1	20.9	155	0.4	-5.3	0.4	5.4	5.4	
	12	42.2	-43.0	22.4	153	42.4	-47.2	21.7	155	0.2	-4.1	-0.6	4.2	4.2	Schwarz - Laubgrün
	13	43.4	-47.3	24.3	153	43.3	-50.8	24.2	155	0.0	-3.4	0.0	3.5	3.5	cmy0: N - L
	14	44.6	-51.6	26.2	153	44.2	-53.7	24.4	156	-0.3	-2.0	-1.7	2.8	2.8	
	15	45.8	-55.9	28.1	153	45.4	-56.5	26.6	155	-0.3	-0.5	-1.4	1.6	1.7	Mittlerer CIELAB-Abstand (17 Stufen)
	16	47.0	-60.1	30.0	154	46.9	-60.8	29.6	154	0.0	-0.6	-0.3	0.8	0.8	ΔH*CIELAB = 4.4
	17	48.2	-64.4	31.9	154	48.2	-64.4	31.9	154	0.0	0.0	0.0	0.0	0.0	ΔE*CIELAB = 4.5
	18	29.0	3.9	1.6	22	29.0	3.9	1.6	22	0.0	0.0	0.0	0.0	0.0	
	19	33.8	-13.1	9.2	145	34.2	-20.0	8.8	156	0.5	-6.8	-0.3	6.9	6.9	
	20	38.6	-30.2	16.8	151	38.7	-36.3	17.0	155	0.1	-6.0	0.3	6.1	6.1	Mittlerer CIELAB-Abstand (5 Stufen)
L	21	43.4	-47.3	24.3	153	43.3	-50.8	24.2	155	0.0	-3.4	0.0	3.5	3.5	ΔH*CIELAB = 3.3
	22	48.2	-64.4	31.9	154	48.2	-64.4	31.9	154	0.0	0.0	0.0	0.0	0.0	ΔE*CIELAB = 3.3
Mittlerer Farbwiedergabe-Index:										R*ab,m = 81					

YG321-3N, Gerät: Xcmy0NP_D65_L; Messung: L27G00NP.PDF; Datum: 20070202



YG320-7N, Gerät: XcmyNP_D50_L; Messung: L27G00NP.PDF; Datum: 20070202



YG321-7N, Gerät: Xcmy0NP_D65_L; Messung: L27G00NP.PDF; Datum: 20070202