


%Umfang
 $u^*_{rel} = 133$
%Regularität
 $g^*_{H,rel} = 52$
 $g^*_{C,rel} = 56$

OLS00					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	45.14	71.37	75.54	103.92	47
Y _M	90.22	-10.59	99.51	100.07	96
L _M	48.45	-73.18	42.21	84.49	150
C _M	56.88	-33.1	-47.4	57.83	235
V _M	16.48	45.84	-56.21	72.54	309
M _M	45.36	81.85	-9.28	82.38	354
N _M	0.01	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 133$
%Regularität
 $g^*_{H,rel} = 52$
 $g^*_{C,rel} = 56$

OLS00a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	45.14	71.37	75.54	103.92	47
Y _{Ma}	90.22	-10.59	99.51	100.07	96
L _{Ma}	48.45	-73.18	42.21	84.49	150
C _{Ma}	56.88	-33.1	-47.4	57.83	235
V _{Ma}	16.48	45.84	-56.21	72.54	309
M _{Ma}	45.36	81.85	-9.28	82.38	354
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS00; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	0	OLS00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.006 0.006 0.006
1	0	OLS00	0.0	0.0	0.25	0.789	0.125	0.25	0.859	0.75	0.0	4.1	18.1	309.2	11.5	-14.0	0.7	0.5	0.159
2	0	OLS00	0.0	0.0	0.5	0.789	0.25	0.5	0.859	0.5	0.0	8.2	36.3	309.2	22.9	-28.0	1.6	0.9	0.261
3	0	OLS00	0.0	0.0	0.75	0.789	0.375	0.75	0.859	0.25	0.0	12.4	54.4	309.2	34.4	-42.1	2.9	1.5	0.376
4	0	OLS00	0.0	0.0	1.0	0.789	0.5	1.0	0.859	0.0	0.0	16.5	72.5	309.2	45.8	-56.1	4.9	2.2	0.5
5	0	OLS00	0.0	0.25	0.0	0.347	0.125	0.25	0.417	0.75	0.0	12.1	21.1	150.0	-18.2	10.6	0.8	1.4	0.101
6	0	OLS00	0.0	0.25	0.25	0.583	0.125	0.25	0.653	0.75	0.0	14.2	14.5	235.1	-8.2	-11.8	1.4	1.8	0.228
7	0	OLS00	0.0	0.25	0.5	0.686	0.25	0.5	0.756	0.5	0.0	18.3	32.6	272.1	1.2	-32.5	2.5	2.6	0.378
8	0	OLS00	0.0	0.239	0.75	0.725	0.375	0.75	0.793	0.25	0.0	22.0	50.9	285.6	13.7	-48.9	4.3	3.5	0.513
9	0	OLS00	0.0	0.232	1.0	0.742	0.5	1.0	0.811	0.0	0.0	25.8	69.1	292.0	25.9	-64.0	6.7	4.7	0.651
10	0	OLS00	0.0	0.5	0.0	0.347	0.25	0.5	0.417	0.5	0.0	24.2	42.2	150.0	-36.5	21.1	1.9	4.2	0.135
11	0	OLS00	0.0	0.5	0.25	0.467	0.25	0.5	0.535	0.5	0.0	26.3	35.6	192.5	-34.6	-7.6	2.5	4.9	0.31
12	0	OLS00	0.0	0.5	0.5	0.583	0.25	0.5	0.653	0.5	0.0	28.4	28.9	235.1	-16.5	-23.6	4.1	5.6	0.423
13	0	OLS00	0.0	0.511	0.75	0.65	0.375	0.75	0.719	0.25	0.0	33.0	46.9	258.7	-9.1	-45.9	6.3	7.5	0.61
14	0	OLS00	0.0	0.5	1.0	0.686	0.5	1.0	0.756	0.0	0.0	36.7	65.2	272.1	2.4	-65.0	9.2	9.4	0.781
15	0	OLS00	0.0	0.75	0.0	0.347	0.375	0.75	0.417	0.25	0.0	36.3	63.4	150.0	-54.8	31.7	3.8	9.2	0.168
16	0	OLS00	0.0	0.75	0.239	0.422	0.375	0.75	0.492	0.25	0.0	38.4	57.0	177.1	-56.8	2.9	4.2	10.3	0.357
17	0	OLS00	0.0	0.75	0.511	0.508	0.375	0.75	0.578	0.25	0.0	40.6	49.7	208.0	-43.8	-23.2	6.1	11.6	0.544
18	0	OLS00	0.0	0.75	0.75	0.583	0.375	0.75	0.653	0.25	0.0	42.7	43.4	235.1	-24.7	-35.5	9.0	12.9	0.646
19	0	OLS00	0.0	0.768	1.0	0.631	0.5	1.0	0.701	0.0	0.0	47.5	61.2	252.2	-18.6	-58.2	12.6	16.4	0.86
20	0	OLS00	0.0	1.0	0.0	0.347	0.5	1.0	0.417	0.0	0.0	48.5	84.5	150.0	-73.1	42.2	6.5	17.2	0.2
21	0	OLS00	0.0	1.0	0.232	0.403	0.5	1.0	0.471	0.0	0.0	50.4	78.3	169.7	-77.0	14.0	7.0	18.8	0.402
22	0	OLS00	0.0	1.0	0.5	0.467	0.5	1.0	0.535	0.0	0.0	52.7	71.2	192.5	-69.4	-15.4	8.8	20.7	0.619
23	0	OLS00	0.0	1.0	0.768	0.528	0.5	1.0	0.598	0.0	0.0	54.9	64.0	215.4	-52.1	-37.0	12.4	22.9	0.794
24	0	OLS00	0.0	1.0	1.0	0.583	0.5	1.0	0.653	0.0	0.0	56.9	57.8	235.1	-33.0	-47.3	16.9	24.8	0.892

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 208, Serie: 1/1, Seite: 2
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS00; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$			XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		RGB'_{sRGB}			$RGB'_{AdobeRGB}$				
25	0	OLS00	0.25	0.0	0.0	0.061	0.125	0.25	0.13	0.75	0.0	11.3	26.0	46.6	17.8	18.9	1.9	1.3	0.0	0.585	0.585	0.021	0.015	0.0	0.238	0.078	-0.016	0.218	0.104	-0.042
26	0	OLS00	0.25	0.0	0.25	0.914	0.125	0.25	0.982	0.75	0.0	11.3	20.6	353.5	20.5	-2.2	2.0	1.3	1.6	0.405	0.405	0.023	0.015	0.019	0.225	0.074	0.142	0.208	0.101	0.159
27	0	OLS00	0.25	0.0	0.5	0.85	0.25	0.5	0.92	0.5	0.0	15.5	38.7	331.4	34.0	-18.5	3.7	2.0	5.3	0.339	0.339	0.042	0.023	0.059	0.296	0.052	0.273	0.261	0.082	0.274
28	0	OLS00	0.239	0.0	0.75	0.828	0.375	0.75	0.898	0.25	0.0	19.3	56.8	323.3	45.5	-33.8	5.9	2.8	11.6	0.29	0.29	0.066	0.032	0.13	0.35	0.011	0.403	0.302	0.039	0.395
29	0	OLS00	0.232	0.0	1.0	0.817	0.5	1.0	0.887	0.0	0.0	23.2	74.8	319.5	56.9	-48.5	8.7	3.9	21.3	0.258	0.258	0.099	0.043	0.241	0.4	-0.051	0.538	0.341	-0.081	0.523
30	0	OLS00	0.25	0.25	0.0	0.197	0.125	0.25	0.267	0.75	0.0	22.6	25.0	96.1	-2.5	24.9	3.3	3.7	1.0	0.417	0.417	0.038	0.041	0.011	0.254	0.226	0.064	0.255	0.236	0.104
31	0	OLS00	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	23.9	0.0	0.0	0.0	0.0	3.9	4.1	4.4	0.313	0.313	0.044	0.046	0.05	0.237	0.237	0.237	0.246	0.246	0.246
32	0	OLS00	0.25	0.25	0.5	0.789	0.375	0.25	0.859	0.5	0.25	28.0	18.1	309.2	11.5	-14.0	6.2	5.4	9.9	0.287	0.287	0.07	0.061	0.112	0.305	0.254	0.364	0.297	0.262	0.362
33	0	OLS00	0.25	0.25	0.75	0.789	0.5	0.5	0.859	0.25	0.25	32.1	36.3	309.2	22.9	-28.0	9.3	7.1	18.6	0.265	0.265	0.105	0.08	0.21	0.367	0.268	0.497	0.344	0.274	0.487
34	0	OLS00	0.25	0.25	1.0	0.789	0.625	0.75	0.859	0.0	0.25	36.2	54.4	309.2	34.4	-42.1	13.3	9.1	31.4	0.247	0.247	0.15	0.103	0.355	0.424	0.278	0.636	0.389	0.284	0.62
35	0	OLS00	0.25	0.5	0.0	0.272	0.25	0.5	0.342	0.5	0.0	34.7	46.1	123.1	-25.1	38.7	5.5	8.3	1.6	0.356	0.356	0.062	0.094	0.018	0.241	0.377	0.039	0.293	0.377	0.109
36	0	OLS00	0.25	0.5	0.25	0.347	0.375	0.25	0.417	0.5	0.25	36.0	21.1	150.0	-18.2	10.6	6.6	9.0	6.7	0.296	0.296	0.075	0.101	0.076	0.243	0.383	0.28	0.296	0.383	0.291
37	0	OLS00	0.25	0.5	0.5	0.583	0.375	0.25	0.653	0.5	0.25	38.1	14.5	235.1	-8.2	-11.8	8.6	10.1	15.8	0.25	0.25	0.097	0.114	0.178	0.251	0.392	0.45	0.304	0.392	0.445
38	0	OLS00	0.25	0.5	0.75	0.686	0.5	0.5	0.756	0.25	0.25	42.2	32.6	272.1	1.2	-32.5	12.2	12.6	32.0	0.215	0.215	0.137	0.142	0.361	0.239	0.422	0.634	0.309	0.421	0.621
39	0	OLS00	0.25	0.489	1.0	0.725	0.625	0.75	0.793	0.0	0.25	45.9	50.9	285.6	13.7	-48.9	16.7	15.2	51.4	0.201	0.201	0.189	0.171	0.58	0.273	0.439	0.791	0.334	0.437	0.775
40	0	OLS00	0.239	0.75	0.0	0.3	0.375	0.75	0.369	0.25	0.0	46.3	67.1	132.8	-45.5	49.2	8.4	15.5	2.7	0.317	0.317	0.095	0.175	0.03	0.169	0.524	0.022	0.326	0.52	0.131
41	0	OLS00	0.25	0.75	0.25	0.347	0.5	0.5	0.417	0.25	0.25	48.1	42.2	150.0	-36.5	21.1	10.5	16.9	9.7	0.282	0.282	0.118	0.19	0.11	0.207	0.534	0.32	0.344	0.53	0.335
42	0	OLS00	0.25	0.75	0.5	0.467	0.5	0.5	0.535	0.25	0.25	50.2	35.6	192.5	-34.6	-7.6	12.0	18.6	24.6	0.217	0.217	0.135	0.21	0.278	-0.301	0.56	0.545	0.281	0.555	0.541
43	0	OLS00	0.25	0.75	0.75	0.583	0.5	0.5	0.653	0.25	0.25	52.3	28.9	235.1	-16.5	-23.6	16.3	20.4	38.5	0.217	0.217	0.184	0.23	0.435	0.174	0.558	0.682	0.344	0.553	0.672
44	0	OLS00	0.25	0.761	1.0	0.65	0.625	0.75	0.719	0.0	0.25	56.9	46.9	258.7	-9.1	-45.9	21.5	24.8	68.8	0.187	0.187	0.243	0.28	0.776	-0.374	0.602	0.895	0.3	0.597	0.882
45	0	OLS00	0.232	1.0	0.0	0.314	0.5	1.0	0.382	0.0	0.0	58.1	88.1	137.5	-64.9	59.5	12.5	26.1	4.3	0.292	0.292	0.142	0.295	0.049	-0.239	0.678	-0.004	0.36	0.672	0.156
46	0	OLS00	0.25	1.0	0.25	0.347	0.625	0.75	0.417	0.0	0.25	60.2	63.4	150.0	-54.8	31.7	15.6	28.3	13.5	0.271	0.271	0.176	0.32	0.152	0.02	0.692	0.358	0.389	0.686	0.38
47	0	OLS00	0.25	1.0	0.489	0.422	0.625	0.75	0.492	0.0	0.25	62.2	57.0	177.1	-56.8	2.9	16.7	30.6	31.3	0.213	0.213	0.189	0.346	0.353	-1.24	0.722	0.595	0.295	0.717	0.596
48	0	OLS00	0.25	1.0	0.761	0.508	0.625	0.75	0.578	0.0	0.25	64.5	49.7	208.0	-43.8	-23.2	21.2	33.4	58.0	0.188	0.188	0.239	0.377	0.655	-1.707	0.738	0.814	0.253	0.732	0.807
49	0	OLS00	0.25	1.0	1.0	0.583	0.625	0.75	0.653	0.0	0.25	66.5	43.4	235.1	-24.7	-35.5	27.5	36.0	76.5	0.197	0.197	0.311	0.406	0.864	-0.621	0.733	0.93	0.362	0.728	0.92

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 3x8, Serie: 1/1, Seite: 3
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS00; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$			XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		RGB'_{sRGB}			$RGB'_{AdobeRGB}$				
50	0	OLS00	0.5	0.0	0.0	0.061	0.25	0.5	0.13	0.5	0.0	22.6	52.0	46.6	35.7	37.8	6.3	3.7	0.1	0.625	0.625	0.071	0.041	0.001	0.443	0.096	-0.045	0.382	0.12	-0.071
51	0	OLS00	0.5	0.0	0.25	0.986	0.25	0.5	0.056	0.5	0.0	22.6	46.6	20.1	43.7	16.0	7.1	3.7	1.8	0.564	0.564	0.08	0.042	0.02	0.467	0.023	0.138	0.399	0.055	0.154
52	0	OLS00	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	22.7	41.2	353.5	40.9	-4.5	6.8	3.7	4.9	0.44	0.44	0.077	0.042	0.056	0.433	0.073	0.259	0.373	0.1	0.262
53	0	OLS00	0.511	0.0	0.75	0.872	0.375	0.75	0.943	0.25	0.0	27.1	59.4	339.4	55.6	-20.8	10.7	5.1	11.8	0.388	0.388	0.121	0.058	0.133	0.523	-0.035	0.403	0.445	-0.069	0.395
54	0	OLS00	0.5	0.0	1.0	0.85	0.5	1.0	0.92	0.0	0.0	30.9	77.5	331.4	68.0	-37.0	15.0	6.6	22.4	0.341	0.341	0.169	0.075	0.253	0.591	-0.173	0.548	0.499	-0.14	0.532
55	0	OLS00	0.5	0.25	0.0	0.128	0.25	0.5	0.198	0.5	0.0	33.8	51.0	71.4	16.3	48.3	9.4	7.9	0.7	0.521	0.521	0.106	0.09	0.008	0.487	0.284	-0.051	0.438	0.29	-0.045
56	0	OLS00	0.5	0.25	0.25	0.061	0.375	0.25	0.13	0.5	0.25	35.1	26.0	46.6	17.8	18.9	10.3	8.6	4.5	0.44	0.44	0.116	0.097	0.051	0.487	0.296	0.223	0.44	0.3	0.237
57	0	OLS00	0.5	0.25	0.5	0.914	0.375	0.25	0.982	0.5	0.25	35.2	20.6	353.5	20.5	-2.2	10.7	8.6	10.1	0.363	0.363	0.12	0.097	0.114	0.466	0.294	0.362	0.424	0.299	0.361
58	0	OLS00	0.5	0.25	0.75	0.85	0.5	0.5	0.92	0.25	0.25	39.3	38.7	331.4	34.0	-18.5	15.4	10.8	20.1	0.332	0.332	0.173	0.122	0.227	0.548	0.295	0.512	0.488	0.3	0.501
59	0	OLS00	0.489	0.25	1.0	0.828	0.625	0.75	0.898	0.0	0.25	43.1	56.8	323.3	45.5	-33.8	20.6	13.2	34.1	0.303	0.303	0.232	0.149	0.385	0.611	0.295	0.657	0.54	0.3	0.641
60	0	OLS00	0.5	0.5	0.0	0.197	0.25	0.5	0.267	0.5	0.0	45.1	50.0	96.1	-5.2	49.8	13.1	14.6	2.3	0.435	0.435	0.148	0.165	0.026	0.497	0.446	0.032	0.48	0.444	0.119
61	0	OLS00	0.5	0.5	0.25	0.197	0.375	0.25	0.267	0.5	0.25	46.4	25.0	96.1	-2.5	24.9	14.4	15.6	7.7	0.382	0.382	0.162	0.176	0.087	0.498	0.457	0.283	0.483	0.454	0.298
62	0	OLS00	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	47.7	0.0	0.0	0.0	0.0	15.7	16.6	18.0	0.313	0.313	0.178	0.187	0.204	0.47	0.47	0.47	0.467	0.467	0.467
63	0	OLS00	0.5	0.5	0.75	0.789	0.625	0.25	0.859	0.25	0.5	51.8	18.1	309.2	11.5	-14.0	21.3	20.0	30.6	0.297	0.297	0.241	0.226	0.345	0.548	0.489	0.612	0.527	0.486	0.602
64	0	OLS00	0.5	0.5	1.0	0.789	0.75	0.5	0.859	0.0	0.5	55.9	36.3	309.2	22.9	-28.0	28.1	23.9	47.9	0.281	0.281	0.317	0.269	0.541	0.621	0.507	0.758	0.586	0.503	0.744
65	0	OLS00	0.511	0.75	0.0	0.244	0.375	0.75	0.315	0.25	0.0	57.7	71.3	113.3	-28.1	65.5	18.4	25.6	3.2	0.39	0.39	0.208	0.289	0.036	0.498	0.62	-0.123	0.532	0.614	0.089
66	0	OLS00	0.5	0.75	0.25	0.272	0.5	0.5	0.342	0.25	0.25	58.5	46.1	123.1	-25.1	38.7	19.7	26.5	9.9	0.352	0.352	0.223	0.299	0.111	0.491	0.626	0.291	0.53	0.621	0.318
67	0	OLS00	0.5	0.75	0.5	0.347	0.625	0.25	0.417	0.25	0.5	59.8	21.1	150.0	-18.2	10.6	22.3	27.9	23.6	0.302	0.302	0.252	0.315	0.267	0.484	0.633	0.518	0.527	0.627	0.519
68	0	OLS00	0.5	0.75	0.75	0.583	0.625	0.25	0.653	0.25	0.5	61.9	14.5	235.1	-8.2	-11.8	26.7	30.3	42.5	0.268	0.268	0.302	0.342	0.48	0.498	0.642	0.705	0.539	0.636	0.696
69	0	OLS00	0.5	0.75	1.0	0.686	0.75	0.5	0.756	0.0	0.5	66.0	32.6	272.1	1.2	-32.5	34.0	35.4	71.7	0.241	0.241	0.383	0.399	0.81	0.512	0.674	0.904	0.559	0.668	0.893
70	0	OLS00	0.5	1.0	0.0	0.272	0.5	1.0	0.342	0.0	0.0	69.3	92.3	123.1	-50.2	77.3	24.3	39.8	4.6	0.354	0.354	0.275	0.449	0.052	0.453	0.785	-0.273	0.569	0.78	0.077
71	0	OLS00	0.489	1.0	0.25	0.3	0.625	0.75	0.369	0.0	0.25	70.2	67.1	132.8	-45.5	49.2	26.3	41.0	13.4	0.326	0.326	0.297	0.463	0.151	0.456	0.79	0.316	0.572	0.785	0.355
72	0	OLS00	0.5	1.0	0.5	0.347	0.75	0.5	0.417	0.0	0.5	71.9	42.2	150.0	-36.5	21.1	30.5	43.6	30.3	0.293	0.293	0.345	0.492	0.341	0.474	0.799	0.566	0.585	0.794	0.572
73	0	OLS00	0.5	1.0	0.75	0.467	0.75	0.5	0.535	0.0	0.5	74.0	35.6	192.5	-34.6	-7.6	33.6	46.8	58.9	0.241	0.241	0.379	0.528	0.665	0.321	0.827	0.807	0.528	0.823	0.803
74	0	OLS00	0.5	1.0	1.0	0.583	0.75	0.5	0.653	0.0	0.5	76.1	28.9	235.1	-16.5	-23.6	41.9	50.1	82.8	0.24	0.24	0.473	0.566	0.935	0.482	0.822	0.954	0.599	0.817	0.948

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 4/8, Serie: 1/1, Seite: 4
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS00; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		RGB'_{sRGB}			$RGB'_{AdobeRGB}$					
75	0	OLS00	0.75	0.0	0.0	0.061	0.375	0.75	0.13	0.25	0.0	33.9	77.9	46.6	53.5	56.7	14.7	7.9	0.1	0.646	0.646	0.166	0.09	0.001	0.665	0.081	-0.097	0.568	0.107	-0.104
76	0	OLS00	0.75	0.0	0.239	0.014	0.375	0.75	0.083	0.25	0.0	33.9	72.8	29.7	63.2	36.1	16.4	8.0	1.7	0.629	0.629	0.185	0.09	0.019	0.703	-0.126	0.113	0.596	-0.122	0.13
77	0	OLS00	0.75	0.0	0.511	0.958	0.375	0.75	0.029	0.25	0.0	34.0	66.9	10.4	65.8	12.1	16.9	8.0	5.5	0.556	0.556	0.191	0.09	0.062	0.7	-0.167	0.267	0.593	-0.138	0.268
78	0	OLS00	0.75	0.0	0.75	0.914	0.375	0.75	0.982	0.25	0.0	34.0	61.8	353.5	61.4	-6.9	16.2	8.0	11.0	0.459	0.459	0.182	0.09	0.124	0.658	-0.022	0.386	0.559	-0.056	0.378
79	0	OLS00	0.768	0.0	1.0	0.883	0.5	1.0	0.953	0.0	0.0	38.7	80.1	343.3	76.7	-23.0	23.2	10.5	22.0	0.417	0.417	0.262	0.118	0.248	0.762	-0.275	0.54	0.645	-0.174	0.524
80	0	OLS00	0.75	0.239	0.0	0.103	0.375	0.75	0.173	0.25	0.0	44.6	77.0	62.4	35.7	68.2	19.9	14.3	0.6	0.572	0.572	0.225	0.161	0.007	0.72	0.322	-0.168	0.633	0.325	-0.117
81	0	OLS00	0.75	0.25	0.25	0.061	0.5	0.5	0.13	0.25	0.25	46.4	52.0	46.6	35.7	37.8	21.5	15.6	4.6	0.516	0.516	0.243	0.176	0.052	0.729	0.344	0.2	0.643	0.346	0.219
82	0	OLS00	0.75	0.25	0.5	0.986	0.5	0.5	0.056	0.25	0.25	46.5	46.6	20.1	43.7	16.0	23.3	15.6	10.5	0.472	0.472	0.263	0.176	0.119	0.75	0.315	0.356	0.657	0.318	0.356
83	0	OLS00	0.75	0.25	0.75	0.914	0.5	0.5	0.982	0.25	0.25	46.5	41.2	353.5	40.9	-4.5	22.8	15.7	19.4	0.394	0.394	0.257	0.177	0.219	0.702	0.335	0.495	0.62	0.338	0.486
84	0	OLS00	0.761	0.25	1.0	0.872	0.625	0.75	0.943	0.0	0.25	51.0	59.4	339.4	55.6	-20.8	31.0	19.2	34.5	0.366	0.366	0.35	0.217	0.39	0.802	0.321	0.655	0.701	0.325	0.64
85	0	OLS00	0.75	0.511	0.0	0.153	0.375	0.75	0.223	0.25	0.0	56.9	76.0	80.3	12.8	74.9	26.6	24.8	1.8	0.5	0.5	0.3	0.28	0.02	0.756	0.523	-0.246	0.694	0.518	-0.115
86	0	OLS00	0.75	0.5	0.25	0.128	0.5	0.5	0.198	0.25	0.25	57.7	51.0	71.4	16.3	48.3	28.3	25.6	6.6	0.467	0.467	0.32	0.289	0.075	0.77	0.523	0.215	0.705	0.519	0.247
87	0	OLS00	0.75	0.5	0.5	0.061	0.625	0.25	0.13	0.25	0.5	59.0	26.0	46.6	17.8	18.9	30.2	27.0	18.3	0.4	0.4	0.341	0.305	0.207	0.756	0.538	0.456	0.697	0.533	0.457
88	0	OLS00	0.75	0.5	0.75	0.914	0.625	0.25	0.982	0.25	0.5	59.0	20.6	353.5	20.5	-2.2	30.9	27.1	31.1	0.347	0.347	0.349	0.306	0.351	0.727	0.537	0.608	0.673	0.532	0.6
89	0	OLS00	0.75	0.5	1.0	0.85	0.75	0.5	0.92	0.0	0.5	63.2	38.7	331.4	34.0	-18.5	40.2	31.8	50.7	0.327	0.327	0.453	0.359	0.573	0.817	0.545	0.772	0.746	0.539	0.759
90	0	OLS00	0.75	0.75	0.0	0.197	0.375	0.75	0.267	0.25	0.0	67.7	75.1	96.1	-7.8	74.6	33.4	37.5	4.6	0.442	0.442	0.376	0.423	0.052	0.763	0.689	-0.136	0.737	0.682	0.108
91	0	OLS00	0.75	0.75	0.25	0.197	0.5	0.5	0.267	0.25	0.25	69.0	50.0	96.1	-5.2	49.8	35.7	39.3	12.3	0.409	0.409	0.403	0.443	0.139	0.771	0.699	0.311	0.746	0.693	0.341
92	0	OLS00	0.75	0.75	0.5	0.197	0.625	0.25	0.267	0.25	0.5	70.3	25.0	96.1	-2.5	24.9	38.3	41.1	25.9	0.364	0.364	0.432	0.464	0.292	0.761	0.711	0.525	0.742	0.705	0.53
93	0	OLS00	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	71.6	0.0	0.0	0.0	0.0	40.9	43.0	46.8	0.313	0.313	0.461	0.485	0.529	0.726	0.726	0.726	0.72	0.72	0.72
94	0	OLS00	0.75	0.75	1.0	0.789	0.875	0.25	0.859	0.0	0.75	75.7	18.1	309.2	11.5	-14.0	51.1	49.4	69.4	0.301	0.301	0.577	0.557	0.783	0.811	0.748	0.879	0.789	0.742	0.87
95	0	OLS00	0.768	1.0	0.0	0.233	0.5	1.0	0.302	0.0	0.0	80.5	96.5	108.6	-30.6	91.4	43.5	57.7	5.7	0.407	0.407	0.491	0.651	0.065	0.773	0.879	-0.475	0.801	0.876	-0.085
96	0	OLS00	0.761	1.0	0.25	0.244	0.625	0.75	0.315	0.0	0.25	81.5	71.3	113.3	-28.1	65.5	45.9	59.5	14.7	0.382	0.382	0.518	0.671	0.166	0.776	0.888	0.288	0.805	0.885	0.345
97	0	OLS00	0.75	1.0	0.5	0.272	0.75	0.5	0.342	0.0	0.5	82.4	46.1	123.1	-25.1	38.7	48.2	61.0	30.6	0.345	0.345	0.545	0.688	0.345	0.758	0.895	0.541	0.795	0.892	0.557
98	0	OLS00	0.75	1.0	0.75	0.347	0.875	0.25	0.417	0.0	0.75	83.7	21.1	150.0	-18.2	10.6	52.9	63.4	57.1	0.305	0.305	0.597	0.716	0.645	0.744	0.902	0.779	0.788	0.899	0.779
99	0	OLS00	0.75	1.0	1.0	0.583	0.875	0.25	0.653	0.0	0.75	85.8	14.5	235.1	-8.2	-11.8	60.6	67.5	89.5	0.279	0.279	0.684	0.762	1.01	0.763	0.911	0.978	0.804	0.908	0.974



BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 508, Serie: 1/1, Seite: 5
Seite: 5
Seitenzählung 1




Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS00; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$			$RGB'_{AdobeRGB}$					
100	0	OLS00	1.0	0.0	0.0	0.061	0.5	1.0	0.13	0.0	0.0	45.1	103.9	46.6	71.4	75.5	28.6	14.6	0.2	0.659	0.659	0.322	0.165	0.002	0.901	-0.027	-0.178	0.771	-0.063	-0.14
101	0	OLS00	1.0	0.0	0.232	0.025	0.5	1.0	0.095	0.0	0.0	45.2	98.9	34.3	81.7	55.8	31.3	14.7	1.7	0.657	0.657	0.354	0.166	0.019	0.946	-0.402	0.069	0.806	-0.206	0.084
102	0	OLS00	1.0	0.0	0.5	0.986	0.5	1.0	0.056	0.0	0.0	45.3	93.1	20.1	87.5	32.0	33.0	14.7	5.4	0.621	0.621	0.373	0.166	0.061	0.965	-0.604	0.252	0.82	-0.248	0.25
103	0	OLS00	1.0	0.0	0.768	0.947	0.5	1.0	0.016	0.0	0.0	45.3	87.4	5.8	86.9	8.9	32.9	14.8	12.4	0.548	0.548	0.372	0.167	0.14	0.945	-0.537	0.402	0.803	-0.235	0.391
104	0	OLS00	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	45.4	82.4	353.5	81.9	-9.2	31.6	14.8	20.7	0.471	0.471	0.357	0.167	0.234	0.897	-0.287	0.52	0.764	-0.177	0.505
105	0	OLS00	1.0	0.232	0.0	0.092	0.5	1.0	0.161	0.0	0.0	55.6	103.0	58.1	54.5	87.5	36.4	23.5	0.6	0.602	0.602	0.411	0.265	0.007	0.964	0.349	-0.312	0.843	0.351	-0.165
106	0	OLS00	1.0	0.25	0.25	0.061	0.625	0.75	0.13	0.0	0.25	57.7	77.9	46.6	53.5	56.7	38.9	25.7	4.8	0.561	0.561	0.439	0.29	0.054	0.978	0.381	0.161	0.858	0.381	0.191
107	0	OLS00	1.0	0.25	0.489	0.014	0.625	0.75	0.083	0.0	0.25	57.8	72.8	29.7	63.2	36.1	42.1	25.7	10.3	0.539	0.539	0.475	0.29	0.116	1.016	0.33	0.332	0.886	0.332	0.334
108	0	OLS00	1.0	0.25	0.761	0.958	0.625	0.75	0.029	0.0	0.25	57.8	66.9	10.4	65.8	12.1	43.1	25.8	20.8	0.48	0.48	0.486	0.291	0.235	1.005	0.322	0.502	0.876	0.325	0.492
109	0	OLS00	1.0	0.25	1.0	0.914	0.625	0.75	0.982	0.0	0.25	57.9	61.8	353.5	61.4	-6.9	41.7	25.8	33.0	0.415	0.415	0.47	0.292	0.372	0.95	0.36	0.635	0.832	0.361	0.62
110	0	OLS00	1.0	0.5	0.0	0.128	0.5	1.0	0.198	0.0	0.0	67.7	102.0	71.4	32.6	96.6	46.3	37.5	1.5	0.543	0.543	0.522	0.424	0.017	1.014	0.575	-0.513	0.914	0.569	-0.19
111	0	OLS00	1.0	0.489	0.25	0.103	0.625	0.75	0.173	0.0	0.25	68.5	77.0	62.4	35.7	68.2	48.6	38.6	6.3	0.52	0.52	0.549	0.436	0.071	1.031	0.574	0.138	0.928	0.569	0.197
112	0	OLS00	1.0	0.5	0.5	0.061	0.75	0.5	0.13	0.0	0.5	70.3	52.0	46.6	35.7	37.8	51.5	41.1	18.6	0.463	0.463	0.581	0.464	0.21	1.028	0.599	0.436	0.929	0.593	0.442
113	0	OLS00	1.0	0.5	0.75	0.986	0.75	0.5	0.056	0.0	0.5	70.3	46.6	20.1	43.7	16.0	54.7	41.2	31.9	0.428	0.428	0.617	0.465	0.36	1.045	0.575	0.602	0.94	0.569	0.595
114	0	OLS00	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	70.4	41.2	353.5	40.9	-4.5	53.7	41.3	49.3	0.372	0.372	0.606	0.466	0.557	0.986	0.593	0.753	0.894	0.587	0.742
115	0	OLS00	1.0	0.768	0.0	0.167	0.5	1.0	0.235	0.0	0.0	79.8	101.0	84.6	9.5	100.5	57.3	56.3	3.7	0.488	0.488	0.646	0.635	0.041	1.042	0.778	-0.642	0.975	0.773	-0.184
116	0	OLS00	1.0	0.761	0.25	0.153	0.625	0.75	0.223	0.0	0.25	80.8	76.0	80.3	12.8	74.9	60.4	58.0	10.6	0.468	0.468	0.681	0.655	0.119	1.06	0.782	0.191	0.991	0.776	0.262
117	0	OLS00	1.0	0.75	0.5	0.128	0.75	0.5	0.198	0.0	0.5	81.5	51.0	71.4	16.3	48.3	63.4	59.5	23.4	0.433	0.433	0.715	0.671	0.265	1.065	0.784	0.464	0.995	0.779	0.48
118	0	OLS00	1.0	0.75	0.75	0.061	0.875	0.25	0.13	0.0	0.75	82.8	26.0	46.6	17.8	18.9	66.5	61.9	47.4	0.378	0.378	0.751	0.698	0.535	1.04	0.801	0.711	0.979	0.795	0.71
119	0	OLS00	1.0	0.75	1.0	0.914	0.875	0.25	0.982	0.0	0.75	82.9	20.6	353.5	20.5	-2.2	67.8	62.0	70.3	0.339	0.339	0.765	0.699	0.793	1.004	0.8	0.875	0.95	0.795	0.868
120	0	OLS00	1.0	1.0	0.0	0.197	0.5	1.0	0.267	0.0	0.0	90.2	100.1	96.1	-10.5	99.5	68.0	76.8	8.0	0.445	0.445	0.768	0.867	0.09	1.047	0.948	-0.503	1.021	0.946	-0.043
121	0	OLS00	1.0	1.0	0.25	0.197	0.625	0.75	0.267	0.0	0.25	91.5	75.1	96.1	-7.8	74.6	71.9	79.6	18.5	0.423	0.423	0.811	0.899	0.209	1.06	0.959	0.318	1.034	0.957	0.376
122	0	OLS00	1.0	1.0	0.5	0.197	0.75	0.5	0.267	0.0	0.5	92.8	50.0	96.1	-5.2	49.8	75.8	82.5	35.7	0.391	0.391	0.856	0.932	0.403	1.059	0.971	0.569	1.037	0.97	0.587
123	0	OLS00	1.0	1.0	0.75	0.197	0.875	0.25	0.267	0.0	0.75	94.1	25.0	96.1	-2.5	24.9	79.9	85.5	61.1	0.353	0.353	0.902	0.965	0.69	1.041	0.985	0.787	1.026	0.984	0.792
124	0	OLS00	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0




BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 608, Serie: 1/1, Seite: 6
Seite 6





%Umfang
 $u^*_{rel} = 120$
%Regularität
 $g^*_{H,rel} = 54$
 $g^*_{C,rel} = 58$

OLS06	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	45.87	69.79	66.99	96.74	44
Y _M	90.25	-10.5	97.42	97.99	96
L _M	49.08	-70.27	40.08	80.91	150
C _M	57.33	-32.37	-46.79	56.91	235
V _M	19.26	40.73	-52.46	66.42	308
M _M	46.07	80.12	-9.03	80.63	354
N _M	5.69	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 120$
%Regularität
 $g^*_{H,rel} = 54$
 $g^*_{C,rel} = 58$

OLS06a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	45.87	69.79	66.99	96.74	44
Y _{Ma}	90.25	-10.5	97.42	97.99	96
L _{Ma}	49.08	-70.27	40.08	80.91	150
C _{Ma}	57.33	-32.37	-46.79	56.91	235
V _{Ma}	19.26	40.73	-52.46	66.42	308
M _{Ma}	46.07	80.12	-9.03	80.63	354
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS06; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
0	1	OLS06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	5.7	0.0	0.0	0.0	0.6	0.6	0.7	0.313	0.313	0.007	0.007	0.008	0.079	0.079	0.079	0.106	0.105	0.105		
1	1	OLS06	0.0	0.0	0.25	0.786	0.125	0.25	0.855	0.75	0.0	4.8	16.6	307.8	10.2	-13.0	0.8	0.5	1.6	0.261	0.261	0.009	0.006	0.018	0.096	0.048	0.144	0.11	0.079	0.16	
2	1	OLS06	0.0	0.0	0.5	0.786	0.25	0.5	0.855	0.5	0.0	9.6	33.2	307.8	20.4	-26.1	1.7	1.1	4.8	0.226	0.226	0.019	0.012	0.054	0.137	0.074	0.261	0.143	0.101	0.264	
3	1	OLS06	0.0	0.0	0.75	0.786	0.375	0.75	0.855	0.25	0.0	14.4	49.8	307.8	30.5	-39.3	3.2	1.8	10.5	0.207	0.207	0.036	0.02	0.119	0.179	0.086	0.387	0.175	0.111	0.38	
4	1	OLS06	0.0	0.0	1.0	0.786	0.5	1.0	0.855	0.0	0.0	19.3	66.4	307.8	40.7	-52.4	5.4	2.8	19.8	0.194	0.194	0.061	0.032	0.223	0.218	0.095	0.52	0.205	0.119	0.506	
5	1	OLS06	0.0	0.25	0.0	0.347	0.125	0.25	0.418	0.75	0.0	12.3	20.2	150.3	-17.5	10.0	0.9	1.4	0.8	0.279	0.279	0.01	0.016	0.009	0.026	0.158	0.074	0.109	0.175	0.106	
6	1	OLS06	0.0	0.25	0.25	0.583	0.125	0.25	0.654	0.75	0.0	14.3	14.2	235.3	-8.0	-11.6	1.4	1.8	3.6	0.208	0.208	0.016	0.02	0.04	0.003	0.169	0.219	0.105	0.184	0.228	
7	1	OLS06	0.0	0.25	0.5	0.686	0.25	0.5	0.754	0.5	0.0	19.1	30.8	271.6	0.8	-30.7	2.7	2.8	10.4	0.169	0.169	0.03	0.031	0.117	-0.108	0.204	0.38	0.079	0.216	0.375	
8	1	OLS06	0.0	0.239	0.75	0.722	0.375	0.75	0.791	0.25	0.0	23.5	47.5	284.7	12.1	-45.9	4.6	4.0	20.2	0.16	0.16	0.052	0.045	0.229	-0.174	0.229	0.522	0.066	0.239	0.51	
9	1	OLS06	0.0	0.232	1.0	0.739	0.5	1.0	0.808	0.0	0.0	28.1	64.2	291.0	23.0	-59.8	7.4	5.5	34.2	0.156	0.156	0.083	0.062	0.386	-0.241	0.252	0.665	0.05	0.26	0.648	
10	1	OLS06	0.0	0.5	0.0	0.347	0.25	0.5	0.418	0.5	0.0	24.5	40.5	150.3	-35.0	20.0	2.1	4.3	1.7	0.258	0.258	0.023	0.048	0.019	-0.101	0.29	0.11	0.143	0.296	0.143	
11	1	OLS06	0.0	0.5	0.25	0.467	0.25	0.5	0.536	0.5	0.0	26.6	34.5	192.8	-33.5	-7.5	2.6	5.0	7.3	0.174	0.174	0.029	0.056	0.082	-0.424	0.314	0.307	-0.035	0.317	0.312	
12	1	OLS06	0.0	0.5	0.5	0.583	0.25	0.5	0.654	0.5	0.0	28.7	28.5	235.3	-16.1	-23.3	4.2	5.7	13.8	0.176	0.176	0.047	0.064	0.156	-0.31	0.317	0.429	0.098	0.32	0.423	
13	1	OLS06	0.0	0.511	0.75	0.647	0.375	0.75	0.718	0.25	0.0	33.9	45.0	258.4	-8.9	-43.9	6.7	8.0	30.0	0.149	0.149	0.075	0.09	0.338	-0.818	0.365	0.621	-0.143	0.366	0.607	
14	1	OLS06	0.0	0.5	1.0	0.686	0.5	1.0	0.754	0.0	0.0	38.3	61.7	271.6	1.7	-61.5	10.0	10.3	50.9	0.14	0.14	0.112	0.116	0.575	-1.295	0.399	0.792	-0.214	0.398	0.775	
15	1	OLS06	0.0	0.75	0.0	0.347	0.375	0.75	0.418	0.25	0.0	36.8	60.7	150.3	-52.6	30.1	4.1	9.4	3.1	0.245	0.245	0.046	0.107	0.035	-0.416	0.432	0.141	0.175	0.431	0.181	
16	1	OLS06	0.0	0.75	0.239	0.422	0.375	0.75	0.493	0.25	0.0	38.8	54.9	177.4	-54.8	2.5	4.5	10.5	10.6	0.177	0.177	0.051	0.119	0.119	-0.99	0.459	0.357	-0.08	0.457	0.363	
17	1	OLS06	0.0	0.75	0.511	0.508	0.375	0.75	0.578	0.25	0.0	41.0	48.4	208.2	-42.5	-22.8	6.4	11.9	24.3	0.15	0.15	0.072	0.134	0.274	-1.413	0.477	0.553	-0.18	0.474	0.545	
18	1	OLS06	0.0	0.75	0.75	0.583	0.375	0.75	0.654	0.25	0.0	43.0	42.7	235.3	-24.2	-35.0	9.3	13.2	34.9	0.162	0.162	0.104	0.148	0.394	-1.11	0.477	0.659	-0.099	0.474	0.647	
19	1	OLS06	0.0	0.768	1.0	0.631	0.5	1.0	0.7	0.0	0.0	48.5	59.1	252.1	-18.1	-56.2	13.4	17.2	64.0	0.141	0.141	0.151	0.194	0.722	-2.195	0.535	0.871	-0.257	0.531	0.857	
20	1	OLS06	0.0	1.0	0.0	0.347	0.5	1.0	0.418	0.0	0.0	49.1	80.9	150.3	-70.2	40.1	7.1	17.7	5.1	0.237	0.237	0.08	0.199	0.058	-0.99	0.583	0.171	0.204	0.578	0.221	
21	1	OLS06	0.0	1.0	0.232	0.403	0.5	1.0	0.472	0.0	0.0	51.0	75.3	170.0	-74.1	13.1	7.5	19.3	14.6	0.181	0.181	0.085	0.217	0.165	-1.831	0.612	0.403	-0.101	0.606	0.413	
22	1	OLS06	0.0	1.0	0.5	0.467	0.5	1.0	0.536	0.0	0.0	53.2	68.9	192.8	-67.1	-15.2	9.4	21.2	33.2	0.147	0.147	0.106	0.24	0.375	-2.737	0.636	0.629	-0.251	0.63	0.623	
23	1	OLS06	0.0	1.0	0.768	0.531	0.5	1.0	0.599	0.0	0.0	55.4	62.5	215.6	-50.7	-36.3	12.9	23.3	55.3	0.141	0.141	0.146	0.263	0.624	-3.144	0.649	0.806	-0.29	0.643	0.795	
24	1	OLS06	0.0	1.0	1.0	0.583	0.5	1.0	0.654	0.0	0.0	57.3	56.9	235.3	-32.3	-46.7	17.4	25.3	70.8	0.153	0.153	0.196	0.285	0.799	-2.602	0.649	0.905	-0.221	0.643	0.893	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 88, Serie: 1/1, Seite: 8
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS06; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$			$RGB'_{AdobeRGB}$					
25	1	OLS06	0.25	0.0	0.0	0.053	0.125	0.25	0.122	0.75	0.0	11.5	24.2	43.8	17.4	16.7	1.9	1.3	0.2	0.553	0.553	0.022	0.015	0.002	0.236	0.081	0.009	0.217	0.107	0.042
26	1	OLS06	0.25	0.0	0.25	0.914	0.125	0.25	0.982	0.75	0.0	11.5	20.2	353.6	20.0	-2.2	2.0	1.3	1.7	0.403	0.403	0.023	0.015	0.019	0.225	0.078	0.143	0.208	0.104	0.16
27	1	OLS06	0.25	0.0	0.5	0.85	0.25	0.5	0.919	0.5	0.0	16.3	36.8	330.7	32.1	-17.9	3.8	2.2	5.5	0.334	0.334	0.043	0.024	0.062	0.297	0.075	0.277	0.263	0.101	0.279
28	1	OLS06	0.239	0.0	0.75	0.825	0.375	0.75	0.896	0.25	0.0	20.8	53.2	322.4	42.2	-32.4	6.2	3.2	12.0	0.288	0.288	0.07	0.036	0.136	0.353	0.07	0.41	0.308	0.098	0.402
29	1	OLS06	0.232	0.0	1.0	0.814	0.5	1.0	0.884	0.0	0.0	25.5	69.7	318.4	52.1	-46.2	9.4	4.6	22.2	0.259	0.259	0.106	0.052	0.251	0.407	0.059	0.547	0.351	0.088	0.532
30	1	OLS06	0.25	0.25	0.0	0.197	0.125	0.25	0.267	0.75	0.0	22.6	24.5	96.2	-2.5	24.4	3.3	3.7	1.0	0.415	0.415	0.038	0.041	0.011	0.254	0.226	0.068	0.255	0.236	0.107
31	1	OLS06	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	28.1	0.0	0.0	0.0	0.0	5.2	5.5	6.0	0.313	0.313	0.059	0.062	0.068	0.276	0.276	0.276	0.283	0.283	0.283
32	1	OLS06	0.25	0.25	0.5	0.786	0.375	0.25	0.855	0.5	0.25	28.7	16.6	307.8	10.2	-13.0	6.3	5.7	10.0	0.288	0.288	0.071	0.064	0.112	0.307	0.263	0.365	0.3	0.27	0.363
33	1	OLS06	0.25	0.25	0.75	0.786	0.5	0.5	0.855	0.25	0.25	33.5	33.2	307.8	20.4	-26.1	9.7	7.8	18.9	0.267	0.267	0.109	0.088	0.213	0.371	0.287	0.5	0.352	0.293	0.489
34	1	OLS06	0.25	0.25	1.0	0.786	0.625	0.75	0.855	0.0	0.25	38.3	49.8	307.8	30.5	-39.3	14.1	10.3	32.0	0.25	0.25	0.159	0.116	0.361	0.433	0.31	0.64	0.402	0.314	0.625
35	1	OLS06	0.25	0.5	0.0	0.272	0.25	0.5	0.342	0.5	0.0	34.8	44.7	123.2	-24.4	37.4	5.6	8.4	1.7	0.356	0.356	0.063	0.095	0.019	0.246	0.378	0.058	0.296	0.378	0.12
36	1	OLS06	0.25	0.5	0.25	0.347	0.375	0.25	0.418	0.5	0.25	36.1	20.2	150.3	-17.5	10.0	6.8	9.1	6.9	0.297	0.297	0.076	0.102	0.078	0.249	0.383	0.285	0.3	0.383	0.295
37	1	OLS06	0.25	0.5	0.5	0.583	0.375	0.25	0.654	0.5	0.25	38.2	14.2	235.3	-8.0	-11.6	8.7	10.2	15.8	0.251	0.251	0.098	0.115	0.178	0.255	0.393	0.45	0.307	0.393	0.445
38	1	OLS06	0.25	0.5	0.75	0.686	0.5	0.5	0.754	0.25	0.25	43.0	30.8	271.6	0.8	-30.7	12.6	13.2	31.7	0.22	0.22	0.143	0.149	0.358	0.261	0.431	0.631	0.324	0.429	0.618
39	1	OLS06	0.25	0.489	1.0	0.722	0.625	0.75	0.791	0.0	0.25	47.4	47.5	284.7	12.1	-45.9	17.7	16.3	51.0	0.208	0.208	0.199	0.184	0.575	0.306	0.457	0.787	0.358	0.454	0.771
40	1	OLS06	0.239	0.75	0.0	0.3	0.375	0.75	0.37	0.25	0.0	46.6	64.8	133.1	-44.1	47.3	8.8	15.7	3.0	0.318	0.318	0.099	0.178	0.034	0.189	0.526	0.066	0.334	0.522	0.149
41	1	OLS06	0.25	0.75	0.25	0.347	0.5	0.5	0.418	0.25	0.25	48.4	40.5	150.3	-35.0	20.0	10.8	17.1	10.3	0.284	0.284	0.122	0.193	0.116	0.226	0.536	0.331	0.352	0.531	0.345
42	1	OLS06	0.25	0.75	0.5	0.467	0.5	0.5	0.536	0.25	0.25	50.5	34.5	192.8	-33.5	-7.5	12.3	18.8	24.9	0.22	0.22	0.139	0.212	0.28	-0.212	0.561	0.548	0.292	0.556	0.543
43	1	OLS06	0.25	0.75	0.75	0.583	0.5	0.5	0.654	0.25	0.25	52.5	28.5	235.3	-16.1	-23.3	16.5	20.6	38.6	0.218	0.218	0.187	0.233	0.436	0.19	0.56	0.682	0.35	0.555	0.672
44	1	OLS06	0.25	0.761	1.0	0.647	0.625	0.75	0.718	0.0	0.25	57.8	45.0	258.4	-8.9	-43.9	22.4	25.7	68.3	0.192	0.192	0.253	0.29	0.771	-0.138	0.611	0.891	0.329	0.605	0.878
45	1	OLS06	0.232	1.0	0.0	0.314	0.5	1.0	0.383	0.0	0.0	58.6	84.9	137.8	-62.7	57.0	13.2	26.6	5.0	0.294	0.294	0.149	0.3	0.056	-0.1	0.681	0.075	0.373	0.675	0.182
46	1	OLS06	0.25	1.0	0.25	0.347	0.625	0.75	0.418	0.0	0.25	60.7	60.7	150.3	-52.6	30.1	16.3	28.9	14.5	0.273	0.273	0.184	0.326	0.164	0.12	0.694	0.376	0.402	0.688	0.395
47	1	OLS06	0.25	1.0	0.489	0.422	0.625	0.75	0.493	0.0	0.25	62.6	54.9	177.4	-54.8	2.5	17.4	31.1	32.1	0.216	0.216	0.197	0.352	0.362	-1.078	0.725	0.603	0.314	0.719	0.603
48	1	OLS06	0.25	1.0	0.761	0.508	0.625	0.75	0.578	0.0	0.25	64.9	48.4	208.2	-42.5	-22.8	21.8	33.9	58.3	0.191	0.191	0.246	0.383	0.658	-1.54	0.74	0.816	0.276	0.734	0.808
49	1	OLS06	0.25	1.0	1.0	0.583	0.625	0.75	0.654	0.0	0.25	66.8	42.7	235.3	-24.2	-35.0	28.0	36.4	76.7	0.199	0.199	0.316	0.411	0.866	-0.495	0.736	0.93	0.374	0.73	0.921

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 9/8, Serie: 1/1, Seite: 9
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS06; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> *CIE		<i>a</i> * <i>b</i> *CIE		<i>XYZ</i> CIE		<i>xy</i> CIE		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}		<i>RGB</i> ' _{AdobeRGB}						
50	1	OLS06	0.5	0.0	0.0	0.053	0.25	0.5	0.122	0.5	0.0	22.9	48.4	43.8	34.9	33.5	6.3	3.8	0.4	0.601	0.601	0.071	0.043	0.005	0.441	0.106	0.004	0.382	0.128	0.038
51	1	OLS06	0.5	0.0	0.25	0.983	0.25	0.5	0.052	0.5	0.0	23.0	44.3	18.7	42.0	14.2	7.0	3.8	2.0	0.548	0.548	0.08	0.043	0.023	0.462	0.054	0.151	0.396	0.083	0.166
52	1	OLS06	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	23.0	40.3	353.6	40.1	−4.4	6.9	3.8	5.0	0.437	0.437	0.078	0.043	0.057	0.433	0.085	0.262	0.373	0.11	0.265
53	1	OLS06	0.511	0.0	0.75	0.872	0.375	0.75	0.942	0.25	0.0	28.1	57.1	339.0	53.3	−20.4	11.0	5.5	12.3	0.382	0.382	0.124	0.062	0.138	0.524	0.03	0.411	0.447	0.063	0.402
54	1	OLS06	0.5	0.0	1.0	0.85	0.5	1.0	0.919	0.0	0.0	32.7	73.5	330.7	64.1	−35.9	15.6	7.4	23.5	0.336	0.336	0.176	0.083	0.265	0.594	−0.044	0.559	0.504	−0.076	0.543
55	1	OLS06	0.5	0.25	0.0	0.125	0.25	0.5	0.194	0.5	0.0	34.0	48.7	70.0	16.7	45.7	9.5	8.0	0.9	0.516	0.516	0.108	0.091	0.01	0.489	0.285	−0.021	0.441	0.291	0.045
56	1	OLS06	0.5	0.25	0.25	0.053	0.375	0.25	0.122	0.5	0.25	35.3	24.2	43.8	17.4	16.7	10.3	8.7	5.0	0.43	0.43	0.117	0.098	0.057	0.484	0.299	0.239	0.439	0.304	0.25
57	1	OLS06	0.5	0.25	0.5	0.914	0.375	0.25	0.982	0.5	0.25	35.4	20.2	353.6	20.0	−2.2	10.7	8.7	10.2	0.362	0.362	0.121	0.098	0.115	0.465	0.297	0.363	0.424	0.301	0.362
58	1	OLS06	0.5	0.25	0.75	0.85	0.5	0.5	0.919	0.25	0.25	40.2	36.8	330.7	32.1	−17.9	15.7	11.4	20.6	0.329	0.329	0.177	0.128	0.233	0.547	0.311	0.517	0.49	0.315	0.506
59	1	OLS06	0.489	0.25	1.0	0.825	0.625	0.75	0.896	0.0	0.25	44.7	53.2	322.4	42.2	−32.4	21.3	14.3	35.1	0.301	0.301	0.241	0.162	0.396	0.613	0.326	0.665	0.545	0.329	0.649
60	1	OLS06	0.5	0.5	0.0	0.197	0.25	0.5	0.267	0.5	0.0	45.1	49.0	96.2	−5.2	48.7	13.1	14.6	2.5	0.433	0.433	0.148	0.165	0.028	0.497	0.446	0.052	0.48	0.444	0.128
61	1	OLS06	0.5	0.5	0.25	0.197	0.375	0.25	0.267	0.5	0.25	46.4	24.5	96.2	−2.5	24.4	14.4	15.6	7.9	0.38	0.38	0.162	0.176	0.089	0.497	0.457	0.287	0.483	0.454	0.301
62	1	OLS06	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	50.6	0.0	0.0	0.0	0.0	17.9	18.9	20.6	0.313	0.313	0.203	0.213	0.232	0.499	0.499	0.499	0.495	0.495	0.495
63	1	OLS06	0.5	0.5	0.75	0.786	0.625	0.25	0.855	0.25	0.5	52.5	16.6	307.8	10.2	−13.0	21.7	20.6	30.8	0.297	0.297	0.245	0.233	0.347	0.549	0.5	0.613	0.531	0.496	0.603
64	1	OLS06	0.5	0.5	1.0	0.786	0.75	0.5	0.855	0.0	0.5	57.3	33.2	307.8	20.4	−26.1	29.0	25.3	48.4	0.282	0.282	0.327	0.285	0.547	0.625	0.528	0.76	0.594	0.523	0.746
65	1	OLS06	0.511	0.75	0.0	0.244	0.375	0.75	0.315	0.25	0.0	57.9	69.4	113.4	−27.5	63.7	18.7	25.8	3.5	0.389	0.389	0.211	0.291	0.04	0.502	0.621	−0.074	0.535	0.615	0.115
66	1	OLS06	0.5	0.75	0.25	0.272	0.5	0.5	0.342	0.25	0.25	58.7	44.7	123.2	−24.4	37.4	20.0	26.7	10.4	0.35	0.35	0.226	0.301	0.117	0.496	0.627	0.303	0.533	0.621	0.328
67	1	OLS06	0.5	0.75	0.5	0.347	0.625	0.25	0.418	0.25	0.5	60.0	20.2	150.3	−17.5	10.0	22.6	28.1	24.1	0.302	0.302	0.255	0.317	0.272	0.49	0.633	0.524	0.531	0.627	0.525
68	1	OLS06	0.5	0.75	0.75	0.583	0.625	0.25	0.654	0.25	0.5	62.0	14.2	235.3	−8.0	−11.6	26.9	30.4	42.6	0.269	0.269	0.304	0.344	0.481	0.502	0.643	0.705	0.542	0.637	0.696
69	1	OLS06	0.5	0.75	1.0	0.686	0.75	0.5	0.754	0.0	0.5	66.9	30.8	271.6	0.8	−30.7	34.9	36.4	71.3	0.245	0.245	0.394	0.411	0.805	0.529	0.683	0.901	0.573	0.677	0.89
70	1	OLS06	0.5	1.0	0.0	0.272	0.5	1.0	0.342	0.0	0.0	69.7	89.4	123.2	−48.9	74.8	25.0	40.3	5.3	0.354	0.354	0.282	0.455	0.059	0.467	0.787	−0.182	0.577	0.782	0.125
71	1	OLS06	0.489	1.0	0.25	0.3	0.625	0.75	0.37	0.0	0.25	70.5	64.8	133.1	−44.1	47.3	27.0	41.5	14.4	0.326	0.326	0.305	0.468	0.162	0.469	0.791	0.337	0.58	0.786	0.372
72	1	OLS06	0.5	1.0	0.5	0.347	0.75	0.5	0.418	0.0	0.5	72.2	40.5	150.3	−35.0	20.0	31.3	44.0	31.4	0.293	0.293	0.353	0.497	0.354	0.489	0.801	0.577	0.594	0.796	0.583
73	1	OLS06	0.5	1.0	0.75	0.467	0.75	0.5	0.536	0.0	0.5	74.3	34.5	192.8	−33.5	−7.5	34.2	47.2	59.3	0.243	0.243	0.386	0.533	0.67	0.347	0.828	0.81	0.539	0.824	0.806
74	1	OLS06	0.5	1.0	1.0	0.583	0.75	0.5	0.654	0.0	0.5	76.4	28.5	235.3	−16.1	−23.3	42.4	50.5	83.0	0.241	0.241	0.478	0.57	0.936	0.492	0.824	0.955	0.605	0.819	0.948

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 10/6, Serie: 1/1, Seite: 10
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS06; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)


<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}		<i>RGB</i> ' _{AdobeRGB}						
75	1	OLS06	0.75	0.0	0.0	0.053	0.375	0.75	0.122	0.25	0.0	34.4	72.6	43.8	52.3	50.2	14.9	8.2	0.6	0.628	0.628	0.168	0.093	0.007	0.664	0.107	-0.024	0.568	0.129	-0.05
76	1	OLS06	0.75	0.0	0.239	0.008	0.375	0.75	0.077	0.25	0.0	34.5	68.7	27.8	60.8	32.1	16.4	8.2	2.3	0.61	0.61	0.185	0.093	0.025	0.697	-0.048	0.144	0.592	-0.079	0.158
77	1	OLS06	0.75	0.0	0.511	0.958	0.375	0.75	0.027	0.25	0.0	34.5	64.3	9.6	63.4	10.7	16.9	8.3	6.1	0.541	0.541	0.191	0.093	0.068	0.695	-0.091	0.281	0.59	-0.105	0.28
78	1	OLS06	0.75	0.0	0.75	0.914	0.375	0.75	0.982	0.25	0.0	34.6	60.5	353.6	60.1	-6.7	16.3	8.3	11.3	0.455	0.455	0.184	0.093	0.127	0.658	0.025	0.39	0.56	0.057	0.382
79	1	OLS06	0.768	0.0	1.0	0.883	0.5	1.0	0.953	0.0	0.0	39.9	77.3	343.0	73.9	-22.6	23.7	11.2	22.9	0.41	0.41	0.268	0.126	0.259	0.764	-0.154	0.549	0.649	-0.133	0.534
80	1	OLS06	0.75	0.239	0.0	0.097	0.375	0.75	0.168	0.25	0.0	45.0	72.9	60.5	35.9	63.4	20.3	14.5	1.0	0.566	0.566	0.229	0.164	0.011	0.725	0.326	-0.114	0.637	0.328	-0.089
81	1	OLS06	0.75	0.25	0.25	0.053	0.5	0.5	0.122	0.25	0.25	46.8	48.4	43.8	34.9	33.5	21.7	15.9	5.7	0.502	0.502	0.245	0.179	0.064	0.726	0.351	0.235	0.641	0.353	0.25
82	1	OLS06	0.75	0.25	0.5	0.983	0.5	0.5	0.052	0.25	0.25	46.8	44.3	18.7	42.0	14.2	23.3	15.9	11.4	0.461	0.461	0.263	0.179	0.128	0.743	0.327	0.371	0.652	0.33	0.37
83	1	OLS06	0.75	0.25	0.75	0.914	0.5	0.5	0.982	0.25	0.25	46.9	40.3	353.6	40.1	-4.4	22.9	15.9	19.6	0.392	0.392	0.258	0.18	0.221	0.702	0.343	0.497	0.62	0.345	0.489
84	1	OLS06	0.761	0.25	1.0	0.872	0.625	0.75	0.942	0.0	0.25	52.0	57.1	339.0	53.3	-20.4	31.6	20.1	35.5	0.362	0.362	0.357	0.227	0.401	0.802	0.345	0.663	0.704	0.347	0.648
85	1	OLS06	0.75	0.511	0.0	0.15	0.375	0.75	0.221	0.25	0.0	57.1	73.2	79.5	13.3	72.0	26.9	25.0	2.1	0.498	0.498	0.304	0.282	0.024	0.76	0.523	-0.193	0.697	0.519	-0.086
86	1	OLS06	0.75	0.5	0.25	0.125	0.5	0.5	0.194	0.25	0.25	57.9	48.7	70.0	16.7	45.7	28.6	25.8	7.4	0.463	0.463	0.323	0.292	0.084	0.772	0.525	0.24	0.707	0.52	0.267
87	1	OLS06	0.75	0.5	0.5	0.053	0.625	0.25	0.122	0.25	0.5	59.2	24.2	43.8	17.4	16.7	30.3	27.2	19.6	0.393	0.393	0.342	0.307	0.221	0.752	0.541	0.473	0.694	0.536	0.473
88	1	OLS06	0.75	0.5	0.75	0.914	0.625	0.25	0.982	0.25	0.5	59.2	20.2	353.6	20.0	-2.2	31.0	27.3	31.3	0.346	0.346	0.35	0.308	0.353	0.726	0.54	0.61	0.674	0.535	0.601
89	1	OLS06	0.75	0.5	1.0	0.85	0.75	0.5	0.919	0.0	0.5	64.0	36.8	330.7	32.1	-17.9	40.8	32.8	51.7	0.325	0.325	0.46	0.371	0.583	0.815	0.56	0.778	0.748	0.555	0.765
90	1	OLS06	0.75	0.75	0.0	0.197	0.375	0.75	0.267	0.25	0.0	67.7	73.5	96.2	-7.8	73.1	33.4	37.5	4.9	0.44	0.44	0.377	0.424	0.056	0.763	0.689	-0.087	0.737	0.683	0.13
91	1	OLS06	0.75	0.75	0.25	0.197	0.5	0.5	0.267	0.25	0.25	69.0	49.0	96.2	-5.2	48.7	35.8	39.3	12.7	0.407	0.407	0.404	0.444	0.144	0.77	0.699	0.321	0.746	0.693	0.349
92	1	OLS06	0.75	0.75	0.5	0.197	0.625	0.25	0.267	0.25	0.5	70.3	24.5	96.2	-2.5	24.4	38.3	41.1	26.2	0.362	0.362	0.432	0.464	0.296	0.76	0.712	0.529	0.741	0.706	0.533
93	1	OLS06	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	73.0	0.0	0.0	0.0	0.0	42.9	45.1	49.2	0.313	0.313	0.484	0.509	0.555	0.742	0.742	0.742	0.736	0.736	0.736
94	1	OLS06	0.75	0.75	1.0	0.786	0.875	0.25	0.855	0.0	0.75	76.4	16.6	307.8	10.2	-13.0	51.8	50.5	69.7	0.301	0.301	0.584	0.57	0.787	0.812	0.758	0.88	0.793	0.753	0.872
95	1	OLS06	0.768	1.0	0.0	0.233	0.5	1.0	0.302	0.0	0.0	80.7	94.0	108.7	-30.0	89.1	44.0	58.0	6.4	0.406	0.406	0.496	0.654	0.072	0.778	0.88	-0.382	0.804	0.877	0.064
96	1	OLS06	0.761	1.0	0.25	0.244	0.625	0.75	0.315	0.0	0.25	81.7	69.4	113.4	-27.5	63.7	46.4	59.8	15.7	0.381	0.381	0.523	0.674	0.177	0.78	0.889	0.31	0.808	0.886	0.361
97	1	OLS06	0.75	1.0	0.5	0.272	0.75	0.5	0.342	0.0	0.5	82.5	44.7	123.2	-24.4	37.4	48.7	61.3	31.7	0.344	0.344	0.55	0.692	0.357	0.762	0.896	0.554	0.798	0.893	0.568
98	1	OLS06	0.75	1.0	0.75	0.347	0.875	0.25	0.418	0.0	0.75	83.8	20.2	150.3	-17.5	10.0	53.5	63.7	58.0	0.305	0.305	0.603	0.719	0.654	0.75	0.902	0.785	0.793	0.899	0.785
99	1	OLS06	0.75	1.0	1.0	0.583	0.875	0.25	0.654	0.0	0.75	85.9	14.2	235.3	-8.0	-11.6	60.9	67.8	89.5	0.279	0.279	0.688	0.765	1.011	0.766	0.912	0.978	0.806	0.909	0.974

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 11/8, Serie: 1/1, Seite: 11
Seitenzählung 1


Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS06; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}					
100	1	OLS06	1.0	0.0	0.0	0.053	0.5	1.0	0.122	0.0	0.0	45.9	96.7	43.8	69.8	67.0	29.0	15.2	0.8	0.644	0.644	0.327	0.171	0.01	0.902	0.061	−0.085	0.773	0.088	−0.098
101	1	OLS06	1.0	0.0	0.232	0.019	0.5	1.0	0.089	0.0	0.0	45.9	93.0	32.2	78.7	49.5	31.4	15.2	2.5	0.639	0.639	0.354	0.172	0.029	0.94	−0.257	0.129	0.802	−0.169	0.142
102	1	OLS06	1.0	0.0	0.5	0.983	0.5	1.0	0.052	0.0	0.0	46.0	88.7	18.7	84.0	28.4	32.9	15.2	6.6	0.601	0.601	0.372	0.172	0.074	0.956	−0.438	0.28	0.814	−0.214	0.278
103	1	OLS06	1.0	0.0	0.768	0.944	0.5	1.0	0.014	0.0	0.0	46.0	84.4	5.2	84.0	7.7	33.0	15.3	13.3	0.536	0.536	0.372	0.173	0.15	0.939	−0.396	0.416	0.799	−0.205	0.405
104	1	OLS06	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	46.1	80.6	353.6	80.1	−8.9	32.0	15.3	21.3	0.466	0.466	0.361	0.173	0.24	0.898	−0.193	0.526	0.766	−0.148	0.511
105	1	OLS06	1.0	0.232	0.0	0.086	0.5	1.0	0.155	0.0	0.0	56.1	97.0	55.9	54.3	80.4	37.1	24.1	1.2	0.595	0.595	0.418	0.272	0.013	0.969	0.357	−0.235	0.848	0.358	−0.139
106	1	OLS06	1.0	0.25	0.25	0.053	0.625	0.75	0.122	0.0	0.25	58.3	72.6	43.8	52.3	50.2	39.3	26.2	6.4	0.546	0.546	0.443	0.296	0.072	0.976	0.394	0.223	0.857	0.394	0.242
107	1	OLS06	1.0	0.25	0.489	0.008	0.625	0.75	0.077	0.0	0.25	58.3	68.7	27.8	60.8	32.1	42.1	26.3	12.1	0.523	0.523	0.475	0.297	0.136	1.006	0.353	0.365	0.88	0.354	0.366
108	1	OLS06	1.0	0.25	0.761	0.958	0.625	0.75	0.027	0.0	0.25	58.4	64.3	9.6	63.4	10.7	43.0	26.3	22.1	0.471	0.471	0.486	0.297	0.249	0.997	0.345	0.517	0.871	0.347	0.507
109	1	OLS06	1.0	0.25	1.0	0.914	0.625	0.75	0.982	0.0	0.25	58.4	60.5	353.6	60.1	−6.7	42.0	26.4	33.5	0.412	0.412	0.474	0.298	0.379	0.95	0.374	0.639	0.833	0.374	0.625
110	1	OLS06	1.0	0.5	0.0	0.125	0.5	1.0	0.194	0.0	0.0	68.1	97.4	70.0	33.3	91.5	47.1	38.1	2.1	0.54	0.54	0.531	0.429	0.023	1.022	0.576	−0.428	0.921	0.571	−0.167
111	1	OLS06	1.0	0.489	0.25	0.097	0.625	0.75	0.168	0.0	0.25	68.9	72.9	60.5	35.9	63.4	49.3	39.1	7.8	0.512	0.512	0.556	0.442	0.088	1.034	0.578	0.201	0.931	0.573	0.242
112	1	OLS06	1.0	0.5	0.5	0.053	0.75	0.5	0.122	0.0	0.5	70.6	48.4	43.8	34.9	33.5	51.8	41.7	21.2	0.452	0.452	0.584	0.47	0.239	1.022	0.606	0.472	0.926	0.6	0.475
113	1	OLS06	1.0	0.5	0.75	0.983	0.75	0.5	0.052	0.0	0.5	70.7	44.3	18.7	42.0	14.2	54.6	41.7	33.7	0.42	0.42	0.616	0.471	0.38	1.036	0.586	0.618	0.934	0.58	0.611
114	1	OLS06	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	70.7	40.3	353.6	40.1	−4.4	53.9	41.8	49.8	0.371	0.371	0.609	0.472	0.562	0.985	0.6	0.756	0.894	0.594	0.745
115	1	OLS06	1.0	0.768	0.0	0.164	0.5	1.0	0.233	0.0	0.0	80.0	97.7	84.0	10.2	97.2	57.9	56.6	4.3	0.487	0.487	0.653	0.639	0.049	1.047	0.779	−0.545	0.98	0.773	−0.157
116	1	OLS06	1.0	0.761	0.25	0.15	0.625	0.75	0.221	0.0	0.25	80.9	73.2	79.5	13.3	72.0	61.0	58.4	11.7	0.465	0.465	0.688	0.659	0.132	1.064	0.783	0.232	0.994	0.777	0.29
117	1	OLS06	1.0	0.75	0.5	0.125	0.75	0.5	0.194	0.0	0.5	81.7	48.7	70.0	16.7	45.7	63.9	59.8	25.2	0.429	0.429	0.721	0.675	0.284	1.066	0.786	0.488	0.996	0.78	0.501
118	1	OLS06	1.0	0.75	0.75	0.053	0.875	0.25	0.122	0.0	0.75	83.0	24.2	43.8	17.4	16.7	66.7	62.2	49.7	0.373	0.373	0.753	0.702	0.561	1.034	0.804	0.73	0.975	0.799	0.727
119	1	OLS06	1.0	0.75	1.0	0.914	0.875	0.25	0.982	0.0	0.75	83.1	20.2	353.6	20.0	−2.2	68.0	62.3	70.6	0.338	0.338	0.767	0.703	0.797	1.003	0.803	0.876	0.95	0.798	0.87
120	1	OLS06	1.0	1.0	0.0	0.197	0.5	1.0	0.267	0.0	0.0	90.2	98.0	96.2	−10.4	97.4	68.1	76.8	8.6	0.444	0.444	0.769	0.867	0.097	1.047	0.948	−0.408	1.021	0.946	0.098
121	1	OLS06	1.0	1.0	0.25	0.197	0.625	0.75	0.267	0.0	0.25	91.5	73.5	96.2	−7.8	73.1	71.9	79.7	19.3	0.421	0.421	0.812	0.899	0.218	1.059	0.959	0.335	1.033	0.958	0.389
122	1	OLS06	1.0	1.0	0.5	0.197	0.75	0.5	0.267	0.0	0.5	92.8	49.0	96.2	−5.2	48.7	75.9	82.6	36.5	0.389	0.389	0.856	0.932	0.412	1.058	0.971	0.578	1.036	0.97	0.595
123	1	OLS06	1.0	1.0	0.75	0.197	0.875	0.25	0.267	0.0	0.75	94.1	24.5	96.2	−2.5	24.4	80.0	85.6	61.7	0.352	0.352	0.903	0.966	0.697	1.04	0.985	0.792	1.026	0.984	0.796
124	1	OLS06	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0




BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 126, Serie: 1/1, Seite: 12
Seite 12





%Umfang
 $u^*_{rel} = 108$
%Regularität
 $g^*_{H,rel} = 55$
 $g^*_{C,rel} = 58$

OLS11	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	46.57	68.27	59.62	90.64	41
Y_M	90.29	-10.42	95.45	96.02	96
L_M	49.7	-67.59	38.19	77.64	151
C_M	57.76	-31.67	-46.18	56.01	236
V_M	21.67	36.81	-49.36	61.58	307
M_M	46.77	78.45	-8.79	78.94	354
N_M	10.99	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 108$
%Regularität
 $g^*_{H,rel} = 55$
 $g^*_{C,rel} = 58$

OLS11a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.57	68.27	59.62	90.64	41
Y_{Ma}	90.29	-10.42	95.45	96.02	96
L_{Ma}	49.7	-67.59	38.19	77.64	151
C_{Ma}	57.76	-31.67	-46.18	56.01	236
V_{Ma}	21.67	36.81	-49.36	61.58	307
M_{Ma}	46.77	78.45	-8.79	78.94	354
N_{Ma}	10.99	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS11; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		RGB'_{sRGB}			$RGB'_{AdobeRGB}$						
0	2	OLS11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	11.0	0.0	0.0	0.0	1.2	1.3	1.4	0.313	0.313	0.014	0.014	0.015	0.124	0.124	0.124	0.145	0.145	0.145		
1	2	OLS11	0.0	0.0	0.25	0.783	0.125	0.25	0.852	0.75	0.0	5.4	15.4	306.7	9.2	-12.2	0.8	0.6	1.6	0.263	0.263	0.009	0.007	0.018	0.097	0.059	0.145	0.112	0.088	0.161	
2	2	OLS11	0.0	0.0	0.5	0.783	0.25	0.5	0.852	0.5	0.0	10.8	30.8	306.7	18.4	-24.6	1.8	1.2	4.9	0.231	0.231	0.021	0.014	0.055	0.144	0.089	0.263	0.15	0.114	0.266	
3	2	OLS11	0.0	0.0	0.75	0.783	0.375	0.75	0.852	0.25	0.0	16.3	46.2	306.7	27.6	-36.9	3.5	2.1	10.8	0.213	0.213	0.04	0.024	0.122	0.191	0.113	0.391	0.188	0.134	0.384	
4	2	OLS11	0.0	0.0	1.0	0.783	0.5	1.0	0.852	0.0	0.0	21.7	61.6	306.7	36.8	-49.3	6.0	3.4	20.3	0.202	0.202	0.068	0.039	0.23	0.237	0.135	0.526	0.225	0.154	0.512	
5	2	OLS11	0.0	0.25	0.0	0.35	0.125	0.25	0.418	0.75	0.0	12.4	19.4	150.5	-16.8	9.5	0.9	1.5	0.8	0.28	0.28	0.01	0.017	0.009	0.033	0.159	0.079	0.112	0.175	0.109	
6	2	OLS11	0.0	0.25	0.25	0.586	0.125	0.25	0.654	0.75	0.0	14.4	14.0	235.6	-7.8	-11.4	1.4	1.8	3.6	0.209	0.209	0.016	0.02	0.04	0.008	0.169	0.219	0.107	0.185	0.228	
7	2	OLS11	0.0	0.25	0.5	0.683	0.25	0.5	0.753	0.5	0.0	19.9	29.4	271.1	0.6	-29.3	2.8	3.0	10.3	0.176	0.176	0.032	0.033	0.117	-0.071	0.21	0.378	0.101	0.221	0.374	
8	2	OLS11	0.0	0.239	0.75	0.719	0.375	0.75	0.789	0.25	0.0	24.9	44.9	284.1	10.9	-43.4	5.0	4.4	20.2	0.169	0.169	0.056	0.049	0.228	-0.093	0.242	0.521	0.114	0.25	0.508	
9	2	OLS11	0.0	0.232	1.0	0.736	0.5	1.0	0.806	0.0	0.0	30.0	60.3	290.2	20.8	-56.5	8.0	6.2	34.2	0.165	0.165	0.09	0.071	0.386	-0.098	0.273	0.664	0.133	0.28	0.648	
10	2	OLS11	0.0	0.5	0.0	0.35	0.25	0.5	0.418	0.5	0.0	24.9	38.8	150.5	-33.7	19.1	2.2	4.4	1.8	0.261	0.261	0.025	0.049	0.021	-0.077	0.292	0.119	0.15	0.297	0.151	
11	2	OLS11	0.0	0.5	0.25	0.467	0.25	0.5	0.536	0.5	0.0	26.9	33.4	193.0	-32.5	-7.4	2.7	5.0	7.4	0.178	0.178	0.03	0.057	0.083	-0.398	0.315	0.309	0.043	0.319	0.313	
12	2	OLS11	0.0	0.5	0.5	0.586	0.25	0.5	0.654	0.5	0.0	28.9	28.0	235.6	-15.7	-23.0	4.3	5.8	13.8	0.179	0.179	0.048	0.065	0.156	-0.288	0.318	0.429	0.108	0.322	0.423	
13	2	OLS11	0.0	0.511	0.75	0.647	0.375	0.75	0.717	0.25	0.0	34.7	43.3	258.2	-8.8	-42.3	7.0	8.3	29.8	0.155	0.155	0.079	0.094	0.336	-0.724	0.372	0.619	-0.108	0.373	0.605	
14	2	OLS11	0.0	0.5	1.0	0.683	0.5	1.0	0.753	0.0	0.0	39.7	58.8	271.1	1.2	-58.7	10.7	11.1	50.5	0.148	0.148	0.121	0.125	0.57	-1.108	0.412	0.788	-0.172	0.411	0.772	
15	2	OLS11	0.0	0.75	0.0	0.35	0.375	0.75	0.418	0.25	0.0	37.3	58.2	150.5	-50.6	28.6	4.4	9.7	3.4	0.249	0.249	0.049	0.109	0.039	-0.362	0.435	0.158	0.188	0.433	0.194	
16	2	OLS11	0.0	0.75	0.239	0.425	0.375	0.75	0.493	0.25	0.0	39.2	53.1	177.6	-52.9	2.2	4.8	10.8	10.9	0.181	0.181	0.054	0.122	0.123	-0.938	0.462	0.363	-0.03	0.459	0.369	
17	2	OLS11	0.0	0.75	0.511	0.508	0.375	0.75	0.579	0.25	0.0	41.4	47.2	208.5	-41.4	-22.4	6.6	12.1	24.4	0.154	0.154	0.075	0.137	0.275	-1.349	0.479	0.554	-0.164	0.476	0.546	
18	2	OLS11	0.0	0.75	0.75	0.586	0.375	0.75	0.654	0.25	0.0	43.3	42.0	235.6	-23.7	-34.5	9.5	13.4	34.9	0.164	0.164	0.107	0.151	0.394	-1.054	0.48	0.659	-0.066	0.476	0.647	
19	2	OLS11	0.0	0.768	1.0	0.631	0.5	1.0	0.7	0.0	0.0	49.4	57.3	252.0	-17.6	-54.4	14.0	17.9	63.7	0.147	0.147	0.158	0.202	0.719	-2.019	0.543	0.869	-0.228	0.538	0.855	
20	2	OLS11	0.0	1.0	0.0	0.35	0.5	1.0	0.418	0.0	0.0	49.7	77.6	150.5	-67.5	38.2	7.6	18.2	5.8	0.242	0.242	0.086	0.205	0.065	-0.89	0.587	0.195	0.224	0.582	0.239	
21	2	OLS11	0.0	1.0	0.232	0.403	0.5	1.0	0.473	0.0	0.0	51.6	72.6	170.2	-71.5	12.3	8.1	19.8	15.4	0.187	0.187	0.091	0.223	0.174	-1.739	0.616	0.414	-0.019	0.61	0.423	
22	2	OLS11	0.0	1.0	0.5	0.467	0.5	1.0	0.536	0.0	0.0	53.7	66.8	193.0	-65.0	-15.0	9.9	21.7	33.7	0.152	0.152	0.112	0.245	0.381	-2.629	0.64	0.633	-0.233	0.634	0.628	
23	2	OLS11	0.0	1.0	0.768	0.531	0.5	1.0	0.6	0.0	0.0	55.9	61.0	215.9	-49.4	-35.6	13.4	23.8	55.4	0.145	0.145	0.152	0.269	0.626	-3.02	0.652	0.807	-0.273	0.646	0.796	
24	2	OLS11	0.0	1.0	1.0	0.586	0.5	1.0	0.654	0.0	0.0	57.8	56.0	235.6	-31.6	-46.1	17.8	25.7	70.9	0.156	0.156	0.201	0.29	0.801	-2.491	0.652	0.905	-0.199	0.646	0.894	

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS11; Sechs Bunntonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$		$RGB'_{AdobeRGB}$						
25	2	OLS11	0.25	0.0	0.0	0.044	0.125	0.25	0.114	0.75	0.0	11.6	22.7	41.1	17.1	14.9	1.9	1.4	0.4	0.529	0.529	0.022	0.015	0.004	0.234	0.085	0.031	0.216	0.11	0.067
26	2	OLS11	0.25	0.0	0.25	0.914	0.125	0.25	0.982	0.75	0.0	11.7	19.7	353.6	19.6	-2.1	2.0	1.4	1.7	0.4	0.4	0.023	0.015	0.019	0.225	0.081	0.145	0.208	0.107	0.161
27	2	OLS11	0.25	0.0	0.5	0.847	0.25	0.5	0.917	0.5	0.0	17.1	35.1	330.2	30.5	-17.4	3.9	2.3	5.6	0.331	0.331	0.045	0.026	0.064	0.298	0.091	0.282	0.266	0.115	0.283
28	2	OLS11	0.239	0.0	0.75	0.825	0.375	0.75	0.893	0.25	0.0	22.2	50.3	321.6	39.5	-31.1	6.5	3.6	12.5	0.287	0.287	0.073	0.04	0.141	0.357	0.105	0.417	0.313	0.128	0.408
29	2	OLS11	0.232	0.0	1.0	0.814	0.5	1.0	0.882	0.0	0.0	27.5	65.6	317.6	48.4	-44.2	10.0	5.3	23.1	0.26	0.26	0.113	0.059	0.26	0.415	0.119	0.556	0.361	0.14	0.541
30	2	OLS11	0.25	0.25	0.0	0.197	0.125	0.25	0.267	0.75	0.0	22.6	24.0	96.2	-2.5	23.9	3.3	3.7	1.1	0.413	0.413	0.038	0.041	0.012	0.253	0.226	0.072	0.254	0.236	0.109
31	2	OLS11	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	32.1	0.0	0.0	0.0	0.0	6.8	7.1	7.8	0.313	0.313	0.076	0.08	0.088	0.314	0.314	0.314	0.318	0.318	0.318
32	2	OLS11	0.25	0.25	0.5	0.783	0.375	0.25	0.852	0.5	0.25	29.3	15.4	306.7	9.2	-12.2	6.5	5.9	10.1	0.289	0.289	0.073	0.067	0.113	0.309	0.271	0.366	0.303	0.277	0.364
33	2	OLS11	0.25	0.25	0.75	0.783	0.5	0.5	0.852	0.25	0.25	34.7	30.8	306.7	18.4	-24.6	10.1	8.3	19.2	0.269	0.269	0.114	0.094	0.216	0.377	0.304	0.502	0.359	0.308	0.492
34	2	OLS11	0.25	0.25	1.0	0.783	0.625	0.75	0.852	0.0	0.25	40.1	46.2	306.7	27.6	-36.9	14.9	11.3	32.6	0.253	0.253	0.168	0.128	0.368	0.442	0.336	0.644	0.414	0.338	0.629
35	2	OLS11	0.25	0.5	0.0	0.272	0.25	0.5	0.343	0.5	0.0	35.0	43.4	123.4	-23.8	36.3	5.7	8.5	1.9	0.355	0.355	0.065	0.096	0.021	0.251	0.378	0.074	0.299	0.379	0.129
36	2	OLS11	0.25	0.5	0.25	0.35	0.375	0.25	0.418	0.5	0.25	36.3	19.4	150.5	-16.8	9.5	6.9	9.2	7.1	0.297	0.297	0.078	0.103	0.08	0.255	0.384	0.29	0.303	0.384	0.299
37	2	OLS11	0.25	0.5	0.5	0.586	0.375	0.25	0.654	0.5	0.25	38.3	14.0	235.6	-7.8	-11.4	8.8	10.3	15.8	0.252	0.252	0.099	0.116	0.179	0.259	0.394	0.45	0.309	0.393	0.446
38	2	OLS11	0.25	0.5	0.75	0.683	0.5	0.5	0.753	0.25	0.25	43.7	29.4	271.1	0.6	-29.3	13.1	13.6	31.6	0.224	0.224	0.147	0.154	0.356	0.279	0.438	0.629	0.336	0.436	0.617
39	2	OLS11	0.25	0.489	1.0	0.719	0.625	0.75	0.789	0.0	0.25	48.7	44.9	284.1	10.9	-43.4	18.5	17.4	50.8	0.214	0.214	0.209	0.196	0.573	0.332	0.472	0.784	0.379	0.469	0.769
40	2	OLS11	0.239	0.75	0.0	0.3	0.375	0.75	0.37	0.25	0.0	47.0	62.6	133.2	-42.8	45.6	9.1	16.0	3.4	0.319	0.319	0.102	0.181	0.038	0.207	0.528	0.096	0.341	0.524	0.165
41	2	OLS11	0.25	0.75	0.25	0.35	0.5	0.5	0.418	0.25	0.25	48.7	38.8	150.5	-33.7	19.1	11.2	17.4	10.8	0.285	0.285	0.126	0.196	0.121	0.242	0.537	0.341	0.36	0.532	0.354
42	2	OLS11	0.25	0.75	0.5	0.467	0.5	0.5	0.536	0.25	0.25	50.7	33.4	193.0	-32.5	-7.4	12.6	19.0	25.1	0.222	0.222	0.142	0.215	0.283	-0.127	0.563	0.55	0.302	0.557	0.545
43	2	OLS11	0.25	0.75	0.75	0.586	0.5	0.5	0.654	0.25	0.25	52.7	28.0	235.6	-15.7	-23.0	16.8	20.8	38.6	0.22	0.22	0.189	0.235	0.436	0.206	0.561	0.683	0.356	0.556	0.672
44	2	OLS11	0.25	0.761	1.0	0.647	0.625	0.75	0.717	0.0	0.25	58.6	43.3	258.2	-8.8	-42.3	23.2	26.5	68.0	0.197	0.197	0.262	0.3	0.768	0.064	0.618	0.889	0.352	0.612	0.876
45	2	OLS11	0.232	1.0	0.0	0.314	0.5	1.0	0.383	0.0	0.0	59.1	81.9	138.0	-60.7	54.8	13.8	27.1	5.7	0.296	0.296	0.156	0.306	0.064	0.034	0.684	0.122	0.386	0.679	0.205
46	2	OLS11	0.25	1.0	0.25	0.35	0.625	0.75	0.418	0.0	0.25	61.1	58.2	150.5	-50.6	28.6	17.0	29.4	15.5	0.275	0.275	0.192	0.332	0.175	0.172	0.697	0.392	0.415	0.691	0.41
47	2	OLS11	0.25	1.0	0.489	0.425	0.625	0.75	0.493	0.0	0.25	63.1	53.1	177.6	-52.9	2.2	18.1	31.6	32.8	0.219	0.219	0.204	0.357	0.37	-0.92	0.727	0.61	0.331	0.721	0.609
48	2	OLS11	0.25	1.0	0.761	0.508	0.625	0.75	0.579	0.0	0.25	65.2	47.2	208.5	-41.4	-22.4	22.4	34.4	58.5	0.194	0.194	0.253	0.388	0.66	-1.379	0.742	0.817	0.296	0.736	0.809
49	2	OLS11	0.25	1.0	1.0	0.586	0.625	0.75	0.654	0.0	0.25	67.2	42.0	235.6	-23.7	-34.5	28.5	36.9	76.8	0.201	0.201	0.322	0.416	0.867	-0.37	0.738	0.931	0.386	0.733	0.921

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 156, Serie: 1/1, Seite: 15
Seite: 15
Seite: 15

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS11; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$			$RGB'_{AdobeRGB}$					
50	2	OLS11	0.5	0.0	0.0	0.044	0.25	0.5	0.114	0.5	0.0	23.3	45.3	41.1	34.1	29.8	6.4	3.9	0.7	0.582	0.582	0.072	0.044	0.008	0.44	0.115	0.047	0.381	0.136	0.082
51	2	OLS11	0.5	0.0	0.25	0.978	0.25	0.5	0.048	0.5	0.0	23.3	42.4	17.4	40.5	12.7	7.0	3.9	2.3	0.532	0.532	0.079	0.044	0.026	0.458	0.075	0.163	0.393	0.102	0.176
52	2	OLS11	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	23.4	39.5	353.6	39.2	-4.3	6.9	3.9	5.1	0.434	0.434	0.078	0.044	0.058	0.433	0.096	0.264	0.374	0.12	0.267
53	2	OLS11	0.511	0.0	0.75	0.872	0.375	0.75	0.941	0.25	0.0	29.1	55.1	338.7	51.3	-19.9	11.3	5.9	12.7	0.377	0.377	0.127	0.066	0.144	0.526	0.079	0.417	0.45	0.105	0.408
54	2	OLS11	0.5	0.0	1.0	0.847	0.5	1.0	0.917	0.0	0.0	34.2	70.3	330.2	60.9	-34.9	16.2	8.1	24.4	0.333	0.333	0.183	0.092	0.276	0.597	0.068	0.569	0.51	0.095	0.553
55	2	OLS11	0.5	0.25	0.0	0.122	0.25	0.5	0.191	0.5	0.0	34.2	46.7	68.7	17.0	43.5	9.7	8.1	1.1	0.512	0.512	0.109	0.092	0.012	0.492	0.286	0.005	0.443	0.292	0.073
56	2	OLS11	0.5	0.25	0.25	0.044	0.375	0.25	0.114	0.5	0.25	35.5	22.7	41.1	17.1	14.9	10.4	8.7	5.5	0.422	0.422	0.117	0.099	0.062	0.481	0.302	0.252	0.437	0.306	0.262
57	2	OLS11	0.5	0.25	0.5	0.914	0.375	0.25	0.982	0.5	0.25	35.5	19.7	353.6	19.6	-2.1	10.7	8.8	10.3	0.361	0.361	0.121	0.099	0.116	0.465	0.3	0.364	0.424	0.304	0.363
58	2	OLS11	0.5	0.25	0.75	0.847	0.5	0.5	0.917	0.25	0.25	41.0	35.1	330.2	30.5	-17.4	16.0	11.8	21.1	0.327	0.327	0.18	0.134	0.238	0.547	0.324	0.521	0.493	0.327	0.511
59	2	OLS11	0.489	0.25	1.0	0.825	0.625	0.75	0.893	0.0	0.25	46.1	50.3	321.6	39.5	-31.1	22.0	15.3	36.0	0.3	0.3	0.249	0.173	0.406	0.616	0.351	0.671	0.551	0.352	0.656
60	2	OLS11	0.5	0.5	0.0	0.197	0.25	0.5	0.267	0.5	0.0	45.1	48.0	96.2	-5.1	47.7	13.1	14.6	2.6	0.432	0.432	0.148	0.165	0.03	0.496	0.447	0.068	0.479	0.444	0.136
61	2	OLS11	0.5	0.5	0.25	0.197	0.375	0.25	0.267	0.5	0.25	46.4	24.0	96.2	-2.5	23.9	14.4	15.6	8.0	0.379	0.379	0.162	0.176	0.09	0.496	0.457	0.29	0.482	0.454	0.304
62	2	OLS11	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	53.2	0.0	0.0	0.0	0.0	20.2	21.2	23.1	0.313	0.313	0.228	0.24	0.261	0.527	0.527	0.527	0.522	0.522	0.522
63	2	OLS11	0.5	0.5	0.75	0.783	0.625	0.25	0.852	0.25	0.5	53.1	15.4	306.7	9.2	-12.2	22.0	21.2	31.0	0.297	0.297	0.249	0.239	0.35	0.551	0.508	0.614	0.535	0.504	0.604
64	2	OLS11	0.5	0.5	1.0	0.783	0.75	0.5	0.852	0.0	0.5	58.5	30.8	306.7	18.4	-24.6	29.8	26.5	48.9	0.283	0.283	0.336	0.299	0.552	0.63	0.546	0.762	0.602	0.541	0.749
65	2	OLS11	0.511	0.75	0.0	0.247	0.375	0.75	0.315	0.25	0.0	58.0	67.6	113.5	-26.9	62.0	18.9	26.0	3.8	0.388	0.388	0.214	0.293	0.043	0.507	0.622	-0.025	0.538	0.616	0.135
66	2	OLS11	0.5	0.75	0.25	0.272	0.5	0.5	0.343	0.25	0.25	58.9	43.4	123.4	-23.8	36.3	20.3	26.9	10.9	0.349	0.349	0.229	0.303	0.123	0.5	0.628	0.315	0.536	0.622	0.338
67	2	OLS11	0.5	0.75	0.5	0.35	0.625	0.25	0.418	0.25	0.5	60.1	19.4	150.5	-16.8	9.5	22.9	28.3	24.5	0.303	0.303	0.259	0.319	0.277	0.496	0.634	0.529	0.535	0.628	0.529
68	2	OLS11	0.5	0.75	0.75	0.586	0.625	0.25	0.654	0.25	0.5	62.1	14.0	235.6	-7.8	-11.4	27.1	30.6	42.6	0.27	0.27	0.305	0.345	0.481	0.506	0.643	0.705	0.545	0.637	0.697
69	2	OLS11	0.5	0.75	1.0	0.683	0.75	0.5	0.753	0.0	0.5	67.6	29.4	271.1	0.6	-29.3	35.7	37.4	71.1	0.248	0.248	0.403	0.422	0.802	0.544	0.69	0.898	0.585	0.684	0.888
70	2	OLS11	0.5	1.0	0.0	0.272	0.5	1.0	0.343	0.0	0.0	70.0	86.8	123.4	-47.7	72.5	25.6	40.7	5.9	0.354	0.354	0.289	0.46	0.067	0.48	0.789	-0.091	0.585	0.784	0.158
71	2	OLS11	0.489	1.0	0.25	0.3	0.625	0.75	0.37	0.0	0.25	70.8	62.6	133.2	-42.8	45.6	27.7	41.9	15.3	0.326	0.326	0.312	0.473	0.173	0.482	0.793	0.356	0.587	0.788	0.387
72	2	OLS11	0.5	1.0	0.5	0.35	0.75	0.5	0.418	0.0	0.5	72.6	38.8	150.5	-33.7	19.1	32.0	44.5	32.5	0.294	0.294	0.361	0.502	0.366	0.503	0.802	0.588	0.602	0.797	0.593
73	2	OLS11	0.5	1.0	0.75	0.467	0.75	0.5	0.536	0.0	0.5	74.6	33.4	193.0	-32.5	-7.4	34.8	47.6	59.7	0.245	0.245	0.393	0.537	0.674	0.37	0.829	0.812	0.549	0.825	0.808
74	2	OLS11	0.5	1.0	1.0	0.586	0.75	0.5	0.654	0.0	0.5	76.6	28.0	235.6	-15.7	-23.0	42.8	50.8	83.0	0.242	0.242	0.483	0.574	0.937	0.502	0.825	0.955	0.611	0.821	0.948

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 166, Serie: 1/1, Seite: 16
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS11; Sechs Bunntonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> [*] ₃	<i>l</i> [*] ₃	<i>v</i> [*] ₃	<i>e</i> [*]	<i>t</i> [*]	<i>c</i> [*]	<i>h</i> [*]	<i>n</i> [*]	<i>w</i> [*]	<i>LCH</i> [*] _{CIE}		<i>a</i> [*] <i>b</i> [*] _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ['] _{sRGB}			<i>RGB</i> ['] _{AdobeRGB}					
75	2	OLS11	0.75	0.0	0.0	0.044	0.375	0.75	0.114	0.25	0.0	34.9	68.0	41.1	51.2	44.7	15.1	8.5	1.1	0.612	0.612	0.17	0.096	0.012	0.664	0.127	0.039	0.569	0.147	0.076
76	2	OLS11	0.75	0.0	0.239	0.003	0.375	0.75	0.072	0.25	0.0	35.0	65.2	26.0	58.6	28.6	16.4	8.5	2.8	0.591	0.591	0.185	0.096	0.032	0.692	0.023	0.171	0.589	0.055	0.182
77	2	OLS11	0.75	0.0	0.511	0.956	0.375	0.75	0.024	0.25	0.0	35.0	62.0	8.7	61.3	9.4	16.9	8.5	6.6	0.528	0.528	0.191	0.096	0.075	0.69	−0.019	0.293	0.587	−0.054	0.292
78	2	OLS11	0.75	0.0	0.75	0.914	0.375	0.75	0.982	0.25	0.0	35.1	59.2	353.6	58.8	−6.5	16.5	8.5	11.5	0.451	0.451	0.186	0.096	0.13	0.658	0.067	0.394	0.562	0.094	0.386
79	2	OLS11	0.768	0.0	1.0	0.883	0.5	1.0	0.952	0.0	0.0	41.0	74.9	342.7	71.5	−22.1	24.2	11.8	23.8	0.405	0.405	0.274	0.134	0.268	0.766	−0.04	0.558	0.652	−0.074	0.542
80	2	OLS11	0.75	0.239	0.0	0.094	0.375	0.75	0.163	0.25	0.0	45.4	69.3	58.7	36.0	59.2	20.6	14.8	1.4	0.56	0.56	0.233	0.167	0.016	0.729	0.329	−0.059	0.641	0.332	−0.035
81	2	OLS11	0.75	0.25	0.25	0.044	0.5	0.5	0.114	0.25	0.25	47.1	45.3	41.1	34.1	29.8	21.8	16.1	6.7	0.489	0.489	0.247	0.182	0.076	0.723	0.359	0.264	0.64	0.36	0.276
82	2	OLS11	0.75	0.25	0.5	0.978	0.5	0.5	0.048	0.25	0.25	47.2	42.4	17.4	40.5	12.7	23.3	16.2	12.2	0.451	0.451	0.263	0.182	0.137	0.737	0.338	0.385	0.649	0.34	0.383
83	2	OLS11	0.75	0.25	0.75	0.914	0.5	0.5	0.982	0.25	0.25	47.2	39.5	353.6	39.2	−4.3	23.1	16.2	19.9	0.39	0.39	0.26	0.183	0.224	0.702	0.35	0.5	0.621	0.351	0.491
84	2	OLS11	0.761	0.25	1.0	0.872	0.625	0.75	0.941	0.0	0.25	52.9	55.1	338.7	51.3	−19.9	32.2	21.0	36.5	0.359	0.359	0.363	0.237	0.412	0.802	0.365	0.67	0.706	0.366	0.655
85	2	OLS11	0.75	0.511	0.0	0.15	0.375	0.75	0.219	0.25	0.0	57.3	70.7	78.7	13.9	69.4	27.3	25.2	2.5	0.496	0.496	0.308	0.284	0.028	0.765	0.524	−0.139	0.701	0.519	−0.035
86	2	OLS11	0.75	0.5	0.25	0.122	0.5	0.5	0.191	0.25	0.25	58.1	46.7	68.7	17.0	43.5	28.9	26.0	8.1	0.458	0.458	0.326	0.294	0.092	0.773	0.526	0.261	0.708	0.521	0.284
87	2	OLS11	0.75	0.5	0.5	0.044	0.625	0.25	0.114	0.25	0.5	59.3	22.7	41.1	17.1	14.9	30.4	27.4	20.7	0.387	0.387	0.343	0.309	0.234	0.748	0.545	0.488	0.692	0.54	0.487
88	2	OLS11	0.75	0.5	0.75	0.914	0.625	0.25	0.982	0.25	0.5	59.4	19.7	353.6	19.6	−2.1	31.1	27.5	31.4	0.346	0.346	0.351	0.31	0.355	0.725	0.543	0.611	0.674	0.538	0.603
89	2	OLS11	0.75	0.5	1.0	0.847	0.75	0.5	0.917	0.0	0.5	64.8	35.1	330.2	30.5	−17.4	41.3	33.8	52.5	0.324	0.324	0.467	0.382	0.593	0.815	0.574	0.782	0.751	0.568	0.77
90	2	OLS11	0.75	0.75	0.0	0.197	0.375	0.75	0.267	0.25	0.0	67.7	72.0	96.2	−7.7	71.6	33.5	37.6	5.2	0.439	0.439	0.378	0.424	0.059	0.762	0.689	−0.038	0.737	0.683	0.148
91	2	OLS11	0.75	0.75	0.25	0.197	0.5	0.5	0.267	0.25	0.25	69.0	48.0	96.2	−5.1	47.7	35.8	39.3	13.1	0.406	0.406	0.404	0.444	0.148	0.77	0.7	0.329	0.745	0.694	0.356
92	2	OLS11	0.75	0.75	0.5	0.197	0.625	0.25	0.267	0.25	0.5	70.3	24.0	96.2	−2.5	23.9	38.3	41.1	26.5	0.361	0.361	0.432	0.464	0.299	0.759	0.712	0.533	0.741	0.706	0.537
93	2	OLS11	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	74.3	0.0	0.0	0.0	0.0	44.8	47.2	51.4	0.313	0.313	0.506	0.533	0.58	0.756	0.756	0.756	0.751	0.751	0.751
94	2	OLS11	0.75	0.75	1.0	0.783	0.875	0.25	0.852	0.0	0.75	77.0	15.4	306.7	9.2	−12.2	52.4	51.5	70.0	0.301	0.301	0.591	0.581	0.791	0.814	0.767	0.881	0.797	0.762	0.873
95	2	OLS11	0.768	1.0	0.0	0.233	0.5	1.0	0.302	0.0	0.0	80.9	91.8	108.8	−29.5	86.9	44.4	58.3	7.0	0.405	0.405	0.501	0.658	0.079	0.782	0.881	−0.29	0.807	0.878	0.119
96	2	OLS11	0.761	1.0	0.25	0.247	0.625	0.75	0.315	0.0	0.25	81.9	67.6	113.5	−26.9	62.0	46.8	60.1	16.6	0.379	0.379	0.528	0.678	0.187	0.784	0.89	0.329	0.811	0.887	0.376
97	2	OLS11	0.75	1.0	0.5	0.272	0.75	0.5	0.343	0.0	0.5	82.7	43.4	123.4	−23.8	36.3	49.2	61.6	32.7	0.343	0.343	0.556	0.695	0.369	0.766	0.897	0.565	0.801	0.894	0.578
98	2	OLS11	0.75	1.0	0.75	0.35	0.875	0.25	0.418	0.0	0.75	84.0	19.4	150.5	−16.8	9.5	54.0	64.0	58.8	0.305	0.305	0.609	0.723	0.663	0.756	0.903	0.79	0.797	0.9	0.79
99	2	OLS11	0.75	1.0	1.0	0.586	0.875	0.25	0.654	0.0	0.75	86.0	14.0	235.6	−7.8	−11.4	61.2	68.0	89.6	0.28	0.28	0.691	0.767	1.011	0.77	0.912	0.978	0.809	0.91	0.975

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB


BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 1/78, Serie: 1/1, Seite: 17
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS11; Sechs Bunntonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$														
100	2	OLS11	1.0	0.0	0.0	0.044	0.5	1.0	0.114	0.0	0.0	46.6	90.6	41.1	68.3	59.6	29.4	15.7	1.5	0.63	0.63	0.331	0.177	0.017	0.903	0.112	0.007	0.775	0.133	0.044		
101	2	OLS11	1.0	0.0	0.232	0.014	0.5	1.0	0.084	0.0	0.0	46.6	87.9	30.1	76.1	44.1	31.5	15.7	3.5	0.62	0.62	0.355	0.178	0.04	0.935	-0.122	0.175	0.8	-0.121	0.185		
102	2	OLS11	1.0	0.0	0.5	0.978	0.5	1.0	0.048	0.0	0.0	46.7	84.8	17.4	80.9	25.3	32.9	15.8	7.7	0.584	0.584	0.371	0.178	0.087	0.948	-0.286	0.306	0.809	-0.177	0.303		
103	2	OLS11	1.0	0.0	0.768	0.944	0.5	1.0	0.013	0.0	0.0	46.7	81.7	4.6	81.4	6.6	33.1	15.8	14.3	0.524	0.524	0.374	0.178	0.161	0.934	-0.262	0.43	0.796	-0.17	0.419		
104	2	OLS11	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	46.8	78.9	353.6	78.5	-8.7	32.3	15.8	21.8	0.462	0.462	0.365	0.179	0.246	0.899	-0.099	0.531	0.768	-0.11	0.516		
105	2	OLS11	1.0	0.232	0.0	0.081	0.5	1.0	0.15	0.0	0.0	56.7	91.9	53.9	54.1	74.2	37.7	24.6	1.8	0.588	0.588	0.426	0.278	0.021	0.975	0.365	-0.145	0.853	0.365	-0.099		
106	2	OLS11	1.0	0.25	0.25	0.044	0.625	0.75	0.114	0.0	0.25	58.8	68.0	41.1	51.2	44.7	39.6	26.8	8.1	0.532	0.532	0.447	0.302	0.092	0.973	0.407	0.272	0.856	0.406	0.285		
107	2	OLS11	1.0	0.25	0.489	0.003	0.625	0.75	0.072	0.0	0.25	58.8	65.2	26.0	58.6	28.6	42.1	26.8	13.8	0.509	0.509	0.475	0.303	0.156	0.998	0.373	0.395	0.875	0.373	0.393		
108	2	OLS11	1.0	0.25	0.761	0.956	0.625	0.75	0.024	0.0	0.25	58.9	62.0	8.7	61.3	9.4	43.1	26.9	23.3	0.462	0.462	0.486	0.304	0.263	0.99	0.365	0.531	0.867	0.366	0.521		
109	2	OLS11	1.0	0.25	1.0	0.914	0.625	0.75	0.982	0.0	0.25	58.9	59.2	353.6	58.8	-6.5	42.3	27.0	34.1	0.409	0.409	0.478	0.304	0.385	0.949	0.387	0.643	0.834	0.387	0.629		
110	2	OLS11	1.0	0.5	0.0	0.122	0.5	1.0	0.191	0.0	0.0	68.4	93.3	68.7	33.9	86.9	47.9	38.6	2.7	0.537	0.537	0.54	0.435	0.031	1.029	0.579	-0.334	0.927	0.573	-0.137		
111	2	OLS11	1.0	0.489	0.25	0.094	0.625	0.75	0.163	0.0	0.25	69.2	69.3	58.7	36.0	59.2	49.9	39.7	9.2	0.505	0.505	0.563	0.448	0.104	1.037	0.582	0.247	0.934	0.577	0.278		
112	2	OLS11	1.0	0.5	0.5	0.044	0.75	0.5	0.114	0.0	0.5	71.0	45.3	41.1	34.1	29.8	52.1	42.2	23.6	0.442	0.442	0.588	0.476	0.267	1.017	0.614	0.504	0.923	0.608	0.505		
113	2	OLS11	1.0	0.5	0.75	0.978	0.75	0.5	0.048	0.0	0.5	71.0	42.4	17.4	40.5	12.7	54.6	42.2	35.3	0.413	0.413	0.616	0.477	0.399	1.028	0.596	0.633	0.929	0.59	0.626		
114	2	OLS11	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	71.1	39.5	353.6	39.2	-4.3	54.2	42.3	50.3	0.369	0.369	0.612	0.478	0.567	0.985	0.607	0.759	0.895	0.601	0.748		
115	2	OLS11	1.0	0.768	0.0	0.161	0.5	1.0	0.232	0.0	0.0	80.2	94.8	83.5	10.8	94.2	58.5	57.0	5.0	0.486	0.486	0.66	0.643	0.056	1.052	0.779	-0.447	0.984	0.774	-0.122		
116	2	OLS11	1.0	0.761	0.25	0.15	0.625	0.75	0.219	0.0	0.25	81.1	70.7	78.7	13.9	69.4	61.5	58.7	12.9	0.462	0.462	0.694	0.663	0.145	1.067	0.783	0.264	0.997	0.778	0.314		
117	2	OLS11	1.0	0.75	0.5	0.122	0.75	0.5	0.191	0.0	0.5	81.9	46.7	68.7	17.0	43.5	64.3	60.2	26.8	0.425	0.425	0.726	0.679	0.303	1.067	0.787	0.508	0.998	0.782	0.519		
118	2	OLS11	1.0	0.75	0.75	0.044	0.875	0.25	0.114	0.0	0.75	83.2	22.7	41.1	17.1	14.9	66.9	62.5	51.8	0.369	0.369	0.755	0.706	0.585	1.03	0.808	0.746	0.972	0.803	0.743		
119	2	OLS11	1.0	0.75	1.0	0.914	0.875	0.25	0.982	0.0	0.75	83.3	19.7	353.6	19.6	-2.1	68.1	62.6	70.9	0.338	0.338	0.769	0.707	0.8	1.002	0.806	0.878	0.95	0.801	0.871		
120	2	OLS11	1.0	1.0	0.0	0.197	0.5	1.0	0.267	0.0	0.0	90.3	96.0	96.2	-10.3	95.4	68.2	76.9	9.2	0.442	0.442	0.77	0.868	0.104	1.047	0.949	-0.313	1.021	0.947	0.14		
121	2	OLS11	1.0	1.0	0.25	0.197	0.625	0.75	0.267	0.0	0.25	91.6	72.0	96.2	-7.7	71.6	72.0	79.7	20.1	0.419	0.419	0.813	0.9	0.227	1.058	0.959	0.352	1.033	0.958	0.402		
122	2	OLS11	1.0	1.0	0.5	0.197	0.75	0.5	0.267	0.0	0.5	92.8	48.0	96.2	-5.1	47.7	75.9	82.6	37.3	0.388	0.388	0.857	0.933	0.421	1.057	0.972	0.586	1.035	0.97	0.603		
123	2	OLS11	1.0	1.0	0.75	0.197	0.875	0.25	0.267	0.0	0.75	94.1	24.0	96.2	-2.5	23.9	80.0	85.6	62.3	0.351	0.351	0.903	0.966	0.703	1.039	0.985	0.796	1.025	0.984	0.8		
124	2	OLS11	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	1.0	


Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 186, Serie: 1/1, Seite: 18
Seite 18



%Umfang
 $u^*_{rel} = 93$
%Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

OLS18	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	47.94	65.39	50.52	82.63	38
Y_M	90.37	-10.25	91.75	92.32	96
L_M	50.9	-62.82	34.96	71.9	151
C_M	58.62	-30.33	-45.0	54.28	236
V_M	25.72	31.1	-44.39	54.21	305
M_M	48.13	75.28	-8.35	75.74	354
N_M	18.01	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 93$
%Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

OLS18a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	47.94	65.39	50.52	82.63	38
Y_{Ma}	90.37	-10.25	91.75	92.32	96
L_{Ma}	50.9	-62.82	34.96	71.9	151
C_{Ma}	58.62	-30.33	-45.0	54.28	236
V_{Ma}	25.72	31.1	-44.39	54.21	305
M_{Ma}	48.13	75.28	-8.35	75.74	354
N_{Ma}	18.01	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 19f, Serie: 1/1, Seite: 19
Seite 19

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS18; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		RGB'_{sRGB}			$RGB'_{AdobeRGB}$					
0	3	OLS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0	0.0	0.0	0.0	0.0	2.4	2.5	2.7	0.313	0.313	0.027	0.028	0.031	0.184	0.184	0.184	0.198	0.198	0.198
1	3	OLS18	0.0	0.0	0.25	0.778	0.125	0.25	0.847	0.75	0.0	6.4	13.6	305.0	7.8	-11.0	0.9	0.7	1.7	0.266	0.266	0.01	0.008	0.019	0.099	0.073	0.147	0.117	0.1	0.163
2	3	OLS18	0.0	0.0	0.5	0.778	0.25	0.5	0.847	0.5	0.0	12.9	27.1	305.0	15.6	-22.1	2.1	1.5	5.1	0.24	0.24	0.024	0.017	0.057	0.156	0.113	0.268	0.163	0.135	0.27
3	3	OLS18	0.0	0.0	0.75	0.778	0.375	0.75	0.847	0.25	0.0	19.3	40.7	305.0	23.3	-33.2	4.1	2.8	11.4	0.225	0.225	0.046	0.032	0.128	0.213	0.152	0.398	0.21	0.169	0.391
4	3	OLS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7	54.2	305.0	31.1	-44.3	7.1	4.7	21.4	0.215	0.215	0.081	0.053	0.242	0.271	0.192	0.537	0.259	0.205	0.523
5	3	OLS18	0.0	0.25	0.0	0.35	0.125	0.25	0.419	0.75	0.0	12.7	18.0	150.9	-15.6	8.7	1.0	1.5	0.9	0.282	0.282	0.011	0.017	0.01	0.046	0.16	0.087	0.117	0.177	0.116
6	3	OLS18	0.0	0.25	0.25	0.586	0.125	0.25	0.656	0.75	0.0	14.7	13.6	236.0	-7.5	-11.2	1.5	1.8	3.6	0.213	0.213	0.017	0.021	0.04	0.02	0.171	0.219	0.112	0.186	0.228
7	3	OLS18	0.0	0.25	0.5	0.683	0.25	0.5	0.751	0.5	0.0	21.1	27.1	270.5	0.2	-27.0	3.1	3.3	10.3	0.187	0.187	0.035	0.037	0.116	-0.004	0.221	0.377	0.129	0.231	0.372
8	3	OLS18	0.0	0.239	0.75	0.717	0.375	0.75	0.786	0.25	0.0	27.1	40.7	283.0	9.2	-39.5	5.7	5.1	20.2	0.182	0.182	0.064	0.058	0.228	0.05	0.264	0.519	0.165	0.271	0.508
9	3	OLS18	0.0	0.232	1.0	0.733	0.5	1.0	0.803	0.0	0.0	33.3	54.2	289.0	17.7	-51.2	9.3	7.7	34.5	0.181	0.181	0.105	0.087	0.389	0.114	0.308	0.665	0.206	0.312	0.649
10	3	OLS18	0.0	0.5	0.0	0.35	0.25	0.5	0.419	0.5	0.0	25.5	36.0	150.9	-31.3	17.5	2.4	4.6	2.1	0.266	0.266	0.027	0.051	0.024	-0.03	0.296	0.136	0.163	0.3	0.164
11	3	OLS18	0.0	0.5	0.25	0.467	0.25	0.5	0.537	0.5	0.0	27.4	31.5	193.5	-30.6	-7.2	2.9	5.2	7.5	0.185	0.185	0.033	0.059	0.085	-0.348	0.318	0.313	0.083	0.322	0.317
12	3	OLS18	0.0	0.5	0.5	0.586	0.25	0.5	0.656	0.5	0.0	29.3	27.1	236.0	-15.1	-22.4	4.4	6.0	13.9	0.183	0.183	0.05	0.067	0.157	-0.243	0.321	0.43	0.126	0.324	0.424
13	3	OLS18	0.0	0.511	0.75	0.647	0.375	0.75	0.717	0.25	0.0	36.1	40.7	258.0	-8.4	-39.7	7.7	9.1	29.7	0.165	0.165	0.087	0.102	0.335	-0.56	0.384	0.616	0.078	0.384	0.603
14	3	OLS18	0.0	0.5	1.0	0.683	0.5	1.0	0.751	0.0	0.0	42.2	54.2	270.5	0.5	-54.1	12.1	12.6	50.2	0.161	0.161	0.136	0.142	0.567	-0.781	0.435	0.784	0.058	0.433	0.769
15	3	OLS18	0.0	0.75	0.0	0.35	0.375	0.75	0.419	0.25	0.0	38.2	53.9	150.9	-47.0	26.2	4.9	10.2	4.1	0.256	0.256	0.056	0.115	0.047	-0.256	0.441	0.186	0.21	0.439	0.216
16	3	OLS18	0.0	0.75	0.239	0.425	0.375	0.75	0.494	0.25	0.0	40.0	49.7	178.0	-49.6	1.7	5.4	11.3	11.6	0.19	0.19	0.061	0.127	0.131	-0.834	0.468	0.375	0.102	0.465	0.38
17	3	OLS18	0.0	0.75	0.511	0.511	0.375	0.75	0.58	0.25	0.0	42.1	44.9	208.9	-39.2	-21.6	7.2	12.6	24.7	0.161	0.161	0.081	0.142	0.278	-1.227	0.484	0.556	-0.128	0.481	0.549
18	3	OLS18	0.0	0.75	0.75	0.586	0.375	0.75	0.656	0.25	0.0	44.0	40.7	236.0	-22.7	-33.7	10.0	13.8	35.1	0.169	0.169	0.112	0.156	0.396	-0.943	0.485	0.66	0.088	0.481	0.648
19	3	OLS18	0.0	0.768	1.0	0.631	0.5	1.0	0.7	0.0	0.0	51.0	54.3	252.0	-16.7	-51.5	15.3	19.3	63.5	0.156	0.156	0.173	0.217	0.717	-1.705	0.557	0.867	-0.158	0.552	0.853
20	3	OLS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9	71.9	150.9	-62.7	35.0	8.7	19.2	7.1	0.249	0.249	0.098	0.217	0.08	-0.691	0.596	0.237	0.259	0.591	0.271
21	3	OLS18	0.0	1.0	0.232	0.406	0.5	1.0	0.474	0.0	0.0	52.7	67.8	170.6	-66.8	11.1	9.2	20.8	16.9	0.196	0.196	0.103	0.234	0.19	-1.554	0.624	0.435	0.138	0.618	0.443
22	3	OLS18	0.0	1.0	0.5	0.467	0.5	1.0	0.537	0.0	0.0	54.8	63.1	193.5	-61.3	-14.6	11.0	22.7	34.8	0.161	0.161	0.124	0.256	0.392	-2.418	0.647	0.642	-0.191	0.641	0.636
23	3	OLS18	0.0	1.0	0.768	0.531	0.5	1.0	0.601	0.0	0.0	56.8	58.4	216.3	-46.9	-34.5	14.5	24.8	55.9	0.152	0.152	0.163	0.279	0.631	-2.779	0.659	0.809	-0.236	0.653	0.798
24	3	OLS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6	54.3	236.0	-30.2	-44.9	18.8	26.6	71.3	0.161	0.161	0.212	0.3	0.805	-2.268	0.659	0.907	-0.143	0.653	0.895

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB


BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 2006, Serie: 1/1, Seite: 20
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS18; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
25	3	OLS18	0.25	0.0	0.0	0.036	0.125	0.25	0.105	0.75	0.0	12.0	20.7	37.7	16.3	12.6	2.0	1.4	0.6	0.498	0.498	0.022	0.016	0.006	0.232	0.091	0.058	0.215	0.115	0.089	
26	3	OLS18	0.25	0.0	0.25	0.914	0.125	0.25	0.982	0.75	0.0	12.0	18.9	353.7	18.8	-2.0	2.1	1.4	1.7	0.396	0.396	0.023	0.016	0.02	0.225	0.087	0.147	0.209	0.112	0.163	
27	3	OLS18	0.25	0.0	0.5	0.844	0.25	0.5	0.915	0.5	0.0	18.5	32.5	329.3	27.9	-16.5	4.2	2.6	6.0	0.327	0.327	0.047	0.03	0.067	0.301	0.116	0.289	0.27	0.137	0.29	
28	3	OLS18	0.239	0.0	0.75	0.822	0.375	0.75	0.89	0.25	0.0	24.6	45.8	320.5	35.3	-29.0	7.1	4.3	13.3	0.287	0.287	0.08	0.049	0.15	0.366	0.15	0.428	0.325	0.168	0.419	
29	3	OLS18	0.232	0.0	1.0	0.808	0.5	1.0	0.879	0.0	0.0	30.9	59.2	316.3	42.8	-40.8	11.2	6.6	24.6	0.264	0.264	0.126	0.075	0.278	0.431	0.187	0.571	0.381	0.201	0.556	
30	3	OLS18	0.25	0.25	0.0	0.197	0.125	0.25	0.268	0.75	0.0	22.6	23.1	96.4	-2.5	22.9	3.3	3.7	1.1	0.41	0.41	0.038	0.042	0.013	0.253	0.226	0.079	0.254	0.236	0.115	
31	3	OLS18	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	37.4	0.0	0.0	0.0	0.0	9.3	9.7	10.6	0.313	0.313	0.104	0.11	0.12	0.365	0.365	0.365	0.366	0.366	0.366	
32	3	OLS18	0.25	0.25	0.5	0.778	0.375	0.25	0.847	0.5	0.25	30.3	13.6	305.0	7.8	-11.0	6.8	6.4	10.2	0.29	0.29	0.076	0.072	0.115	0.313	0.283	0.368	0.309	0.289	0.366	
33	3	OLS18	0.25	0.25	0.75	0.778	0.5	0.5	0.847	0.25	0.25	36.7	27.1	305.0	15.6	-22.1	10.9	9.4	19.7	0.272	0.272	0.123	0.106	0.222	0.388	0.33	0.506	0.373	0.333	0.497	
34	3	OLS18	0.25	0.25	1.0	0.778	0.625	0.75	0.847	0.0	0.25	43.1	40.7	305.0	23.3	-33.2	16.4	13.3	33.7	0.259	0.259	0.185	0.15	0.38	0.461	0.377	0.651	0.437	0.377	0.637	
35	3	OLS18	0.25	0.5	0.0	0.275	0.25	0.5	0.343	0.5	0.0	35.3	41.1	123.6	-22.6	34.2	5.9	8.7	2.2	0.354	0.354	0.067	0.098	0.025	0.26	0.38	0.099	0.305	0.38	0.145	
36	3	OLS18	0.25	0.5	0.25	0.35	0.375	0.25	0.419	0.5	0.25	36.6	18.0	150.9	-15.6	8.7	7.1	9.3	7.5	0.298	0.298	0.081	0.105	0.084	0.266	0.385	0.298	0.31	0.385	0.307	
37	3	OLS18	0.25	0.5	0.5	0.586	0.375	0.25	0.656	0.5	0.25	38.5	13.6	236.0	-7.5	-11.2	8.9	10.4	15.9	0.254	0.254	0.101	0.117	0.179	0.266	0.395	0.45	0.314	0.395	0.446	
38	3	OLS18	0.25	0.5	0.75	0.683	0.5	0.5	0.751	0.25	0.25	44.9	27.1	270.5	0.2	-27.0	13.8	14.5	31.4	0.231	0.231	0.156	0.164	0.355	0.307	0.45	0.627	0.357	0.447	0.615	
39	3	OLS18	0.25	0.489	1.0	0.717	0.625	0.75	0.786	0.0	0.25	51.0	40.7	283.0	9.2	-39.5	20.1	19.3	50.8	0.223	0.223	0.227	0.217	0.574	0.374	0.498	0.783	0.413	0.494	0.768	
40	3	OLS18	0.239	0.75	0.0	0.303	0.375	0.75	0.371	0.25	0.0	47.6	58.8	133.5	-40.4	42.6	9.7	16.5	4.1	0.32	0.32	0.109	0.186	0.046	0.237	0.532	0.138	0.355	0.527	0.192	
41	3	OLS18	0.25	0.75	0.25	0.35	0.5	0.5	0.419	0.25	0.25	49.3	36.0	150.9	-31.3	17.5	11.9	17.8	11.7	0.287	0.287	0.134	0.201	0.132	0.27	0.54	0.359	0.373	0.535	0.37	
42	3	OLS18	0.25	0.75	0.5	0.467	0.5	0.5	0.537	0.25	0.25	51.2	31.5	193.5	-30.6	-7.2	13.2	19.5	25.5	0.227	0.227	0.149	0.22	0.288	0.034	0.565	0.554	0.32	0.56	0.55	
43	3	OLS18	0.25	0.75	0.75	0.586	0.5	0.5	0.656	0.25	0.25	53.2	27.1	236.0	-15.1	-22.4	17.2	21.2	38.8	0.223	0.223	0.194	0.239	0.438	0.232	0.564	0.683	0.368	0.559	0.673	
44	3	OLS18	0.25	0.761	1.0	0.647	0.625	0.75	0.717	0.0	0.25	60.0	40.7	258.0	-8.4	-39.7	24.7	28.1	67.8	0.205	0.205	0.278	0.317	0.765	0.202	0.631	0.886	0.389	0.626	0.874	
45	3	OLS18	0.232	1.0	0.0	0.314	0.5	1.0	0.384	0.0	0.0	60.0	76.6	138.3	-57.1	51.0	15.1	28.2	7.0	0.3	0.3	0.17	0.318	0.079	0.163	0.691	0.183	0.409	0.685	0.244	
46	3	OLS18	0.25	1.0	0.25	0.35	0.625	0.75	0.419	0.0	0.25	62.0	53.9	150.9	-47.0	26.2	18.4	30.4	17.3	0.278	0.278	0.208	0.344	0.195	0.241	0.702	0.421	0.438	0.696	0.435	
47	3	OLS18	0.25	1.0	0.489	0.425	0.625	0.75	0.494	0.0	0.25	63.9	49.7	178.0	-49.6	1.7	19.4	32.6	34.2	0.225	0.225	0.219	0.368	0.386	-0.619	0.732	0.622	0.361	0.726	0.622	
48	3	OLS18	0.25	1.0	0.761	0.511	0.625	0.75	0.58	0.0	0.25	66.0	44.9	208.9	-39.2	-21.6	23.5	35.3	59.0	0.2	0.2	0.266	0.398	0.666	-1.074	0.747	0.82	0.331	0.741	0.812	
49	3	OLS18	0.25	1.0	1.0	0.586	0.625	0.75	0.656	0.0	0.25	67.8	40.7	236.0	-22.7	-33.7	29.5	37.7	77.1	0.204	0.204	0.333	0.426	0.87	-0.122	0.743	0.932	0.408	0.738	0.923	

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS18; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}			<i>RGB</i> ' _{AdobeRGB}					
50	3	OLS18	0.5	0.0	0.0	0.036	0.25	0.5	0.105	0.5	0.0	24.0	41.3	37.7	32.7	25.3	6.5	4.1	1.1	0.556	0.556	0.074	0.046	0.013	0.439	0.131	0.088	0.382	0.15	0.114
51	3	OLS18	0.5	0.0	0.25	0.975	0.25	0.5	0.044	0.5	0.0	24.0	39.6	15.7	38.1	10.7	7.1	4.1	2.7	0.511	0.511	0.08	0.046	0.03	0.453	0.103	0.18	0.391	0.126	0.192
52	3	OLS18	0.5	0.0	0.5	0.914	0.25	0.5	0.982	0.5	0.0	24.1	37.9	353.7	37.6	−4.1	7.1	4.1	5.4	0.428	0.428	0.08	0.047	0.06	0.433	0.114	0.269	0.375	0.136	0.277
53	3	OLS18	0.511	0.0	0.75	0.869	0.375	0.75	0.939	0.25	0.0	30.7	51.7	338.2	48.0	−19.1	11.8	6.5	13.5	0.37	0.37	0.133	0.074	0.153	0.529	0.133	0.429	0.456	0.152	0.42
54	3	OLS18	0.5	0.0	1.0	0.844	0.5	1.0	0.915	0.0	0.0	36.9	65.0	329.3	55.9	−33.0	17.4	9.5	26.2	0.328	0.328	0.197	0.107	0.296	0.605	0.164	0.585	0.522	0.179	0.57
55	3	OLS18	0.5	0.25	0.0	0.117	0.25	0.5	0.186	0.5	0.0	34.6	43.7	67.0	17.1	40.3	9.9	8.3	1.4	0.505	0.505	0.111	0.094	0.016	0.495	0.29	0.05	0.446	0.295	0.102
56	3	OLS18	0.5	0.25	0.25	0.036	0.375	0.25	0.105	0.5	0.25	35.8	20.7	37.7	16.3	12.6	10.5	8.9	6.2	0.41	0.41	0.118	0.101	0.069	0.478	0.308	0.27	0.436	0.312	0.279
57	3	OLS18	0.5	0.25	0.5	0.914	0.375	0.25	0.982	0.5	0.25	35.9	18.9	353.7	18.8	−2.0	10.8	8.9	10.4	0.359	0.359	0.122	0.101	0.118	0.464	0.305	0.367	0.425	0.309	0.366
58	3	OLS18	0.5	0.25	0.75	0.844	0.5	0.5	0.915	0.25	0.25	42.3	32.5	329.3	27.9	−16.5	16.6	12.7	21.9	0.324	0.324	0.187	0.143	0.247	0.549	0.346	0.529	0.498	0.348	0.519
59	3	OLS18	0.489	0.25	1.0	0.822	0.625	0.75	0.89	0.0	0.25	48.5	45.8	320.5	35.3	−29.0	23.4	17.2	37.6	0.299	0.299	0.264	0.194	0.425	0.623	0.39	0.683	0.563	0.389	0.668
60	3	OLS18	0.5	0.5	0.0	0.197	0.25	0.5	0.268	0.5	0.0	45.2	46.2	96.4	−5.0	45.9	13.1	14.7	2.9	0.428	0.428	0.148	0.166	0.033	0.496	0.447	0.092	0.479	0.445	0.15
61	3	OLS18	0.5	0.5	0.25	0.197	0.375	0.25	0.268	0.5	0.25	46.4	23.1	96.4	−2.5	22.9	14.4	15.6	8.3	0.376	0.376	0.163	0.176	0.093	0.495	0.457	0.297	0.481	0.455	0.31
62	3	OLS18	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	56.7	0.0	0.0	0.0	0.0	23.4	24.6	26.8	0.313	0.313	0.264	0.278	0.303	0.564	0.564	0.564	0.559	0.559	0.559
63	3	OLS18	0.5	0.5	0.75	0.778	0.625	0.25	0.847	0.25	0.5	54.1	13.6	305.0	7.8	−11.0	22.7	22.1	31.3	0.298	0.298	0.256	0.249	0.354	0.556	0.522	0.616	0.542	0.517	0.606
64	3	OLS18	0.5	0.5	1.0	0.778	0.75	0.5	0.847	0.0	0.5	60.6	27.1	305.0	15.6	−22.1	31.4	28.8	49.9	0.285	0.285	0.354	0.325	0.563	0.641	0.574	0.767	0.617	0.569	0.755
65	3	OLS18	0.511	0.75	0.0	0.247	0.375	0.75	0.316	0.25	0.0	58.4	64.4	113.7	−25.8	58.9	19.4	26.3	4.5	0.386	0.386	0.219	0.297	0.051	0.515	0.624	0.066	0.544	0.618	0.167
66	3	OLS18	0.5	0.75	0.25	0.275	0.5	0.5	0.343	0.25	0.25	59.2	41.1	123.6	−22.6	34.2	20.8	27.2	11.8	0.347	0.347	0.235	0.307	0.134	0.508	0.63	0.335	0.542	0.624	0.355
67	3	OLS18	0.5	0.75	0.5	0.35	0.625	0.25	0.419	0.25	0.5	60.4	18.0	150.9	−15.6	8.7	23.5	28.6	25.4	0.303	0.303	0.265	0.323	0.286	0.506	0.635	0.538	0.542	0.629	0.538
68	3	OLS18	0.5	0.75	0.75	0.586	0.625	0.25	0.656	0.25	0.5	62.4	13.6	236.0	−7.5	−11.2	27.4	30.8	42.7	0.271	0.271	0.309	0.348	0.482	0.513	0.645	0.705	0.55	0.639	0.697
69	3	OLS18	0.5	0.75	1.0	0.683	0.75	0.5	0.751	0.0	0.5	68.8	27.1	270.5	0.2	−27.0	37.2	39.1	70.9	0.253	0.253	0.42	0.441	0.8	0.569	0.704	0.896	0.606	0.698	0.886
70	3	OLS18	0.5	1.0	0.0	0.275	0.5	1.0	0.343	0.0	0.0	70.6	82.1	123.6	−45.4	68.4	26.8	41.7	7.2	0.354	0.354	0.303	0.47	0.082	0.504	0.793	0.081	0.599	0.788	0.207
71	3	OLS18	0.489	1.0	0.25	0.303	0.625	0.75	0.371	0.0	0.25	71.5	58.8	133.5	−40.4	42.6	29.0	42.9	17.2	0.325	0.325	0.327	0.484	0.194	0.505	0.797	0.389	0.602	0.792	0.415
72	3	OLS18	0.5	1.0	0.5	0.35	0.75	0.5	0.419	0.0	0.5	73.2	36.0	150.9	−31.3	17.5	33.4	45.4	34.4	0.295	0.295	0.377	0.512	0.388	0.528	0.805	0.607	0.618	0.8	0.611
73	3	OLS18	0.5	1.0	0.75	0.467	0.75	0.5	0.537	0.0	0.5	75.1	31.5	193.5	−30.6	−7.2	36.1	48.4	60.5	0.249	0.249	0.407	0.546	0.683	0.408	0.832	0.817	0.567	0.827	0.813
74	3	OLS18	0.5	1.0	1.0	0.586	0.75	0.5	0.656	0.0	0.5	77.0	27.1	236.0	−15.1	−22.4	43.6	51.6	83.3	0.245	0.245	0.493	0.582	0.94	0.52	0.829	0.956	0.623	0.824	0.949



BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 228, Serie: 1/1, Seite: 22 Seite: 22
Seitenzählung 1



Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS18; Sechs Bunntonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}		<i>RGB</i> ' _{AdobeRGB}						
75	3	OLS18	0.75	0.0	0.0	0.036	0.375	0.75	0.105	0.25	0.0	36.0	62.0	37.7	49.0	37.9	15.5	9.0	1.9	0.587	0.587	0.175	0.101	0.021	0.665	0.16	0.109	0.571	0.176	0.133
76	3	OLS18	0.75	0.0	0.239	0.997	0.375	0.75	0.066	0.25	0.0	36.0	60.3	23.7	55.3	24.2	16.6	9.0	3.8	0.564	0.564	0.187	0.102	0.043	0.686	0.107	0.207	0.587	0.129	0.215
77	3	OLS18	0.75	0.0	0.511	0.953	0.375	0.75	0.021	0.25	0.0	36.1	58.5	7.7	57.9	7.8	17.1	9.0	7.5	0.509	0.509	0.193	0.102	0.084	0.685	0.085	0.312	0.585	0.109	0.31
78	3	OLS18	0.75	0.0	0.75	0.914	0.375	0.75	0.982	0.25	0.0	36.1	56.8	353.7	56.5	−6.2	16.9	9.1	12.1	0.444	0.444	0.19	0.102	0.136	0.659	0.118	0.401	0.564	0.138	0.394
79	3	OLS18	0.768	0.0	1.0	0.881	0.5	1.0	0.951	0.0	0.0	42.9	70.8	342.4	67.4	−21.3	25.3	13.1	25.3	0.396	0.396	0.285	0.148	0.286	0.77	0.12	0.573	0.659	0.14	0.558
80	3	OLS18	0.75	0.239	0.0	0.086	0.375	0.75	0.157	0.25	0.0	46.1	64.3	56.4	35.6	53.5	21.2	15.3	2.1	0.549	0.549	0.239	0.173	0.024	0.734	0.339	0.038	0.646	0.341	0.102
81	3	OLS18	0.75	0.25	0.25	0.036	0.5	0.5	0.105	0.25	0.25	47.8	41.3	37.7	32.7	25.3	22.2	16.7	8.3	0.471	0.471	0.25	0.188	0.094	0.719	0.372	0.303	0.638	0.373	0.31
82	3	OLS18	0.75	0.25	0.5	0.975	0.5	0.5	0.044	0.25	0.25	47.9	39.6	15.7	38.1	10.7	23.4	16.7	13.4	0.438	0.438	0.264	0.188	0.151	0.73	0.355	0.404	0.645	0.357	0.402
83	3	OLS18	0.75	0.25	0.75	0.914	0.5	0.5	0.982	0.25	0.25	47.9	37.9	353.7	37.6	−4.1	23.3	16.7	20.4	0.386	0.386	0.264	0.189	0.23	0.701	0.363	0.506	0.622	0.364	0.497
84	3	OLS18	0.761	0.25	1.0	0.869	0.625	0.75	0.939	0.0	0.25	54.6	51.7	338.2	48.0	−19.1	33.2	22.5	38.1	0.354	0.354	0.375	0.254	0.43	0.804	0.398	0.683	0.712	0.398	0.668
85	3	OLS18	0.75	0.511	0.0	0.147	0.375	0.75	0.216	0.25	0.0	57.6	66.9	77.7	14.3	65.4	27.8	25.6	3.2	0.491	0.491	0.313	0.289	0.036	0.769	0.527	−0.045	0.705	0.522	0.101
86	3	OLS18	0.75	0.5	0.25	0.117	0.5	0.5	0.186	0.25	0.25	58.4	43.7	67.0	17.1	40.3	29.3	26.4	9.3	0.451	0.451	0.331	0.298	0.105	0.775	0.53	0.29	0.71	0.525	0.309
87	3	OLS18	0.75	0.5	0.5	0.036	0.625	0.25	0.105	0.25	0.5	59.7	20.7	37.7	16.3	12.6	30.6	27.8	22.3	0.379	0.379	0.345	0.314	0.252	0.743	0.551	0.508	0.689	0.546	0.505
88	3	OLS18	0.75	0.5	0.75	0.914	0.625	0.25	0.982	0.25	0.5	59.7	18.9	353.7	18.8	−2.0	31.3	27.8	31.8	0.344	0.344	0.353	0.314	0.359	0.724	0.549	0.614	0.674	0.544	0.606
89	3	OLS18	0.75	0.5	1.0	0.844	0.75	0.5	0.915	0.0	0.5	66.2	32.5	329.3	27.9	−16.5	42.4	35.5	53.9	0.322	0.322	0.479	0.401	0.609	0.816	0.596	0.791	0.756	0.59	0.779
90	3	OLS18	0.75	0.75	0.0	0.197	0.375	0.75	0.268	0.25	0.0	67.8	69.2	96.4	−7.6	68.8	33.6	37.7	5.9	0.435	0.435	0.379	0.425	0.066	0.762	0.69	0.057	0.736	0.684	0.177
91	3	OLS18	0.75	0.75	0.25	0.197	0.5	0.5	0.268	0.25	0.25	69.0	46.2	96.4	−5.0	45.9	35.9	39.4	13.9	0.402	0.402	0.405	0.445	0.157	0.768	0.7	0.346	0.744	0.694	0.37
92	3	OLS18	0.75	0.75	0.5	0.197	0.625	0.25	0.268	0.25	0.5	70.3	23.1	96.4	−2.5	22.9	38.3	41.2	27.1	0.359	0.359	0.433	0.465	0.306	0.758	0.712	0.54	0.74	0.706	0.544
93	3	OLS18	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	76.1	0.0	0.0	0.0	0.0	47.5	50.0	54.4	0.313	0.313	0.536	0.564	0.614	0.776	0.776	0.776	0.771	0.771	0.771
94	3	OLS18	0.75	0.75	1.0	0.778	0.875	0.25	0.847	0.0	0.75	78.0	13.6	305.0	7.8	−11.0	53.5	53.2	70.7	0.302	0.302	0.604	0.6	0.798	0.819	0.782	0.883	0.804	0.777	0.876
95	3	OLS18	0.768	1.0	0.0	0.233	0.5	1.0	0.303	0.0	0.0	81.2	87.6	109.0	−28.4	82.8	45.3	58.9	8.3	0.403	0.403	0.511	0.665	0.094	0.791	0.884	−0.102	0.814	0.88	0.181
96	3	OLS18	0.761	1.0	0.25	0.247	0.625	0.75	0.316	0.0	0.25	82.2	64.4	113.7	−25.8	58.9	47.7	60.7	18.3	0.377	0.377	0.539	0.685	0.207	0.791	0.892	0.364	0.817	0.889	0.404
97	3	OLS18	0.75	1.0	0.5	0.275	0.75	0.5	0.343	0.0	0.5	83.0	41.1	123.6	−22.6	34.2	50.2	62.2	34.7	0.341	0.341	0.566	0.702	0.391	0.774	0.899	0.585	0.807	0.896	0.597
98	3	OLS18	0.75	1.0	0.75	0.35	0.875	0.25	0.419	0.0	0.75	84.3	18.0	150.9	−15.6	8.7	55.0	64.6	60.2	0.306	0.306	0.62	0.729	0.68	0.768	0.904	0.8	0.805	0.901	0.8
99	3	OLS18	0.75	1.0	1.0	0.586	0.875	0.25	0.656	0.0	0.75	86.2	13.6	236.0	−7.5	−11.2	61.7	68.4	89.7	0.281	0.281	0.697	0.772	1.012	0.777	0.914	0.978	0.815	0.911	0.975

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB


BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 238, Serie: 1/1, Seite: 23
Seite 23

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS18; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
100	3	OLS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9	82.6	37.7	65.4	50.5	30.1	16.7	2.9	0.605	0.605	0.34	0.189	0.033	0.904	0.177	0.128	0.779	0.191	0.15	
101	3	OLS18	1.0	0.0	0.232	0.006	0.5	1.0	0.076	0.0	0.0	48.0	81.0	27.5	71.9	37.4	32.0	16.8	5.3	0.592	0.592	0.361	0.189	0.06	0.93	0.089	0.233	0.798	0.113	0.239	
102	3	OLS18	1.0	0.0	0.5	0.975	0.5	1.0	0.044	0.0	0.0	48.0	79.2	15.7	76.2	21.4	33.2	16.8	9.6	0.557	0.557	0.375	0.19	0.108	0.94	-0.034	0.344	0.805	-0.069	0.339	
103	3	OLS18	1.0	0.0	0.768	0.942	0.5	1.0	0.011	0.0	0.0	48.1	77.3	3.9	77.2	5.2	33.6	16.9	15.9	0.506	0.506	0.379	0.19	0.179	0.929	-0.031	0.451	0.795	-0.066	0.44	
104	3	OLS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1	75.7	353.7	75.3	-8.3	33.1	16.9	22.9	0.454	0.454	0.373	0.191	0.258	0.9	0.077	0.542	0.772	0.102	0.527	
105	3	OLS18	1.0	0.232	0.0	0.072	0.5	1.0	0.142	0.0	0.0	57.8	84.9	51.3	53.1	66.2	38.8	25.7	3.1	0.574	0.574	0.438	0.29	0.035	0.981	0.383	0.026	0.861	0.383	0.104	
106	3	OLS18	1.0	0.25	0.25	0.036	0.625	0.75	0.105	0.0	0.25	59.8	62.0	37.7	49.0	37.9	40.4	27.9	10.9	0.51	0.51	0.455	0.315	0.123	0.969	0.43	0.334	0.856	0.428	0.34	
107	3	OLS18	1.0	0.25	0.489	0.997	0.625	0.75	0.066	0.0	0.25	59.9	60.3	23.7	55.3	24.2	42.5	28.0	16.5	0.489	0.489	0.479	0.316	0.186	0.989	0.404	0.435	0.87	0.403	0.432	
108	3	OLS18	1.0	0.25	0.761	0.953	0.625	0.75	0.021	0.0	0.25	59.9	58.5	7.7	57.9	7.8	43.4	28.0	25.4	0.449	0.449	0.49	0.316	0.286	0.982	0.396	0.552	0.863	0.396	0.542	
109	3	OLS18	1.0	0.25	1.0	0.914	0.625	0.75	0.982	0.0	0.25	60.0	56.8	353.7	56.5	-6.2	43.0	28.1	35.2	0.405	0.405	0.485	0.317	0.397	0.949	0.411	0.651	0.836	0.41	0.638	
110	3	OLS18	1.0	0.5	0.0	0.117	0.5	1.0	0.186	0.0	0.0	69.2	87.5	67.0	34.1	80.5	49.1	39.6	4.0	0.53	0.53	0.554	0.446	0.045	1.037	0.586	-0.166	0.936	0.581	0.003	
111	3	OLS18	1.0	0.489	0.25	0.086	0.625	0.75	0.157	0.0	0.25	69.9	64.3	56.4	35.6	53.5	50.9	40.7	11.5	0.494	0.494	0.574	0.459	0.13	1.039	0.593	0.306	0.938	0.587	0.327	
112	3	OLS18	1.0	0.5	0.5	0.036	0.75	0.5	0.105	0.0	0.5	71.7	41.3	37.7	32.7	25.3	52.6	43.2	27.2	0.428	0.428	0.594	0.487	0.307	1.01	0.627	0.545	0.92	0.621	0.543	
113	3	OLS18	1.0	0.5	0.75	0.975	0.75	0.5	0.044	0.0	0.5	71.7	39.6	15.7	38.1	10.7	54.8	43.2	37.8	0.404	0.404	0.619	0.488	0.427	1.019	0.613	0.654	0.924	0.607	0.647	
114	3	OLS18	1.0	0.5	1.0	0.914	0.75	0.5	0.982	0.0	0.5	71.8	37.9	353.7	37.6	-4.1	54.7	43.3	51.2	0.367	0.367	0.618	0.489	0.578	0.983	0.62	0.764	0.896	0.614	0.754	
115	3	OLS18	1.0	0.768	0.0	0.161	0.5	1.0	0.23	0.0	0.0	80.5	90.1	82.8	11.3	89.4	59.4	57.6	6.2	0.482	0.482	0.67	0.651	0.07	1.058	0.782	-0.27	0.989	0.777	0.076	
116	3	OLS18	1.0	0.761	0.25	0.147	0.625	0.75	0.216	0.0	0.25	81.5	66.9	77.7	14.3	65.4	62.4	59.4	14.7	0.457	0.457	0.704	0.67	0.166	1.071	0.787	0.31	1.001	0.782	0.35	
117	3	OLS18	1.0	0.75	0.5	0.117	0.75	0.5	0.186	0.0	0.5	82.3	43.7	67.0	17.1	40.3	65.1	60.8	29.3	0.419	0.419	0.735	0.686	0.331	1.067	0.792	0.538	0.999	0.786	0.547	
118	3	OLS18	1.0	0.75	0.75	0.036	0.875	0.25	0.105	0.0	0.75	83.5	20.7	37.7	16.3	12.6	67.2	63.2	54.7	0.363	0.363	0.758	0.713	0.618	1.023	0.815	0.767	0.969	0.81	0.764	
119	3	OLS18	1.0	0.75	1.0	0.914	0.875	0.25	0.982	0.0	0.75	83.6	18.9	353.7	18.8	-2.0	68.4	63.3	71.5	0.337	0.337	0.772	0.714	0.807	1.001	0.813	0.881	0.951	0.808	0.875	
120	3	OLS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4	92.3	96.4	-10.2	91.7	68.5	77.1	10.5	0.439	0.439	0.773	0.87	0.118	1.046	0.949	-0.121	1.02	0.948	0.195	
121	3	OLS18	1.0	1.0	0.25	0.197	0.625	0.75	0.268	0.0	0.25	91.6	69.2	96.4	-7.6	68.8	72.2	79.9	21.7	0.416	0.416	0.815	0.902	0.245	1.056	0.96	0.381	1.031	0.959	0.425	
122	3	OLS18	1.0	1.0	0.5	0.197	0.75	0.5	0.268	0.0	0.5	92.9	46.2	96.4	-5.0	45.9	76.1	82.7	38.9	0.385	0.385	0.859	0.934	0.439	1.055	0.972	0.602	1.033	0.971	0.617	
123	3	OLS18	1.0	1.0	0.75	0.197	0.875	0.25	0.268	0.0	0.75	94.1	23.1	96.4	-2.5	22.9	80.1	85.6	63.4	0.35	0.35	0.904	0.966	0.715	1.037	0.985	0.803	1.024	0.985	0.807	
124	3	OLS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 24/8, Serie: 1/1, Seite: 24
Seitenzählung 1



%Umfang
 $u^*_{rel} = 74$
%Regularität
 $g^*_{H,rel} = 60$
 $g^*_{C,rel} = 52$

OLS28	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	50.51	60.17	40.13	72.32	34
Y_M	90.52	-9.91	85.2	85.78	97
L_M	53.18	-55.03	30.0	62.68	151
C_M	60.28	-27.9	-42.74	51.05	237
V_M	32.06	24.02	-37.31	44.38	303
M_M	50.68	69.5	-7.56	69.91	354
N_M	26.85	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 74$
%Regularität
 $g^*_{H,rel} = 60$
 $g^*_{C,rel} = 52$

OLS28a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	50.51	60.17	40.13	72.32	34
Y_{Ma}	90.52	-9.91	85.2	85.78	97
L_{Ma}	53.18	-55.03	30.0	62.68	151
C_{Ma}	60.28	-27.9	-42.74	51.05	237
V_{Ma}	32.06	24.02	-37.31	44.38	303
M_{Ma}	50.68	69.5	-7.56	69.91	354
N_{Ma}	26.85	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS28; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>l</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}		<i>RGB</i> ' _{AdobeRGB}							
0	4	OLS28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	26.9	0.0	0.0	0.0	4.8	5.0	5.5	0.313	0.313	0.054	0.057	0.062	0.265	0.265	0.265	0.272	0.272	0.272		
1	4	OLS28	0.0	0.0	0.25	0.772	0.125	0.25	0.841	0.75	0.0	8.0	11.1	302.8	6.0	-9.2	1.0	0.9	1.8	0.273	0.273	0.011	0.01	0.02	0.107	0.091	0.151	0.126	0.116	0.166	
2	4	OLS28	0.0	0.0	0.5	0.772	0.25	0.5	0.841	0.5	0.0	16.0	22.2	302.8	12.0	-18.6	2.6	2.1	5.5	0.253	0.253	0.029	0.024	0.062	0.178	0.148	0.277	0.185	0.165	0.279	
3	4	OLS28	0.0	0.0	0.75	0.772	0.375	0.75	0.841	0.25	0.0	24.0	33.3	302.8	18.0	-27.9	5.3	4.1	12.4	0.241	0.241	0.059	0.046	0.14	0.251	0.207	0.413	0.248	0.219	0.406	
4	4	OLS28	0.0	0.0	1.0	0.772	0.5	1.0	0.841	0.0	0.0	32.1	44.4	302.8	24.0	-37.2	9.4	7.1	23.6	0.234	0.234	0.106	0.08	0.267	0.327	0.269	0.558	0.316	0.276	0.545	
5	4	OLS28	0.0	0.25	0.0	0.35	0.125	0.25	0.421	0.75	0.0	13.3	15.7	151.4	-13.7	7.5	1.1	1.6	1.1	0.287	0.287	0.012	0.018	0.012	0.066	0.163	0.099	0.126	0.179	0.126	
6	4	OLS28	0.0	0.25	0.25	0.589	0.125	0.25	0.658	0.75	0.0	15.1	12.8	236.9	-6.9	-10.6	1.6	1.9	3.6	0.219	0.219	0.018	0.022	0.041	0.042	0.173	0.22	0.121	0.188	0.229	
7	4	OLS28	0.0	0.25	0.5	0.681	0.25	0.5	0.749	0.5	0.0	23.1	23.9	269.8	0.0	-23.8	3.6	3.8	10.3	0.204	0.204	0.041	0.043	0.117	0.088	0.238	0.376	0.165	0.247	0.372	
8	4	OLS28	0.0	0.239	0.75	0.714	0.375	0.75	0.783	0.25	0.0	30.8	34.9	281.8	7.1	-34.0	6.9	6.6	20.6	0.203	0.203	0.078	0.074	0.233	0.165	0.299	0.522	0.225	0.304	0.511	
9	4	OLS28	0.0	0.232	1.0	0.731	0.5	1.0	0.799	0.0	0.0	38.6	45.9	287.5	13.8	-43.7	11.8	10.4	35.7	0.203	0.203	0.133	0.118	0.403	0.243	0.364	0.672	0.29	0.365	0.657	
10	4	OLS28	0.0	0.5	0.0	0.35	0.25	0.5	0.421	0.5	0.0	26.6	31.3	151.4	-27.4	15.0	2.9	4.9	2.7	0.274	0.274	0.033	0.056	0.031	0.057	0.302	0.163	0.185	0.307	0.187	
11	4	OLS28	0.0	0.5	0.25	0.469	0.25	0.5	0.539	0.5	0.0	28.4	28.4	194.1	-27.5	-6.8	3.3	5.6	7.9	0.198	0.198	0.038	0.063	0.089	-0.253	0.324	0.32	0.125	0.327	0.324	
12	4	OLS28	0.0	0.5	0.5	0.589	0.25	0.5	0.658	0.5	0.0	30.1	25.5	236.9	-13.9	-21.3	4.8	6.3	14.0	0.192	0.192	0.054	0.071	0.158	-0.155	0.327	0.431	0.154	0.33	0.425	
13	4	OLS28	0.0	0.511	0.75	0.647	0.375	0.75	0.716	0.25	0.0	38.5	36.7	257.8	-7.6	-35.8	8.9	10.4	29.8	0.182	0.182	0.1	0.117	0.336	-0.277	0.404	0.615	0.181	0.403	0.603	
14	4	OLS28	0.0	0.5	1.0	0.681	0.5	1.0	0.749	0.0	0.0	46.2	47.7	269.8	-0.1	-47.6	14.6	15.4	50.6	0.181	0.181	0.165	0.174	0.571	-0.226	0.473	0.784	0.235	0.47	0.769	
15	4	OLS28	0.0	0.75	0.0	0.35	0.375	0.75	0.421	0.25	0.0	39.9	47.0	151.4	-41.2	22.5	6.0	11.2	5.5	0.266	0.266	0.068	0.126	0.062	-0.047	0.453	0.231	0.248	0.451	0.253	
16	4	OLS28	0.0	0.75	0.239	0.428	0.375	0.75	0.496	0.25	0.0	41.6	44.2	178.6	-44.1	1.1	6.5	12.2	12.9	0.204	0.204	0.073	0.138	0.146	-0.629	0.478	0.395	0.171	0.475	0.399	
17	4	OLS28	0.0	0.75	0.511	0.514	0.375	0.75	0.582	0.25	0.0	43.5	41.1	209.6	-35.6	-20.2	8.2	13.5	25.3	0.174	0.174	0.092	0.152	0.285	-0.995	0.494	0.562	0.083	0.49	0.554	
18	4	OLS28	0.0	0.75	0.75	0.589	0.375	0.75	0.658	0.25	0.0	45.2	38.3	236.9	-20.8	-32.0	10.9	14.7	35.5	0.179	0.179	0.123	0.166	0.4	-0.721	0.494	0.662	0.167	0.49	0.65	
19	4	OLS28	0.0	0.768	1.0	0.631	0.5	1.0	0.7	0.0	0.0	53.7	49.5	252.1	-15.1	-47.0	17.7	21.7	63.8	0.171	0.171	0.2	0.245	0.72	-1.156	0.581	0.866	0.171	0.576	0.853	
20	4	OLS28	0.0	1.0	0.0	0.35	0.5	1.0	0.421	0.0	0.0	53.2	62.7	151.4	-54.9	30.0	10.9	21.2	9.7	0.261	0.261	0.123	0.239	0.109	-0.292	0.613	0.301	0.315	0.607	0.325	
21	4	OLS28	0.0	1.0	0.232	0.406	0.5	1.0	0.476	0.0	0.0	54.8	60.0	171.2	-59.2	9.2	11.3	22.8	19.6	0.211	0.211	0.128	0.257	0.221	-1.178	0.64	0.472	0.23	0.634	0.477	
22	4	OLS28	0.0	1.0	0.5	0.469	0.5	1.0	0.539	0.0	0.0	56.7	56.9	194.1	-55.0	-13.8	13.1	24.6	36.8	0.176	0.176	0.148	0.278	0.415	-2.003	0.662	0.658	0.057	0.656	0.652	
23	4	OLS28	0.0	1.0	0.768	0.533	0.5	1.0	0.603	0.0	0.0	58.6	53.7	217.1	-42.8	-32.3	16.5	26.6	56.9	0.165	0.165	0.186	0.301	0.642	-2.318	0.673	0.814	-0.13	0.667	0.804	
24	4	OLS28	0.0	1.0	1.0	0.589	0.5	1.0	0.658	0.0	0.0	60.3	51.1	236.9	-27.8	-42.7	20.7	28.4	72.0	0.171	0.171	0.234	0.321	0.813	-1.823	0.672	0.91	0.151	0.666	0.899	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 266, Serie: 1/1, Seite: 26
Seitenz hlung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS28; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
25	4	OLS28	0.25	0.0	0.0	0.025	0.125	0.25	0.094	0.75	0.0	12.6	18.1	33.7	15.0	10.0	2.0	1.5	0.8	0.465	0.465	0.023	0.017	0.009	0.23	0.101	0.083	0.214	0.124	0.109	
26	4	OLS28	0.25	0.0	0.25	0.914	0.125	0.25	0.983	0.75	0.0	12.7	17.5	353.8	17.4	-1.8	2.1	1.5	1.8	0.389	0.389	0.024	0.017	0.021	0.225	0.097	0.151	0.21	0.121	0.166	
27	4	OLS28	0.25	0.0	0.5	0.842	0.25	0.5	0.912	0.5	0.0	20.7	28.6	328.3	24.3	-14.9	4.6	3.2	6.5	0.323	0.323	0.052	0.036	0.074	0.308	0.15	0.301	0.28	0.167	0.301	
28	4	OLS28	0.239	0.0	0.75	0.817	0.375	0.75	0.886	0.25	0.0	28.5	39.4	319.0	29.7	-25.7	8.3	5.6	14.7	0.289	0.289	0.093	0.064	0.166	0.384	0.209	0.446	0.347	0.22	0.437	
29	4	OLS28	0.232	0.0	1.0	0.806	0.5	1.0	0.874	0.0	0.0	36.4	50.3	314.6	35.3	-35.7	13.5	9.2	27.3	0.27	0.27	0.153	0.104	0.308	0.463	0.271	0.595	0.418	0.278	0.581	
30	4	OLS28	0.25	0.25	0.0	0.2	0.125	0.25	0.268	0.75	0.0	22.6	21.4	96.6	-2.4	21.3	3.4	3.7	1.3	0.404	0.404	0.038	0.042	0.014	0.252	0.227	0.091	0.253	0.237	0.124	
31	4	OLS28	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	44.0	0.0	0.0	0.0	0.0	13.1	13.8	15.1	0.313	0.313	0.148	0.156	0.17	0.432	0.432	0.432	0.43	0.43	0.43	
32	4	OLS28	0.25	0.25	0.5	0.772	0.375	0.25	0.841	0.5	0.25	31.9	11.1	302.8	6.0	-9.2	7.3	7.0	10.6	0.293	0.293	0.082	0.079	0.119	0.323	0.302	0.372	0.32	0.306	0.37	
33	4	OLS28	0.25	0.25	0.75	0.772	0.5	0.5	0.841	0.25	0.25	39.9	22.2	302.8	12.0	-18.6	12.3	11.2	20.7	0.278	0.278	0.139	0.126	0.234	0.409	0.369	0.516	0.398	0.369	0.507	
34	4	OLS28	0.25	0.25	1.0	0.772	0.625	0.75	0.841	0.0	0.25	47.9	33.3	302.8	18.0	-27.9	19.2	16.7	35.9	0.267	0.267	0.217	0.189	0.405	0.496	0.437	0.667	0.477	0.435	0.653	
35	4	OLS28	0.25	0.5	0.0	0.275	0.25	0.5	0.345	0.5	0.0	35.9	37.1	124.0	-20.7	30.8	6.4	9.0	2.8	0.352	0.352	0.072	0.101	0.031	0.275	0.384	0.135	0.315	0.384	0.171	
36	4	OLS28	0.25	0.5	0.25	0.35	0.375	0.25	0.421	0.5	0.25	37.1	15.7	151.4	-13.7	7.5	7.6	9.6	8.1	0.3	0.3	0.086	0.109	0.091	0.283	0.388	0.312	0.321	0.388	0.319	
37	4	OLS28	0.25	0.5	0.5	0.589	0.375	0.25	0.658	0.5	0.25	38.9	12.8	236.9	-6.9	-10.6	9.2	10.6	15.9	0.258	0.258	0.104	0.12	0.18	0.28	0.398	0.451	0.322	0.397	0.446	
38	4	OLS28	0.25	0.5	0.75	0.681	0.5	0.5	0.749	0.25	0.25	46.9	23.9	269.8	0.0	-23.8	15.2	16.0	31.6	0.242	0.242	0.171	0.18	0.356	0.349	0.47	0.626	0.388	0.467	0.615	
39	4	OLS28	0.25	0.489	1.0	0.714	0.625	0.75	0.783	0.0	0.25	54.6	34.9	281.8	7.1	-34.0	23.0	22.6	51.6	0.237	0.237	0.26	0.255	0.583	0.436	0.538	0.785	0.465	0.533	0.771	
40	4	OLS28	0.239	0.75	0.0	0.303	0.375	0.75	0.372	0.25	0.0	48.8	52.5	134.0	-36.4	37.8	10.9	17.4	5.5	0.322	0.322	0.123	0.197	0.062	0.283	0.54	0.197	0.379	0.535	0.235	
41	4	OLS28	0.25	0.75	0.25	0.35	0.5	0.5	0.421	0.25	0.25	50.4	31.3	151.4	-27.4	15.0	13.2	18.8	13.4	0.29	0.29	0.149	0.212	0.152	0.315	0.547	0.389	0.398	0.542	0.397	
42	4	OLS28	0.25	0.75	0.5	0.469	0.5	0.5	0.539	0.25	0.25	52.2	28.4	194.1	-27.5	-6.8	14.4	20.3	26.3	0.236	0.236	0.162	0.23	0.297	0.173	0.571	0.562	0.35	0.566	0.557	
43	4	OLS28	0.25	0.75	0.75	0.589	0.5	0.5	0.658	0.25	0.25	54.0	25.5	236.9	-13.9	-21.3	18.1	22.0	39.0	0.229	0.229	0.204	0.248	0.44	0.276	0.571	0.685	0.389	0.565	0.674	
44	4	OLS28	0.25	0.761	1.0	0.647	0.625	0.75	0.716	0.0	0.25	62.3	36.7	257.8	-7.6	-35.8	27.3	30.8	68.0	0.217	0.217	0.308	0.347	0.767	0.317	0.654	0.884	0.445	0.648	0.873	
45	4	OLS28	0.232	1.0	0.0	0.317	0.5	1.0	0.385	0.0	0.0	61.8	68.0	138.7	-51.0	44.9	17.5	30.2	9.7	0.305	0.305	0.197	0.341	0.109	0.274	0.703	0.265	0.45	0.698	0.305	
46	4	OLS28	0.25	1.0	0.25	0.35	0.625	0.75	0.421	0.0	0.25	63.7	47.0	151.4	-41.2	22.5	21.0	32.5	20.7	0.283	0.283	0.237	0.367	0.234	0.33	0.713	0.468	0.478	0.708	0.478	
47	4	OLS28	0.25	1.0	0.489	0.428	0.625	0.75	0.496	0.0	0.25	65.4	44.2	178.6	-44.1	1.1	22.0	34.6	36.8	0.235	0.235	0.248	0.39	0.416	-0.057	0.742	0.645	0.412	0.736	0.643	
48	4	OLS28	0.25	1.0	0.761	0.514	0.625	0.75	0.582	0.0	0.25	67.4	41.1	209.6	-35.6	-20.2	25.8	37.1	60.1	0.21	0.21	0.291	0.419	0.678	-0.508	0.756	0.825	0.386	0.751	0.818	
49	4	OLS28	0.25	1.0	1.0	0.589	0.625	0.75	0.658	0.0	0.25	69.1	38.3	236.9	-20.8	-32.0	31.4	39.4	77.7	0.211	0.211	0.355	0.445	0.877	0.182	0.753	0.934	0.447	0.748	0.925	



BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 2/8, Serie: 1/1, Seite: 27
Seite 27



Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS28; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
50	4	OLS28	0.5	0.0	0.0	0.025	0.25	0.5	0.094	0.5	0.0	25.3	36.2	33.7	30.1	20.1	6.8	4.5	1.8	0.52	0.52	0.077	0.051	0.02	0.439	0.158	0.131	0.384	0.174	0.152	
51	4	OLS28	0.5	0.0	0.25	0.969	0.25	0.5	0.038	0.5	0.0	25.3	35.6	13.7	34.5	8.4	7.3	4.5	3.4	0.481	0.481	0.082	0.051	0.038	0.449	0.14	0.204	0.39	0.158	0.214	
52	4	OLS28	0.5	0.0	0.5	0.914	0.25	0.5	0.983	0.5	0.0	25.3	35.0	353.8	34.8	-3.7	7.3	4.5	5.8	0.417	0.417	0.083	0.051	0.065	0.434	0.144	0.278	0.378	0.162	0.28	
53	4	OLS28	0.511	0.0	0.75	0.869	0.375	0.75	0.938	0.25	0.0	33.6	46.3	337.5	42.8	-17.6	12.8	7.8	14.9	0.361	0.361	0.145	0.088	0.169	0.537	0.196	0.447	0.467	0.209	0.438	
54	4	OLS28	0.5	0.0	1.0	0.842	0.5	1.0	0.912	0.0	0.0	41.4	57.1	328.3	48.6	-29.9	19.7	12.1	29.2	0.323	0.323	0.222	0.137	0.33	0.623	0.259	0.612	0.545	0.266	0.597	
55	4	OLS28	0.5	0.25	0.0	0.111	0.25	0.5	0.181	0.5	0.0	35.3	39.5	65.2	16.6	35.9	10.2	8.6	2.0	0.49	0.49	0.115	0.097	0.022	0.498	0.298	0.1	0.449	0.303	0.137	
56	4	OLS28	0.5	0.25	0.25	0.025	0.375	0.25	0.094	0.5	0.25	36.5	18.1	33.7	15.0	10.0	10.7	9.3	7.1	0.395	0.395	0.121	0.105	0.08	0.473	0.318	0.293	0.434	0.322	0.299	
57	4	OLS28	0.5	0.25	0.5	0.914	0.375	0.25	0.983	0.5	0.25	36.5	17.5	353.8	17.4	-1.8	11.0	9.3	10.8	0.355	0.355	0.124	0.105	0.121	0.463	0.316	0.372	0.426	0.319	0.37	
58	4	OLS28	0.5	0.25	0.75	0.842	0.5	0.5	0.912	0.25	0.25	44.5	28.6	328.3	24.3	-14.9	17.6	14.2	23.2	0.321	0.321	0.199	0.16	0.262	0.555	0.379	0.542	0.508	0.38	0.532	
59	4	OLS28	0.489	0.25	1.0	0.817	0.625	0.75	0.886	0.0	0.25	52.3	39.4	319.0	29.7	-25.7	25.9	20.5	40.4	0.299	0.299	0.293	0.231	0.456	0.64	0.447	0.702	0.587	0.445	0.688	
60	4	OLS28	0.5	0.5	0.0	0.2	0.25	0.5	0.268	0.5	0.0	45.3	42.9	96.6	-4.9	42.6	13.2	14.7	3.4	0.422	0.422	0.149	0.166	0.038	0.495	0.448	0.129	0.478	0.445	0.174	
61	4	OLS28	0.5	0.5	0.25	0.2	0.375	0.25	0.268	0.5	0.25	46.5	21.4	96.6	-2.4	21.3	14.4	15.6	8.8	0.372	0.372	0.163	0.176	0.099	0.493	0.458	0.309	0.48	0.455	0.321	
62	4	OLS28	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	61.1	0.0	0.0	0.0	0.0	27.9	29.4	32.0	0.313	0.313	0.315	0.332	0.361	0.611	0.611	0.611	0.606	0.606	0.606	
63	4	OLS28	0.5	0.5	0.75	0.772	0.625	0.25	0.841	0.25	0.5	55.7	11.1	302.8	6.0	-9.2	23.8	23.6	32.0	0.3	0.3	0.269	0.267	0.361	0.566	0.542	0.62	0.554	0.537	0.611	
64	4	OLS28	0.5	0.5	1.0	0.772	0.75	0.5	0.841	0.0	0.5	63.7	22.2	302.8	12.0	-18.6	34.2	32.5	51.8	0.289	0.289	0.386	0.367	0.585	0.663	0.616	0.777	0.644	0.61	0.765	
65	4	OLS28	0.511	0.75	0.0	0.247	0.375	0.75	0.317	0.25	0.0	59.0	58.8	114.1	-23.9	53.7	20.4	27.0	5.9	0.382	0.382	0.23	0.305	0.066	0.53	0.628	0.155	0.555	0.622	0.216	
66	4	OLS28	0.5	0.75	0.25	0.275	0.5	0.5	0.345	0.25	0.25	59.8	37.1	124.0	-20.7	30.8	21.8	27.9	13.6	0.344	0.344	0.246	0.315	0.153	0.523	0.633	0.368	0.552	0.627	0.384	
67	4	OLS28	0.5	0.75	0.5	0.35	0.625	0.25	0.421	0.25	0.5	61.0	15.7	151.4	-13.7	7.5	24.5	29.2	26.8	0.304	0.304	0.276	0.33	0.302	0.525	0.638	0.554	0.555	0.632	0.552	
68	4	OLS28	0.5	0.75	0.75	0.589	0.625	0.25	0.658	0.25	0.5	62.8	12.8	236.9	-6.9	-10.6	28.0	31.3	42.8	0.274	0.274	0.316	0.353	0.483	0.526	0.648	0.706	0.559	0.642	0.698	
69	4	OLS28	0.5	0.75	1.0	0.681	0.75	0.5	0.749	0.0	0.5	70.8	23.9	269.8	0.0	-23.8	39.8	41.9	71.1	0.26	0.26	0.449	0.473	0.802	0.608	0.725	0.895	0.639	0.72	0.885	
70	4	OLS28	0.5	1.0	0.0	0.275	0.5	1.0	0.345	0.0	0.0	71.9	74.2	124.0	-41.4	61.5	29.1	43.4	9.9	0.353	0.353	0.329	0.49	0.112	0.543	0.801	0.21	0.625	0.796	0.278	
71	4	OLS28	0.489	1.0	0.25	0.303	0.625	0.75	0.372	0.0	0.25	72.7	52.5	134.0	-36.4	37.8	31.4	44.6	20.7	0.325	0.325	0.354	0.504	0.234	0.544	0.805	0.442	0.627	0.8	0.462	
72	4	OLS28	0.5	1.0	0.5	0.35	0.75	0.5	0.421	0.0	0.5	74.3	31.3	151.4	-27.4	15.0	36.0	47.2	37.9	0.297	0.297	0.406	0.532	0.428	0.57	0.811	0.639	0.645	0.806	0.642	
73	4	OLS28	0.5	1.0	0.75	0.469	0.75	0.5	0.539	0.0	0.5	76.1	28.4	194.1	-27.5	-6.8	38.3	50.0	61.9	0.255	0.255	0.432	0.564	0.699	0.467	0.837	0.825	0.598	0.833	0.821	
74	4	OLS28	0.5	1.0	1.0	0.589	0.75	0.5	0.658	0.0	0.5	77.8	25.5	236.9	-13.9	-21.3	45.3	52.9	83.7	0.249	0.249	0.511	0.598	0.944	0.554	0.835	0.957	0.645	0.831	0.951	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB


BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 288, Serie: 1/1, Seite: 28
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS28; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$			$RGB'_{AdobeRGB}$					
75	4	OLS28	0.75	0.0	0.0	0.025	0.375	0.75	0.094	0.25	0.0	37.9	54.2	33.7	45.1	30.1	16.2	10.0	3.4	0.548	0.548	0.183	0.113	0.038	0.666	0.21	0.181	0.576	0.221	0.196
76	4	OLS28	0.75	0.0	0.239	0.989	0.375	0.75	0.058	0.25	0.0	37.9	53.7	21.0	50.1	19.2	17.1	10.0	5.5	0.525	0.525	0.194	0.113	0.062	0.682	0.182	0.255	0.587	0.196	0.26
77	4	OLS28	0.75	0.0	0.511	0.947	0.375	0.75	0.018	0.25	0.0	38.0	53.0	6.5	52.7	6.0	17.7	10.1	9.0	0.481	0.481	0.199	0.114	0.101	0.68	0.17	0.341	0.585	0.184	0.338
78	4	OLS28	0.75	0.0	0.75	0.914	0.375	0.75	0.983	0.25	0.0	38.0	52.4	353.8	52.1	-5.6	17.6	10.1	13.1	0.431	0.431	0.199	0.114	0.148	0.661	0.181	0.416	0.569	0.195	0.408
79	4	OLS28	0.768	0.0	1.0	0.881	0.5	1.0	0.95	0.0	0.0	46.4	64.0	342.0	60.9	-19.7	27.2	15.5	28.1	0.384	0.384	0.308	0.175	0.317	0.779	0.233	0.598	0.674	0.242	0.583
80	4	OLS28	0.75	0.239	0.0	0.081	0.375	0.75	0.149	0.25	0.0	47.4	57.5	53.7	34.0	46.3	22.1	16.4	3.4	0.528	0.528	0.249	0.185	0.038	0.739	0.36	0.138	0.653	0.361	0.171
81	4	OLS28	0.75	0.25	0.25	0.025	0.5	0.5	0.094	0.25	0.25	49.1	36.2	33.7	30.1	20.1	22.8	17.7	10.7	0.446	0.446	0.257	0.2	0.12	0.714	0.396	0.351	0.637	0.395	0.354
82	4	OLS28	0.75	0.25	0.5	0.969	0.5	0.5	0.038	0.25	0.25	49.2	35.6	13.7	34.5	8.4	23.8	17.7	15.3	0.42	0.42	0.269	0.2	0.172	0.721	0.383	0.432	0.642	0.383	0.428
83	4	OLS28	0.75	0.25	0.75	0.914	0.5	0.5	0.983	0.25	0.25	49.2	35.0	353.8	34.8	-3.7	23.9	17.8	21.3	0.38	0.38	0.27	0.2	0.241	0.7	0.387	0.516	0.625	0.387	0.507
84	4	OLS28	0.761	0.25	1.0	0.869	0.625	0.75	0.938	0.0	0.25	57.4	46.3	337.5	42.8	-17.6	35.3	25.4	40.9	0.347	0.347	0.398	0.286	0.461	0.809	0.45	0.703	0.724	0.447	0.688
85	4	OLS28	0.75	0.511	0.0	0.144	0.375	0.75	0.213	0.25	0.0	58.3	61.1	76.6	14.2	59.5	28.5	26.3	4.4	0.481	0.481	0.321	0.297	0.05	0.774	0.535	0.1	0.71	0.53	0.168
86	4	OLS28	0.75	0.5	0.25	0.111	0.5	0.5	0.181	0.25	0.25	59.1	39.5	65.2	16.6	35.9	30.0	27.1	11.2	0.439	0.439	0.338	0.306	0.126	0.775	0.539	0.331	0.712	0.534	0.345
87	4	OLS28	0.75	0.5	0.5	0.025	0.625	0.25	0.094	0.25	0.5	60.3	18.1	33.7	15.0	10.0	31.0	28.5	24.5	0.369	0.369	0.35	0.322	0.276	0.736	0.562	0.533	0.686	0.557	0.529
88	4	OLS28	0.75	0.5	0.75	0.914	0.625	0.25	0.983	0.25	0.5	60.4	17.5	353.8	17.4	-1.8	31.7	28.5	32.4	0.342	0.342	0.357	0.322	0.366	0.722	0.56	0.619	0.675	0.554	0.611
89	4	OLS28	0.75	0.5	1.0	0.842	0.75	0.5	0.912	0.0	0.5	68.4	28.6	328.3	24.3	-14.9	44.4	38.5	56.3	0.319	0.319	0.502	0.435	0.636	0.821	0.631	0.804	0.768	0.625	0.793
90	4	OLS28	0.75	0.75	0.0	0.2	0.375	0.75	0.268	0.25	0.0	67.9	64.3	96.6	-7.3	63.9	33.8	37.8	7.2	0.429	0.429	0.381	0.427	0.081	0.76	0.691	0.15	0.736	0.685	0.222
91	4	OLS28	0.75	0.75	0.25	0.2	0.5	0.5	0.268	0.25	0.25	69.1	42.9	96.6	-4.9	42.6	36.0	39.5	15.4	0.396	0.396	0.407	0.446	0.174	0.765	0.701	0.374	0.742	0.695	0.394
92	4	OLS28	0.75	0.75	0.5	0.2	0.625	0.25	0.268	0.25	0.5	70.3	21.4	96.6	-2.4	21.3	38.4	41.2	28.2	0.356	0.356	0.434	0.465	0.319	0.755	0.713	0.553	0.738	0.707	0.555
93	4	OLS28	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	78.3	0.0	0.0	0.0	0.0	51.0	53.7	58.4	0.313	0.313	0.576	0.606	0.66	0.801	0.801	0.801	0.796	0.796	0.796
94	4	OLS28	0.75	0.75	1.0	0.772	0.875	0.25	0.841	0.0	0.75	79.6	11.1	302.8	6.0	-9.2	55.5	55.9	71.8	0.303	0.303	0.627	0.631	0.811	0.83	0.804	0.888	0.818	0.799	0.881
95	4	OLS28	0.768	1.0	0.0	0.233	0.5	1.0	0.304	0.0	0.0	81.9	80.4	109.3	-26.5	75.9	46.9	60.1	10.9	0.398	0.398	0.53	0.678	0.123	0.806	0.888	0.157	0.826	0.884	0.26
96	4	OLS28	0.761	1.0	0.25	0.247	0.625	0.75	0.317	0.0	0.25	82.8	58.8	114.1	-23.9	53.7	49.4	61.8	21.6	0.372	0.372	0.557	0.698	0.244	0.805	0.896	0.419	0.828	0.893	0.45
97	4	OLS28	0.75	1.0	0.5	0.275	0.75	0.5	0.345	0.0	0.5	83.6	37.1	124.0	-20.7	30.8	51.9	63.4	38.2	0.338	0.338	0.586	0.715	0.431	0.788	0.902	0.62	0.818	0.899	0.629
98	4	OLS28	0.75	1.0	0.75	0.35	0.875	0.25	0.421	0.0	0.75	84.9	15.7	151.4	-13.7	7.5	56.7	65.7	62.7	0.306	0.306	0.64	0.742	0.708	0.787	0.907	0.817	0.819	0.904	0.816
99	4	OLS28	0.75	1.0	1.0	0.589	0.875	0.25	0.658	0.0	0.75	86.6	12.8	236.9	-6.9	-10.6	62.8	69.2	89.9	0.283	0.283	0.708	0.782	1.015	0.79	0.917	0.979	0.825	0.915	0.976


Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS28; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
100	4	OLS28	1.0	0.0	0.0	0.025	0.5	1.0	0.094	0.0	0.0	50.5	72.3	33.7	60.2	40.1	31.7	18.8	5.6	0.564	0.564	0.358	0.213	0.064	0.907	0.26	0.232	0.786	0.267	0.242	
101	4	OLS28	1.0	0.0	0.232	0.997	0.5	1.0	0.068	0.0	0.0	50.5	71.8	24.5	65.3	29.7	33.2	18.9	8.4	0.549	0.549	0.375	0.213	0.094	0.926	0.223	0.308	0.8	0.232	0.309	
102	4	OLS28	1.0	0.0	0.5	0.969	0.5	1.0	0.038	0.0	0.0	50.6	71.1	13.7	69.1	16.9	34.3	18.9	12.8	0.52	0.52	0.388	0.214	0.144	0.934	0.193	0.397	0.805	0.206	0.39	
103	4	OLS28	1.0	0.0	0.768	0.939	0.5	1.0	0.008	0.0	0.0	50.6	70.5	3.0	70.4	3.7	34.8	19.0	18.7	0.48	0.48	0.393	0.214	0.211	0.925	0.19	0.486	0.797	0.202	0.475	
104	4	OLS28	1.0	0.0	1.0	0.914	0.5	1.0	0.983	0.0	0.0	50.7	69.9	353.8	69.5	-7.5	34.6	19.0	25.0	0.44	0.44	0.39	0.214	0.283	0.903	0.209	0.563	0.779	0.22	0.548	
105	4	OLS28	1.0	0.232	0.0	0.064	0.5	1.0	0.134	0.0	0.0	59.8	75.4	48.3	50.2	56.3	40.7	27.9	5.6	0.549	0.549	0.459	0.315	0.063	0.988	0.421	0.183	0.871	0.419	0.212	
106	4	OLS28	1.0	0.25	0.25	0.025	0.625	0.75	0.094	0.0	0.25	61.7	54.2	33.7	45.1	30.1	41.8	30.1	15.3	0.479	0.479	0.472	0.34	0.172	0.964	0.47	0.409	0.857	0.467	0.411	
107	4	OLS28	1.0	0.25	0.489	0.989	0.625	0.75	0.058	0.0	0.25	61.8	53.7	21.0	50.1	19.2	43.5	30.1	20.6	0.461	0.461	0.491	0.34	0.233	0.979	0.452	0.489	0.867	0.449	0.484	
108	4	OLS28	1.0	0.25	0.761	0.947	0.625	0.75	0.018	0.0	0.25	61.8	53.0	6.5	52.7	6.0	44.5	30.2	28.7	0.43	0.43	0.502	0.341	0.324	0.973	0.445	0.584	0.861	0.443	0.574	
109	4	OLS28	1.0	0.25	1.0	0.914	0.625	0.75	0.983	0.0	0.25	61.9	52.4	353.8	52.1	-5.6	44.3	30.2	37.3	0.396	0.396	0.5	0.341	0.421	0.948	0.453	0.668	0.841	0.45	0.654	
110	4	OLS28	1.0	0.5	0.0	0.111	0.5	1.0	0.181	0.0	0.0	70.5	79.0	65.2	33.2	71.7	50.9	41.5	6.3	0.516	0.516	0.575	0.468	0.071	1.046	0.605	0.111	0.946	0.599	0.186	
111	4	OLS28	1.0	0.489	0.25	0.081	0.625	0.75	0.149	0.0	0.25	71.3	57.5	53.7	34.0	46.3	52.5	42.6	15.4	0.475	0.475	0.593	0.481	0.174	1.04	0.614	0.379	0.943	0.608	0.392	
112	4	OLS28	1.0	0.5	0.5	0.025	0.75	0.5	0.094	0.0	0.5	73.0	36.2	33.7	30.1	20.1	53.8	45.1	32.3	0.41	0.41	0.607	0.509	0.364	1.001	0.652	0.597	0.917	0.645	0.593	
113	4	OLS28	1.0	0.5	0.75	0.969	0.75	0.5	0.038	0.0	0.5	73.0	35.6	13.7	34.5	8.4	55.6	45.2	41.5	0.391	0.391	0.628	0.51	0.468	1.007	0.64	0.684	0.92	0.634	0.677	
114	4	OLS28	1.0	0.5	1.0	0.914	0.75	0.5	0.983	0.0	0.5	73.0	35.0	353.8	34.8	-3.7	55.8	45.2	53.0	0.362	0.362	0.629	0.511	0.598	0.981	0.644	0.775	0.898	0.638	0.765	
115	4	OLS28	1.0	0.768	0.0	0.158	0.5	1.0	0.228	0.0	0.0	81.3	82.7	82.1	11.4	81.9	60.7	58.9	8.6	0.473	0.473	0.685	0.665	0.097	1.063	0.791	0.062	0.995	0.785	0.2	
116	4	OLS28	1.0	0.761	0.25	0.144	0.625	0.75	0.213	0.0	0.25	82.2	61.1	76.6	14.2	59.5	63.6	60.6	18.0	0.447	0.447	0.718	0.684	0.204	1.073	0.796	0.374	1.004	0.791	0.403	
117	4	OLS28	1.0	0.75	0.5	0.111	0.75	0.5	0.181	0.0	0.5	83.0	39.5	65.2	16.6	35.9	66.2	62.1	33.3	0.41	0.41	0.747	0.701	0.376	1.066	0.802	0.58	1.0	0.797	0.586	
118	4	OLS28	1.0	0.75	0.75	0.025	0.875	0.25	0.094	0.0	0.75	84.2	18.1	33.7	15.0	10.0	67.9	64.4	58.6	0.355	0.355	0.766	0.727	0.662	1.015	0.826	0.794	0.965	0.822	0.79	
119	4	OLS28	1.0	0.75	1.0	0.914	0.875	0.25	0.983	0.0	0.75	84.2	17.5	353.8	17.4	-1.8	69.0	64.5	72.6	0.335	0.335	0.779	0.728	0.819	0.998	0.824	0.886	0.952	0.819	0.881	
120	4	OLS28	1.0	1.0	0.0	0.2	0.5	1.0	0.268	0.0	0.0	90.5	85.8	96.6	-9.8	85.2	68.9	77.4	13.0	0.433	0.433	0.778	0.874	0.147	1.045	0.951	0.152	1.02	0.949	0.269	
121	4	OLS28	1.0	1.0	0.25	0.2	0.625	0.75	0.268	0.0	0.25	91.7	64.3	96.6	-7.3	63.9	72.6	80.1	24.6	0.409	0.409	0.819	0.904	0.278	1.053	0.962	0.43	1.029	0.96	0.466	
122	4	OLS28	1.0	1.0	0.5	0.2	0.75	0.5	0.268	0.0	0.5	93.0	42.9	96.6	-4.9	42.6	76.3	82.9	41.7	0.38	0.38	0.861	0.936	0.471	1.05	0.973	0.63	1.03	0.972	0.643	
123	4	OLS28	1.0	1.0	0.75	0.2	0.875	0.25	0.268	0.0	0.75	94.2	21.4	96.6	-2.4	21.3	80.2	85.7	65.3	0.347	0.347	0.905	0.967	0.737	1.034	0.986	0.817	1.021	0.985	0.82	
124	4	OLS28	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	




BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 30/8, Serie: 1/1, Seite: 30
Seite: 30
Seite: 30





%Umfang
 $u^*_{rel} = 51$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 44$

OLS38					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _M	55.13	51.42	29.16	59.11	30
Y _M	90.83	-9.24	74.37	74.94	97
L _M	57.35	-43.83	23.35	49.67	152
C _M	63.39	-23.82	-38.55	45.33	238
V _M	41.26	16.67	-28.48	33.01	300
M _M	55.27	59.74	-6.31	60.07	354
N _M	37.99	0.0	0.0	0.0	0
W _M	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 51$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 44$

OLS38a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	55.13	51.42	29.16	59.11	30
Y _{Ma}	90.83	-9.24	74.37	74.94	97
L _{Ma}	57.35	-43.83	23.35	49.67	152
C _{Ma}	63.39	-23.82	-38.55	45.33	238
V _{Ma}	41.26	16.67	-28.48	33.01	300
M _{Ma}	55.27	59.74	-6.31	60.07	354
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS38; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}			xy_{CIE}			XYZ_{RGB}			RGB'_{sRGB}			$RGB'_{AdobeRGB}$		
0	5	OLS38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	38.0	0.0	0.0	0.0	0.0	9.6	10.1	11.0	0.313	0.313	0.108	0.114	0.124	0.372	0.372	0.372	0.372	0.372	0.372
1	5	OLS38	0.0	0.0	0.25	0.764	0.125	0.25	0.834	0.75	0.0	10.3	8.3	300.3	4.2	-7.0	1.2	1.2	2.0	0.283	0.283	0.014	0.013	0.022	0.123	0.113	0.158	0.141	0.134	0.173
2	5	OLS38	0.0	0.0	0.5	0.764	0.25	0.5	0.834	0.5	0.0	20.6	16.5	300.3	8.3	-14.1	3.5	3.1	6.3	0.27	0.27	0.039	0.036	0.071	0.214	0.195	0.294	0.22	0.207	0.29
3	5	OLS38	0.0	0.0	0.75	0.764	0.375	0.75	0.834	0.25	0.0	30.9	24.8	300.3	12.5	-21.3	7.5	6.6	14.6	0.262	0.262	0.085	0.075	0.165	0.311	0.282	0.441	0.308	0.288	0.434
4	5	OLS38	0.0	0.0	1.0	0.764	0.5	1.0	0.834	0.0	0.0	41.3	33.0	300.3	16.7	-28.4	13.9	12.0	28.0	0.258	0.258	0.157	0.136	0.316	0.413	0.375	0.597	0.402	0.375	0.585
5	5	OLS38	0.0	0.25	0.0	0.353	0.125	0.25	0.422	0.75	0.0	14.3	12.4	152.0	-10.9	5.8	1.3	1.8	1.4	0.293	0.293	0.015	0.02	0.015	0.094	0.169	0.118	0.141	0.184	0.141
6	5	OLS38	0.0	0.25	0.25	0.592	0.125	0.25	0.662	0.75	0.0	15.8	11.3	238.3	-5.9	-9.5	1.7	2.1	3.7	0.231	0.231	0.019	0.023	0.041	0.074	0.178	0.221	0.135	0.193	0.23
7	5	OLS38	0.0	0.25	0.5	0.678	0.25	0.5	0.748	0.5	0.0	26.2	19.6	269.3	-0.1	-19.5	4.5	4.8	10.7	0.227	0.227	0.051	0.054	0.121	0.163	0.265	0.38	0.211	0.272	0.377
8	5	OLS38	0.0	0.239	0.75	0.711	0.375	0.75	0.779	0.25	0.0	36.2	27.7	280.6	5.1	-27.1	9.3	9.1	22.0	0.23	0.23	0.105	0.103	0.248	0.266	0.353	0.534	0.299	0.354	0.523
9	5	OLS38	0.0	0.232	1.0	0.725	0.5	1.0	0.794	0.0	0.0	46.4	35.9	286.0	9.9	-34.4	16.5	15.6	39.0	0.232	0.232	0.186	0.176	0.44	0.37	0.446	0.694	0.394	0.444	0.68
10	5	OLS38	0.0	0.5	0.0	0.353	0.25	0.5	0.422	0.5	0.0	28.7	24.8	152.0	-21.8	11.7	3.8	5.7	3.8	0.284	0.284	0.043	0.064	0.043	0.141	0.316	0.205	0.22	0.32	0.222
11	5	OLS38	0.0	0.5	0.25	0.472	0.25	0.5	0.542	0.5	0.0	30.2	23.7	195.1	-22.8	-6.1	4.2	6.3	8.6	0.218	0.218	0.047	0.071	0.097	-0.076	0.336	0.333	0.176	0.338	0.336
12	5	OLS38	0.0	0.5	0.5	0.592	0.25	0.5	0.662	0.5	0.0	31.7	22.7	238.3	-11.8	-19.2	5.5	7.0	14.2	0.207	0.207	0.062	0.078	0.161	0.017	0.338	0.433	0.195	0.34	0.428
13	5	OLS38	0.0	0.511	0.75	0.647	0.375	0.75	0.717	0.25	0.0	42.3	31.1	258.0	-6.3	-30.3	11.1	12.7	30.5	0.205	0.205	0.126	0.143	0.344	0.134	0.438	0.619	0.272	0.435	0.607
14	5	OLS38	0.0	0.5	1.0	0.678	0.5	1.0	0.748	0.0	0.0	52.3	39.2	269.3	-0.4	-39.1	19.3	20.4	52.6	0.209	0.209	0.218	0.231	0.594	0.263	0.533	0.794	0.367	0.528	0.78
15	5	OLS38	0.0	0.75	0.0	0.353	0.375	0.75	0.422	0.25	0.0	43.0	37.3	152.0	-32.8	17.5	8.3	13.2	8.1	0.279	0.279	0.093	0.149	0.092	0.183	0.476	0.297	0.308	0.472	0.311
16	5	OLS38	0.0	0.75	0.239	0.428	0.375	0.75	0.498	0.25	0.0	44.5	36.2	179.4	-36.1	0.3	8.6	14.2	15.3	0.226	0.226	0.097	0.16	0.172	-0.223	0.499	0.43	0.252	0.495	0.431
17	5	OLS38	0.0	0.75	0.511	0.517	0.375	0.75	0.586	0.25	0.0	46.1	35.0	210.8	-30.0	-17.8	10.2	15.3	26.6	0.196	0.196	0.115	0.173	0.3	-0.553	0.513	0.573	0.214	0.508	0.566
18	5	OLS38	0.0	0.75	0.75	0.592	0.375	0.75	0.662	0.25	0.0	47.5	34.0	238.3	-17.8	-28.8	12.8	16.4	36.1	0.195	0.195	0.144	0.186	0.408	-0.282	0.512	0.666	0.253	0.508	0.655
19	5	OLS38	0.0	0.768	1.0	0.633	0.5	1.0	0.702	0.0	0.0	58.3	42.5	252.7	-12.6	-40.4	22.1	26.2	65.2	0.195	0.195	0.249	0.296	0.736	-0.181	0.622	0.871	0.331	0.616	0.859
20	5	OLS38	0.0	1.0	0.0	0.353	0.5	1.0	0.422	0.0	0.0	57.4	49.7	152.0	-43.7	23.4	15.4	25.3	14.9	0.276	0.276	0.173	0.285	0.168	0.218	0.646	0.395	0.402	0.64	0.408
21	5	OLS38	0.0	1.0	0.232	0.408	0.5	1.0	0.478	0.0	0.0	58.7	48.7	172.0	-48.1	6.8	15.6	26.8	24.8	0.233	0.233	0.177	0.302	0.279	-0.405	0.67	0.531	0.34	0.664	0.533
22	5	OLS38	0.0	1.0	0.5	0.472	0.5	1.0	0.542	0.0	0.0	60.4	47.5	195.1	-45.8	-12.3	17.3	28.5	40.7	0.2	0.2	0.195	0.322	0.459	-1.182	0.69	0.688	0.274	0.684	0.682
23	5	OLS38	0.0	1.0	0.768	0.536	0.5	1.0	0.606	0.0	0.0	62.0	46.3	218.3	-36.3	-28.6	20.5	30.4	59.1	0.186	0.186	0.231	0.343	0.668	-1.429	0.699	0.826	0.252	0.693	0.816
24	5	OLS38	0.0	1.0	1.0	0.592	0.5	1.0	0.662	0.0	0.0	63.4	45.3	238.3	-23.7	-38.5	24.5	32.1	73.5	0.189	0.189	0.277	0.362	0.83	-0.934	0.698	0.916	0.308	0.692	0.905

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 328, Serie: 1/1, Seite: 32
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS38; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
25	5	OLS38	0.25	0.0	0.0	0.014	0.125	0.25	0.082	0.75	0.0	13.8	14.8	29.6	12.9	7.3	2.1	1.7	1.2	0.429	0.429	0.024	0.019	0.013	0.228	0.118	0.108	0.215	0.139	0.131	
26	5	OLS38	0.25	0.0	0.25	0.914	0.125	0.25	0.983	0.75	0.0	13.8	15.0	354.0	14.9	-1.5	2.2	1.7	2.0	0.376	0.376	0.025	0.019	0.023	0.224	0.114	0.159	0.212	0.136	0.174	
27	5	OLS38	0.25	0.0	0.5	0.839	0.25	0.5	0.909	0.5	0.0	24.1	23.3	327.1	19.5	-12.5	5.4	4.1	7.5	0.319	0.319	0.061	0.047	0.084	0.322	0.196	0.319	0.298	0.209	0.318	
28	5	OLS38	0.239	0.0	0.75	0.811	0.375	0.75	0.882	0.25	0.0	34.3	31.2	317.4	23.0	-21.0	10.5	8.1	17.1	0.294	0.294	0.118	0.092	0.193	0.418	0.285	0.475	0.386	0.29	0.466	
29	5	OLS38	0.232	0.0	1.0	0.8	0.5	1.0	0.869	0.0	0.0	44.5	39.3	312.8	26.7	-28.7	18.1	14.2	32.1	0.281	0.281	0.204	0.16	0.363	0.521	0.378	0.636	0.482	0.378	0.622	
30	5	OLS38	0.25	0.25	0.0	0.2	0.125	0.25	0.27	0.75	0.0	22.7	18.7	97.1	-2.2	18.6	3.4	3.7	1.5	0.393	0.393	0.038	0.042	0.017	0.25	0.228	0.11	0.252	0.237	0.139	
31	5	OLS38	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	52.3	0.0	0.0	0.0	0.0	19.4	20.5	22.3	0.313	0.313	0.219	0.231	0.251	0.518	0.518	0.518	0.513	0.513	0.513	
32	5	OLS38	0.25	0.25	0.5	0.764	0.375	0.25	0.834	0.5	0.25	34.2	8.3	300.3	4.2	-7.0	8.1	8.1	11.2	0.297	0.297	0.092	0.091	0.126	0.34	0.327	0.381	0.339	0.33	0.379	
33	5	OLS38	0.25	0.25	0.75	0.764	0.5	0.5	0.834	0.25	0.25	44.5	16.5	300.3	8.3	-14.1	14.8	14.2	22.7	0.287	0.287	0.167	0.16	0.256	0.447	0.422	0.534	0.438	0.42	0.526	
34	5	OLS38	0.25	0.25	1.0	0.764	0.625	0.75	0.834	0.0	0.25	54.8	24.8	300.3	12.5	-21.3	24.4	22.7	40.2	0.279	0.279	0.275	0.257	0.453	0.557	0.521	0.696	0.542	0.516	0.684	
35	5	OLS38	0.25	0.5	0.0	0.278	0.25	0.5	0.346	0.5	0.0	37.0	31.2	124.5	-17.6	25.7	7.1	9.6	3.9	0.347	0.347	0.081	0.108	0.044	0.301	0.39	0.185	0.332	0.39	0.211	
36	5	OLS38	0.25	0.5	0.25	0.353	0.375	0.25	0.422	0.5	0.25	38.2	12.4	152.0	-10.9	5.8	8.4	10.2	9.1	0.303	0.303	0.095	0.115	0.103	0.31	0.394	0.334	0.339	0.393	0.339	
37	5	OLS38	0.25	0.5	0.5	0.592	0.375	0.25	0.662	0.5	0.25	39.7	11.3	238.3	-5.9	-9.5	9.8	11.1	16.1	0.265	0.265	0.11	0.125	0.181	0.302	0.403	0.452	0.338	0.403	0.448	
38	5	OLS38	0.25	0.5	0.75	0.678	0.5	0.5	0.748	0.25	0.25	50.0	19.6	269.3	-0.1	-19.5	17.5	18.4	32.3	0.256	0.256	0.197	0.208	0.365	0.407	0.5	0.63	0.434	0.496	0.619	
39	5	OLS38	0.25	0.489	1.0	0.711	0.625	0.75	0.779	0.0	0.25	60.1	27.7	280.6	5.1	-27.1	28.1	28.2	54.1	0.254	0.254	0.317	0.318	0.611	0.52	0.598	0.797	0.539	0.592	0.785	
40	5	OLS38	0.239	0.75	0.0	0.303	0.375	0.75	0.374	0.25	0.0	51.0	43.3	134.5	-30.2	30.9	13.1	19.3	8.3	0.323	0.323	0.148	0.218	0.093	0.348	0.555	0.277	0.419	0.55	0.3	
41	5	OLS38	0.25	0.75	0.25	0.353	0.5	0.5	0.422	0.25	0.25	52.5	24.8	152.0	-21.8	11.7	15.5	20.6	16.4	0.296	0.296	0.176	0.233	0.185	0.379	0.56	0.434	0.438	0.555	0.438	
42	5	OLS38	0.25	0.75	0.5	0.472	0.5	0.5	0.542	0.25	0.25	54.0	23.7	195.1	-22.8	-6.1	16.5	22.0	27.9	0.249	0.249	0.186	0.248	0.314	0.283	0.583	0.577	0.398	0.577	0.572	
43	5	OLS38	0.25	0.75	0.75	0.592	0.5	0.5	0.662	0.25	0.25	55.5	22.7	238.3	-11.8	-19.2	19.8	23.5	39.5	0.239	0.239	0.224	0.265	0.446	0.341	0.583	0.687	0.426	0.577	0.677	
44	5	OLS38	0.25	0.761	1.0	0.647	0.625	0.75	0.717	0.0	0.25	66.1	31.1	258.0	-6.3	-30.3	31.9	35.5	69.2	0.234	0.234	0.36	0.4	0.781	0.439	0.69	0.888	0.522	0.684	0.878	
45	5	OLS38	0.232	1.0	0.0	0.317	0.5	1.0	0.387	0.0	0.0	65.1	55.5	139.2	-42.0	36.2	22.1	34.2	15.1	0.31	0.31	0.25	0.386	0.171	0.397	0.728	0.375	0.515	0.722	0.397	
46	5	OLS38	0.25	1.0	0.25	0.353	0.625	0.75	0.422	0.0	0.25	66.9	37.3	152.0	-32.8	17.5	25.9	36.5	26.8	0.291	0.291	0.293	0.411	0.303	0.443	0.736	0.539	0.543	0.73	0.544	
47	5	OLS38	0.25	1.0	0.489	0.428	0.625	0.75	0.498	0.0	0.25	68.3	36.2	179.4	-36.1	0.3	26.6	38.4	41.5	0.25	0.25	0.301	0.433	0.468	0.302	0.762	0.683	0.489	0.756	0.68	
48	5	OLS38	0.25	1.0	0.761	0.517	0.625	0.75	0.586	0.0	0.25	70.0	35.0	210.8	-30.0	-17.8	30.0	40.7	62.4	0.225	0.225	0.338	0.459	0.704	0.22	0.775	0.838	0.469	0.77	0.831	
49	5	OLS38	0.25	1.0	1.0	0.592	0.625	0.75	0.662	0.0	0.25	71.4	34.0	238.3	-17.8	-28.8	35.1	42.8	78.9	0.224	0.224	0.397	0.483	0.89	0.348	0.772	0.938	0.513	0.767	0.93	

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS38; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$		$RGB'_{AdobeRGB}$						
50	5	OLS38	0.5	0.0	0.0	0.014	0.25	0.5	0.082	0.5	0.0	27.6	29.6	29.6	25.7	14.6	7.4	5.3	3.0	0.471	0.471	0.084	0.06	0.034	0.439	0.199	0.184	0.388	0.211	0.199
51	5	OLS38	0.5	0.0	0.25	0.964	0.25	0.5	0.033	0.5	0.0	27.6	29.8	11.8	29.2	6.1	7.8	5.3	4.5	0.443	0.443	0.088	0.06	0.051	0.446	0.188	0.238	0.393	0.201	0.245
52	5	OLS38	0.5	0.0	0.5	0.914	0.25	0.5	0.983	0.5	0.0	27.6	30.0	354.0	29.9	-3.1	7.9	5.3	6.6	0.399	0.399	0.089	0.06	0.074	0.435	0.189	0.295	0.384	0.202	0.29
53	5	OLS38	0.511	0.0	0.75	0.867	0.375	0.75	0.936	0.25	0.0	38.1	38.6	336.9	35.5	-15.1	14.8	10.1	17.4	0.349	0.349	0.167	0.115	0.196	0.552	0.275	0.477	0.489	0.282	0.467
54	5	OLS38	0.5	0.0	1.0	0.839	0.5	1.0	0.909	0.0	0.0	48.3	46.5	327.1	39.1	-25.1	24.0	17.0	34.3	0.319	0.319	0.271	0.192	0.387	0.658	0.371	0.654	0.588	0.372	0.639
55	5	OLS38	0.5	0.25	0.0	0.106	0.25	0.5	0.176	0.5	0.0	36.5	33.5	63.3	15.0	29.9	10.7	9.3	3.0	0.465	0.465	0.121	0.105	0.034	0.499	0.315	0.158	0.453	0.318	0.183
56	5	OLS38	0.5	0.25	0.25	0.014	0.375	0.25	0.082	0.5	0.25	37.6	14.8	29.6	12.9	7.3	11.1	9.9	8.4	0.377	0.377	0.125	0.112	0.095	0.468	0.336	0.322	0.433	0.339	0.326
57	5	OLS38	0.5	0.25	0.5	0.914	0.375	0.25	0.983	0.5	0.25	37.7	15.0	354.0	14.9	-1.5	11.4	9.9	11.3	0.348	0.348	0.128	0.112	0.128	0.461	0.333	0.381	0.428	0.336	0.379
58	5	OLS38	0.5	0.25	0.75	0.839	0.5	0.5	0.909	0.25	0.25	48.0	23.3	327.1	19.5	-12.5	19.6	16.8	25.3	0.318	0.318	0.221	0.189	0.286	0.568	0.428	0.562	0.528	0.426	0.552
59	5	OLS38	0.489	0.25	1.0	0.811	0.625	0.75	0.882	0.0	0.25	58.1	31.2	317.4	23.0	-21.0	30.6	26.1	45.0	0.301	0.301	0.345	0.295	0.508	0.674	0.527	0.733	0.631	0.522	0.72
60	5	OLS38	0.5	0.5	0.0	0.2	0.25	0.5	0.27	0.5	0.0	45.4	37.5	97.1	-4.5	37.2	13.4	14.8	4.4	0.41	0.41	0.151	0.167	0.05	0.492	0.449	0.179	0.477	0.447	0.211
61	5	OLS38	0.5	0.5	0.25	0.2	0.375	0.25	0.27	0.5	0.25	46.6	18.7	97.1	-2.2	18.6	14.5	15.7	9.7	0.364	0.364	0.164	0.177	0.109	0.49	0.459	0.329	0.478	0.456	0.338
62	5	OLS38	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	66.7	0.0	0.0	0.0	0.0	34.4	36.2	39.5	0.313	0.313	0.389	0.409	0.445	0.672	0.672	0.672	0.666	0.666	0.666
63	5	OLS38	0.5	0.5	0.75	0.764	0.625	0.25	0.834	0.25	0.5	58.0	8.3	300.3	4.2	-7.0	25.7	26.0	33.3	0.302	0.302	0.29	0.293	0.376	0.585	0.57	0.629	0.575	0.565	0.621
64	5	OLS38	0.5	0.5	1.0	0.764	0.75	0.5	0.834	0.0	0.5	68.3	16.5	300.3	8.3	-14.1	39.1	38.4	55.4	0.294	0.294	0.441	0.434	0.625	0.702	0.674	0.796	0.689	0.668	0.786
65	5	OLS38	0.511	0.75	0.0	0.25	0.375	0.75	0.318	0.25	0.0	60.1	50.2	114.6	-20.8	45.6	22.1	28.3	8.5	0.375	0.375	0.249	0.319	0.096	0.555	0.635	0.25	0.574	0.629	0.285
66	5	OLS38	0.5	0.75	0.25	0.278	0.5	0.5	0.346	0.25	0.25	60.9	31.2	124.5	-17.6	25.7	23.5	29.1	16.6	0.339	0.339	0.265	0.329	0.188	0.547	0.64	0.418	0.57	0.634	0.429
67	5	OLS38	0.5	0.75	0.5	0.353	0.625	0.25	0.422	0.25	0.5	62.0	12.4	152.0	-10.9	5.8	26.2	30.5	29.0	0.306	0.306	0.296	0.344	0.328	0.553	0.644	0.577	0.576	0.638	0.575
68	5	OLS38	0.5	0.75	0.75	0.592	0.625	0.25	0.662	0.25	0.5	63.6	11.3	238.3	-5.9	-9.5	29.1	32.3	43.1	0.279	0.279	0.328	0.364	0.486	0.549	0.654	0.707	0.576	0.648	0.699
69	5	OLS38	0.5	0.75	1.0	0.678	0.75	0.5	0.748	0.0	0.5	73.9	19.6	269.3	-0.1	-19.5	44.1	46.5	72.4	0.271	0.271	0.498	0.525	0.817	0.665	0.759	0.898	0.687	0.753	0.89
70	5	OLS38	0.5	1.0	0.0	0.278	0.5	1.0	0.346	0.0	0.0	74.1	62.3	124.5	-35.2	51.3	33.4	46.8	15.3	0.35	0.35	0.378	0.529	0.173	0.605	0.817	0.342	0.669	0.812	0.378
71	5	OLS38	0.489	1.0	0.25	0.303	0.625	0.75	0.374	0.0	0.25	74.9	43.3	134.5	-30.2	30.9	35.9	48.1	27.1	0.323	0.323	0.405	0.542	0.306	0.606	0.82	0.522	0.67	0.815	0.534
72	5	OLS38	0.5	1.0	0.5	0.353	0.75	0.5	0.422	0.0	0.5	76.4	24.8	152.0	-21.8	11.7	40.5	50.5	43.8	0.301	0.301	0.457	0.57	0.494	0.633	0.825	0.688	0.689	0.82	0.689
73	5	OLS38	0.5	1.0	0.75	0.472	0.75	0.5	0.542	0.0	0.5	77.9	23.7	195.1	-22.8	-6.1	42.3	53.0	64.6	0.264	0.264	0.478	0.598	0.729	0.551	0.849	0.841	0.648	0.845	0.837
74	5	OLS38	0.5	1.0	1.0	0.592	0.75	0.5	0.662	0.0	0.5	79.4	22.7	238.3	-11.8	-19.2	48.4	55.6	84.5	0.257	0.257	0.546	0.628	0.953	0.61	0.848	0.959	0.683	0.844	0.954



BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 348, Serie: 1/1, Seite: 34
Seitenzählung 1



Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS38; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}			<i>XYZ</i> * _{CIE}		<i>xy</i> * _{CIE}		<i>XYZ</i> * _{RGB}		<i>RGB</i> ' _{sRGB}		<i>RGB</i> ' _{AdobeRGB}					
75	5	OLS38	0.75	0.0	0.0	0.014	0.375	0.75	0.082	0.25	0.0	41.3	44.3	29.6	38.6	21.9	17.7	12.1	6.2	0.492	0.492	0.2	0.136	0.07	0.668	0.282	0.266	0.585	0.288	0.273
76	5	OLS38	0.75	0.0	0.239	0.981	0.375	0.75	0.051	0.25	0.0	41.4	44.6	18.2	42.3	13.9	18.5	12.1	8.4	0.475	0.475	0.209	0.137	0.094	0.679	0.267	0.32	0.592	0.274	0.321
77	5	OLS38	0.75	0.0	0.511	0.944	0.375	0.75	0.015	0.25	0.0	41.4	44.8	5.3	44.6	4.1	19.0	12.1	11.6	0.444	0.444	0.214	0.137	0.131	0.678	0.26	0.385	0.591	0.267	0.381
78	5	OLS38	0.75	0.0	0.75	0.914	0.375	0.75	0.983	0.25	0.0	41.5	45.1	354.0	44.8	−4.6	19.0	12.1	15.2	0.41	0.41	0.215	0.137	0.172	0.665	0.263	0.444	0.58	0.27	0.436
79	5	OLS38	0.768	0.0	1.0	0.881	0.5	1.0	0.949	0.0	0.0	52.0	53.8	341.5	51.0	−16.9	31.0	20.2	33.0	0.369	0.369	0.35	0.228	0.372	0.797	0.355	0.64	0.701	0.356	0.625
80	5	OLS38	0.75	0.239	0.0	0.072	0.375	0.75	0.142	0.25	0.0	49.9	48.1	51.1	30.2	37.4	23.6	18.3	6.0	0.492	0.492	0.266	0.207	0.068	0.743	0.4	0.233	0.662	0.399	0.251
81	5	OLS38	0.75	0.25	0.25	0.014	0.5	0.5	0.082	0.25	0.25	51.4	29.6	29.6	25.7	14.6	24.1	19.6	14.3	0.415	0.415	0.272	0.222	0.161	0.708	0.436	0.411	0.639	0.434	0.411
82	5	OLS38	0.75	0.25	0.5	0.964	0.5	0.5	0.033	0.25	0.25	51.5	29.8	11.8	29.2	6.1	24.9	19.7	18.2	0.397	0.397	0.281	0.222	0.206	0.713	0.427	0.471	0.642	0.425	0.466
83	5	OLS38	0.75	0.25	0.75	0.914	0.5	0.5	0.983	0.25	0.25	51.5	30.0	354.0	29.9	−3.1	25.1	19.7	23.2	0.369	0.369	0.283	0.222	0.262	0.698	0.428	0.535	0.63	0.426	0.526
84	5	OLS38	0.761	0.25	1.0	0.867	0.625	0.75	0.936	0.0	0.25	62.0	38.6	336.9	35.5	−15.1	39.0	30.4	45.5	0.339	0.339	0.44	0.343	0.514	0.823	0.525	0.734	0.748	0.52	0.721
85	5	OLS38	0.75	0.511	0.0	0.142	0.375	0.75	0.21	0.25	0.0	59.6	52.4	75.6	13.1	50.8	29.6	27.7	6.9	0.462	0.462	0.334	0.312	0.077	0.776	0.552	0.211	0.715	0.547	0.247
86	5	OLS38	0.75	0.5	0.25	0.106	0.5	0.5	0.176	0.25	0.25	60.3	33.5	63.3	15.0	29.9	31.0	28.5	14.3	0.42	0.42	0.35	0.322	0.162	0.772	0.558	0.388	0.714	0.553	0.396
87	5	OLS38	0.75	0.5	0.5	0.014	0.625	0.25	0.082	0.25	0.5	61.5	14.8	29.6	12.9	7.3	31.7	29.8	27.4	0.357	0.357	0.358	0.336	0.31	0.728	0.581	0.564	0.684	0.576	0.56
88	5	OLS38	0.75	0.5	0.75	0.914	0.625	0.25	0.983	0.25	0.5	61.5	15.0	354.0	14.9	−1.5	32.3	29.8	33.7	0.337	0.337	0.365	0.337	0.38	0.719	0.579	0.629	0.677	0.573	0.621
89	5	OLS38	0.75	0.5	1.0	0.839	0.75	0.5	0.909	0.0	0.5	71.8	23.3	327.1	19.5	−12.5	48.0	43.4	60.1	0.317	0.317	0.542	0.49	0.679	0.834	0.682	0.825	0.79	0.676	0.815
90	5	OLS38	0.75	0.75	0.0	0.2	0.375	0.75	0.27	0.25	0.0	68.1	56.2	97.1	−6.8	55.8	34.2	38.1	9.7	0.417	0.417	0.386	0.43	0.109	0.758	0.693	0.246	0.735	0.687	0.289
91	5	OLS38	0.75	0.75	0.25	0.2	0.5	0.5	0.27	0.25	0.25	69.3	37.5	97.1	−4.5	37.2	36.3	39.7	18.0	0.386	0.386	0.41	0.448	0.204	0.76	0.703	0.419	0.739	0.697	0.433
92	5	OLS38	0.75	0.75	0.5	0.2	0.625	0.25	0.27	0.25	0.5	70.4	18.7	97.1	−2.2	18.6	38.6	41.3	30.2	0.35	0.35	0.435	0.467	0.341	0.751	0.714	0.574	0.735	0.708	0.575
93	5	OLS38	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	81.1	0.0	0.0	0.0	0.0	55.7	58.6	63.8	0.313	0.313	0.628	0.661	0.72	0.833	0.833	0.833	0.829	0.828	0.828
94	5	OLS38	0.75	0.75	1.0	0.764	0.875	0.25	0.834	0.0	0.75	81.9	8.3	300.3	4.2	−7.0	58.8	60.1	74.0	0.305	0.305	0.664	0.678	0.836	0.85	0.834	0.897	0.841	0.83	0.892
95	5	OLS38	0.768	1.0	0.0	0.236	0.5	1.0	0.305	0.0	0.0	83.1	69.1	109.8	−23.3	65.0	50.0	62.3	16.1	0.389	0.389	0.564	0.703	0.182	0.831	0.896	0.314	0.846	0.893	0.365
96	5	OLS38	0.761	1.0	0.25	0.25	0.625	0.75	0.318	0.0	0.25	84.0	50.2	114.6	−20.8	45.6	52.4	64.0	27.7	0.364	0.364	0.592	0.723	0.313	0.827	0.904	0.502	0.846	0.901	0.523
97	5	OLS38	0.75	1.0	0.5	0.278	0.75	0.5	0.346	0.0	0.5	84.8	31.2	124.5	−17.6	25.7	55.0	65.5	44.2	0.334	0.334	0.621	0.739	0.498	0.813	0.91	0.673	0.838	0.907	0.679
98	5	OLS38	0.75	1.0	0.75	0.353	0.875	0.25	0.422	0.0	0.75	85.9	12.4	152.0	−10.9	5.8	59.7	67.8	66.7	0.308	0.308	0.674	0.765	0.753	0.817	0.913	0.842	0.842	0.91	0.841
99	5	OLS38	0.75	1.0	1.0	0.592	0.875	0.25	0.662	0.0	0.75	87.4	11.3	238.3	−5.9	−9.5	64.7	70.8	90.3	0.286	0.286	0.73	0.799	1.02	0.814	0.924	0.98	0.843	0.921	0.977

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB


BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 35x6, Serie: 1/1, Seite: 35
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS38; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
100	5	OLS38	1.0	0.0	0.0	0.014	0.5	1.0	0.082	0.0	0.0	55.1	59.1	29.6	51.4	29.2	34.9	23.1	11.1	0.505	0.505	0.394	0.26	0.125	0.913	0.369	0.352	0.801	0.369	0.354	
101	5	OLS38	1.0	0.0	0.232	0.989	0.5	1.0	0.059	0.0	0.0	55.2	59.3	21.3	55.3	21.6	36.1	23.1	14.1	0.493	0.493	0.407	0.261	0.159	0.926	0.351	0.407	0.81	0.352	0.404	
102	5	OLS38	1.0	0.0	0.5	0.964	0.5	1.0	0.033	0.0	0.0	55.2	59.6	11.8	58.3	12.1	37.0	23.1	18.4	0.471	0.471	0.418	0.261	0.208	0.931	0.337	0.473	0.813	0.34	0.465	
103	5	OLS38	1.0	0.0	0.768	0.936	0.5	1.0	0.006	0.0	0.0	55.2	59.9	2.2	59.8	2.3	37.5	23.2	23.8	0.444	0.444	0.424	0.261	0.269	0.925	0.334	0.542	0.807	0.336	0.53	
104	5	OLS38	1.0	0.0	1.0	0.914	0.5	1.0	0.983	0.0	0.0	55.3	60.1	354.0	59.7	-6.2	37.6	23.2	29.4	0.417	0.417	0.424	0.262	0.331	0.91	0.339	0.602	0.795	0.341	0.588	
105	5	OLS38	1.0	0.232	0.0	0.056	0.5	1.0	0.126	0.0	0.0	63.4	62.8	45.2	44.2	44.5	43.9	32.1	10.7	0.506	0.506	0.495	0.362	0.121	0.995	0.489	0.316	0.885	0.485	0.329	
106	5	OLS38	1.0	0.25	0.25	0.014	0.625	0.75	0.082	0.0	0.25	65.2	44.3	29.6	38.6	21.9	44.6	34.3	22.4	0.44	0.44	0.504	0.387	0.253	0.959	0.536	0.503	0.862	0.531	0.5	
107	5	OLS38	1.0	0.25	0.489	0.981	0.625	0.75	0.051	0.0	0.25	65.2	44.6	18.2	42.3	13.9	46.0	34.3	27.3	0.427	0.427	0.519	0.388	0.308	0.969	0.524	0.562	0.869	0.52	0.555	
108	5	OLS38	1.0	0.25	0.761	0.944	0.625	0.75	0.015	0.0	0.25	65.3	44.8	5.3	44.6	4.1	46.8	34.4	34.2	0.406	0.406	0.529	0.388	0.386	0.966	0.519	0.633	0.865	0.514	0.623	
109	5	OLS38	1.0	0.25	1.0	0.914	0.625	0.75	0.983	0.0	0.25	65.3	45.1	354.0	44.8	-4.6	47.0	34.4	41.4	0.382	0.382	0.53	0.389	0.468	0.949	0.522	0.698	0.851	0.517	0.685	
110	5	OLS38	1.0	0.5	0.0	0.106	0.5	1.0	0.176	0.0	0.0	73.0	67.0	63.3	30.1	59.9	53.8	45.1	11.1	0.489	0.489	0.607	0.509	0.126	1.052	0.644	0.278	0.957	0.638	0.309	
111	5	OLS38	1.0	0.489	0.25	0.072	0.625	0.75	0.142	0.0	0.25	73.7	48.1	51.1	30.2	37.4	55.1	46.3	22.0	0.447	0.447	0.622	0.522	0.248	1.039	0.656	0.473	0.948	0.649	0.479	
112	5	OLS38	1.0	0.5	0.5	0.014	0.75	0.5	0.082	0.0	0.5	75.3	29.6	29.6	25.7	14.6	56.0	48.7	39.6	0.388	0.388	0.632	0.55	0.447	0.991	0.693	0.662	0.916	0.687	0.657	
113	5	OLS38	1.0	0.5	0.75	0.964	0.75	0.5	0.033	0.0	0.5	75.3	29.8	11.8	29.2	6.1	57.4	48.8	47.2	0.374	0.374	0.648	0.55	0.533	0.995	0.685	0.727	0.918	0.679	0.719	
114	5	OLS38	1.0	0.5	1.0	0.914	0.75	0.5	0.983	0.0	0.5	75.3	30.0	354.0	29.9	-3.1	57.8	48.8	56.4	0.354	0.354	0.652	0.551	0.637	0.977	0.686	0.796	0.904	0.68	0.787	
115	5	OLS38	1.0	0.768	0.0	0.156	0.5	1.0	0.226	0.0	0.0	82.6	71.3	81.4	10.6	70.5	62.8	61.3	13.4	0.457	0.457	0.709	0.692	0.151	1.066	0.809	0.267	1.001	0.804	0.319	
116	5	OLS38	1.0	0.761	0.25	0.142	0.625	0.75	0.21	0.0	0.25	83.4	52.4	75.6	13.1	50.8	65.5	63.0	23.9	0.43	0.43	0.74	0.711	0.27	1.071	0.815	0.463	1.007	0.81	0.481	
117	5	OLS38	1.0	0.75	0.5	0.106	0.75	0.5	0.176	0.0	0.5	84.2	33.5	63.3	15.0	29.9	67.9	64.4	39.6	0.395	0.395	0.766	0.727	0.447	1.06	0.821	0.64	1.0	0.817	0.643	
118	5	OLS38	1.0	0.75	0.75	0.014	0.875	0.25	0.082	0.0	0.75	85.3	14.8	29.6	12.9	7.3	69.1	66.7	63.9	0.346	0.346	0.78	0.753	0.721	1.005	0.847	0.828	0.962	0.842	0.824	
119	5	OLS38	1.0	0.75	1.0	0.914	0.875	0.25	0.983	0.0	0.75	85.4	15.0	354.0	14.9	-1.5	70.2	66.7	74.7	0.332	0.332	0.792	0.753	0.843	0.995	0.844	0.897	0.954	0.839	0.892	
120	5	OLS38	1.0	1.0	0.0	0.2	0.5	1.0	0.27	0.0	0.0	90.8	74.9	97.1	-9.1	74.4	69.9	78.1	18.0	0.421	0.421	0.788	0.882	0.203	1.042	0.954	0.312	1.019	0.952	0.371	
121	5	OLS38	1.0	1.0	0.25	0.2	0.625	0.75	0.27	0.0	0.25	92.0	56.2	97.1	-6.8	55.8	73.3	80.6	30.2	0.398	0.398	0.827	0.91	0.341	1.047	0.964	0.507	1.025	0.963	0.532	
122	5	OLS38	1.0	1.0	0.5	0.2	0.75	0.5	0.27	0.0	0.5	93.1	37.5	97.1	-4.5	37.2	76.8	83.2	46.8	0.371	0.371	0.867	0.94	0.528	1.043	0.975	0.676	1.025	0.974	0.686	
123	5	OLS38	1.0	1.0	0.75	0.2	0.875	0.25	0.27	0.0	0.75	94.3	18.7	97.1	-2.2	18.6	80.5	85.9	68.7	0.342	0.342	0.908	0.969	0.775	1.028	0.987	0.839	1.017	0.987	0.842	
124	5	OLS38	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 3x6, Serie: 1/1, Seite: 36
Seite 36



%Umfang
 $u^*_{rel} = 29$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 37$

OLS50	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	62.9	38.38	18.55	42.63	26
Y_M	91.44	-7.94	57.91	58.45	98
L_M	64.49	-30.05	15.67	33.9	152
C_M	68.98	-17.73	-31.23	35.93	240
V_M	53.87	10.09	-18.83	21.37	298
M_M	63.0	44.96	-4.55	45.19	354
N_M	52.02	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 29$
%Regularität
 $g^*_{H,rel} = 62$
 $g^*_{C,rel} = 37$

OLS50a; adaptierte CIELAB-Daten	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	62.9	38.38	18.55	42.63	26
Y_{Ma}	91.44	-7.94	57.91	58.45	98
L_{Ma}	64.49	-30.05	15.67	33.9	152
C_{Ma}	68.98	-17.73	-31.23	35.93	240
V_{Ma}	53.87	10.09	-18.83	21.37	298
M_{Ma}	63.0	44.96	-4.55	45.19	354
N_{Ma}	52.02	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS50; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$		
0	6	OLS50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	52.0 0.0 0.0	0.0 0.0 0.0	19.2 20.2 22.0	0.313 0.313	0.216 0.228 0.248	0.514 0.514 0.514	0.51 0.51 0.51		
1	6	OLS50	0.0	0.0	0.25	0.758	0.125	0.25	0.828	0.75	0.0	13.5 5.3 298.2	2.5 -4.6	1.7 1.6 2.3	0.294 0.294	0.019 0.019	0.026 0.147 0.142	0.172 0.163 0.16	0.186	
2	6	OLS50	0.0	0.0	0.5	0.758	0.25	0.5	0.828	0.5	0.0	26.9 10.7 298.2	5.0 -9.3	5.2 5.1 7.9	0.287 0.287	0.059 0.057	0.089 0.269 0.258	0.325 0.272 0.265	0.325	
3	6	OLS50	0.0	0.0	0.75	0.758	0.375	0.75	0.828	0.25	0.0	40.4 16.0 298.2	7.6 -14.0	12.0 11.5 18.8	0.283 0.283	0.135 0.13	0.212 0.4 0.383	0.491 0.395 0.383	0.483	
4	6	OLS50	0.0	0.0	1.0	0.758	0.5	1.0	0.828	0.0	0.0	53.9 21.4 298.2	10.1 -18.7	22.9 21.9 36.8	0.281 0.281	0.259 0.247	0.415 0.539 0.516	0.668 0.528 0.512	0.656	
5	6	OLS50	0.0	0.25	0.0	0.353	0.125	0.25	0.424	0.75	0.0	16.1 8.5 152.5	-7.4 3.9	1.7 2.1 1.9	0.3 0.3	0.019 0.024	0.021 0.129 0.18	0.144 0.163 0.194	0.164	
6	6	OLS50	0.0	0.25	0.25	0.597	0.125	0.25	0.668	0.75	0.0	17.2 9.0 240.4	-4.3 -7.7	2.0 2.4 3.8	0.25 0.25	0.023 0.027	0.042 0.115 0.187	0.223 0.158 0.201	0.232	
7	6	OLS50	0.0	0.25	0.5	0.678	0.25	0.5	0.748	0.5	0.0	30.7 14.3 269.3	-0.1 -14.2	6.2 6.5 11.6	0.254 0.254	0.07 0.074	0.131 0.242 0.306	0.392 0.269 0.31	0.389	
8	6	OLS50	0.0	0.239	0.75	0.708	0.375	0.75	0.777	0.25	0.0	44.0 19.5 279.8	3.3 -19.1	13.7 13.8 25.1	0.26 0.26	0.154 0.156	0.284 0.379 0.431	0.563 0.394 0.429	0.553	
9	6	OLS50	0.0	0.232	1.0	0.722	0.5	1.0	0.791	0.0	0.0	57.4 24.7 284.8	6.3 -23.8	25.5 25.3 46.3	0.263 0.263	0.288 0.286	0.523 0.521 0.564	0.742 0.529 0.559	0.73	
10	6	OLS50	0.0	0.5	0.0	0.353	0.25	0.5	0.424	0.5	0.0	32.2 16.9 152.5	-14.9 7.8	5.5 7.2 5.8	0.296 0.296	0.062 0.081	0.066 0.227 0.341	0.263 0.272 0.343	0.274	
11	6	OLS50	0.0	0.5	0.25	0.475	0.25	0.5	0.546	0.5	0.0	33.4 17.5 196.4	-16.6 -4.8	5.7 7.7 9.9	0.245 0.245	0.065 0.087	0.112 0.151 0.358	0.357 0.242 0.359	0.358	
12	6	OLS50	0.0	0.5	0.5	0.597	0.25	0.5	0.668	0.5	0.0	34.5 18.0 240.4	-8.8 -15.5	6.9 8.2 14.7	0.231 0.231	0.078 0.093	0.166 0.179 0.359	0.438 0.255 0.36	0.433	
13	6	OLS50	0.0	0.511	0.75	0.65	0.375	0.75	0.719	0.25	0.0	48.1 23.5 258.8	-4.5 -22.9	15.3 16.9 32.4	0.236 0.236	0.172 0.191	0.366 0.319 0.491	0.633 0.378 0.487	0.622	
14	6	OLS50	0.0	0.5	1.0	0.678	0.5	1.0	0.748	0.0	0.0	61.4 28.6 269.3	-0.3 -28.5	28.2 29.7 58.0	0.243 0.243	0.318 0.336	0.655 0.471 0.625	0.822 0.516 0.619	0.81	
15	6	OLS50	0.0	0.75	0.0	0.353	0.375	0.75	0.424	0.25	0.0	48.4 25.4 152.5	-22.4 11.8	12.6 17.1 13.3	0.293 0.293	0.142 0.193	0.15 0.331 0.517	0.392 0.395 0.513	0.397	
16	6	OLS50	0.0	0.75	0.239	0.431	0.375	0.75	0.501	0.25	0.0	49.4 25.9 180.5	-25.8 -0.1	12.8 18.0 19.7	0.254 0.254	0.144 0.203	0.222 0.236 0.537	0.486 0.357 0.532	0.485	
17	6	OLS50	0.0	0.75	0.511	0.519	0.375	0.75	0.59	0.25	0.0	50.7 26.5 212.4	-22.2 -14.1	14.2 19.0 29.3	0.227 0.227	0.16 0.214	0.331 0.166 0.548	0.597 0.336 0.543	0.589	
18	6	OLS50	0.0	0.75	0.75	0.597	0.375	0.75	0.668	0.25	0.0	51.7 26.9 240.4	-13.2 -23.3	16.5 19.9 37.5	0.223 0.223	0.186 0.225	0.424 0.235 0.546	0.674 0.361 0.541	0.664	
19	6	OLS50	0.0	0.768	1.0	0.636	0.5	1.0	0.705	0.0	0.0	65.5 32.6 253.8	-9.0 -31.2	30.4 34.7 69.0	0.227 0.227	0.344 0.391	0.778 0.388 0.689	0.887 0.494 0.683	0.877	
20	6	OLS50	0.0	1.0	0.0	0.353	0.5	1.0	0.424	0.0	0.0	64.5 33.9 152.5	-30.0 15.7	24.2 33.4 25.4	0.292 0.292	0.273 0.377	0.287 0.44 0.705	0.528 0.528 0.699	0.532	
21	6	OLS50	0.0	1.0	0.232	0.411	0.5	1.0	0.48	0.0	0.0	65.5 34.4 172.8	-34.0 4.3	24.3 34.7 34.5	0.26 0.26	0.274 0.392	0.389 0.336 0.726	0.623 0.486 0.72	0.622	
22	6	OLS50	0.0	1.0	0.5	0.475	0.5	1.0	0.546	0.0	0.0	66.7 34.9 196.4	-33.4 -9.8	25.7 36.3 48.3	0.233 0.233	0.29 0.41	0.545 0.212 0.742	0.741 0.449 0.736	0.736	
23	6	OLS50	0.0	1.0	0.768	0.542	0.5	1.0	0.611	0.0	0.0	67.9 35.5 220.0	-27.0 -22.7	28.5 37.9 64.0	0.219 0.219	0.322 0.428	0.722 0.171 0.749	0.851 0.442 0.743	0.843	
24	6	OLS50	0.0	1.0	1.0	0.597	0.5	1.0	0.668	0.0	0.0	69.0 35.9 240.4	-17.6 -31.1	32.2 39.3 76.5	0.218 0.218	0.363 0.444	0.863 0.283 0.746	0.927 0.474 0.74	0.918	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 388, Serie: 1/1, Seite: 38
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS50; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$			$RGB'_{AdobeRGB}$					
25	6	OLS50	0.25	0.0	0.0	0.003	0.125	0.25	0.072	0.75	0.0	15.7	10.7	25.8	9.6	4.6	2.4	2.0	1.7	0.388	0.388	0.027	0.023	0.019	0.227	0.143	0.139	0.218	0.161	0.158
26	6	OLS50	0.25	0.0	0.25	0.914	0.125	0.25	0.984	0.75	0.0	15.8	11.3	354.2	11.2	-1.0	2.5	2.1	2.4	0.358	0.358	0.028	0.023	0.027	0.225	0.141	0.172	0.217	0.159	0.186
27	6	OLS50	0.25	0.0	0.5	0.836	0.25	0.5	0.906	0.5	0.0	29.2	16.6	326.2	13.8	-9.2	6.9	5.9	9.0	0.316	0.316	0.078	0.067	0.102	0.348	0.258	0.347	0.328	0.265	0.346
28	6	OLS50	0.239	0.0	0.75	0.808	0.375	0.75	0.878	0.25	0.0	42.6	21.7	316.0	15.6	-15.0	14.7	12.9	21.3	0.3	0.3	0.165	0.145	0.24	0.476	0.385	0.521	0.45	0.385	0.512
29	6	OLS50	0.232	0.0	1.0	0.794	0.5	1.0	0.864	0.0	0.0	56.0	26.9	311.2	17.7	-20.1	26.8	23.9	41.0	0.293	0.293	0.303	0.27	0.462	0.615	0.519	0.702	0.584	0.514	0.689
30	6	OLS50	0.25	0.25	0.0	0.203	0.125	0.25	0.272	0.75	0.0	22.9	14.6	97.8	-1.9	14.5	3.4	3.8	2.0	0.376	0.376	0.039	0.042	0.022	0.247	0.229	0.138	0.251	0.239	0.161
31	6	OLS50	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	62.9	0.0	0.0	0.0	0.0	29.9	31.4	34.2	0.313	0.313	0.337	0.355	0.386	0.63	0.63	0.63	0.624	0.624	0.624
32	6	OLS50	0.25	0.25	0.5	0.758	0.375	0.25	0.828	0.5	0.25	37.3	5.3	298.2	2.5	-4.6	9.5	9.7	12.3	0.302	0.302	0.108	0.11	0.139	0.368	0.361	0.396	0.367	0.362	0.394
33	6	OLS50	0.25	0.25	0.75	0.758	0.5	0.5	0.828	0.25	0.25	50.8	10.7	298.2	5.0	-9.3	19.1	19.1	26.3	0.296	0.296	0.216	0.215	0.297	0.506	0.493	0.568	0.498	0.489	0.56
34	6	OLS50	0.25	0.25	1.0	0.758	0.625	0.75	0.828	0.0	0.25	64.3	16.0	298.2	7.6	-14.0	33.6	33.1	48.3	0.292	0.292	0.379	0.374	0.545	0.652	0.631	0.749	0.64	0.626	0.739
35	6	OLS50	0.25	0.5	0.0	0.278	0.25	0.5	0.348	0.5	0.0	39.0	23.1	125.1	-13.2	18.9	8.5	10.6	6.0	0.339	0.339	0.096	0.12	0.067	0.337	0.403	0.253	0.359	0.403	0.268
36	6	OLS50	0.25	0.5	0.25	0.353	0.375	0.25	0.424	0.5	0.25	40.0	8.5	152.5	-7.4	3.9	9.7	11.2	10.8	0.306	0.306	0.11	0.127	0.122	0.348	0.406	0.364	0.367	0.405	0.367
37	6	OLS50	0.25	0.5	0.5	0.597	0.375	0.25	0.668	0.5	0.25	41.1	9.0	240.4	-4.3	-7.7	10.7	11.9	16.3	0.275	0.275	0.121	0.135	0.184	0.339	0.414	0.454	0.363	0.413	0.45
38	6	OLS50	0.25	0.5	0.75	0.678	0.5	0.5	0.748	0.25	0.25	54.6	14.3	269.3	-0.1	-14.2	21.4	22.5	34.2	0.273	0.273	0.241	0.254	0.386	0.482	0.546	0.642	0.498	0.541	0.633
39	6	OLS50	0.25	0.489	1.0	0.708	0.625	0.75	0.777	0.0	0.25	67.9	19.5	279.8	3.3	-19.1	36.9	37.8	59.8	0.274	0.274	0.417	0.426	0.675	0.632	0.683	0.827	0.642	0.677	0.817
40	6	OLS50	0.239	0.75	0.0	0.306	0.375	0.75	0.375	0.25	0.0	54.8	31.3	135.1	-22.0	22.1	17.2	22.7	13.6	0.322	0.322	0.195	0.257	0.154	0.436	0.583	0.382	0.48	0.578	0.393
41	6	OLS50	0.25	0.75	0.25	0.353	0.5	0.5	0.424	0.25	0.25	56.1	16.9	152.5	-14.9	7.8	19.7	24.0	21.5	0.302	0.302	0.222	0.271	0.243	0.463	0.587	0.5	0.499	0.581	0.5
42	6	OLS50	0.25	0.75	0.5	0.475	0.5	0.5	0.546	0.25	0.25	57.2	17.5	196.4	-16.6	-4.8	20.3	25.1	30.7	0.266	0.266	0.229	0.284	0.347	0.4	0.605	0.602	0.467	0.6	0.597
43	6	OLS50	0.25	0.75	0.75	0.597	0.5	0.5	0.668	0.25	0.25	58.3	18.0	240.4	-8.8	-15.5	23.0	26.3	40.5	0.256	0.256	0.26	0.297	0.457	0.432	0.605	0.692	0.486	0.6	0.683
44	6	OLS50	0.25	0.761	1.0	0.65	0.625	0.75	0.719	0.0	0.25	72.0	23.5	258.8	-4.5	-22.9	40.0	43.6	72.6	0.256	0.256	0.451	0.492	0.819	0.581	0.749	0.902	0.629	0.743	0.893
45	6	OLS50	0.232	1.0	0.0	0.319	0.5	1.0	0.388	0.0	0.0	70.7	39.6	139.8	-30.1	25.5	30.8	41.8	25.9	0.313	0.313	0.348	0.472	0.293	0.544	0.774	0.52	0.615	0.768	0.529
46	6	OLS50	0.25	1.0	0.25	0.353	0.625	0.75	0.424	0.0	0.25	72.2	25.4	152.5	-22.4	11.8	34.8	44.0	37.6	0.299	0.299	0.393	0.496	0.425	0.582	0.779	0.642	0.64	0.773	0.642
47	6	OLS50	0.25	1.0	0.489	0.431	0.625	0.75	0.501	0.0	0.25	73.3	25.9	180.5	-25.8	-0.1	35.2	45.6	49.9	0.269	0.269	0.397	0.515	0.563	0.5	0.8	0.743	0.6	0.795	0.74
48	6	OLS50	0.25	1.0	0.761	0.519	0.625	0.75	0.59	0.0	0.25	74.5	26.5	212.4	-22.2	-14.1	37.8	47.5	67.2	0.248	0.248	0.427	0.536	0.758	0.463	0.812	0.863	0.585	0.807	0.857
49	6	OLS50	0.25	1.0	1.0	0.597	0.625	0.75	0.668	0.0	0.25	75.6	26.9	240.4	-13.2	-23.3	42.2	49.2	81.2	0.245	0.245	0.476	0.556	0.916	0.52	0.809	0.946	0.615	0.804	0.939

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 396, Serie: 1/1, Seite: 39
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS50; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		RGB'_{sRGB}		$RGB'_{AdobeRGB}$							
50	6	OLS50	0.5	0.0	0.0	0.003	0.25	0.5	0.072	0.5	0.0	31.5	21.3	25.8	19.2	9.3	8.5	6.8	5.2	0.414	0.414	0.096	0.077	0.059	0.441	0.258	0.252	0.399	0.266	0.26	
51	6	OLS50	0.5	0.0	0.25	0.958	0.25	0.5	0.028	0.5	0.0	31.5	22.0	10.0	21.6	3.8	8.8	6.9	6.5	0.398	0.398	0.099	0.077	0.073	0.445	0.253	0.287	0.401	0.26	0.291	
52	6	OLS50	0.5	0.0	0.5	0.914	0.25	0.5	0.984	0.5	0.0	31.5	22.6	354.2	22.5	-2.2	8.9	6.9	8.1	0.373	0.373	0.101	0.077	0.092	0.438	0.252	0.326	0.396	0.26	0.326	
53	6	OLS50	0.511	0.0	0.75	0.864	0.375	0.75	0.934	0.25	0.0	45.1	28.2	336.4	25.8	-11.2	18.4	14.6	21.6	0.337	0.337	0.207	0.165	0.244	0.581	0.378	0.522	0.529	0.379	0.513	
54	6	OLS50	0.5	0.0	1.0	0.836	0.5	1.0	0.906	0.0	0.0	58.4	33.3	326.2	27.7	-18.4	32.2	26.4	43.1	0.316	0.316	0.363	0.298	0.487	0.719	0.515	0.718	0.663	0.51	0.705	
55	6	OLS50	0.5	0.25	0.0	0.103	0.25	0.5	0.172	0.5	0.0	38.6	25.3	61.8	11.9	22.3	11.5	10.4	5.0	0.426	0.426	0.13	0.118	0.057	0.497	0.345	0.231	0.457	0.347	0.246	
56	6	OLS50	0.5	0.25	0.25	0.003	0.375	0.25	0.072	0.5	0.25	39.6	10.7	25.8	9.6	4.6	11.8	11.0	10.3	0.356	0.356	0.133	0.124	0.116	0.463	0.364	0.358	0.435	0.365	0.359	
57	6	OLS50	0.5	0.25	0.5	0.914	0.375	0.25	0.984	0.5	0.25	39.6	11.3	354.2	11.2	-1.0	12.0	11.0	12.4	0.339	0.339	0.136	0.124	0.14	0.459	0.362	0.397	0.432	0.363	0.395	
58	6	OLS50	0.5	0.25	0.75	0.836	0.5	0.5	0.906	0.25	0.25	53.1	16.6	326.2	13.8	-9.2	23.0	21.1	28.8	0.315	0.315	0.26	0.238	0.325	0.595	0.495	0.592	0.563	0.491	0.583	
59	6	OLS50	0.489	0.25	1.0	0.808	0.625	0.75	0.878	0.0	0.25	66.4	21.7	316.0	15.6	-15.0	38.8	35.9	52.9	0.304	0.304	0.438	0.405	0.597	0.735	0.634	0.781	0.702	0.629	0.771	
60	6	OLS50	0.5	0.5	0.0	0.203	0.25	0.5	0.272	0.5	0.0	45.7	29.2	97.8	-3.9	29.0	13.7	15.1	6.3	0.39	0.39	0.154	0.17	0.071	0.489	0.452	0.246	0.475	0.449	0.266	
61	6	OLS50	0.5	0.5	0.25	0.203	0.375	0.25	0.272	0.5	0.25	46.7	14.6	97.8	-1.9	14.5	14.7	15.8	11.2	0.353	0.353	0.166	0.178	0.126	0.485	0.46	0.359	0.475	0.457	0.365	
62	6	OLS50	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	73.7	0.0	0.0	0.0	0.0	44.0	46.3	50.4	0.313	0.313	0.496	0.522	0.569	0.75	0.75	0.75	0.744	0.744	0.744	
63	6	OLS50	0.5	0.5	0.75	0.758	0.625	0.25	0.828	0.25	0.5	61.2	5.3	298.2	2.5	-4.6	28.6	29.4	35.6	0.306	0.306	0.323	0.332	0.402	0.615	0.607	0.646	0.607	0.602	0.639	
64	6	OLS50	0.5	0.5	1.0	0.758	0.75	0.5	0.828	0.0	0.5	74.6	10.7	298.2	5.0	-9.3	47.1	47.7	61.9	0.301	0.301	0.532	0.538	0.699	0.766	0.751	0.831	0.756	0.745	0.824	
65	6	OLS50	0.511	0.75	0.0	0.25	0.375	0.75	0.32	0.25	0.0	62.1	38.0	115.2	-16.1	34.4	25.1	30.6	13.8	0.361	0.361	0.283	0.345	0.155	0.592	0.65	0.365	0.603	0.644	0.382	
66	6	OLS50	0.5	0.75	0.25	0.278	0.5	0.5	0.348	0.25	0.25	62.8	23.1	125.1	-13.2	18.9	26.5	31.4	21.8	0.332	0.332	0.299	0.354	0.246	0.584	0.654	0.49	0.6	0.648	0.494	
67	6	OLS50	0.5	0.75	0.5	0.353	0.625	0.25	0.424	0.25	0.5	63.8	8.5	152.5	-7.4	3.9	29.0	32.6	32.5	0.308	0.308	0.327	0.368	0.367	0.594	0.656	0.611	0.607	0.65	0.607	
68	6	OLS50	0.5	0.75	0.75	0.597	0.625	0.25	0.668	0.25	0.5	65.0	9.0	240.4	-4.3	-7.7	31.1	34.0	43.6	0.286	0.286	0.351	0.384	0.492	0.586	0.665	0.709	0.604	0.659	0.702	
69	6	OLS50	0.5	0.75	1.0	0.678	0.75	0.5	0.748	0.0	0.5	78.4	14.3	269.3	-0.1	-14.2	51.2	53.9	75.6	0.283	0.283	0.578	0.609	0.854	0.743	0.808	0.911	0.757	0.803	0.905	
70	6	OLS50	0.5	1.0	0.0	0.278	0.5	1.0	0.348	0.0	0.0	78.0	46.2	125.1	-26.5	37.8	41.2	53.2	26.1	0.342	0.342	0.465	0.6	0.295	0.693	0.847	0.501	0.736	0.843	0.517	
71	6	OLS50	0.489	1.0	0.25	0.306	0.625	0.75	0.375	0.0	0.25	78.7	31.3	135.1	-22.0	22.1	43.7	54.3	38.2	0.321	0.321	0.493	0.613	0.432	0.694	0.849	0.633	0.737	0.845	0.638	
72	6	OLS50	0.5	1.0	0.5	0.353	0.75	0.5	0.424	0.0	0.5	80.0	16.9	152.5	-14.9	7.8	48.1	56.6	53.3	0.305	0.305	0.543	0.639	0.601	0.721	0.853	0.758	0.756	0.848	0.757	
73	6	OLS50	0.5	1.0	0.75	0.475	0.75	0.5	0.546	0.0	0.5	81.1	17.5	196.4	-16.6	-4.8	49.3	58.6	69.6	0.278	0.278	0.556	0.661	0.786	0.66	0.873	0.869	0.724	0.869	0.865	
74	6	OLS50	0.5	1.0	1.0	0.597	0.75	0.5	0.668	0.0	0.5	82.2	18.0	240.4	-8.8	-15.5	54.1	60.7	86.1	0.269	0.269	0.611	0.685	0.972	0.696	0.872	0.965	0.746	0.868	0.96	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 40/8, Serie: 1/1, Seite: 40
Seite 40

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS50; Sechs Bunntonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$		$RGB'_{AdobeRGB}$						
75	6	OLS50	0.75	0.0	0.0	0.003	0.375	0.75	0.072	0.25	0.0	47.2	32.0	25.8	28.8	13.9	20.8	16.2	11.7	0.427	0.427	0.234	0.182	0.132	0.675	0.382	0.374	0.604	0.382	0.375
76	6	OLS50	0.75	0.0	0.239	0.975	0.375	0.75	0.044	0.25	0.0	47.2	32.6	15.7	31.4	8.8	21.3	16.2	13.7	0.417	0.417	0.241	0.183	0.154	0.682	0.375	0.409	0.608	0.375	0.407
77	6	OLS50	0.75	0.0	0.511	0.942	0.375	0.75	0.012	0.25	0.0	47.2	33.3	4.3	33.2	2.5	21.7	16.2	16.5	0.4	0.4	0.245	0.183	0.186	0.681	0.37	0.453	0.607	0.371	0.447
78	6	OLS50	0.75	0.0	0.75	0.914	0.375	0.75	0.984	0.25	0.0	47.3	33.9	354.2	33.7	-3.3	21.9	16.2	19.4	0.381	0.381	0.247	0.183	0.219	0.672	0.371	0.493	0.6	0.371	0.485
79	6	OLS50	0.768	0.0	1.0	0.878	0.5	1.0	0.948	0.0	0.0	60.9	39.7	341.2	37.6	-12.7	38.2	29.1	41.8	0.35	0.35	0.431	0.329	0.472	0.83	0.505	0.705	0.75	0.501	0.692
80	6	OLS50	0.75	0.239	0.0	0.067	0.375	0.75	0.135	0.25	0.0	54.0	35.8	48.7	23.6	26.9	26.2	22.0	11.2	0.441	0.441	0.295	0.248	0.127	0.744	0.466	0.349	0.673	0.463	0.356
81	6	OLS50	0.75	0.25	0.25	0.003	0.5	0.5	0.072	0.25	0.25	55.3	21.3	25.8	19.2	9.3	26.5	23.2	20.0	0.38	0.38	0.299	0.262	0.226	0.703	0.497	0.486	0.647	0.493	0.483
82	6	OLS50	0.75	0.25	0.5	0.958	0.5	0.5	0.028	0.25	0.25	55.3	22.0	10.0	21.6	3.8	27.1	23.2	23.0	0.369	0.369	0.306	0.262	0.26	0.707	0.492	0.525	0.649	0.488	0.52
83	6	OLS50	0.75	0.25	0.75	0.914	0.5	0.5	0.984	0.25	0.25	55.4	22.6	354.2	22.5	-2.2	27.3	23.3	26.8	0.353	0.353	0.309	0.263	0.302	0.698	0.492	0.569	0.642	0.488	0.56
84	6	OLS50	0.761	0.25	1.0	0.864	0.625	0.75	0.934	0.0	0.25	68.9	28.2	336.4	25.8	-11.2	45.8	39.2	53.4	0.331	0.331	0.516	0.443	0.603	0.85	0.631	0.783	0.791	0.625	0.772
85	6	OLS50	0.75	0.511	0.0	0.139	0.375	0.75	0.208	0.25	0.0	61.8	40.1	74.9	10.4	38.7	31.4	30.1	11.8	0.428	0.428	0.354	0.34	0.133	0.773	0.584	0.334	0.72	0.578	0.351
86	6	OLS50	0.75	0.5	0.25	0.103	0.5	0.5	0.172	0.25	0.25	62.4	25.3	61.8	11.9	22.3	32.6	30.9	19.6	0.392	0.392	0.368	0.349	0.221	0.765	0.59	0.465	0.715	0.585	0.468
87	6	OLS50	0.75	0.5	0.5	0.003	0.625	0.25	0.072	0.25	0.5	63.4	10.7	25.8	9.6	4.6	33.2	32.1	31.5	0.343	0.343	0.374	0.362	0.356	0.721	0.611	0.604	0.686	0.606	0.599
88	6	OLS50	0.75	0.5	0.75	0.914	0.625	0.25	0.984	0.25	0.5	63.5	11.3	354.2	11.2	-1.0	33.7	32.1	35.9	0.331	0.331	0.38	0.363	0.405	0.716	0.609	0.646	0.682	0.603	0.639
89	6	OLS50	0.75	0.5	1.0	0.836	0.75	0.5	0.906	0.0	0.5	76.9	16.6	326.2	13.8	-9.2	54.1	51.4	66.3	0.315	0.315	0.611	0.58	0.748	0.862	0.753	0.858	0.828	0.748	0.85
90	6	OLS50	0.75	0.75	0.0	0.203	0.375	0.75	0.272	0.25	0.0	68.6	43.8	97.8	-5.9	43.4	35.1	38.8	14.6	0.396	0.396	0.396	0.438	0.165	0.753	0.697	0.361	0.732	0.691	0.383
91	6	OLS50	0.75	0.75	0.25	0.203	0.5	0.5	0.272	0.25	0.25	69.6	29.2	97.8	-3.9	29.0	36.9	40.1	22.7	0.37	0.37	0.417	0.453	0.256	0.753	0.706	0.486	0.734	0.7	0.494
92	6	OLS50	0.75	0.75	0.5	0.203	0.625	0.25	0.272	0.25	0.5	70.6	14.6	97.8	-1.9	14.5	38.9	41.6	33.3	0.342	0.342	0.439	0.469	0.376	0.744	0.716	0.607	0.73	0.71	0.606
93	6	OLS50	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	84.6	0.0	0.0	0.0	0.0	61.9	65.2	71.0	0.313	0.313	0.699	0.735	0.801	0.873	0.873	0.873	0.87	0.87	0.87
94	6	OLS50	0.75	0.75	1.0	0.758	0.875	0.25	0.828	0.0	0.75	85.0	5.3	298.2	2.5	-4.6	63.9	66.1	77.9	0.307	0.307	0.721	0.746	0.88	0.882	0.874	0.915	0.876	0.87	0.911
95	6	OLS50	0.768	1.0	0.0	0.236	0.5	1.0	0.307	0.0	0.0	85.2	52.8	110.5	-18.4	49.4	55.4	66.4	26.6	0.373	0.373	0.626	0.749	0.3	0.868	0.912	0.484	0.878	0.91	0.507
96	6	OLS50	0.761	1.0	0.25	0.25	0.625	0.75	0.32	0.0	0.25	86.0	38.0	115.2	-16.1	34.4	57.7	68.0	38.6	0.351	0.351	0.652	0.767	0.435	0.863	0.919	0.618	0.876	0.917	0.628
97	6	OLS50	0.75	1.0	0.5	0.278	0.75	0.5	0.348	0.0	0.5	86.7	23.1	125.1	-13.2	18.9	60.2	69.4	53.9	0.328	0.328	0.679	0.783	0.608	0.851	0.924	0.749	0.869	0.922	0.752
98	6	OLS50	0.75	1.0	0.75	0.353	0.875	0.25	0.424	0.0	0.75	87.7	8.5	152.5	-7.4	3.9	64.5	71.4	72.8	0.309	0.309	0.728	0.806	0.821	0.86	0.926	0.878	0.876	0.924	0.876
99	6	OLS50	0.75	1.0	1.0	0.597	0.875	0.25	0.668	0.0	0.75	88.8	9.0	240.4	-4.3	-7.7	68.1	73.7	91.2	0.292	0.292	0.768	0.832	1.029	0.852	0.936	0.983	0.874	0.934	0.98

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB


BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 41/8, Serie: 1/1, Seite: 41
Seite 41

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS50; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$													
100	6	OLS50	1.0	0.0	0.0	0.003	0.5	1.0	0.072	0.0	0.0	62.9	42.6	25.8	38.4	18.6	41.2	31.5	22.1	0.435	0.435	0.465	0.355	0.249	0.925	0.513	0.503	0.83	0.508	0.499	
101	6	OLS50	1.0	0.0	0.232	0.981	0.5	1.0	0.051	0.0	0.0	62.9	43.2	18.5	41.0	13.7	42.1	31.5	24.9	0.427	0.427	0.475	0.355	0.282	0.933	0.504	0.539	0.835	0.5	0.533	
102	6	OLS50	1.0	0.0	0.5	0.958	0.5	1.0	0.028	0.0	0.0	63.0	43.9	10.0	43.2	7.6	42.9	31.5	28.9	0.415	0.415	0.484	0.356	0.326	0.936	0.498	0.583	0.836	0.494	0.574	
103	6	OLS50	1.0	0.0	0.768	0.936	0.5	1.0	0.004	0.0	0.0	63.0	44.6	1.5	44.6	1.2	43.4	31.6	33.5	0.4	0.4	0.49	0.356	0.378	0.931	0.495	0.629	0.833	0.491	0.619	
104	6	OLS50	1.0	0.0	1.0	0.914	0.5	1.0	0.984	0.0	0.0	63.0	45.2	354.2	45.0	-4.5	43.6	31.6	38.0	0.385	0.385	0.492	0.357	0.429	0.922	0.496	0.671	0.825	0.492	0.659	
105	6	OLS50	1.0	0.232	0.0	0.047	0.5	1.0	0.118	0.0	0.0	69.5	46.3	42.5	34.1	31.3	49.7	40.1	21.3	0.447	0.447	0.561	0.452	0.241	1.001	0.597	0.477	0.907	0.591	0.479	
106	6	OLS50	1.0	0.25	0.25	0.003	0.625	0.75	0.072	0.0	0.25	71.0	32.0	25.8	28.8	13.9	50.1	42.2	34.3	0.396	0.396	0.566	0.477	0.388	0.958	0.636	0.621	0.878	0.63	0.616	
107	6	OLS50	1.0	0.25	0.489	0.975	0.625	0.75	0.044	0.0	0.25	71.1	32.6	15.7	31.4	8.8	51.1	42.3	38.4	0.388	0.388	0.577	0.477	0.433	0.964	0.629	0.66	0.882	0.623	0.652	
108	6	OLS50	1.0	0.25	0.761	0.942	0.625	0.75	0.012	0.0	0.25	71.1	33.3	4.3	33.2	2.5	51.8	42.3	43.8	0.376	0.376	0.585	0.477	0.495	0.962	0.626	0.707	0.88	0.62	0.698	
109	6	OLS50	1.0	0.25	1.0	0.914	0.625	0.75	0.984	0.0	0.25	71.1	33.9	354.2	33.7	-3.3	52.1	42.3	49.3	0.362	0.362	0.588	0.478	0.557	0.951	0.626	0.751	0.871	0.62	0.741	
110	6	OLS50	1.0	0.5	0.0	0.103	0.5	1.0	0.172	0.0	0.0	77.2	50.5	61.8	23.9	44.5	58.6	51.8	21.3	0.445	0.445	0.661	0.585	0.24	1.052	0.713	0.451	0.97	0.707	0.463	
111	6	OLS50	1.0	0.489	0.25	0.067	0.625	0.75	0.135	0.0	0.25	77.8	35.8	48.7	23.6	26.9	59.7	52.9	33.4	0.408	0.408	0.673	0.598	0.377	1.032	0.725	0.597	0.956	0.719	0.597	
112	6	OLS50	1.0	0.5	0.5	0.003	0.75	0.5	0.072	0.0	0.5	79.2	21.3	25.8	19.2	9.3	60.2	55.2	50.5	0.363	0.363	0.679	0.623	0.57	0.982	0.758	0.744	0.923	0.752	0.739	
113	6	OLS50	1.0	0.5	0.75	0.958	0.75	0.5	0.028	0.0	0.5	79.2	22.0	10.0	21.6	3.8	61.3	55.2	56.1	0.355	0.355	0.691	0.623	0.633	0.985	0.752	0.786	0.924	0.747	0.779	
114	6	OLS50	1.0	0.5	1.0	0.914	0.75	0.5	0.984	0.0	0.5	79.2	22.6	354.2	22.5	-2.2	61.7	55.3	62.7	0.343	0.343	0.696	0.624	0.708	0.975	0.752	0.832	0.916	0.746	0.825	
115	6	OLS50	1.0	0.768	0.0	0.156	0.5	1.0	0.225	0.0	0.0	84.8	54.8	81.1	8.4	54.1	66.1	65.7	23.4	0.426	0.426	0.746	0.741	0.264	1.062	0.842	0.448	1.006	0.838	0.47	
116	6	OLS50	1.0	0.761	0.25	0.139	0.625	0.75	0.208	0.0	0.25	85.6	40.1	74.9	10.4	38.7	68.6	67.2	34.6	0.402	0.402	0.774	0.759	0.391	1.062	0.849	0.585	1.008	0.844	0.594	
117	6	OLS50	1.0	0.75	0.5	0.103	0.75	0.5	0.172	0.0	0.5	86.3	25.3	61.8	11.9	22.3	70.6	68.6	49.8	0.374	0.374	0.797	0.774	0.562	1.048	0.856	0.722	0.998	0.852	0.723	
118	6	OLS50	1.0	0.75	0.75	0.003	0.875	0.25	0.072	0.0	0.75	87.3	10.7	25.8	9.6	4.6	71.5	70.6	71.0	0.336	0.336	0.807	0.797	0.802	0.996	0.879	0.87	0.964	0.875	0.867	
119	6	OLS50	1.0	0.75	1.0	0.914	0.875	0.25	0.984	0.0	0.75	87.3	11.3	354.2	11.2	-1.0	72.4	70.6	78.4	0.327	0.327	0.817	0.797	0.885	0.991	0.876	0.915	0.959	0.873	0.911	
120	6	OLS50	1.0	1.0	0.0	0.203	0.5	1.0	0.272	0.0	0.0	91.4	58.5	97.8	-7.8	57.9	71.7	79.5	28.1	0.4	0.4	0.809	0.897	0.317	1.037	0.96	0.482	1.016	0.959	0.509	
121	6	OLS50	1.0	1.0	0.25	0.203	0.625	0.75	0.272	0.0	0.25	92.4	43.8	97.8	-5.9	43.4	74.7	81.7	40.2	0.38	0.38	0.843	0.922	0.454	1.038	0.969	0.617	1.02	0.968	0.631	
122	6	OLS50	1.0	1.0	0.5	0.203	0.75	0.5	0.272	0.0	0.5	93.4	29.2	97.8	-3.9	29.0	77.8	83.9	55.5	0.358	0.358	0.878	0.947	0.626	1.033	0.979	0.747	1.019	0.978	0.752	
123	6	OLS50	1.0	1.0	0.75	0.203	0.875	0.25	0.272	0.0	0.75	94.4	14.6	97.8	-1.9	14.5	81.0	86.2	74.1	0.336	0.336	0.914	0.973	0.836	1.021	0.989	0.874	1.012	0.989	0.875	
124	6	OLS50	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	84.2	88.6	96.5	0.313	0.313	0.95	1.0	1.089	1.0	1.0	1.0	1.0	1.0	1.0	


Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 42/8, Serie: 1/1, Seite: 42
Seite 42



%Umfang
 $u^*_{rel} = 10$
%Regularität
 $g^*_{H,rel} = 59$
 $g^*_{C,rel} = 30$

OLS70					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_M	75.01	21.53	9.07	23.36	23
Y_M	92.64	-5.44	34.85	35.27	99
L_M	75.86	-15.49	7.96	17.42	153
C_M	78.37	-9.89	-19.5	21.88	243
V_M	70.54	4.74	-9.46	10.59	297
M_M	75.07	25.47	-2.45	25.59	354
N_M	69.7	0.0	0.0	0.0	0
W_M	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272



%Umfang
 $u^*_{rel} = 10$
%Regularität
 $g^*_{H,rel} = 59$
 $g^*_{C,rel} = 30$

OLS70a; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	75.01	21.53	9.07	23.36	23
Y_{Ma}	92.64	-5.44	34.85	35.27	99
L_{Ma}	75.86	-15.49	7.96	17.42	153
C_{Ma}	78.37	-9.89	-19.5	21.88	243
V_{Ma}	70.54	4.74	-9.46	10.59	297
M_{Ma}	75.07	25.47	-2.45	25.59	354
N_{Ma}	69.7	0.0	0.0	0.0	0
W_{Ma}	95.41	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS70; Sechs Bunntonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	o^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
0	7	OLS70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	69.7 0.0 0.0	0.0 0.0 0.0	38.3 40.3 43.9	0.313 0.313 0.433	0.455 0.496 0.705	0.705 0.705 0.705	0.699 0.699 0.699	
1	7	OLS70	0.0	0.0	0.25	0.756	0.125	0.25	0.824	0.75	0.0	17.6 2.6 296.6	1.2 -2.3 2.4	2.4 2.4 3.0	0.304 0.304 0.027	0.028 0.034 0.182	0.179 0.195 0.195	0.195 0.194 0.207	
2	7	OLS70	0.0	0.0	0.5	0.756	0.25	0.5	0.824	0.5	0.0	35.3 5.3 296.6	2.4 -4.6 8.5	8.6 11.0 20.6	0.302 0.302 0.096	0.097 0.124 0.346	0.341 0.376 0.518	0.343 0.376 0.518	
3	7	OLS70	0.0	0.0	0.75	0.756	0.375	0.75	0.824	0.25	0.0	52.9 7.9 296.6	3.6 -7.0 20.6	21.0 27.2 41.0	0.3 0.3 0.233	0.237 0.307 0.526	0.518 0.574 0.706	0.519 0.513 0.566	
4	7	OLS70	0.0	0.0	1.0	0.756	0.5	1.0	0.824	0.0	0.0	70.5 10.6 296.6	4.7 -9.4 41.0	41.5 54.4 61.3	0.299 0.299 0.463	0.469 0.614 0.717	0.706 0.785 0.877	0.7 0.777 0.877	
5	7	OLS70	0.0	0.25	0.0	0.356	0.125	0.25	0.424	0.75	0.0	19.0 4.4 152.8	-3.8 2.0 2.4	2.7 2.7 2.7	0.307 0.307 0.027	0.031 0.03 0.173	0.199 0.181 0.195	0.212 0.195 0.195	
6	7	OLS70	0.0	0.25	0.25	0.606	0.125	0.25	0.675	0.75	0.0	19.6 5.5 243.1	-2.4 -4.8 2.6	2.9 4.0 13.6	0.276 0.276 0.03	0.033 0.045 0.165	0.204 0.227 0.192	0.216 0.236 0.236	
7	7	OLS70	0.0	0.25	0.5	0.681	0.25	0.5	0.75	0.5	0.0	37.2 8.1 269.8	0.0 -8.0 9.2	9.7 13.6 20.6	0.283 0.283 0.104	0.109 0.153 0.335	0.366 0.417 0.518	0.367 0.414 0.518	
8	7	OLS70	0.0	0.239	0.75	0.708	0.375	0.75	0.777	0.25	0.0	54.8 10.6 279.6	1.8 -10.4 22.0	22.7 31.7 43.9	0.288 0.288 0.248	0.256 0.358 0.518	0.543 0.618 0.706	0.521 0.538 0.609	
9	7	OLS70	0.0	0.232	1.0	0.719	0.5	1.0	0.789	0.0	0.0	72.4 13.2 284.2	3.2 -12.7 43.1	44.2 61.3 69.5	0.29 0.29 0.486	0.499 0.692 0.711	0.731 0.83 0.877	0.711 0.725 0.822	
10	7	OLS70	0.0	0.5	0.0	0.356	0.25	0.5	0.424	0.5	0.0	37.9 8.7 152.8	-7.7 4.0 8.6	10.0 9.6 12.5	0.305 0.305 0.097	0.113 0.108 0.327	0.385 0.344 0.347	0.385 0.348 0.348	
11	7	OLS70	0.0	0.5	0.25	0.481	0.25	0.5	0.55	0.5	0.0	38.6 9.8 198.0	-9.2 -2.9 8.8	10.4 12.5 15.7	0.277 0.277 0.099	0.117 0.141 0.293	0.396 0.396 0.396	0.329 0.396 0.396	
12	7	OLS70	0.0	0.5	0.5	0.606	0.25	0.5	0.675	0.5	0.0	39.2 10.9 243.1	-4.8 -9.7 9.6	10.8 15.7 20.6	0.266 0.266 0.108	0.122 0.177 0.306	0.396 0.448 0.337	0.396 0.443 0.443	
13	7	OLS70	0.0	0.511	0.75	0.653	0.375	0.75	0.723	0.25	0.0	56.9 13.7 260.1	-2.3 -13.4 23.1	24.8 36.7 43.9	0.273 0.273 0.26	0.28 0.415 0.492	0.575 0.662 0.513	0.57 0.653 0.653	
14	7	OLS70	0.0	0.5	1.0	0.681	0.5	1.0	0.75	0.0	0.0	74.5 16.2 269.8	0.0 -16.1 45.1	47.4 69.5 77.1	0.278 0.278 0.509	0.535 0.784 0.69	0.764 0.88 0.877	0.758 0.872 0.872	
15	7	OLS70	0.0	0.75	0.0	0.356	0.375	0.75	0.424	0.25	0.0	56.9 13.1 152.8	-11.5 6.0 21.1	24.8 23.4 28.0	0.304 0.304 0.238	0.28 0.264 0.494	0.589 0.522 0.519	0.584 0.52 0.52	
16	7	OLS70	0.0	0.75	0.239	0.436	0.375	0.75	0.504	0.25	0.0	57.5 14.1 181.6	-14.0 -0.3 21.1	25.4 28.0 34.7	0.283 0.283 0.238	0.287 0.315 0.452	0.602 0.573 0.497	0.596 0.569 0.569	
17	7	OLS70	0.0	0.75	0.511	0.525	0.375	0.75	0.595	0.25	0.0	58.2 15.3 214.3	-12.6 -8.6 22.0	26.1 34.7 40.3	0.266 0.266 0.248	0.295 0.391 0.432	0.609 0.64 0.487	0.603 0.633 0.633	
18	7	OLS70	0.0	0.75	0.75	0.606	0.375	0.75	0.675	0.25	0.0	58.8 16.4 243.1	-7.3 -14.5 23.7	26.8 40.3 46.6	0.261 0.261 0.268	0.302 0.455 0.458	0.607 0.69 0.502	0.601 0.681 0.681	
19	7	OLS70	0.0	0.768	1.0	0.639	0.5	1.0	0.71	0.0	0.0	76.6 19.3 255.5	-4.7 -18.5 46.6	50.8 77.1 82.4	0.267 0.267 0.525	0.573 0.87 0.656	0.799 0.922 0.695	0.794 0.915 0.915	
20	7	OLS70	0.0	1.0	0.0	0.356	0.5	1.0	0.424	0.0	0.0	75.9 17.4 152.8	-15.4 8.0 41.9	49.7 46.3 53.0	0.304 0.304 0.473	0.561 0.523 0.672	0.807 0.712 0.708	0.802 0.71 0.71	
21	7	OLS70	0.0	1.0	0.232	0.414	0.5	1.0	0.483	0.0	0.0	76.4 18.5 173.7	-18.2 2.0 41.8	50.6 53.0 62.9	0.287 0.287 0.471	0.571 0.599 0.627	0.821 0.763 0.684	0.816 0.76 0.76	
22	7	OLS70	0.0	1.0	0.5	0.481	0.5	1.0	0.55	0.0	0.0	77.1 19.7 198.0	-18.6 -6.0 42.6	51.7 62.9 73.8	0.271 0.271 0.481	0.584 0.71 0.59	0.832 0.832 0.665	0.827 0.827 0.827	
23	7	OLS70	0.0	1.0	0.768	0.547	0.5	1.0	0.617	0.0	0.0	77.8 20.8 222.2	-15.3 -13.9 44.7	52.9 73.8 82.4	0.261 0.261 0.504	0.597 0.833 0.586	0.835 0.9 0.663	0.831 0.894 0.894	
24	7	OLS70	0.0	1.0	1.0	0.606	0.5	1.0	0.675	0.0	0.0	78.4 21.9 243.1	-9.8 -19.4 47.5	53.8 82.4 92.4	0.259 0.259 0.536	0.608 0.93 0.619	0.832 0.949 0.682	0.827 0.943 0.943	

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 44/8, Serie: 1/1, Seite: 44
Seite 44

Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS70; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α_3^*	l_3^*	v_3^*	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		$RGB's_{RGB}$		$RGB'_{AdobeRGB}$						
25	7	OLS70	0.25	0.0	0.0	0.994	0.125	0.25	0.063	0.75	0.0	18.8	5.8	22.8	5.4	2.3	2.8	2.7	2.6	0.349	0.349	0.032	0.03	0.029	0.228	0.18	0.178	0.227	0.194	0.193
26	7	OLS70	0.25	0.0	0.25	0.914	0.125	0.25	0.985	0.75	0.0	18.8	6.4	354.5	6.4	-0.5	2.9	2.7	3.0	0.337	0.337	0.033	0.03	0.034	0.227	0.178	0.195	0.226	0.193	0.208
27	7	OLS70	0.25	0.0	0.5	0.836	0.25	0.5	0.904	0.5	0.0	36.4	9.0	325.5	7.5	-5.0	9.7	9.2	11.8	0.314	0.314	0.109	0.104	0.134	0.391	0.341	0.39	0.378	0.343	0.388
28	7	OLS70	0.239	0.0	0.75	0.806	0.375	0.75	0.875	0.25	0.0	54.0	11.5	315.0	8.2	-8.0	22.6	22.0	29.1	0.307	0.307	0.255	0.248	0.328	0.568	0.518	0.593	0.549	0.514	0.585
29	7	OLS70	0.232	0.0	1.0	0.792	0.5	1.0	0.861	0.0	0.0	71.6	14.1	310.0	9.0	-10.7	43.9	43.1	57.6	0.304	0.304	0.496	0.486	0.651	0.758	0.707	0.807	0.739	0.701	0.799
30	7	OLS70	0.25	0.25	0.0	0.206	0.125	0.25	0.275	0.75	0.0	23.2	8.8	98.9	-1.3	8.7	3.6	3.8	2.8	0.35	0.35	0.04	0.043	0.031	0.243	0.231	0.177	0.249	0.241	0.194
31	7	OLS70	0.25	0.25	0.25	0.0	0.25	0.0	0.0	0.75	0.25	76.1	0.0	0.0	0.0	0.0	47.6	50.1	54.6	0.313	0.313	0.537	0.565	0.616	0.777	0.777	0.777	0.772	0.772	0.772
32	7	OLS70	0.25	0.25	0.5	0.756	0.375	0.25	0.824	0.5	0.25	41.5	2.6	296.6	1.2	-2.3	11.7	12.2	14.2	0.308	0.308	0.132	0.137	0.161	0.407	0.405	0.422	0.406	0.404	0.42
33	7	OLS70	0.25	0.25	0.75	0.756	0.5	0.5	0.824	0.25	0.25	59.1	5.3	296.6	2.4	-4.6	26.4	27.2	32.9	0.305	0.305	0.298	0.307	0.372	0.591	0.586	0.624	0.584	0.58	0.617
34	7	OLS70	0.25	0.25	1.0	0.756	0.625	0.75	0.824	0.0	0.25	76.8	7.9	296.6	3.6	-7.0	49.9	51.1	63.4	0.303	0.303	0.563	0.577	0.716	0.787	0.778	0.838	0.779	0.772	0.831
35	7	OLS70	0.25	0.5	0.0	0.281	0.25	0.5	0.35	0.5	0.0	42.1	13.2	125.9	-7.6	10.7	10.9	12.6	9.8	0.328	0.328	0.123	0.142	0.11	0.388	0.426	0.34	0.399	0.424	0.346
36	7	OLS70	0.25	0.5	0.25	0.356	0.375	0.25	0.424	0.5	0.25	42.8	4.4	152.8	-3.8	2.0	11.8	13.0	13.4	0.309	0.309	0.134	0.147	0.151	0.398	0.427	0.406	0.406	0.426	0.406
37	7	OLS70	0.25	0.5	0.5	0.606	0.375	0.25	0.675	0.5	0.25	43.4	5.5	243.1	-2.4	-4.8	12.4	13.5	16.8	0.291	0.291	0.14	0.152	0.19	0.39	0.433	0.459	0.402	0.431	0.455
38	7	OLS70	0.25	0.5	0.75	0.681	0.5	0.5	0.75	0.25	0.25	61.1	8.1	269.8	0.0	-8.0	27.9	29.3	38.2	0.292	0.292	0.315	0.331	0.431	0.58	0.613	0.669	0.584	0.607	0.661
39	7	OLS70	0.25	0.489	1.0	0.708	0.625	0.75	0.777	0.0	0.25	78.6	10.6	279.6	1.8	-10.4	52.3	54.3	71.3	0.294	0.294	0.59	0.613	0.804	0.779	0.804	0.885	0.781	0.799	0.878
40	7	OLS70	0.239	0.75	0.0	0.308	0.375	0.75	0.377	0.25	0.0	60.9	17.3	135.6	-12.3	12.1	24.7	29.1	23.8	0.318	0.318	0.279	0.329	0.269	0.551	0.633	0.519	0.57	0.627	0.52
41	7	OLS70	0.25	0.75	0.25	0.356	0.5	0.5	0.424	0.25	0.25	61.8	8.7	152.8	-7.7	4.0	26.7	30.1	30.0	0.308	0.308	0.302	0.34	0.339	0.571	0.634	0.588	0.584	0.629	0.585
42	7	OLS70	0.25	0.75	0.5	0.481	0.5	0.5	0.55	0.25	0.25	62.4	9.8	198.0	-9.2	-2.9	27.0	30.9	35.9	0.288	0.288	0.305	0.349	0.406	0.536	0.647	0.646	0.565	0.641	0.64
43	7	OLS70	0.25	0.75	0.75	0.606	0.5	0.5	0.675	0.25	0.25	63.0	10.9	243.1	-4.8	-9.7	28.8	31.6	42.4	0.28	0.28	0.325	0.357	0.478	0.552	0.646	0.702	0.575	0.64	0.694
44	7	OLS70	0.25	0.761	1.0	0.653	0.625	0.75	0.723	0.0	0.25	80.8	13.7	260.1	-2.3	-13.4	54.2	58.0	79.8	0.282	0.282	0.612	0.655	0.901	0.753	0.84	0.932	0.774	0.835	0.926
45	7	OLS70	0.232	1.0	0.0	0.319	0.5	1.0	0.39	0.0	0.0	79.7	21.6	140.3	-16.5	13.8	47.3	56.2	47.2	0.314	0.314	0.533	0.635	0.532	0.727	0.852	0.71	0.76	0.848	0.711
46	7	OLS70	0.25	1.0	0.25	0.356	0.625	0.75	0.424	0.0	0.25	80.7	13.1	152.8	-11.5	6.0	50.7	58.0	56.6	0.306	0.306	0.572	0.655	0.639	0.753	0.855	0.782	0.779	0.851	0.78
47	7	OLS70	0.25	1.0	0.489	0.436	0.625	0.75	0.504	0.0	0.25	81.3	14.1	181.6	-14.0	-0.3	50.7	59.1	64.8	0.29	0.29	0.572	0.667	0.731	0.711	0.869	0.837	0.755	0.865	0.834
48	7	OLS70	0.25	1.0	0.761	0.525	0.625	0.75	0.595	0.0	0.25	82.0	15.3	214.3	-12.6	-8.6	52.4	60.4	76.4	0.277	0.277	0.591	0.681	0.862	0.693	0.876	0.909	0.746	0.873	0.905
49	7	OLS70	0.25	1.0	1.0	0.606	0.625	0.75	0.675	0.0	0.25	82.6	16.4	243.1	-7.3	-14.5	55.4	61.5	85.7	0.273	0.273	0.625	0.694	0.968	0.721	0.873	0.962	0.763	0.87	0.957



BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 456, Serie: 1/1, Seite: 45
Seite: 45
Seite: 45



Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS70; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

<i>n</i>	<i>Nr.</i>	<i>System</i>	<i>o</i> * ₃	<i>l</i> * ₃	<i>v</i> * ₃	<i>e</i> *	<i>t</i> *	<i>c</i> *	<i>h</i> *	<i>n</i> *	<i>w</i> *	<i>LCH</i> * _{CIE}		<i>a</i> * <i>b</i> * _{CIE}		<i>XYZ</i> _{CIE}		<i>xy</i> _{CIE}		<i>XYZ</i> _{RGB}		<i>RGB</i> ' _{sRGB}		<i>RGB</i> ' _{AdobeRGB}						
50	7	OLS70	0.5	0.0	0.0	0.994	0.25	0.5	0.063	0.5	0.0	37.5	11.7	22.8	10.8	4.5	10.7	9.8	9.2	0.36	0.36	0.121	0.111	0.104	0.448	0.341	0.338	0.42	0.343	0.341
51	7	OLS70	0.5	0.0	0.25	0.956	0.25	0.5	0.024	0.5	0.0	37.5	12.2	8.7	12.1	1.8	10.9	9.8	10.1	0.354	0.354	0.123	0.111	0.114	0.45	0.338	0.356	0.421	0.341	0.357
52	7	OLS70	0.5	0.0	0.5	0.914	0.25	0.5	0.985	0.5	0.0	37.5	12.8	354.5	12.7	−1.1	11.0	9.8	11.1	0.344	0.344	0.124	0.111	0.126	0.447	0.338	0.377	0.418	0.34	0.376
53	7	OLS70	0.511	0.0	0.75	0.864	0.375	0.75	0.933	0.25	0.0	55.2	15.6	336.0	14.3	−6.2	25.2	23.1	29.3	0.325	0.325	0.285	0.261	0.331	0.631	0.515	0.595	0.595	0.511	0.586
54	7	OLS70	0.5	0.0	1.0	0.836	0.5	1.0	0.904	0.0	0.0	72.8	18.1	325.5	14.9	−10.1	47.8	44.9	59.3	0.315	0.315	0.54	0.506	0.67	0.819	0.705	0.818	0.784	0.699	0.809
55	7	OLS70	0.5	0.25	0.0	0.1	0.25	0.5	0.169	0.5	0.0	41.9	14.7	60.9	7.1	12.8	12.9	12.4	9.0	0.375	0.375	0.145	0.14	0.101	0.489	0.391	0.326	0.461	0.391	0.332
56	7	OLS70	0.5	0.25	0.25	0.994	0.375	0.25	0.063	0.5	0.25	42.6	5.8	22.8	5.4	2.3	13.1	12.9	13.1	0.334	0.334	0.147	0.146	0.148	0.461	0.405	0.403	0.444	0.404	0.402
57	7	OLS70	0.5	0.25	0.5	0.914	0.375	0.25	0.985	0.5	0.25	42.6	6.4	354.5	6.4	−0.5	13.2	12.9	14.3	0.327	0.327	0.149	0.146	0.162	0.46	0.404	0.423	0.443	0.403	0.42
58	7	OLS70	0.5	0.25	0.75	0.836	0.5	0.5	0.904	0.25	0.25	60.3	9.0	325.5	7.5	−5.0	28.9	28.4	34.7	0.314	0.314	0.326	0.321	0.392	0.641	0.586	0.64	0.62	0.58	0.632
59	7	OLS70	0.489	0.25	1.0	0.806	0.625	0.75	0.875	0.0	0.25	77.8	11.5	315.0	8.2	−8.0	53.4	52.9	66.8	0.309	0.309	0.603	0.598	0.754	0.832	0.779	0.859	0.813	0.773	0.852
60	7	OLS70	0.5	0.5	0.0	0.206	0.25	0.5	0.275	0.5	0.0	46.3	17.6	98.9	−2.6	17.4	14.3	15.5	9.9	0.36	0.36	0.161	0.175	0.112	0.482	0.457	0.335	0.472	0.455	0.343
61	7	OLS70	0.5	0.5	0.25	0.206	0.375	0.25	0.275	0.5	0.25	47.0	8.8	98.9	−1.3	8.7	15.0	16.0	13.6	0.336	0.336	0.169	0.181	0.153	0.478	0.463	0.402	0.471	0.46	0.404
62	7	OLS70	0.5	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.5	82.6	0.0	0.0	0.0	0.0	58.3	61.3	66.8	0.313	0.313	0.658	0.692	0.754	0.85	0.85	0.85	0.846	0.846	0.846
63	7	OLS70	0.5	0.5	0.75	0.756	0.625	0.25	0.824	0.25	0.5	65.3	2.6	296.6	1.2	−2.3	33.1	34.5	39.5	0.309	0.309	0.374	0.389	0.446	0.658	0.655	0.674	0.651	0.649	0.668
64	7	OLS70	0.5	0.5	1.0	0.756	0.75	0.5	0.824	0.0	0.5	83.0	5.3	296.6	2.4	−4.6	60.0	62.1	73.4	0.307	0.307	0.678	0.701	0.829	0.857	0.851	0.892	0.851	0.846	0.887
65	7	OLS70	0.511	0.75	0.0	0.253	0.375	0.75	0.322	0.25	0.0	65.5	22.2	116.1	−9.6	19.9	30.3	34.6	23.8	0.341	0.341	0.342	0.391	0.269	0.643	0.675	0.51	0.647	0.669	0.514
66	7	OLS70	0.5	0.75	0.25	0.281	0.5	0.5	0.35	0.25	0.25	66.0	13.2	125.9	−7.6	10.7	31.4	35.3	30.4	0.323	0.323	0.354	0.398	0.343	0.638	0.679	0.584	0.644	0.673	0.583
67	7	OLS70	0.5	0.75	0.5	0.356	0.625	0.25	0.424	0.25	0.5	66.7	4.4	152.8	−3.8	2.0	33.3	36.2	37.8	0.31	0.31	0.376	0.409	0.427	0.648	0.68	0.656	0.651	0.674	0.651
68	7	OLS70	0.5	0.75	0.75	0.606	0.625	0.25	0.675	0.25	0.5	67.3	5.5	243.1	−2.4	−4.8	34.5	37.0	44.6	0.297	0.297	0.389	0.418	0.503	0.64	0.686	0.714	0.648	0.68	0.707
69	7	OLS70	0.5	0.75	1.0	0.681	0.75	0.5	0.75	0.0	0.5	84.9	8.1	269.8	0.0	−8.0	62.6	65.9	82.3	0.297	0.297	0.707	0.744	0.928	0.846	0.88	0.94	0.852	0.877	0.936
70	7	OLS70	0.5	1.0	0.0	0.281	0.5	1.0	0.35	0.0	0.0	84.3	26.3	125.9	−15.3	21.4	55.0	64.5	47.3	0.33	0.33	0.621	0.729	0.534	0.813	0.9	0.702	0.835	0.897	0.706
71	7	OLS70	0.489	1.0	0.25	0.308	0.625	0.75	0.377	0.0	0.25	84.8	17.3	135.6	−12.3	12.1	57.1	65.5	57.4	0.317	0.317	0.645	0.74	0.648	0.814	0.901	0.78	0.836	0.898	0.78
72	7	OLS70	0.5	1.0	0.5	0.356	0.75	0.5	0.424	0.0	0.5	85.6	8.7	152.8	−7.7	4.0	60.6	67.3	68.4	0.309	0.309	0.684	0.759	0.772	0.835	0.903	0.854	0.851	0.9	0.852
73	7	OLS70	0.5	1.0	0.75	0.481	0.75	0.5	0.55	0.0	0.5	86.3	9.8	198.0	−9.2	−2.9	61.1	68.5	78.5	0.293	0.293	0.689	0.773	0.886	0.799	0.916	0.915	0.831	0.913	0.912
74	7	OLS70	0.5	1.0	1.0	0.606	0.75	0.5	0.675	0.0	0.5	86.9	10.9	243.1	−4.8	−9.7	64.1	69.8	89.2	0.287	0.287	0.724	0.788	1.007	0.817	0.915	0.975	0.842	0.913	0.972

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
/YG46/ Form: 466, Serie: 1/1, Seite: 46
Seitenzählung 1

Daten der 5x5x5 = 125 Farben im Farbmatrik-Sytem OLS70; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	α^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}		$a^*b^*_{CIE}$		XYZ_{CIE}		xy_{CIE}		XYZ_{RGB}		RGB'_{sRGB}			$RGB'_{AdobeRGB}$					
75	7	OLS70	0.75	0.0	0.0	0.994	0.375	0.75	0.063	0.25	0.0	56.3	17.5	22.8	16.1	6.8	26.7	24.2	22.2	0.366	0.366	0.302	0.273	0.251	0.69	0.517	0.513	0.64	0.512	0.509
76	7	OLS70	0.75	0.0	0.239	0.969	0.375	0.75	0.038	0.25	0.0	56.3	18.1	13.8	17.5	4.3	27.1	24.2	23.7	0.361	0.361	0.306	0.273	0.267	0.693	0.514	0.531	0.642	0.509	0.526
77	7	OLS70	0.75	0.0	0.511	0.942	0.375	0.75	0.01	0.25	0.0	56.3	18.7	3.5	18.6	1.1	27.4	24.2	25.6	0.355	0.355	0.309	0.273	0.289	0.692	0.512	0.554	0.642	0.507	0.547
78	7	OLS70	0.75	0.0	0.75	0.914	0.375	0.75	0.985	0.25	0.0	56.3	19.2	354.5	19.1	-1.7	27.5	24.2	27.6	0.347	0.347	0.311	0.273	0.311	0.688	0.511	0.575	0.638	0.507	0.567
79	7	OLS70	0.768	0.0	1.0	0.878	0.5	1.0	0.947	0.0	0.0	74.0	22.1	341.1	20.9	-7.1	52.0	46.7	58.3	0.331	0.331	0.587	0.527	0.658	0.888	0.7	0.81	0.835	0.694	0.801
80	7	OLS70	0.75	0.239	0.0	0.061	0.375	0.75	0.131	0.25	0.0	60.5	20.4	47.1	13.9	14.9	30.8	28.6	21.8	0.379	0.379	0.348	0.323	0.246	0.74	0.566	0.499	0.69	0.56	0.498
81	7	OLS70	0.75	0.25	0.25	0.994	0.5	0.5	0.063	0.25	0.25	61.4	11.7	22.8	10.8	4.5	31.0	29.7	29.1	0.345	0.345	0.35	0.335	0.329	0.705	0.586	0.583	0.668	0.581	0.577
82	7	OLS70	0.75	0.25	0.5	0.956	0.5	0.5	0.024	0.25	0.25	61.4	12.2	8.7	12.1	1.8	31.4	29.7	31.0	0.341	0.341	0.354	0.335	0.35	0.708	0.584	0.602	0.669	0.578	0.596
83	7	OLS70	0.75	0.25	0.75	0.914	0.5	0.5	0.985	0.25	0.25	61.4	12.8	354.5	12.7	-1.1	31.6	29.7	33.2	0.334	0.334	0.356	0.335	0.375	0.703	0.583	0.625	0.666	0.577	0.617
84	7	OLS70	0.761	0.25	1.0	0.864	0.625	0.75	0.933	0.0	0.25	79.1	15.6	336.0	14.3	-6.2	58.0	55.1	67.2	0.322	0.322	0.654	0.621	0.758	0.9	0.776	0.86	0.863	0.77	0.853
85	7	OLS70	0.75	0.511	0.0	0.139	0.375	0.75	0.207	0.25	0.0	65.3	23.6	74.7	6.2	22.8	34.5	34.4	22.0	0.379	0.379	0.389	0.388	0.248	0.761	0.636	0.49	0.722	0.63	0.493
86	7	OLS70	0.75	0.5	0.25	0.1	0.5	0.5	0.169	0.25	0.25	65.8	14.7	60.9	7.1	12.8	35.4	35.0	28.7	0.357	0.357	0.399	0.395	0.323	0.751	0.641	0.569	0.716	0.635	0.567
87	7	OLS70	0.75	0.5	0.5	0.994	0.625	0.25	0.063	0.25	0.5	66.5	5.8	22.8	5.4	2.3	35.7	35.9	37.3	0.328	0.328	0.403	0.405	0.421	0.718	0.656	0.653	0.695	0.65	0.648
88	7	OLS70	0.75	0.5	0.75	0.914	0.625	0.25	0.985	0.25	0.5	66.5	6.4	354.5	6.4	-0.5	36.0	35.9	39.6	0.323	0.323	0.407	0.406	0.447	0.716	0.654	0.675	0.693	0.648	0.668
89	7	OLS70	0.75	0.5	1.0	0.836	0.75	0.5	0.904	0.0	0.5	84.1	9.0	325.5	7.5	-5.0	64.3	64.3	76.4	0.314	0.314	0.726	0.725	0.862	0.91	0.851	0.908	0.89	0.846	0.903
90	7	OLS70	0.75	0.75	0.0	0.206	0.375	0.75	0.275	0.25	0.0	69.5	26.5	98.9	-4.0	26.1	36.8	40.0	24.3	0.364	0.364	0.415	0.452	0.274	0.745	0.706	0.507	0.728	0.7	0.513
91	7	OLS70	0.75	0.75	0.25	0.206	0.5	0.5	0.275	0.25	0.25	70.2	17.6	98.9	-2.6	17.4	38.1	41.0	30.7	0.347	0.347	0.43	0.463	0.347	0.742	0.712	0.58	0.728	0.706	0.581
92	7	OLS70	0.75	0.75	0.5	0.206	0.625	0.25	0.275	0.25	0.5	70.9	8.8	98.9	-1.3	8.7	39.5	42.0	38.2	0.33	0.33	0.446	0.474	0.431	0.736	0.719	0.653	0.725	0.713	0.65
93	7	OLS70	0.75	0.75	0.75	0.0	0.75	0.0	0.0	0.25	0.75	89.0	0.0	0.0	0.0	0.0	70.5	74.1	80.7	0.313	0.313	0.795	0.837	0.911	0.924	0.925	0.924	0.922	0.922	0.922
94	7	OLS70	0.75	0.75	1.0	0.756	0.875	0.25	0.824	0.0	0.75	89.2	2.6	296.6	1.2	-2.3	71.4	74.6	84.4	0.31	0.31	0.806	0.842	0.953	0.928	0.925	0.946	0.925	0.922	0.943
95	7	OLS70	0.768	1.0	0.0	0.239	0.5	1.0	0.309	0.0	0.0	88.8	31.1	111.4	-11.3	29.0	64.8	73.6	47.4	0.349	0.349	0.732	0.831	0.535	0.92	0.942	0.692	0.924	0.94	0.699
96	7	OLS70	0.761	1.0	0.25	0.253	0.625	0.75	0.322	0.0	0.25	89.3	22.2	116.1	-9.6	19.9	66.7	74.9	57.5	0.335	0.335	0.752	0.845	0.649	0.914	0.947	0.771	0.921	0.945	0.774
97	7	OLS70	0.75	1.0	0.5	0.281	0.75	0.5	0.35	0.0	0.5	89.8	13.2	125.9	-7.6	10.7	68.6	75.9	69.0	0.321	0.321	0.774	0.857	0.779	0.908	0.95	0.85	0.917	0.948	0.85
98	7	OLS70	0.75	1.0	0.75	0.356	0.875	0.25	0.424	0.0	0.75	90.5	4.4	152.8	-3.8	2.0	71.8	77.4	81.6	0.311	0.311	0.81	0.874	0.921	0.917	0.952	0.926	0.925	0.95	0.925
99	7	OLS70	0.75	1.0	1.0	0.606	0.875	0.25	0.675	0.0	0.75	91.2	5.5	243.1	-2.4	-4.8	73.7	78.8	92.8	0.3	0.3	0.832	0.89	1.047	0.91	0.958	0.988	0.921	0.956	0.986



BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 4/8, Serie: 1/1, Seite: 47
Seite 47



Daten der 5x5x5 = 125 Farben im Farbmatrik-System OLS70; Sechs Bunttonwinkel des Farbgerätes: (22.8, 98.9, 152.8, 243.1, 296.6, 354.5); Vier Bunttonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	ρ^*_3	l^*_3	v^*_3	e^*	t^*	c^*	h^*	n^*	w^*	LCH^*_{CIE}	$a^*b^*_{CIE}$	XYZ_{CIE}	xy_{CIE}	XYZ_{RGB}	RGB'_{sRGB}	$RGB'_{AdobeRGB}$	
100	7	OLS70	1.0	0.0	0.0	0.994	0.5	1.0	0.063	0.0	0.0	75.0 23.4 22.8 21.5 9.1	53.9 48.3 44.0 0.369 0.369 0.608 0.545 0.496 0.948 0.704 0.7	0.884 0.698 0.694					
101	7	OLS70	1.0	0.0	0.232	0.975	0.5	1.0	0.045	0.0	0.0	75.0 23.9 16.3 22.9 6.7	54.5 48.3 46.2 0.366 0.366 0.615 0.545 0.521 0.952 0.701 0.718	0.886 0.695 0.711					
102	7	OLS70	1.0	0.0	0.5	0.956	0.5	1.0	0.024	0.0	0.0	75.0 24.5 8.7 24.2 3.7	55.0 48.3 49.0 0.361 0.361 0.621 0.546 0.553 0.953 0.698 0.741	0.887 0.692 0.733					
103	7	OLS70	1.0	0.0	0.768	0.933	0.5	1.0	0.003	0.0	0.0	75.1 25.1 1.1 25.1 0.5	55.4 48.4 52.2 0.355 0.355 0.625 0.546 0.589 0.951 0.697 0.765	0.885 0.691 0.757					
104	7	OLS70	1.0	0.0	1.0	0.914	0.5	1.0	0.985	0.0	0.0	75.1 25.6 354.5 25.5 -2.4	55.5 48.4 55.2 0.349 0.349 0.627 0.546 0.623 0.946 0.697 0.787	0.881 0.691 0.778					
105	7	OLS70	1.0	0.232	0.0	0.042	0.5	1.0	0.112	0.0	0.0	79.1 26.1 40.5 19.9 17.0	60.4 55.1 43.2 0.38 0.38 0.681 0.622 0.488 1.004 0.753 0.685 0.939 0.747 0.682						
106	7	OLS70	1.0	0.25	0.25	0.994	0.625	0.75	0.063	0.0	0.25	80.1 17.5 22.8 16.1 6.8	60.6 56.9 54.6 0.352 0.352 0.684 0.642 0.616 0.966 0.778 0.773 0.915 0.772 0.768						
107	7	OLS70	1.0	0.25	0.489	0.969	0.625	0.75	0.038	0.0	0.25	80.1 18.1 13.8 17.5 4.3	61.2 56.9 57.3 0.349 0.349 0.691 0.642 0.646 0.969 0.775 0.792 0.917 0.769 0.786						
108	7	OLS70	1.0	0.25	0.761	0.942	0.625	0.75	0.01	0.0	0.25	80.1 18.7 3.5 18.6 1.1	61.7 56.9 60.7 0.344 0.344 0.697 0.643 0.685 0.968 0.773 0.816 0.915 0.767 0.81						
109	7	OLS70	1.0	0.25	1.0	0.914	0.625	0.75	0.985	0.0	0.25	80.2 19.2 354.5 19.1 -1.7	62.0 57.0 64.1 0.339 0.339 0.699 0.643 0.724 0.963 0.773 0.839 0.911 0.767 0.832						
110	7	OLS70	1.0	0.5	0.0	0.1	0.5	1.0	0.169	0.0	0.0	83.8 29.3 60.9 14.3 25.6	66.8 63.7 42.8 0.385 0.385 0.754 0.719 0.483 1.041 0.82 0.67 0.985 0.816 0.671						
111	7	OLS70	1.0	0.489	0.25	0.061	0.625	0.75	0.131	0.0	0.25	84.3 20.4 47.1 13.9 14.9	67.6 64.7 53.7 0.363 0.363 0.763 0.73 0.607 1.021 0.83 0.758 0.97 0.825 0.755						
112	7	OLS70	1.0	0.5	0.5	0.994	0.75	0.5	0.063	0.0	0.5	85.2 11.7 22.8 10.8 4.5	67.9 66.4 66.8 0.338 0.338 0.767 0.75 0.754 0.98 0.852 0.847 0.944 0.847 0.843						
113	7	OLS70	1.0	0.5	0.75	0.956	0.75	0.5	0.024	0.0	0.5	85.2 12.2 8.7 12.1 1.8	68.6 66.4 70.1 0.334 0.334 0.774 0.75 0.791 0.982 0.849 0.868 0.945 0.845 0.864						
114	7	OLS70	1.0	0.5	1.0	0.914	0.75	0.5	0.985	0.0	0.5	85.2 12.8 354.5 12.7 -1.1	68.9 66.5 73.9 0.329 0.329 0.777 0.75 0.834 0.978 0.848 0.892 0.941 0.844 0.887						
115	7	OLS70	1.0	0.768	0.0	0.156	0.5	1.0	0.226	0.0	0.0	88.6 32.5 81.3 4.9 32.1	71.9 73.2 44.2 0.38 0.38 0.812 0.826 0.499 1.047 0.899 0.669 1.008 0.896 0.674						
116	7	OLS70	1.0	0.761	0.25	0.139	0.625	0.75	0.207	0.0	0.25	89.1 23.6 74.7 6.2 22.8	73.7 74.4 54.2 0.364 0.364 0.832 0.84 0.611 1.043 0.904 0.749 1.006 0.901 0.751						
117	7	OLS70	1.0	0.75	0.5	0.1	0.75	0.5	0.169	0.0	0.5	89.6 14.7 60.9 7.1 12.8	75.2 75.5 66.0 0.347 0.347 0.848 0.852 0.745 1.029 0.91 0.833 0.997 0.907 0.832						
118	7	OLS70	1.0	0.75	0.75	0.994	0.875	0.25	0.063	0.0	0.75	90.3 5.8 22.8 5.4 2.3	75.8 77.0 80.8 0.325 0.325 0.855 0.869 0.911 0.992 0.926 0.923 0.973 0.923 0.921						
119	7	OLS70	1.0	0.75	1.0	0.914	0.875	0.25	0.985	0.0	0.75	90.3 6.4 354.5 6.4 -0.5	76.3 77.0 84.7 0.321 0.321 0.861 0.869 0.956 0.99 0.924 0.946 0.971 0.922 0.943						
120	7	OLS70	1.0	1.0	0.0	0.206	0.5	1.0	0.275	0.0	0.0	92.6 35.3 98.9 -5.3 34.8	75.4 82.1 48.2 0.366 0.366 0.851 0.927 0.544 1.026 0.972 0.69 1.012 0.971 0.699						
121	7	OLS70	1.0	1.0	0.25	0.206	0.625	0.75	0.275	0.0	0.25	93.3 26.5 98.9 -4.0 26.1	77.5 83.7 58.3 0.353 0.353 0.875 0.945 0.658 1.024 0.979 0.768 1.012 0.978 0.773						
122	7	OLS70	1.0	1.0	0.5	0.206	0.75	0.5	0.275	0.0	0.5	94.0 17.6 98.9 -2.6 17.4	79.7 85.3 69.6 0.34 0.34 0.9 0.963 0.786 1.019 0.986 0.846 1.01 0.985 0.848						
123	7	OLS70	1.0	1.0	0.75	0.206	0.875	0.25	0.275	0.0	0.75	94.7 8.8 98.9 -1.3 8.7	81.9 87.0 82.3 0.326 0.326 0.925 0.981 0.929 1.011 0.993 0.923 1.006 0.992 0.923						
124	7	OLS70	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	95.4 0.0 0.0 0.0 0.0	84.2 88.6 96.5 0.313 0.313 0.95 1.0 1.089 1.0 1.0 1.0 1.0 1.0 1.0						

Siehe ähnliche Dateien: <http://www.ps.bam.de/YG46/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM-Registrierung: 20061101-YG46/10L/L46G00FP.PS/.PDF BAM-Material: Code=rha4ta
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen
/YG46/ Form: 488, Serie: 1/1, Seite: 48
Seite 48