

ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 1/4, ORS18





ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 3/4, ORS18





www.ps.bam.de/ZE51/10L/L51E00FA.PS/.TXT, Page 6/28; TLS00; linearized output
F: linearized outputZE51/10L/L51E00FA.DAT in File (F)

See for similar files: http://www.ps.bam.de/ZE51/; Technical information: http://www.ps.bam.de/ZE.HTM Version 2.1, io=1,1 CIELAB

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT application for evaluation and monitoring of printer or monitor systems BAM material: code=rha4a

ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 6/4, TLS00

BAM-test chart ZE51; Colorimetric systems, Page 6/28 input: *000n / w / nnn0 / rgb set...*
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** output: *−>LAB*−>cmyn4* setcmykcolo*

www.ps.bam.de/ZE51/10L/L51E00FA.PS/.TXT, Page 7/28; FRS06; linearized output
F: linearized outputZE51/10L/L51E00FA.DAT in File (F)

See for similar files: http://www.ps.bam.de/ZE51/; Technical information: http://www.ps.bam.de/ZE.HTM Version 2.1, io=1,1 CIELAB

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT

BAM material: code=rha4a

application for evaluation and monitoring of printer or monitor systems

ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 7/4, FRS06

BAM-test chart ZE51; Colorimetric systems, Page 7/28 input: *000n / w / nnn0 / rgb set...*

40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** output: *−>LAB*−>cmyn4* setcmykcolo*

www.ps.bam.de/ZE51/10L/L51E00FA.PS/.TXT, Page 8/28; TSL18; linearized output
F: linearized outputZE51/10L/L51E00FA.DAT in File (F)

See for similar files: http://www.ps.bam.de/ZE51/
Technical information: http://www.ps.bam.de/ZE.HTM Version 2.1, io=1,1 CIELAB

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT
application for evaluation and monitoring of printer or monitor systems

ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 8/4, TSL18

BAM-test chart ZE51; Colorimetric systems, Page 8/28
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** input: *000n / w / nnn0 / rgb set...*
output: *−>LAB*−>cmyn4* setcmykcolo*

BAM material: code=rha4a



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 9/4, NLS00



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 10/4, NLS18

www.ps.bam.de/ZE51/10L/L51E00FA.PS/.TXT, Page 11/28; SRS18; linearized output
F: linearized outputZE51/10L/L51E00FA.DAT in File (F)

See for similar files: http://www.ps.bam.de/ZE51/; Technical information: http://www.ps.bam.de/ZE.HTM Version 2.1, io=1,1 CIELAB

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT

application for evaluation and monitoring of printer or monitor systems

BAM material: code=rha4ta

ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 11/4, SRS18

BAM-test chart ZE51; Colorimetric systems, Page 11/28

40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** output: *−>LAB*−>cmyn4* setcmykcolo*

input: *000n / w / nnn0 / rgb set...*

www.ps.bam.de/ZE51/10L/L51E00FA.PS/.TXT, Page 12/28; TLS70; linearized output
F: linearized outputZE51/10L/L51E00FA.DAT in File (F)

See for similar files: http://www.ps.bam.de/ZE51/; Technical information: http://www.ps.bam.de/ZE.HTM Version 2.1, io=1,1 CIELAB

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT application for evaluation and monitoring of printer or monitor systems BAM material: code=rha4ta

ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 12/4, TLS70

BAM-test chart ZE51; Colorimetric systems, Page 12/28 input: *000n / w / nnn0 / rgb set...*
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** output: *−>LAB*−>cmyn4* setcmykcolo*



See for similar files: http://www.ps.bam.de/ZE51/
Technical information: http://www.ps.bam.de/ZE.HTM
Version 2.1, io=1,1 CIELAB

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT
application for evaluation and monitoring of printer systems
BAM material: code=rha4ta

BAM-test chart ZE51; Colorimetric systems, Page 13/28
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** input: *000n / w / nnn0 / rgb set...*
output: *−>LAB*−>cmyn4* setcmykcolo*







BAM-test chart ZE51; Colorimetric systems, Page 16/28
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** input: *000n / w / nnn0 / rgb set...*
output: *−>LAB*−>cmyn4* setcmykcolo*



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 17/4, TLS27



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 18/4, TLS38



See for similar files: http://www.ps.bam.de/ZE51/; www.ps.bam.de/ZE.HTM
Technical information: http://www.ps.bam.de Version 2.1, io=1,1 CIELAB

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT
application for evaluation and monitor systems

BAM-test chart ZE51; Colorimetric systems, Page 19/28
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** input: *000n / w / nnn0 / rgb set...*
output: *−>LAB*−>cmyn4* setcmykcolo*


www.ps.bam.de/ZE51/10L/L51E00FA.PS/.TXT, Page 20/28; TLS70; linearized output
F: linearized outputZE51/10L/L51E00FA.DAT in File (F)
See for similar files: http://www.ps.bam.de/ZE51/; www.ps.bam.de/ZE.HTM
Technical information: http://www.ps.bam.de Version 2.1, io=1,1 CIELAB
BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT
application for evaluation and monitoring of printer systems
BAM-test chart ZE51; Colorimetric systems, Page 20/28
40x27=1080 colours with data: rgb / w / cmy0 / 000n / LAB*
input: 000n / w / nnn0 / rgb set...
output: −>LAB*−>cmyn4* setcmykcolo
ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 20/4, TLS70



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in evaluation (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 21/4, OLS00



BAM-test chart ZE51; Colorimetric systems, Page 22/28 input: *000n / w / nnn0 / rgb set...*
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** output: *−>LAB*−>cmyn4* setcmykcolo*



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in colour(A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 23/4, OLS11

input: *000n / w / nnn0 / rgb set...*
output: *−>LAB*−>cmyn4* setcmykcolo*



BAM-test chart ZE51; Colorimetric systems, Page 24/28 input: *000n / w / nnn0 / rgb set...*
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB** output: *−>LAB*−>cmyn4* setcmykcolo*



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in evaluation (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 25/4, OLS27



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in evaluation (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 26/4, OLS38

input: *000n / w / nnn0 / rgb set...*
output: *−>LAB*−>cmyn4* setcmykcolo*



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in evaluation (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 27/4, OLS52



ZE510−7F, Test chart with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in colour (A−n): rgb (A−j, n), 000n (k), w (l), nnn0 (m), 5,4mm x 5,4mm, Page 28/4, OLS70

BAM-test chart ZE51; Colorimetric systems, Page 28/28
40x27=1080 colours with data: *rgb / w / cmy0 / 000n / LAB**

input: *000n / w / nnn0 / rgb set...*
output: *−>LAB*−>cmyn4* setcmykcolo*

BAM registration: 20071001-ZE51/10L/L51E00FA.PS/.TXT
application for evaluation and monitor systems

BAM material: code=rha4a

See for similar files: http://www.ps.bam.de/ZE51/; www.ps.bam.de/ZE.HTM
Technical information: http://www.ps.bam.de Version 2.1, io=1,1 CIELAB