

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 25/360 = 0.069$

lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 69 25

olv*Ma: 1.0 0.0 0.32



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 25/360 = 0.069$

lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 69 25

olv*Ma: 1.0 0.0 0.32



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 41/360 = 0.113$

lab^*tch and lab^*nch

D65: hue R25J

LCH*Ma: 54 74 41

olv*Ma: 1.0 0.05 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 41/360 = 0.113 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 41/360 = 0.113$

lab^*tch and lab^*nch

D65: hue R25J

LCH*Ma: 54 74 41

olv*Ma: 1.0 0.05 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 41/360 = 0.113 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 59/360 = 0.164$

lab^*tch and lab^*nch

D65: hue R50J

LCH*Ma: 65 70 59

olv*Ma: 1.0 0.35 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 59/360 = 0.164 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 59/360 = 0.164$

lab^*tch and lab^*nch

D65: hue R50J

LCH*Ma: 65 70 59

olv*Ma: 1.0 0.35 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 59/360 = 0.164 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab \cdot h = 77/360 = 0.215$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue R75J

LCH*Ma: 77 72 77

olv*Ma: 1.0 0.63 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 77/360 = 0.215 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab \cdot h = 77/360 = 0.215$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue R75J

LCH*Ma: 77 72 77

olv*Ma: 1.0 0.63 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 77/360 = 0.215 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 92/360 = 0.255$

lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 81 92

olv*Ma: 1.0 0.9 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 92/360 = 0.255$

lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 81 92

olv*Ma: 1.0 0.9 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 103/360 = 0.286$

lab^*tch and lab^*nch

D65: hue J25G

LCH*Ma: 85 78 103

olv*Ma: 0.84 1.0 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 103/360 = 0.286 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 103/360 = 0.286$

lab^*tch and lab^*nch

D65: hue J25G

LCH*Ma: 85 78 103

olv*Ma: 0.84 1.0 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 103/360 = 0.286 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 119/360 = 0.331$

lab^*tch and lab^*nch

D65: hue J50G

LCH*Ma: 73 68 119

olv*Ma: 0.51 1.0 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 119/360 = 0.331 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 119/360 = 0.331$

lab^*tch and lab^*nch

D65: hue J50G

LCH*Ma: 73 68 119

olv*Ma: 0.51 1.0 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 119/360 = 0.331 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 141/360 = 0.393$

lab^*tch and lab^*nch

D65: hue J75G

LCH*Ma: 60 64 141

olv*Ma: 0.15 1.0 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 141/360 = 0.393 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 141/360 = 0.393$

lab^*tch and lab^*nch

D65: hue J75G

LCH*Ma: 60 64 141

olv*Ma: 0.15 1.0 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 141/360 = 0.393 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab \cdot h = 164/360 = 0.457$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 56 52 164

olv*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab \cdot h = 164/360 = 0.457$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue G

LCH*Ma: 56 52 164

olv*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 185/360 = 0.515$

lab^*tch and lab^*nch

D65: hue G25B

LCH*Ma: 58 43 185

olv*Ma: 0.0 1.0 0.49



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 185/360 = 0.515 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 185/360 = 0.515$

lab^*tch and lab^*nch

D65: hue G25B

LCH*Ma: 58 43 185

olv*Ma: 0.0 1.0 0.49



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 185/360 = 0.515 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 220/360 = 0.612$

lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 60 44 220

olv*Ma: 0.0 1.0 0.82



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 220/360 = 0.612 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 220/360 = 0.612$

lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 60 44 220

olv*Ma: 0.0 1.0 0.82



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 220/360 = 0.612 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 253/360 = 0.703$

lab^*tch and lab^*nch

D65: hue G75B

LCH*Ma: 53 43 253

olv*Ma: 0.0 0.73 1.0



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 253/360 = 0.703 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 253/360 = 0.703$

lab^*tch and lab^*nch

D65: hue G75B

LCH*Ma: 53 43 253

olv*Ma: 0.0 0.73 1.0



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 253/360 = 0.703 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab \cdot h = 271/360 = 0.754$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 46 41 271

olv*Ma: 0.0 0.49 1.0



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab \cdot h = 271/360 = 0.754$

$lab \cdot tch$ and $lab \cdot nch$

D65: hue B

LCH*Ma: 46 41 271

olv*Ma: 0.0 0.49 1.0



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 299/360 = 0.83$

lab^*tch and lab^*nch

D65: hue B25R

LCH*Ma: 35 47 299

olv*Ma: 0.0 0.11 1.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 299/360 = 0.83 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 299/360 = 0.83$

lab^*tch and lab^*nch

D65: hue B25R

LCH*Ma: 35 47 299

olv*Ma: 0.0 0.11 1.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 299/360 = 0.83 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 342/360 = 0.949$

lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 45 59 342

olv*Ma: 0.67 0.0 1.0



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 342/360 = 0.949 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 342/360 = 0.949$

lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 45 59 342

olv*Ma: 0.67 0.0 1.0



% Gamut

$u^*_{rel} = 85$


% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 342/360 = 0.949 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 11/360 = 0.03$

lab^*tch and lab^*nch

D65: hue B75R

LCH*Ma: 52 67 11

olv*Ma: 1.0 0.0 0.62



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 11/360 = 0.03$

lab^*tch and lab^*nch

D65: hue B75R

LCH*Ma: 52 67 11

olv*Ma: 1.0 0.0 0.62



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 11/360 = 0.03 (left)

ZE920-7N, 16 step scales for constant CIELAB hue 11/360 = 0.03 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 25/360 = 0.069$

lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 69 25

olv*Ma: 1.0 0.0 0.32



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 25/360 = 0.069$

lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 69 25

olv*Ma: 1.0 0.0 0.32



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 41/360 = 0.113$

lab^*tch and lab^*nch

D65: hue R25J

LCH*Ma: 54 74 41

olv*Ma: 1.0 0.05 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 41/360 = 0.113 (left)

Page 18/96

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 41/360 = 0.113$

lab^*tch and lab^*nch

D65: hue R25J

LCH*Ma: 54 74 41

olv*Ma: 1.0 0.05 0.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 41/360 = 0.113 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 59/360 = 0.164$

lab^*tch and lab^*nch

D65: hue R50J

LCH*Ma: 65 70 59

olv*Ma: 1.0 0.35 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 59/360 = 0.164$

lab^*tch and lab^*nch

D65: hue R50J

LCH*Ma: 65 70 59

olv*Ma: 1.0 0.35 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 77/360 = 0.215 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 81 92

olv*Ma: 1.0 0.9 0.0

triangle lightness t^*



% Gamut


$u^*_{rel} = 85$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271



ZE920-7N, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 81 92

olv*Ma: 1.0 0.9 0.0

triangle lightness t^*



% Gamut


$u^*_{rel} = 85$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



ZE920-7N, 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 103/360 = 0.286$

lab^*tch and lab^*nch

D65: hue J25G

LCH*Ma: 85 78 103

olv*Ma: 0.84 1.0 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.74	60.16	46.48	76.02	38
YMa	90.77	-9.44	84.41	84.94	96
LMa	54.46	-57.8	32.16	66.15	151
CMa	61.56	-27.91	-41.41	49.95	236
VMa	31.3	28.61	-40.85	49.88	305
MMa	51.91	69.26	-7.69	69.68	354
NMa	24.2	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	44.36	53.97	24.82	59.4	25
JCIE	82.39	-1.99	62.34	62.37	92
GCIE	55.68	-38.87	10.82	40.36	164
BCIE	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 103/360 = 0.286$

lab^*tch and lab^*nch

D65: hue J25G

LCH*Ma: 85 78 103

olv*Ma: 0.84 1.0 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 119/360 = 0.331$

lab^*tch and lab^*nch

D65: hue J50G

LCH*Ma: 73 68 119

olv*Ma: 0.51 1.0 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 119/360 = 0.331 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 119/360 = 0.331$

lab^*tch and lab^*nch

D65: hue J50G

LCH*Ma: 73 68 119

olv*Ma: 0.51 1.0 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 119/360 = 0.331 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 141/360 = 0.393$

lab^*tch and lab^*nch

D65: hue J75G

LCH*Ma: 60 64 141

olv*Ma: 0.15 1.0 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 141/360 = 0.393 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 141/360 = 0.393$

lab^*tch and lab^*nch

D65: hue J75G

LCH*Ma: 60 64 141

olv*Ma: 0.15 1.0 0.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 141/360 = 0.393 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 164/360 = 0.457$

lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 56 52 164

olv*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

Page 25/96

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 164/360 = 0.457$

lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 56 52 164

olv*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 185/360 = 0.515$

lab^*tch and lab^*nch

D65: hue G25B

LCH*Ma: 58 43 185

olv*Ma: 0.0 1.0 0.49



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 185/360 = 0.515 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 185/360 = 0.515$

lab^*tch and lab^*nch

D65: hue G25B

LCH*Ma: 58 43 185

olv*Ma: 0.0 1.0 0.49



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 185/360 = 0.515 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 220/360 = 0.612$

lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 60 44 220

olv*Ma: 0.0 1.0 0.82



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 220/360 = 0.612 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 220/360 = 0.612$

lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 60 44 220

olv*Ma: 0.0 1.0 0.82



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 220/360 = 0.612 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 253/360 = 0.703$

lab^*tch and lab^*nch

D65: hue G75B

LCH*Ma: 53 43 253

olv*Ma: 0.0 0.73 1.0



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 253/360 = 0.703 (left)

Page 28/96

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 253/360 = 0.703$

lab^*tch and lab^*nch

D65: hue G75B

LCH*Ma: 53 43 253

olv*Ma: 0.0 0.73 1.0



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 253/360 = 0.703 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 271/360 = 0.754$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 46 41 271

olv*Ma: 0.0 0.49 1.0

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIE LAB hue 271/360 = 0.754 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 271/360 = 0.754$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 46 41 271

olv*Ma: 0.0 0.49 1.0

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIE LAB hue 271/360 = 0.754 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 299/360 = 0.83$

lab^*tch and lab^*nch

D65: hue B25R

LCH*Ma: 35 47 299

olv*Ma: 0.0 0.11 1.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 299/360 = 0.83 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 299/360 = 0.83$

lab^*tch and lab^*nch

D65: hue B25R

LCH*Ma: 35 47 299

olv*Ma: 0.0 0.11 1.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 299/360 = 0.83 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 342/360 = 0.949$

lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 45 59 342

olv*Ma: 0.67 0.0 1.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 342/360 = 0.949$

lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 45 59 342

olv*Ma: 0.67 0.0 1.0



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 11/360 = 0.03$

lab^*tch and lab^*nch

D65: hue B75R

LCH*Ma: 52 67 11

olv*Ma: 1.0 0.0 0.62



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 11/360 = 0.03$

lab^*tch and lab^*nch

D65: hue B75R

LCH*Ma: 52 67 11

olv*Ma: 1.0 0.0 0.62



ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*


%Gamut

$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$











































































m







m



m


























m








m



















y













y











y





y



y



y







y



y



y

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 25/360 = 0.069$

lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 69 25

olv*Ma: 1.0 0.0 0.32



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 25/360 = 0.069$

lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 69 25

olv*Ma: 1.0 0.0 0.32



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

n

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 59/360 = 0.164$


lab^*tch and lab^*nch

D65: hue R50J


LCH*Ma: 65 70 59

olv*Ma: 1.0 0.35 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut
 $u^*_{rel} = 85$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$



ZE920-7N, 9 step scales for constant CIELAB hue 59/360 = 0.164 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 59/360 = 0.164$


lab^*tch and lab^*nch

D65: hue R50J


LCH*Ma: 65 70 59

olv*Ma: 1.0 0.35 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut
 $u^*_{rel} = 85$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$



ZE920-7N, 16 step scales for constant CIELAB hue 59/360 = 0.164 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 77/360 = 0.215$

lab^*tch and lab^*nch


D65: hue R75J

LCH*Ma: 77 72 77

olv*Ma: 1.0 0.63 0.0

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 77/360 = 0.215 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 77/360 = 0.215$

lab^*tch and lab^*nch


D65: hue R75J

LCH*Ma: 77 72 77

olv*Ma: 1.0 0.63 0.0

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 77/360 = 0.215 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 81 92

olv*Ma: 1.0 0.9 0.0

triangle lightness t^*



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



ZE920-7N, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 92/360 = 0.255$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 81 92

olv*Ma: 1.0 0.9 0.0

triangle lightness t^*



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



ZE920-7N, 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue J25G

LCH*Ma: 85 78 103

olv*Ma: 0.84 1.0 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 103/360 = 0.286 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue J25G

LCH*Ma: 85 78 103

olv*Ma: 0.84 1.0 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 103/360 = 0.286 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 119/360 = 0.331$


lab^*tch and lab^*nch

D65: hue J50G

LCH*Ma: 73 68 119

olv*Ma: 0.51 1.0 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 119/360 = 0.331 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 119/360 = 0.331$


lab^*tch and lab^*nch

D65: hue J50G

LCH*Ma: 73 68 119

olv*Ma: 0.51 1.0 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 119/360 = 0.331 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 141/360 = 0.393$


lab^*tch and lab^*nch

D65: hue J75G

LCH*Ma: 60 64 141

olv*Ma: 0.15 1.0 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 141/360 = 0.393 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 141/360 = 0.393$


lab^*tch and lab^*nch

D65: hue J75G

LCH*Ma: 60 64 141

olv*Ma: 0.15 1.0 0.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 141/360 = 0.393 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 164/360 = 0.457$

lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 56 52 164

olv*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 164/360 = 0.457$

lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 56 52 164

olv*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 185/360 = 0.515$


lab^*tch and lab^*nch

D65: hue G25B

LCH*Ma: 58 43 185

olv*Ma: 0.0 1.0 0.49

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 185/360 = 0.515 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 185/360 = 0.515$


lab^*tch and lab^*nch

D65: hue G25B

LCH*Ma: 58 43 185

olv*Ma: 0.0 1.0 0.49

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 185/360 = 0.515 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 220/360 = 0.612$


lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 60 44 220

olv*Ma: 0.0 1.0 0.82

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 220/360 = 0.612 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 220/360 = 0.612$


lab^*tch and lab^*nch

D65: hue G50B

LCH*Ma: 60 44 220

olv*Ma: 0.0 1.0 0.82

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 220/360 = 0.612 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 253/360 = 0.703$


lab^*tch and lab^*nch

D65: hue G75B

LCH*Ma: 53 43 253

olv*Ma: 0.0 0.73 1.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 253/360 = 0.703 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 253/360 = 0.703$


lab^*tch and lab^*nch

D65: hue G75B

LCH*Ma: 53 43 253

olv*Ma: 0.0 0.73 1.0

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 253/360 = 0.703 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 271/360 = 0.754$

lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 46 41 271

olv*Ma: 0.0 0.49 1.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 271/360 = 0.754$

lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 46 41 271

olv*Ma: 0.0 0.49 1.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 299/360 = 0.83$

lab^*tch and lab^*nch


D65: hue B25R

LCH*Ma: 35 47 299

olv*Ma: 0.0 0.11 1.0

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 299/360 = 0.83 (left)

Output: Colorimetric Offset Reflective System ORS18

for hue $h^* = lab^*h = 299/360 = 0.83$

lab^*tch and lab^*nch


D65: hue B25R

LCH*Ma: 35 47 299

olv*Ma: 0.0 0.11 1.0

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11



%Gamut


$u^*_{rel} = 85$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 299/360 = 0.83 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 342/360 = 0.949$

lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 45 59 342

olv*Ma: 0.67 0.0 1.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 342/360 = 0.949 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 342/360 = 0.949$

lab^*tch and lab^*nch

D65: hue B50R

LCH*Ma: 45 59 342

olv*Ma: 0.67 0.0 1.0



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 342/360 = 0.949 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 11/360 = 0.03$

lab^*tch and lab^*nch

D65: hue B75R

LCH*Ma: 52 67 11

olv*Ma: 1.0 0.0 0.62



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.74	60.16	46.48	76.02	38
Y _{Ma}	90.77	-9.44	84.41	84.94	96
L _{Ma}	54.46	-57.8	32.16	66.15	151
C _{Ma}	61.56	-27.91	-41.41	49.95	236
V _{Ma}	31.3	28.61	-40.85	49.88	305
M _{Ma}	51.91	69.26	-7.69	69.68	354
N _{Ma}	24.2	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	44.36	53.97	24.82	59.4	25
J _{CIE}	82.39	-1.99	62.34	62.37	92
G _{CIE}	55.68	-38.87	10.82	40.36	164
B _{CIE}	35.76	1.06	-43.09	43.11	271

triangle lightness t^*



ZE920-7N, 9 step scales for constant CIELAB hue 11/360 = 0.03 (left)

Output: Colorimetric Offset Reflective System ORS18


for hue $h^* = lab^*h = 11/360 = 0.03$

lab^*tch and lab^*nch

D65: hue B75R

LCH*Ma: 52 67 11

olv*Ma: 1.0 0.0 0.62



%Gamut

$u^*_{rel} = 85$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R	51.79	63.09	29.02	69.44	25
R25J	53.73	56.6	48.42	74.48	41
R50J	65.47	35.67	59.82	69.65	59
R75J	76.51	15.98	70.55	72.34	77
J	86.93	-2.58	80.67	80.71	92
J25G	84.92	-17.23	75.99	77.92	103
J50G	73.11	-32.96	59.0	67.58	119
J75G	60.06	-50.34	40.22	64.44	141
G	56.21	-50.44	14.04	52.36	164
G25B	57.95	-43.12	-3.96	43.31	185
G50B	60.3	-33.22	-28.35	43.68	220
G75B	53.27	-12.42	-41.26	43.1	253
B	46.07	1.01	-41.12	41.15	271
B25R	34.63	22.38	-40.91	46.64	299
B50R	45.15	55.92	-18.57	58.93	342
B75R	51.85	65.84	12.67	67.04	11

triangle lightness t^*



ZE920-7N, 16 step scales for constant CIELAB hue 11/360 = 0.03 (right)