


See for similar files: <http://www.ps.bam.de/ZE95/>; [www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,%20io=1,1)

Technical information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,%20io=1,1)

BAM registration: 20071001-ZE95/10L/L95E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems


BAM registration: 20071001-ZE95/10L/L95E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/ZE95/>; www.ps.bam.de/ZE95/
Technical information: [http://www.ps.bam.de/Version 2.1,io=1,1](http://www.ps.bam.de/Version%202.1,io=1,1)


Version 2.1,io=1,1

Version 2.1,io=1,1




BAM registration: 20071001-ZE95/10L/L95E00NP.PS/.PDF
BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems

c



m



See for similar files: <http://www.ps.bam.de/ZE95/>; www.ps.bam.de/ZE95/
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1

BAM-test chart ZE95; Colorimetric systems, Page 6/6
D65: 5 and 16 step colour scales; standard colours

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmkcolor

BAM registration: 20071001-ZE95/10L/L95E00NP.PS/.PDF BAM material: code=rhadt4
application for evaluation and measurement of printer or monitor systems