



See for similar files: <http://www.ps.bam.de/ZE98/>; www.ps.bam.de/ZE98/10L/L98E00NP.PS/.PDF
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1

BAM registration: 20080101-ZE98/10L/L98E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/ZE98/>; [www.ps.bam.de/ZE98/Version 2.1, io=1,1](http://www.ps.bam.de/ZE98/Version%202.1,io=1,1)




BAM-test chart ZE98; Colorimetric systems, Page 2/9
D65: 5 and 16 step colour scales; standard colours


input: 000n / w / nnn0 / www set...
output: -> cmy4* setcmycolor

BAM registration: 20080101-ZE98/10L/L98E00NP.PS/.PDF
BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems






C



m




y




See for similar files: <http://www.ps.bam.de/ZE98/>; www.ps.bam.de/ZE.HTM
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1,1


BAM registration: 20080101-ZE98/10L/L98E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems



C



m



y

0.75

0.50

0.25




0.12

0.06

0.03

0.01

0.00



0.06

0.03

0.01



0.00

0.00

0.00

0.00

0.00



0.01

0.00

0.00

0.00

