



see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>


TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta




AE261-1, Picture B4Wde: 16 equidistant steps W- C_e ; W- M_e ; W- J_e ; W- N ; $rgb/cmy_0 \rightarrow rgbd_e$ setrgbcolor




AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e ; M_e ; Y_e ; Z; PS operator: $rgb \rightarrow rgbd_e$ setrgbcolor




AE261-5, Picture B6Wde: Landolt-rings W- C_e ; W- M_e ; PS operator: $rgb \rightarrow rgbd_e$ setrgbcolor



AE261-7, Picture B7Wde: Landolt-rings W- J_e ; W- N ; PS operator: $rgb \rightarrow rgbd_e$ setrgbcolor



AE260-5, Picture B2Wde: radial gratings W- C_e ; W- M_e ; W- J_e ; W- N ; PS operator: $rgb \rightarrow rgbd_e$ setrgbcolor




AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); $rgb/cmy_0 \rightarrow rgbd_e$ setrgbcolor

Test chart AE26 according to test chart 2 of ISO/IEC 15775
chromatic test chart CMYK


input: $rgb/cmy_0/000n/w$ set...
output: $\rightarrow rgbd_e$ setrgbcolor

see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>


TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta



AE261-1, Picture B4Wde: 16 equidistant steps W-C_e; W-M_e; W-J_e; W-N; *rgb/cmy0->rgb_{de} setrgbcolor*




AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e; M_e; Y_e; Z; PS operator: *rgb->rgb_{de} setrgbcolor*



AE261-5, Picture B6Wde: Landolt-rings W-C_e; W-M_e; PS operator: *rgb->rgb_{de} setrgbcolor*




AE261-7, Picture B7Wde: Landolt-rings W-J_e; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*



AE260-5, Picture B2Wde: radial gratings W-C_e; W-M_e; W-J_e; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*




AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0->rgb_{de} setrgbcolor*




input: *rgb/cmy0/000n/w set...*
output: *->rgb_{de} setrgbcolor*


see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>



AE261-1, Picture B4Wde: 16 equidistant steps W-C_e; W-M_e; W-J_e; W-N; *rgb/cmy0-rgb_{de} setrgbcolor*



AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e; M_e; Y_e; Z; PS operator: *rgb->rgb_{de} setrgbcolor*




AE260-5, Picture B2Wde: radial gratings W-C_e; W-M_e; W-J_e; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*




AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0-rgb_{de} setrgbcolor*



Test chart AE26 according to test chart 2 of ISO/IEC 15775
chromatic test chart CMYK



AE261-5, Picture B6Wde: Landolt-rings W-C_e; W-M_e; PS operator: *rgb->rgb_{de} setrgbcolor*




AE261-7, Picture B7Wde: Landolt-rings W-J_e; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*

input: *rgb/cmy0/000n/w set...*
output: *->rgb_{de} setrgbcolor*




TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta



see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>

TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta




AE260-5, Picture B2Wde: radial gratings W-C_e; W-M_e; W-J_e; W-N; PS operator: **rgb**->**rgb_{de}** setrgbcolor




AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); **rgb/cmy0**->**rgb_{de}** setrgbcolor


Test chart AE26 according to test chart 2 of ISO/IEC 15775
chromatic test chart CMYK




AE261-1, Picture B4Wde: 16 equidistant steps W-C_e; W-M_e; W-J_e; W-N; **rgb/cmy0**->**rgb_{de}** setrgbcolor



AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e; M_e; Y_e; Z; PS operator: **rgb**->**rgb_{de}** setrgbcolor



AE261-5, Picture B6Wde: Landolt-rings W-C_e; W-M_e; PS operator: **rgb**->**rgb_{de}** setrgbcolor




AE261-7, Picture B7Wde: Landolt-rings W-J_e; W-N; PS operator: **rgb**->**rgb_{de}** setrgbcolor

input: **rgb/cmy0/000n/w** set...
output: ->**rgb_{de}** setrgbcolor

see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>

TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta




AE260-5, Picture B2Wde: radial gratings W-C_e; W-M_e; W-J_e; W-N; PS operator: **rgb**->**rgb_{de}** setrgbcolor




AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); **rgb/cmy0**->**rgb_{de}** setrgbcolor


Test chart AE26 according to test chart 2 of ISO/IEC 15775
chromatic test chart CMYK




AE261-1, Picture B4Wde: 16 equidistant steps W-C_e; W-M_e; W-J_e; W-N; **rgb/cmy0**->**rgb_{de}** setrgbcolor



AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e; M_e; Y_e; Z; PS operator: **rgb**->**rgb_{de}** setrgbcolor



AE261-5, Picture B6Wde: Landolt-rings W-C_e; W-M_e; PS operator: **rgb**->**rgb_{de}** setrgbcolor




AE261-7, Picture B7Wde: Landolt-rings W-J_e; W-N; PS operator: **rgb**->**rgb_{de}** setrgbcolor


input: **rgb/cmy0/000n/w** set...
output: ->**rgb_{de}** setrgbcolor

see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>


TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta




AE261-1, Picture B4Wde: 16 equidistant steps W-C_e; W-M_e; W-J_e; W-N; *rgb/cmy0->rgb_{de} setrgbcolor*




AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e; M_e; Y_e; Z; PS operator: *rgb->rgb_{de} setrgbcolor*



AE261-5, Picture B6Wde: Landolt-rings W-C_e; W-M_e; PS operator: *rgb->rgb_{de} setrgbcolor*




AE261-7, Picture B7Wde: Landolt-rings W-J_e; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*



AE260-5, Picture B2Wde: radial gratings W-C_e; W-M_e; W-J_e; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*



AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0->rgb_{de} setrgbcolor*




Test chart AE26 according to test chart 2 of ISO/IEC 15775
chromatic test chart CMYK


input: *rgb/cmy0/000n/w set...*
output: *->rgb_{de} setrgbcolor*

see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>


TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta




AE261-1, Picture B4Wde: 16 equidistant steps W- C_e ; W- M_e ; W- J_e ; W- N ; $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e ; M_e ; Y_e ; Z; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



AE261-5, Picture B6Wde: Landolt-rings W- C_e ; W- M_e ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




AE261-7, Picture B7Wde: Landolt-rings W- J_e ; W- N ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



AE260-5, Picture B2Wde: radial gratings W- C_e ; W- M_e ; W- J_e ; W- N ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor



input: $rgb/cmy0/000n/w$ set...
output: $\rightarrow rgb_{de}$ setrgbcolor

see similar files: <http://farbe.li.tu-berlin.de/AE26/AE26.HTM>
technical information: <http://farbe.li.tu-berlin.de/> or <http://farbe.li.tu-berlin.de/AE.HTM>

TUB Registration: 20190301-AE26/AE26L0FA.TXT /.PS
application for measurement or viewing of display and print output
TUB material: code=th4ta




AE260-5, Picture B2Wde: radial gratings W-C_e; W-M_e; W-J_e; W-N; PS operator: **rgb**->**rgb_{de}** setrgbcolor




AE260-7, Picture B3Wde: 14 CIE-test colours and 2 + 16 grey steps (sf); **rgb/cmy0**->**rgb_{de}** setrgbcolor


Test chart AE26 according to test chart 2 of ISO/IEC 15775
chromatic test chart CMYK




AE261-1, Picture B4Wde: 16 equidistant steps W-C_e; W-M_e; W-J_e; W-N; **rgb/cmy0**->**rgb_{de}** setrgbcolor



AE261-3, Picture B5Wde: Sript and Landolt-rings N; C_e; M_e; Y_e; Z; PS operator: **rgb**->**rgb_{de}** setrgbcolor



AE261-5, Picture B6Wde: Landolt-rings W-C_e; W-M_e; PS operator: **rgb**->**rgb_{de}** setrgbcolor



AE261-7, Picture B7Wde: Landolt-rings W-J_e; W-N; PS operator: **rgb**->**rgb_{de}** setrgbcolor

input: **rgb/cmy0/000n/w** set...
output: ->**rgb_{de}** setrgbcolor