

Test of visual linearized output of pictures B2W_{dd} to B3W_{dd} please underline Yes/No
Output test with computer display () or the external display () please mark by (x)!

Test of the resolution of radial gratings W-C_d, W-M_d, W-Y_d according to picture B2W_{dd}
Is the resolution diameter < 6 mm? W-C_d W-M_d W-Y_d W-N W-Z
Test with magnifying glass (e.g. 6x) Yes/No Yes/No Yes/No Yes/No Yes/No
resolution diameter mm mm mm mm mm

Test of the 14 CIE-test colours according to picture B3W_{dd}
Are clear (immediately conspicuous) differences recognized between reproduction and test chart? Yes/No
If Yes: How many colours have clear differences? of the given 14 steps: Steps

Test of 16 visual equidistant L*-grey steps according to picture B3W_{dd}
Are the 16 steps on the upper rows distinguishable? Yes/No
If No: How many steps can be distinguished? of the given 16 steps: Steps

part 1, AE290-3dd: 00301

Documentation of file format, hardware and software for this test:

PDF file: http://farbe.li.tu-berlin.de/AE29/AE29F0PX_CY8_1.PDF underline: Yes/No
PS file: http://farbe.li.tu-berlin.de/AE29/AE29F0PX_CY8_1.PS underline: Yes/No

Used computer operating system: either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the output: underline: monitor/data projector/printer

Device model, driver and version:.....

output with PDF/PS-file: underline: PDF/PS file

For output with PDF file AE29F0PX_CY8_1.PDF

either PDF-file transfer "download, copy" to PDF device.....
or with computer system interpretation by "Display-PDF":.....
or with software. e. g. Adobe-Reader/-Acrobat and version:.....
or with software e. g. Ghostscript and version:.....

For output with PS file AE29F0PX_CY8_1.PS

either PS-file transfer "download, copy" to PS device.....
or with computer system interpretation by "Display-PS":.....
or with software e. g. Ghostscript and version:.....
or with software e. g. Mac-Yap and version:.....

Special remarks: e. g. output of Landscape (L)

part 3, AE290-7dd: 00301

Test of 16 visually equally spaced steps of the colour rows W-C_d, W-M_d, W-Y_d, and W-N according to picture B4W_{dd}

W-C _d	Are all the 16 steps distinguishable?		Yes/No
White - Cyanblue:	If No: How many steps can be distinguished?	of the given 16 steps: Steps
W-M _d	Are all the 16 steps distinguishable?		Yes/No
White - Magentared:	If No: How many steps can be distinguished?	of the given 16 steps: Steps
W-Y _d	Are all the 16 steps distinguishable?		Yes/No
White - Yellow:	If No: How many steps can be distinguished?	of the given 16 steps: Steps
W-N	Are all the 16 steps distinguishable?		Yes/No
White - Black:	If No: How many steps can be distinguished?	of the given 16 steps: Steps

Test of characters and Landolt-rings in four sizes according to picture B5W_{dd}
Is the recognition > 50% for letters (17 of 32 at least)? , and for Landolt-rings (minimum 5 of 8)?

Relative size	Letters	Rings N	Rings C _d	Rings M _d	Rings Y _d
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of the recognition frequency of the Landolt rings W-C_d, W-M_d, W-Y_d, and W-N according to picture B6W_{dd} and B7W_{dd}
Is the recognition frequency of the Landolt rings > 50% (5 of 8 at least)?

Colour row W-C _d background - ring	Colour row W-M _d background - ring	Colour row W-Y _d background - ring	Colour row W-N background - ring
0 - 1 Yes/No	0 - 1 Yes/No	0 - 1 Yes/No	0 - 1 Yes/No
7 - 8 Yes/No	7 - 8 Yes/No	7 - 8 Yes/No	7 - 8 Yes/No
E - F Yes/No	E - F Yes/No	E - F Yes/No	E - F Yes/No
2 - 0 Yes/No	2 - 0 Yes/No	2 - 0 Yes/No	2 - 0 Yes/No
8 - 6 Yes/No	8 - 6 Yes/No	8 - 6 Yes/No	8 - 6 Yes/No
F - D Yes/No	F - D Yes/No	F - D Yes/No	F - D Yes/No

part 2, AE291-3Ndd: 00301

Documentation of assessor colour-vision properties for visual assessment

The assessor has normal colour vision according to one test:
either according to DIN 6160:1996 with Anomaloskop of Nagel underline: Yes/No
or with test charts using colour points according to Ishihara underline: Yes/unknown
or tested with, please specify: underline: Yes/unknown

For visual evaluation of the display (Monitor, data projector) output

Office workplace illumination is daylight (clouded/north sky) underline: Yes/No

PDF file: http://farbe.li.tu-berlin.de/AE29/AE29F0PX_CY8_3.PDF underline: Yes/No

PS file: http://farbe.li.tu-berlin.de/AE29/AE29F0PX_CY8_3.PS underline: Yes/No

picture A7_{dd} contrast range: (>F:0) (F:0) (E:0) (D:0) (C:0) (A:0) (9:0) (7:0) (5:0) (3:0) (<3:0) underline: Yes/No

compare standard print output according to ISO/IEC 15775 with range F:0 underline: Yes/No

Remark: In daylighted offices the contrast range is in many cases:

on display between: >F:0 and E:0 (monitor), D:0 and 3:0 (data projector)

Only for optional colorimetric specification with PDF/PS file output

PDF file: http://farbe.li.tu-berlin.de/AE29/AE29F0PX_CY8_3.PDF underline: Yes/No

picture A7_{dd} underline: Yes/No

PS file: http://farbe.li.tu-berlin.de/AE29/AE29F0PX_CY8_3.PS or underline: Yes/No

picture A7_{dd} or underline: Yes/No

colour measurement and specification for:

CIE standard illuminant D65, 2 degree observer, CIE 45/0 geometry: underline: Yes/No

If No, please give other parameters:

Colorimetric specification for 17 step colours of http://farbe.li.tu-berlin.de/OE70/OE70L1NP.PDF

Exchange of CIELAB data in file http://farbe.li.tu-berlin.de/AE82/AE82L0NP.TXT and transfer underline: Yes/No

of the PS file AE82L0NP.PS (= .TXT) to the PDF-file AE82L0NP.PDF underline: Yes/No

If No, please describe other method:

part 4, AE291-7dd: 00301