In this case the 9 steps are often not visible and may be counted as one step.

Sometimes "optimizing the PDF output for the web" is a default setting.

## Documentation of file format, hardware and software for this test:

## PDF file:

see similar files: http://farbe.li.tu-berlin.de/AE46/AE46.HTM

technical information: http://farbe.li.tu-berlin.de/

or http://farbe.li.tu-berlin.de/AE.HTM

http://farbe.li.tu-berlin.de/AE46/AE46F0PX\_CYN1\_1.PDF underline: Yes/No underline: Yes/No

http://farbe.li.tu-berlin.de/AE46/AE46F0PX\_CYN1\_1.PS

Used computer operating system:

either one of Windows/Mac/Unix/other and version:

This evaluation is for the output: underline: monitor/data projector/printer

Device model, driver and version:

output with PDF/PS-file: underline: PDF/PS file

## For output with PDF file AE46F0PX\_CYN1\_1.PDF

either PDF-file transfer "download, copy" to PDF device..... or with computer system interpretation by "Display-PDF":..... or with software. e. g. Adobe-Reader/-Acrobat and version: or with software e. g. Ghostscript and version:

## For output with PS file AE46F0PX\_CYN1\_1.PS

either PS-file transfer "download, copy" to PS device..... or with computer system interpretation by "Display-PS":..... or with software e. g. Ghostscript and version: or with software e. g. Mac-Yap and version:....

Special remarks: e. g. output of Landscape (L)

AE460-7de: 110561 part 3.

Form A: Test chart AE46 similar to test chart 1 of DIN 33872-6 1080 standard colours; Test chart similar to DIN 33872-6

input: rgb/cmy0/000n/w set... output: ->rgb<sub>de</sub> setrgbcolor

Documentation of assessor colour-vision properties for visual assessment The assessor has **normal** colour vision according to one test: either according to DIN 6160:1996 with Anomaloskop of Nagel or with test charts using colour points according to Ishihara or tested with, please specify: ..... For visual evaluation of the display (Monitor, data projector) output Office workplace illumination is daylight (clouded/north sky) http://farbe.li.tu-berlin.de/AE46/AE46F0PX CYN1 3.PDF http://farbe.li.tu-berlin.de/AE46/AE46F0PX\_CYN1\_3.PS picture A7<sub>de</sub> contrast range: (>F:0) (F:0) (E:0) (D:0) (C:0) (A:0) (9:0) (7:0) (5:0) (3:0) (<3:0) compare standard print output according to ISO/IEC 15775 with range F:0 Remark: In daylighted offices the contrast range is in many cases: on display between: >F:0 and E:0 (monitor), D:0 and 3:0 (data projector) Only for optional colorimetric specification with PDF/PS file output PDF file: http://farbe.li.tu-berlin.de/AE46/AE46F0PX CYN1 3.PDF picture A7<sub>de</sub> underline: Yes/No PS file: http://farbe.li.tu-berlin.de/AE46/AE46F0PX\_CYN1\_3.PS picture A7<sub>de</sub> or underline: Yes/No colour measurement and specification for: CIE standard illuminant D65, 2 degree observer, CIE 45/0 geometry: underline: Yes/No If No, please give other parameters: Colorimetric specification for 17 step colours of http://farbe.li.tu-berlin.de/OE70/OE70L1NP.PDF Exchange of CIELAB data in file http://farbe.li.tu-berlin.de/AE82/AE82L0NP.TXT and transfer of the PS file AE82L0NP.PS (=.TXT) to the PDF-file AE82L0NP.PDF underline: Yes/No If No, please describe other method: AE461-7de: 110561 part 4,

AE46/AE46L0NA.PDF /.PS, Page 23/24, rgb/cmy0/000n/w->rgb<sub>de</sub>

CYN1 (2,25:1): gp=1,000; gN=2,105 http://farbe.li.tu-berlin.de/AE46/AE46F0PX CYN1 2.PDF /.PS

TUB material: code=rha4ta

TUB