




AED70-5, printer A1000, D50 illuminant, radial grayscale, for 0.0, 0.2 and 0.4  $P_0$  operation,  $\gamma_{\text{pp3}}=0.025$




AED70-5, printer A1000, D50 illuminant, L\*a\*b\* visual equivalent L\*a\*b\* steps,  $P_0 \rightarrow P_0$ ,  $P_0$  operation,  $\gamma_{\text{pp3}}=0.025$




AED70-5, printer A1000, D50 illuminant, L\*a\*b\* visual equivalent L\*a\*b\* steps,  $P_0$  operation,  $\gamma_{\text{pp3}}=0.025$



AED70-5, printer A1000, D50 illuminant, L\*a\*b\* visual equivalent L\*a\*b\* steps,  $P_0$  operation,  $\gamma_{\text{pp3}}=0.025$



AED70-5, printer A1000, D50 illuminant, L\*a\*b\* visual equivalent L\*a\*b\* steps,  $P_0 \rightarrow P_0$ ,  $P_0$  operation,  $\gamma_{\text{pp3}}=0.025$



AED70-5, printer A1000, D50 illuminant, L\*a\*b\* visual equivalent L\*a\*b\* steps,  $P_0 \rightarrow P_0$ ,  $P_0$  operation,  $\gamma_{\text{pp3}}=0.025$