

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; D65, $Y_{me}=520_770$, LABHNU1_79

<i>Code, K=1:25</i>		L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _o	570_770	65.84	63.71	57.98	86.15	0.1689	-0.0544	42.3	38	594	16	480
Y _{me}	520_770	89.1	-1.94	81.22	81.24	0.1291	-0.0512	91.3	34	570	14	472
G _{me}	470_570	79.98	-73.18	35.07	81.15	0.0919	-0.0716	154.3	21	508	9	449
C _m	380_570	80.92	-45.37	-23.89	51.28	0.1066	-0.1022	207.7	16	483	42	613
B _{me}	380_520	50.81	5.33	-73.34	73.53	0.134	-0.1447	274.1	14	471	33	569
M _m	570_470	67.11	97.62	-30.98	102.42	0.1887	-0.1085	342.3	7	438	20	502
B _o	380_470	27.48	131.08	-98.28	163.83	0.2808	-0.2029	323.1	11	458	24	522
C _o	470_520	48.79	-53.41	-10.69	54.47	0.0888	-0.0981	191.3	17	488	-1	488c
G _o	520_570	71.36	-58.68	61.71	85.16	0.0964	-0.0545	133.5	27	538	12	462
W	380_770	96.0	0.0	0.0	0.0	0.13	-0.0899	345.9	12	461	27	535
N	380_770	22.33	0.0	0.0	0.0	0.13	-0.0899	156.1	21	505	9	445